

DESIGN ENGINEER□

WORKSHOP ENGINEER□

NO	SERIAL NO		COMPONENTS	MODEL	RATINGS	QTY	LOCATION
			BASE UNIT				
	□I□□B/SPCB						
	1□B/S PCB SMD MATERIAL						
1	2648500020	□	CIRCUIT BOARD	NTP4850BM030930	B/S BOARD	1	PCB
2	1510000210		SMD RES	0Ω	0603/±5%	2	R58□R57
3	1511001210		SMD RES	100Ω	0603/±5%	1	R56
4	1512201210		SMD RES	220Ω	0603/±5%	2	R7,R11
5	1514701210		SMD RES	470Ω	0603/±5%	1	R10
6	1516801210		SMD RES	680Ω	0603/±5%	1	R8
7	1518201210		SMD RES	820Ω	0603/±5%	1	R5
8	1513302210		SMD RES	3.3KΩ	0603/±5%	2	R9,R22
9	1516802210		SMD RES	6.8KΩ	0603/±5%	2	R2,R4
10	1514702210		SMD RES	4.7KΩ	0603/±5%	1	R51
11	1511003210		SMD RES	10KΩ	0603/±5%	6	R13,R18,R32,R34,R44,R3
12	1511503210		SMD RES	15KΩ	0603/±5%	2	R6,R1
13	1513303210		SMD RES	33KΩ	0603/±5%	2	R50,R52
14	1514703210		SMD RES	47KΩ	0603/±5%	6	R12,R21,R29,R36,R48,R49
15	1511004210		SMD RES	100KΩ	0603/±5%	10	R16,R23,R28,R33,R37,R38,R39,R42,R43,R47
16	1511504210		SMD RE	150KΩ	0603/±5%	1	R30
17	1512204210		SMD RES	220KΩ	0603/±5%	2	R171,R59
18	1513304210		SMD RES	330KΩ	0603/±5%	2	R45,R46
19	1514704210		SMD RES	470KΩ	0603/±5%	1	R31
20	1511005210		SMD RES	1MΩ	0603/±5%	1	R35
21	1512205210		SMD RES	2.2MΩ	0603/±5%	1	R19
22	1512206210		SMD RES	22MΩ	0603/±5%	2	R40,R41
23	1442704341	OC	SMD CAP	27PF	25V/0603/±5% NPO	2	C4,C5
24	1442215341	OC	SMD CAP	220PF	25V/0603/±10% NPO	1	C1A
25	1443915341	OC	SMD CAP	390PF	25V/0603/±10% NPO	1	C14
26	1441026341	OC	SMD CAP	1NF	25V/0603/±20% Y5V	1	C25
27	1444726341	OC	SMD CAP	4.7NF	25V/0603/±20% Y5V	1	R20
28	1441036041	OC	SMD CAP	10NF	25V/0603/±20% Y5V	9	C2,C11,C13,C24,C26,C27,C28,C6,C3
29	1441536041	OC	SMD CAP	15NF	25V/0603/±20% Y5V	1	C1

DESIGN ENGINEER□

WORKSHOP ENGINEER□

30	1444736041	OC	SMD CAP	47NF	25V/0603/±20% Y5V	1	C12
31	1441046041	OC	SMD CAP	100NF	25V/0603/±20% Y5V	6	C7,C8,C16,C21,C22,C23
32	1209014400		SMD TRANSISTOR	MMBT9014C	200<β<350 SOT-23 NPN	2	Q5,Q6
33	1208050400		SMD TRANSISTOR	S8050H (J3Y)	200<β<350 SOT-23 NPN	1	Q8
2□B/S PCB INJECTION PARTS							
1			JUMP WIRE	6mm		15	J1,J2A,J3,J4,J5,J6,J7,J8□J9,J15,J16,J17,J18,J19,J20
2			JUMP WIRE	10mm		4	J10,J11,J12,J13
3			JUMP WIRE	15mm		1	J14
4	1501000250		LEAD TYPE RES	10Ω	1/4W/±5%	1	R15
5	1501800250		LEAD TYPE RES	18Ω	1/4W/±5%	1	R14
6	1507500250		LEAD TYPE RES	75Ω	1/4W/±5%	1	R53
7	1501004250		LEAD TYPE RES	100KΩ	1/4W/±5%	2	R24,R25
8	1501802240		LEAD TYPE RES	1.8KΩ	1/8W/±5%	2	R26,R27
9	14310260B0		HIGH-VOLTAGE CER	102	1KV/±20%	5	C9,C10,C19,C20,C25
10	14310360B0		HIGH-VOLTAGE CER	103	1KV/±20%	2	C15,C17
11	1422245090		LEAD TYPE TERYLENE CAP	224(FOOT DISTANCE)10mm	250V/±10% LENGTH 12×5.3×10.8mm	1	C18
12	1402266030		AL EL CAP	22uF	16V/±20%Φ5×11	1	E2
13	1401076030		AL EL CAP	100μF	16V/±20%Φ5×11	1	E1
14	1404776040		AL EL CAP	470μF	25V/±20%Φ8×14	3	E5,E4,E3
15	1301500010		ZENER DIODE	15V	0.5W	2	DW1, DW2
16	2720000010		SURGE PROTECTOR	STPA200		1	ZR1
17	1314004010		ZENER DIODE	IN4004		8	D1,D2,D3,D4,D5,D6,D7,D11
18	1314148010		ZENER DIODE	1N4148		5	D8,D9,D10,D12,D13
19	2011001210		INDUCTOR	10μH	±10% EC36 0307	6	L1,L3,L4,L5 L6,L2
20	2325003510		FUSE	350mA 250V	WITH FOOT 3CM(Φ4×11.5) walter	1	FUSE1
21	1703580310		CRYSTAL	3.58MHz	20PPM 20PF	1	JT1
22	1208050610		ZENER TRANSISTOR	S8050D	200<β<350 TO-92 NPN	1	Q1
23	1219200610		ZENER TRANSISTOR	KSP92	80<β<160 TO-92 PNP	2	Q2,Q3
24	1204200610		ZENER TRANSISTOR	KSP42	80<β<160 TO-92 NPN	1	Q4
25	11678050A1	OC	LEAD TYPE IC	LM7805		1	IC3
3□B/S PCB WELDING PARTS							
1	2500000000		DC-JACK	DC-470		1	JK2

DESIGN ENGINEER□

WORKSHOP ENGINEER□

2	2502000100		BAT-JACK	623PCB (DOUBLE JACK)	BLACK	1	JK1
3	2140000220		SLIDE SWITCH	SS—12D25-G5	HANDLE LENGTH 5mm	1	K1
4	2521140400		FLAT CABLE	3+40+3mm×14PIN×2.0mm		1	B/S BOARD TO BMS BOARD
5	1133240140	OC	SMD IC	LM324M	SOP	1	IC2
6	2150000010		TOUCH SWITCH	6×6×4.3		1	PAGE1
7	1350121020		DIODE	Φ2mm	RED COLOR FLAT HEAD	1	LED1
8	1350301010		ZENER DIODE	Φ3mm	WHITE WITH RED COLOR (LONG FOOT 27mm)	1	LED2
□□□B/S BONDING PARTS							
1	2638500210	□	CIRCUIT BOARD	TCC150MCU-3850 030308	B/S BONDING	1	CPU BONDING BOARD
2	1110160000		BONDING IC	S3P7588XZZ	OTP	1	
□□B/S BMS PCB							
1□B/S BMS PCB SMD PARTS							
1	2648150010	□	CIRCUIT BOARD	NTP4815BMS030620	B/S BOARD	1	PCB
2	1511001210		SMD RES	100Ω	0603/±5%	1	R63
3	1511002210		SMD RES	1KΩ	0603/±5%	1	R57
4	1514702210		SMD RES	4.7KΩ	0603/±5%	2	R61,R0
5	1511003210		SMD RES	10KΩ	0603/±5%	6	R24/9,R58,R64,R71,R72,R70
6	1511503210		SMD RES	15KΩ	0603/±5%	1	R68
7	1512203210		SMD RES	22KΩ	0603/±5%	1	R67
8	1513303210		SMD RES	33KΩ	0603/±5%	1	R66
9	1513903210		SMD RES	39KΩ	0603/±5%	1	R74
10	1514703210		SMD RES	47KΩ	0603/±5%	3	R56,R62,R75
11	1515603210		SMD RES	56KΩ	0603/±5%	2	R69,R65
12	1511804210		SMD RES	180KΩ	0603/±5%	1	R59
13	1514704210		SMD RES	470KΩ	0603/±5%	1	R60
14	1518204210		SMD RES	820KΩ	0603/±5%	2	R54,R55
15	1444715341	OC	SMD CAP	470PF	25V/0603/±10% NPO	1	C41
16	1446815341	OC	SMD CAP	680P	25V/0603/±10% Y5V	2	C38,C39
17	1444726341	OC	SMD CAP	4.7NF	25V/0603/±20% Y5V	1	C34
18	1441036041	OC	SMD CAP	10NF	25V/0603/±20% Y5V	3	C28,C29,C40
19	1441536041	OC	SMD CAP	15NF	25V/0603/±20% Y5V	1	C33
20	1441046041	OC	SMD CAP	100NF	25V/0603/±20% Y5V	6	C30,C31,C32,C35,C36,C37
21	1218550400		SMD TRANSISTOR	S8550LT1(2TY)	120<β<200 SOT-23 PNP	1	Q7

DESIGN ENGINEER□

WORKSHOP ENGINEER□

22	1209014400		SMD TRANSISTOR	MMBT9014C	200< β <350 SOT-23 NPN	1	Q8
	2□B/S BMS PCB INJECTION PARTS						
			JUMP WIRE	6mm		4	J27,J28,J30,J22
			JUMP WIRE	10mm		6	J21,J23,J24,J25,J26,J29
1	1404746050		AL EL CAP	0.47 μ F	50V/ $\pm$ 20% Φ 5×11	1	E9
2	1401056050		AL EL CAP	1 μ F	50V/ $\pm$ 20% Φ 5×11	2	E7,E11
3	1401066050		AL EL CAP	10 μ F	50V/ $\pm$ 20% Φ 5×11	2	E6,E12
4	1401076030		AL EL CAP	100 μ	16V/ $\pm$ 20% Φ 5×11	3	E8,E10,E13
5	1545003110		LEAD ADJUSTABLE R	50K Ω		2	VR1,VR2
	3□B/S BMS PCB WELDING PARTS						
1	2521100300		FLAT CABLE	3+30+3mm×10PIN×2.0mm		1	
2	RFB2403A20	Z	HIGH VOLTAGE MOD	2.4GHzRF(B/S)		1	
3	1138507040	OC	SMD IC	KA8507BD	SOP	1	IC4
5	1511004210		SMD RES	100K Ω	0603/ $\pm$ 5%	1	
	□□□B/S ASSEMBLING PARTS						
	1□ASSEMBLING ELECTRONICS PARTS						
1	2520080900		WIRE	90mm(BLACK)	Φ 0.8mm	1	LED-
2	2520080902		WIRE	90mm(RED)	Φ 0.8mm	1	LED+
3	2520081200		WIRE	120mm(BLACK)	Φ 0.8mm	2	CN3-,CN1-
4	2520081202		WIRE	120mm(RED)	Φ 0.8mm	2	CN3+,CN1+
5	2520081204		WIRE	120mm(YELLOW)	Φ 0.8mm	1	CN2-
6	2520081206		WIRE	120mm□BLUE□	Φ 0.8mm	1	CN2+
	2□INJECTION PARTS						
1	048S010001	Z	B/S TOP CABINET	ABS	PAINT, SILK SCREEN	1	
2	048S020001	Z	B/S BOTTOM CABINET	ABS		1	
3	048S030001	Z	CHARGING CONTACT	ABS	PAINT	1	
4	048S040001	Z	PAGE BUTTON	ABS	PAINT, SILK SCREEN	1	
5	048S050001	Z	B/S LED CUSHION	PC		1	
6	048S060001	Z	MOUNTING SHELF	ABS		1	
	3□METAL PARTS						
1	048W040021	Z	B/S CHARGING PIN	T0.2	PHOSPHOR BRONZE BELT/PL	2	
2	000W010011	Z	B/S ROTARY ANTENN	Φ 2.4×82□42× Φ 0.112□	MULTI BRONZE WIRE	1	
	4□LIGHT PLASTIC						
1	0QH3648030	Z	B/S RF CUSHION	48×36	0.3mm SINGLE SIDE RED STE	1	

DESIGN ENGINEER□

WORKSHOP ENGINEER□

2	0QH1510102	Z	B/S ANTENNA CUSHION	15×10	1.0mm DOUBLE SIDE GLUE EV.	1	
3	0QP1408020		B/S GLISTEINING PIN	8.6×14×0.2	0.2 BLACK PVC	1	
	5□STANDARD PA						
1	000PB02305		PAGE KEYPAD SCREW	PB2.3×5		2	
2	000PB02305		B/S LED1 SCREW	PB2.3×5		1	
3	000PB02305		B/S LED2 SCREW	PB2.3×5		1	
4	000PB02608		B/S RF SCREW	PB2.6×8		2	
5	000PB02305		B/S BMS BOARD SCREW	PB2.3×5		3	
6	000PB02608		B/S CABINET SCREW	PB2.6×8		1	
7	000PWA2608		CHARGING CONTACT	PWA2.6×8	Φ5.5	3	
8	000PB02005		CHARGING PIN SCREW	PB2.0×5		2	
	III□H/S PARTS						
	□I□□H/S PCB						
	1□H/S PCB SMD PARTS						
1	2648500120	□	CIRCUIT BOARD	NTP4850HM030822	H/S BOARD	1	PCB
2	1511500210		SMD RES	15Ω	0603/±5%	2	R64,R65
3	1512200210		SMD RES	22Ω	0603/±5%	1	R9
4	1514700210		SMD RES	47Ω	0603/±5%	1	R33
5	1516800210		SMD RES	68Ω	0603/±5%	1	R8
6	1512201210		SMD RES	220Ω	0603/±5%	1	R7
7	1514701210		SMD RES	470Ω	0603/±5%	6	R3,R27,R40,R35,R58,R11
8	1511502210		SMD RES	1.5KΩ	0603/±5%	1	R68
9	1513302210		SMD RES	3.3KΩ	0603/±5%	1	R45
10	1514702210		SMD RES	4.7KΩ	0603/±5%	6	R28,R39,R42,R6,R69,R59
10	1517502210		SMD RES	7.5KΩ	0603/±5%	1	R4
11	1511003210		SMD RES	10KΩ	0603/±5%	14	R17,R19,R21,R24,R29,R30,R34,R41,R49,R61,R67,R71,R62,R32
12	1511203210		SMD RES	12KΩ	0603/±5%	1	R23
13	1511503210		SMD RES	15KΩ	0603/±5%	1	R66
14	1512203210		SMD RES	22KΩ	0603/±5%	2	R46,R5
16	1513303210		SMD RES	33KΩ	0603/±5%	2	R20,R60
17	1514703210		SMD RES	47KΩ	0603/±5%	9	R13,R15,R37,R38,R43,R44,R48,R54,R55
18	1515603210		SMD RES	56KΩ	0603/±5%	1	R22
19	1518203210		SMD RES	82KΩ	0603/±5%	2	R51,R1

DESIGN ENGINEER□

WORKSHOP ENGINEER□

20	1511004210		SMD RES	100KΩ	0603/±5%	8	R2,R12,R16,R31,R47,R56,R63,R52
21	1511204210		SMD RES	120KΩ	0603/±5%	1	R50
22	1511304210		SMD RES	130KΩ	0603/±5%	2	R26,R53
23	1511604210		SMD RES	160KΩ	0603/±5%	1	R25
24	1511804210		SMD RES	180KΩ	0603/±5%	1	R70
25	1513304210		SMD RES	330KΩ	0603/±5%	1	R36
26	1511005210		SMD RES	1MΩ	0603/±5%	1	R18
27	1512205210		SMD RES	2.2MΩ	0603/±5%	1	R14
28	1442204341	OC	SMD CAP	22PF	25V/0603/±5% NPO	2	C4,C5
29	1442704341	OC	SMD CAP	27PF	25V/0603/±5% NPO	2	C2,C3
30	1443004341	OC	SMD CAP	30PF	25V/0603/±5% X7R	1	C9
31	1443915341	OC	SMD CAP	390PF	25V/0603/±10% X7R	1	C37
32	1445615341	OC	SMD CAP	560PF	25V/0603/±10% X7R	1	C20
33	1446815341	OC	SMD CAP	680PF	25V/0603/±10% X7R	1	C30
34	1441026341	OC	SMD CAP	1NF	25V/0603/±20% Y5V	1	C41
35	1444726341	OC	SMD CAP	4.7NF	25V/0603/±20% Y5V	1	C7
36	1441036041	OC	SMD CAP	10NF	25V/0603/±20% Y5V	3	C14,C18,C29
37	1441536041	OC	SMD CAP	15NF	25V/0603/±20% Y5V	1	C15
38	1444736041	OC	SMD CAP	47NF	25V/0603/±20% Y5V	3	C8,C39,C33
39	1441046041	OC	SMD CAP	100NF	25V/0603/±20% Y5V	18	C1,C6,C13,C17,C19,C21,C25,C26,C28,C24,C36,C10,C11,C12,C32,C34,C31,C38
40	1314148110		SMD DIODE	LL4148		6	D1,D3,D4,D5,D6,D7
41	1300510110		SMD DIODE	5.1V	0.5W	1	DW1
42	1218550400		SMD TRANSISTOR	S8550LT1(2TY)	120<β<200 SOT-23 PNP	2	Q5,Q9
43	1219012400		SMD TRANSISTOR	S9012LT1(2T1)	120<β<200 SOT-23 PNP	2	Q6,Q7
44	1209014400		SMD TRANSISTOR	MMBT9014C	200<β<350 SOT-23 NPN	8	Q1,Q2,Q3,Q4,Q8,Q11,Q12,Q10
45	1545003010		SMD ADJUSTABLE RES	50KΩ		2	W1,W2
46	1138507040	OC	SMD IC	KA8507BD	SOP	1	IC3
47	1133240140	OC	SMD IC	LM324M	SOP	1	IC2
48	11424C1641	OC	SMD IC	AT24C16(2.7V)	SOP	1	IC5
2□H/S PCB WELDING PARTS							
1	1404746051		SMALL AL EL CAP	0.47μF	50V/±20%Φ4×7	1	C40
2	1401076031		SMALL AL EL CAP	100uF	16V/±20%Φ5×7	5	C16,C22,C23,C27,C35

DESIGN ENGINEER□

WORKSHOP ENGINEER□

3	1350301011		LEAD LED	Φ3mm	WHITE WITH RED COLOR (SHORT FOOT)	1	LED1
4	1703580310		CRYSTAL	3.58MHz	20PPM 20PF	1	X2
5	2503000040		SMD HEADSET JACK	HEADSET JACK	2.5mm SMT	1	EAR1
6	1316000010		ZENER DIODE	IN60	Φ1.8×3.6	1	D2
7	RFH2475A20	Z	HIGH VOLTAGE MOD	2.4GHzRF(H/S)		1	
8	2140000050		SLIDE SWITCH	SK-13D01-G2		1	SW1
9	2521100300		FLAT CABLE	3+30+3mm×10PIN×2.0mm		1	CN1
10	2501000010		BAT JACK	BATTERY JACK	5264□BATTERY NOT INCLUDE	1	BATT
11	1350181120		SMD LED ZENER DIODE	TY-1206QGC	YELLOW AND GREEN HIGH LIGHT	4	LED2,LED3,LED4,LED5
12	2405000070		HQ40002	LCD1		1	
13	048S170001		LCD GLISTENING PIN	PMMA		1	
14	048S180001		LCD FOOT	PC		1	
15	0QH1544020		LCD DOUBLE SIDE GLUE	44×1.5	0.2DOUBLE SIDE GLUE-3M	2	
16	0QH0917020		LCD GLISTENING PLA	17×9	SINGLE SIDE GLISTENING SILV	1	CUSTOMER PROVIDED
17	0QH4520020		LCD GLISTENING PLA	20×4.5	SINGLE SIDE GLISTENING SILV	1	CUSTOMER PROVIDED
18	2140000130		MINI SWITCH	TC-121Vz(IRON FOOT)		2	DOW1,UP1
19	1703276110		CRYSTAL	32.768KHz	20PPM 20PF	1	X1
	□II□□H/S BONDING PARTS						
1	1110070000	OC	BONDING IC	S3P7565XZZ	OTP	1	
	I□ASSEMBLING ELECTRONICS PARTS						
1	1600000070		RECEIVER	SD157	WIRE LENGTH 40mm	1	SPK1
2	1625811210		MICROPHONE	-58dB ±1dB	Φ9.8×6.5mm WITH FOOT	1	MIC1
3	1631162010		AS—1201A(BUZZER)	Φ12mm×5.4mm	16Ω WITH WIRE 90mm	1	BUZZER
	2□INJECTION PARTS						
1	048S070002	Z	H/S TOP CABINET	ABS	PAINT, SILK SCREEN	1	
2	048S080002	Z	H/S BOTTOM CABINE	ABS	SILK SCREEN	1	
3	048S090001	Z	FUNCTION BUTTON	ABS	PAINT, SILK SCREEN	1	
4	048S100001	Z	FUNCTION BUTTON R	ABS		1	
5	048S110001	Z	ON/OFF BUTTON	ABS		1	
6	048S120001	Z	H/S LED CUSHION	PC		1	
7	048S150001		H/S RF FOOT	ABS		1	

DESIGN ENGINEER□

WORKSHOP ENGINEER□

8	048S200001		SIDE BUTTON		PAINT	1	
	3□METAL PARTS						
1	048W030021	Z	H/S CHARGING CONT	T0.75	PHOSPHOR BRONZE BELT/PL	2	
2	010W020011		H/S ROTARY ANTENNA	Φ1.5□14×Φ0.11□×L32	MULTI BRONZE WIRE	1	
	4□LIGHT PLASTIC PARTS						
1	0QH1525401	Z	H/S RF CUSHION	25×15	2.0mm SINGLE SIDE GLUE EVA	2	
2	0QH1510302	Z	H/S ANTENNA CUSHION	15×10	3.0mm DOUBLE SIDE GLUE EVA	2	
3	0QM4850000	Z	H/S RUBBER	BLACK+SILVER	RUBBER□WITH MIC FOAM□	1	
4	0QH1620102	Z	RECEIVER CUSHION	Φ20×Φ15	1.0 DOUBLE SIDE GLUE EVA	1	
5	0QL0186010		RECEIVER DUSTPROOF FOAM	Φ18.6	0.1(THICK)	1	
6	0QH0812101	Z	BUZZER CUSHION	Φ12×Φ8	1.0 SINGLE SIDE GLUE EVA	1	
7	0QL0050010	Z	BUZZER DUSTPROOF FOAM	Φ5	0.1 THICK	1	
8	0QH3648030	Z	H/S RF CUSHION	48×36	0.3SINGLE SIDE RED STEEL F	1	
	5□STANDARD PARTS						
1	000PB02305		H/S BOARD SCREW	PB2.3×5		4	
2	000PB02305		H/S RF FOOT SCREW	PB2.3×5		1	
3	000PB02608		H/S RF SCREW	PB2.6×8		2	
4	000PB02608		H/S CABINET SCREW	PB2.6×8		2	
	III□PACKAGE PARTS						
1	3000930071		VOLTAGE REGULATOR	220V/DC9V	300mA 50HZ STRAIGHT	1	
2	2926010110		NI-MH BATTERY	Ni-Mh AAA	3.6V 600mA (WITH JACK□	1	
3	2512100021		LINE CORD	P+UK		1	
5	0QH0310020		LCD DOUBLE SIDE PAPER1	10×3	0.2DOUBLE SIDE GLUE-3M	1	
6	0QH0322020		LCD DOUBLE SIDE PAPER2	22×3	0.2DOUBLE SIDE GLUE-3M	1	
7	0QH0630020		LCD DOUBLE SIDE PAPER3	30×6	0.2DOUBLE SIDE GLUE-3M	1	
8	0QH0312020		LCD DOUBLE SIDE PAPER4	12×3	0.2DOUBLE SIDE GLUE-3M	1	
9	0QH0625020		LCD DOUBLE SIDE PAPER5	25×6	0.2DOUBLE SIDE GLUE-3M	1	

DESIGN ENGINEER□

WORKSHOP ENGINEER□

4	0QP2130000		POLY BAG	210×300	□□□□	2	
10	0QP1128000		POLY BAG	110×280	□□□□	2	
11	048F020001	□	LABEL			1	
12	048F050001	□	GIFT BOX			1	
13	048F010001	□	OPERATING MANUAL			1	
14	048F040001	□	CARTON BOX			0.10	
15	0QJ0010001		ROUND RUBBER FOOT	Φ10.0	SINGLE SIDE GLUE RUBBER	2	
16	0QH3525101	Z	BATTERY CUSHION	25×35×1.0	1.0mmSINGLE SIDE CUSHION	1	
17	048S160001		H/S BELT CLIP	ABS		1	
18	315S190001		H/S LOGO	24.6×10.5	0.4mmPVC	1	
19	315S210001		B/S LOGO	24.6×10.5	SINGLE SIDE GLUE	1	
20	048S130002	Z	LCD	PMMA	SILK SCREEN	1	
21	048S140001	Z	BATTERY DOOR	ABS		1	
22	375F070000	Z	HEADSET JACK		RUBBER	1	
23	0QP4122000		LCD STATIC FILM	41×22		1	
TOTAL						470.1	

