



Photos only for label placement purposes, refer to following pages for label drawings

802.15.4 0-10V Dimmer
Cat. No. ZS057-D0Z

LEVITON®

INPUT: 120-277V~, 50/60Hz
OUTPUT:
120V~, 8A, 960VA LED/CFL/ELEC. BALLAST
277V~, 5A, 1385VA LED/CFL/ELEC. BALLAST
120-277V~, 10A, STANDARD BALLAST
120V~, 6.67A, TUNGSTEN
120V~, 1/4 HP MOTOR (FLA 5.8A)
277V~, 1/3 HP MOTOR (FLA 3.0A)

OPERATING TEMPERATURE
RANGE: 0°-40°C

FCC ID: QGH-B167601
IC: 2473A-B167601

Assembled in Mexico



0XB5300xx0101

DIMMER

— BLACK —	— LINE (IN)
— WHITE —	— NEUTRAL (IN)
— BLUE —	— LOAD (OUT)
— GREEN —	— GROUND
— VIOLET —	— 0-10V (POS) } CLASS 1 OR
— GRAY —	— 0-10V (NEG) } CLASS 2



802.15.4 0-10V Dimmer
Cat. No. ZS057-D0Z

LEVITON®

INPUT: 120-277V~, 50/60Hz
OUTPUT:
120V~, 8A, 960VA LED/CFL/ELEC. BALLAST
277V~, 5A, 1385VA LED/CFL/ELEC. BALLAST
120-277V~, 10A, STANDARD BALLAST
120V~, 6.67A, TUNGSTEN
120V~, 1/4 HP MOTOR (FLA 5.8A)
277V~, 1/3 HP MOTOR (FLA 3.0A)

OPERATING TEMPERATURE
RANGE: 0°-40°C

FCC ID: QGH-B167601
IC: 2473A-B167601

Made in China



0XB5300xx0108

DIMMER

— BLACK —	— LINE (IN)
— WHITE —	— NEUTRAL (IN)
— BLUE —	— LOAD (OUT)
— GREEN —	— GROUND
— VIOLET —	— 0-10V (POS) } CLASS 1 OR
— GRAY —	— 0-10V (NEG) } CLASS 2



802.15.4 0-10V Dimmer
Cat. No. ZS057-D0Z

LEVITON®

INPUT: 120-277V~, 50/60Hz
OUTPUT:
120V~, 8A, 960VA LED/CFL/ELEC. BALLAST
277V~, 5A, 1385VA LED/CFL/ELEC. BALLAST
120-277V~, 10A, STANDARD BALLAST
120V~, 6.67A, TUNGSTEN
120V~, 1/4 HP MOTOR (FLA 5.8A)
277V~, 1/3 HP MOTOR (FLA 3.0A)

OPERATING TEMPERATURE
RANGE: 0°-40°C

FCC ID: QGH-B167601
IC: 2473A-B167601

Assembled in USA



0XB5300xx0148

DIMMER

— BLACK —	— LINE (IN)
— WHITE —	— NEUTRAL (IN)
— BLUE —	— LOAD (OUT)
— GREEN —	— GROUND
— VIOLET —	— 0-10V (POS) } CLASS 1 OR
— GRAY —	— 0-10V (NEG) } CLASS 2



LEVITON PART NO.: 0XB5300xx0101
ASSEMBLED IN MEXICO
- FOR FUTURE USE -

LEVITON PART NO.: 0XB5300xx0108
MADE IN CHINA

LEVITON PART NO.: 0XB5300xx0148
ASSEMBLED IN USA
- FOR FUTURE USE -

NOTES (UNLESS OTHERWISE SPECIFIED):

1. MATERIAL AND DIMENSIONS SPECIFIED ON DRAWING OXB5300-D01.
2. PRINT BLACK CHARACTERS AND GRAPHICS ON WHITE BACKGROUND PER ARTWORK ORB5300-D01revB.ai (FOR PURCHASED, "xx" IN PART NO. = 89) OR .jpg (FOR SELF-PRINT, "xx" IN PART NO. = 00). GRAPHICS SHOWN FOR ILLUSTRATION PURPOSES ONLY.

STATUS: Production Release					<p>The information in this document is the exclusive PROPRIETARY property of LEVITON MFG. CO., INC. It is disclosed with the understanding that acceptance or review by the recipient constitutes an undertaking by the recipient: (1) to hold this information in strict confidence. (2) not to disclose, duplicate, copy, or use the information, in whole or in part, for any purpose other than that for which disclosed.</p> <p>Copyright 2010. Unpublished. All Rights Reserved.</p>	UNLESS OTHERWISE SPECIFIED: DO NOT SCALE DRAWING. ALL DIMENSIONS ARE IN MILLIMETERS. ALL ANGLES ARE IN DEGREES.		TITLE: LABEL PROD ID 802.15.4 0-10V DIMMER				
						TOLERANCES						
REV.	DATE	ECO NUMBER	CHGD	APVD	INCH .XX ± .01 .XXX ± .005	METRIC .X ± .2 mm .XX ± .10 mm	DWN BY	RJ	09/22/2017	ENGRG	YA	12/14/2018
B	06/10/2019	ECR18680	RJ	RJ			CHK BY	NR	12/14/2018	MFG	NR	12/14/2018
A	12/14/2018	ECR17502	RJ	YA	ANGLES: ± 1/2°		DWG NO. ORB5300-D01					
-	-	-	-	-	THIRD ANGLE PROJECTION		SIZE A		PROJECT NO. PROJ-03163		REV B	
-	-	-	-	-			SCALE:2:1		SHEET 1 OF 1			
-	-	-	-	-	ALL PRINTED COPIES ARE UNCONTROLLED							

802.15.4 0-10V Dimmer
Cat. No. ZS057-30Z

LEVITON®

INPUT: 347V~, 50/60Hz
OUTPUT:
347V~, 4A, 1388VA LED/CFL/ELEC. BALLAST

OPERATING TEMPERATURE
RANGE: 0°-40°C

FCC ID: QGH-B167601
IC: 2473A-B167601

Assembled in Mexico



0XB5302xx0101

DIMMER

— BLACK —	— LINE (IN)
— WHITE —	— NEUTRAL (IN)
— BLUE —	— LOAD (OUT)
— GREEN —	— GROUND
— VIOLET —	— 0-10V (POS) } CLASS 1 OR
— GRAY —	— 0-10V (NEG) } CLASS 2

NOM



802.15.4 0-10V Dimmer
Cat. No. ZS057-30Z

LEVITON®

INPUT: 347V~, 50/60Hz
OUTPUT:
347V~, 4A, 1388VA LED/CFL/ELEC. BALLAST

OPERATING TEMPERATURE
RANGE: 0°-40°C

FCC ID: QGH-B167601
IC: 2473A-B167601

Made in China



0XB5302xx0108

DIMMER

— BLACK —	— LINE (IN)
— WHITE —	— NEUTRAL (IN)
— BLUE —	— LOAD (OUT)
— GREEN —	— GROUND
— VIOLET —	— 0-10V (POS) } CLASS 1 OR
— GRAY —	— 0-10V (NEG) } CLASS 2

NOM



802.15.4 0-10V Dimmer
Cat. No. ZS057-30Z

LEVITON®

INPUT: 347V~, 50/60Hz
OUTPUT:
347V~, 4A, 1388VA LED/CFL/ELEC. BALLAST

OPERATING TEMPERATURE
RANGE: 0°-40°C

FCC ID: QGH-B167601
IC: 2473A-B167601

Assembled in USA



0XB5302xx0148

DIMMER

— BLACK —	— LINE (IN)
— WHITE —	— NEUTRAL (IN)
— BLUE —	— LOAD (OUT)
— GREEN —	— GROUND
— VIOLET —	— 0-10V (POS) } CLASS 1 OR
— GRAY —	— 0-10V (NEG) } CLASS 2

NOM



LEVITON PART NO.: 0XB5302xx0101
ASSEMBLED IN MEXICO
- FOR FUTURE USE -

LEVITON PART NO.: 0XB5302xx0108
MADE IN CHINA

LEVITON PART NO.: 0XB5302xx0148
ASSEMBLED IN USA
- FOR FUTURE USE -

NOTES (UNLESS OTHERWISE SPECIFIED):

- MATERIAL AND DIMENSIONS SPECIFIED ON DRAWING OXB5300-D01.
- PRINT BLACK CHARACTERS AND GRAPHICS ON WHITE BACKGROUND PER ARTWORK ORB5302-D01revB.ai (FOR PURCHASED, "xx" IN PART NO. = 89) OR .jpg (FOR SELF-PRINT, "xx" IN PART NO. = 00). GRAPHICS SHOWN FOR ILLUSTRATION PURPOSES ONLY.

STATUS: Production Release					<p>The information in this document is the exclusive PROPRIETARY property of LEVITON MFG. CO., INC. It is disclosed with the understanding that acceptance or review by the recipient constitutes an undertaking by the recipient: (1) to hold this information in strict confidence. (2) not to disclose, duplicate, copy, or use the information, in whole or in part, for any purpose other than that for which disclosed.</p> <p>Copyright 2010. Unpublished. All Rights Reserved.</p>	UNLESS OTHERWISE SPECIFIED: DO NOT SCALE DRAWING. ALL DIMENSIONS ARE IN MILLIMETERS. ALL ANGLES ARE IN DEGREES.		TITLE: LABEL PROD ID 802.15.4 0-10V DIMMER 347V				
						TOLERANCES						
REV.	DATE	ECO NUMBER	CHGD	APVD	INCH .XX ± .01 .XXX ± .005	METRIC .X ± .2 mm .XX ± .10 mm	DWN BY	RJ	09/22/2017	ENGRG	YA	12/14/2018
B	06/10/2019	ECR18680	RJ	RJ			CHK BY	NR	12/14/2018	MFG	NR	12/14/2018
A	12/14/2018	ECR17502	RJ	YA	ANGLES: ± 1/2°		DWG NO. ORB5302-D01					
-	-	-	-	-	THIRD ANGLE PROJECTION		SIZE	PROJECT NO. PROJ-03163			REV	
-	-	-	-	-			A	SCALE:2:1		B		
-	-	-	-	-	ALL PRINTED COPIES ARE UNCONTROLLED		SHEET 1 OF 1					

TOGGLE / RESET

802.15.4 0-10V Lumina RF Load Controller
 Cat. No. LU107-DNW



INPUT: 120-277V~, 50/60Hz
 OUTPUT:
 120V~, 8A, 960VA LED/CFL/ELEC. BALLAST
 277V~, 5A, 1385VA LED/CFL/ELEC. BALLAST
 120-277V~, 10A, STANDARD BALLAST
 120V~, 6.67A, TUNGSTEN
 120V~, 1/4 HP MOTOR (FLA 5.8A)
 277V~, 1/3 HP MOTOR (FLA 3.0A)



OPERATING TEMPERATURE
 RANGE: 0°- 50°C
 SUITABLE FOR USE IN AIR HANDLING SPACES

FCC ID: QGH-B167601
 IC: 2473A-B167601



DIMMER	—	BLACK	—	LINE (IN)	} CLASS 1 OR } CLASS 2
	—	WHITE	—	NEUTRAL (IN)	
	—	BLUE	—	LOAD (OUT)	
	—	GREEN	—	GROUND	
	—	VIOLET	—	0-10V (POS)	
	—	GRAY	—	0-10V (NEG)	

XXXXXX

Made in China

NOTES (UNLESS OTHERWISE SPECIFIED):

1. USE ARTWORK MODEL ORB8381-M01.
2. GRAPHICS SHOWN FOR ILLUSTRATION PURPOSES ONLY.
3. GRAPHICS TO BE LASER ENGRAVED IN LASER PRINTING MACHINE USING PARAMETERS IN TABLE BELOW. THIS SETUP WILL ETCH THE GRAPHICS ON THE PLASTIC AT THE PROPER COLOR TONE.
 (parameters TBD during Eng Run)

STATUS: In Work					 The information in this document is the exclusive PROPRIETARY property of LEVITON MFG. CO., INC. It is disclosed with the understanding that acceptance or review by the recipient constitutes an undertaking by the recipient: (1) to hold this information in strict confidence. (2) not to disclose, duplicate, copy, or use the information, in whole or in part, for any purpose other than that for which disclosed. Copyright 2010. Unpublished. All Rights Reserved.		UNLESS OTHERWISE SPECIFIED: DO NOT SCALE DRAWING. ALL DIMENSIONS ARE IN MILLIMETERS. ALL ANGLES ARE IN DEGREES.			TITLE: ART - LASER ETCH LU107 LUMINA RF ZONE CONTROL								
					TOLERANCES		DWN BY		RJ		07/12/2019		ENGRG		-		-	
REV.	DATE	ECO NUMBER	CHGD	APVD	INCH .XX ± .01 .XXX ± .005	METRIC .X ± .2 mm .XX ± .10 mm	CHK BY		-		-		MFG		-		-	
1	-	-	-	-	ANGLES: ± 1/2°		DWG NO. ORB8381-D01											
-	-	-	-	-	THIRD ANGLE PROJECTION 		SIZE		PROJECT NO. PROJ-03357						REV			
-	-	-	-	-	ALL PRINTED COPIES ARE UNCONTROLLED		A		SCALE:2:1				SHEET 1 OF 1		1			