

#### Activating Warranty Coverage:

To obtain warranty service please contact Tab Global Co. Ltd. Customer Support within the applicable warranty period. A stated proof of original purchase from Tab Global Co. Ltd or its authorized reseller will be required. The customer will be contacted by phone or email, if necessary. Customers should expect a 48-hour response time. The Technical Support Team can be reached through email at: [sales@tab-g.com](mailto:sales@tab-g.com)

#### Limitation of liability:

This limited warranty does not cover loss or damage which occur in shipment to or from the reseller, or due to: (1) improper installation, maintenance, misuse, neglect, or any cause other than ordinary commercial or industrial application; (2) adjustment, repair, or modifications by anyone other than Tab Global Co. Ltd - authorized personnel; (3) improper environment, extreme temperatures, electrical power surges, surges, or other irregularities; (4) statements made about Tab Global Co. Ltd products by salespeople, dealers, OEMs, or agents unless otherwise confirmed in writing by an officer of Tab Global Co. Ltd

#### Warranty

Tab Global Co. Ltd warranty obligations are limited to the terms set forth below. Tab Global Co. Ltd as a manufacturer of USBdrive guarantees this hardware product against defects in materials and workmanship for a period of one (1) year from the date of original retail purchase.



## Appendix F. Users Manual

FCC ID : QGNTGUD-03A  
 Report No:E03.0204.FCC.060N  
 Date of Test : February 4, 2003



**PORTABLE STORAGE DEVICE**

**SAVE** all your large files on the USBdrive such as PowerPoint® presentations, websites, music and video files. About the size of a car key, the USBdrive connects to your USB port and allows you to transfer your files up to 1 GB. There is no simpler or more convenient method to move your data.

**SECURE** your confidential files with ease of mind. Before you leave your home or work, back-up your most important data and carry it with you. Imagine being able to keep your budget, your address book, or important email in your pocket without worry.

**SHARE** with all major operating systems faster than anything of its size. You can plug and play the device on nearly all PCs worldwide using Windows, Mac, and Linux operating systems.

Microsoft® Windows® 98SE/ME/Windows 2000 or XP  
 2000/XP or higher Intel® Pentium® processor  
 32MB RAM (64MB recommended)

Internet connection if you need to download WinGIGSE driver file

Mac® OS version 8.6 or higher  
 Mac® OS 9 or higher  
 32MB RAM (64MB recommended)

**Note:** If your computer's USB port is either incompletely placed or obscured by PC design, please utilize the included USB extension cable.

**WARNING:** Do not remove the USBdrive until the indicator light is green. When the indicator is lighting red, the device is busy. Do not touch the USBdrive until the LED goes out.



**WINDOWS®**

**To Access USBDrive**

1. Remove Cap
2. Insert the USBdrive directly into the USB port of your computer.

**To Remove USBDrive**

1. Click on "My Computer" icon
2. Click on "Floppies Disk" icon
3. Select "Unplug" from menu
4. Click on "Floppies Disk" icon

**To Remove USBDrive**

1. Select "Unplug" from menu
2. Click on "Floppies Disk" icon

**To Remove USBDrive**

1. Remove Cap



**Macintosh®**

**To Access USBDrive**

1. Insert the USBdrive directly into the USB port of your computer.

**To Remove USBDrive**


1. Click on "My Computer" icon
2. Click on "Floppies Disk" icon
3. Select "Unplug" from menu
4. Click on "Floppies Disk" icon

**To Remove USBDrive**

1. Select "Unplug" from menu
2. Click on "Floppies Disk" icon

**To Remove USBDrive**

1. Remove Cap



Interface	USB compatible with USB 1.1 spec
Capacity	16MB / 32MB / 64MB / 128MB 256MB / 512MB / 1GB / 2GB
Data Access Rate	Over 1 MB/second
Drive Retention	Up to 10 years
Storage Temp	-20°C~80°C
Operating Temp	0°C~45°C
Weight	1.4ounce/20g (168~150)
EMI Compliance	FCC, CE, EMI, SMC
Dimensions	Width 74mm x 2.2mm x 10mm With Cap: 65mm x 2.2mm x 10mm
Power Supply	USB Bus powered 2.7V ~ 3.3V
OS Support	Win 98SE/Me / 2000 / XP Mac OS 9, 10X, Linux 2.4

ETL Inc.  
 584 Sangwhal-ri, Kanam-myon,  
 Yaju-kun, Kyounggi-do,  
 469-885, Korea

**TAB Global Co., Ltd.**  
**USB DRIVE**  
**Model : TGUD-03A**

2 of 3



## ***FCC Information***

### **FCC Part 15.105**

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions. May cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected
- Consult the dealer or an experience radio / TV technician for help

### **FCC Part 15.21**

Changes or modifications not expressly approved by the party responsible for compliance Could void the user's authority to operate the equipment