



### **7.13 Frequency Stability**

|                  |                                                                                                                                                                                                                                                                                                         |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Requirement | 47 CFR Part 15, Subpart C 15.407 (g)                                                                                                                                                                                                                                                                    |
| Test Method:     | ANSI C63.10 (2013) Section 6.8                                                                                                                                                                                                                                                                          |
| Limit:           | The frequency tolerance shall be maintained within the band of operation frequency over a temperature variation of 0 degrees to 35 degrees C at normal supply voltage, and for a variation in the primary supply voltage from 85% to 115% of the rated supply voltage at a temperature of 20 degrees C. |



### 7.13.1 E.U.T. Operation

Operating Environment:

Temperature: 23.2 °C Humidity: 42.6 % RH Atmospheric Pressure: 1010 mbar

Pretest these modes to find the worst case:

e:TX mode (Band 1)\_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report.

f:TX mode (Band 2A)\_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report.

g:TX mode (Band 2C)\_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report.

h:TX mode (Band 3)\_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report.

The worst case for final test:

e:TX mode (Band 1)\_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report.


f:TX mode (Band 2A)\_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report.

g:TX mode (Band 2C)\_Keep the EUT in continuously transmitting mode with all

modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report.

h:TX mode (Band 3)\_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report.

**7.13.2 Test Setup Diagram**



**7.13.3 Measurement Procedure and Data**


The detailed test data see: Appendix 15.407

## 8 Photographs



### 8.1 Conducted Emissions at AC Power Line (150kHz-30MHz) Test Setup



### 8.2 Radiated Emissions which fall in the restricted bands Test Setup



### 8.3 Radiated Spurious Emissions Test Setup



### 8.4 EUT Constructional Details (EUT Photos)

Please refer to external and internal photos for details.

## 9 Appendix

### 9.1 Appendix 15.407

#### 1.Emission Bandwidth Measurement

| Test Mode | Test Channel | Ant  | EBW[MHz] | Limit[MHz] | Verdict |
|-----------|--------------|------|----------|------------|---------|
| 11A       | 5180         | Ant1 | 20.160   | ---        | PASS    |
| 11A       | 5180         | Ant2 | 20.190   | ---        | PASS    |
| 11A       | 5220         | Ant1 | 20.130   | ---        | PASS    |
| 11A       | 5220         | Ant2 | 20.130   | ---        | PASS    |
| 11A       | 5240         | Ant1 | 20.160   | ---        | PASS    |
| 11A       | 5240         | Ant2 | 20.160   | ---        | PASS    |
| 11A       | 5260         | Ant1 | 20.250   | ---        | PASS    |
| 11A       | 5260         | Ant2 | 20.130   | ---        | PASS    |
| 11A       | 5300         | Ant1 | 20.130   | ---        | PASS    |
| 11A       | 5300         | Ant2 | 20.100   | ---        | PASS    |
| 11A       | 5320         | Ant1 | 20.310   | ---        | PASS    |
| 11A       | 5320         | Ant2 | 20.220   | ---        | PASS    |
| 11A       | 5500         | Ant1 | 20.190   | ---        | PASS    |
| 11A       | 5500         | Ant2 | 20.070   | ---        | PASS    |
| 11A       | 5580         | Ant1 | 20.460   | ---        | PASS    |
| 11A       | 5580         | Ant2 | 20.220   | ---        | PASS    |
| 11A       | 5700         | Ant1 | 20.280   | ---        | PASS    |
| 11A       | 5700         | Ant2 | 20.220   | ---        | PASS    |
| 11A       | 5745         | Ant1 | 16.320   | >=0.5      | PASS    |
| 11A       | 5745         | Ant2 | 16.320   | >=0.5      | PASS    |
| 11A       | 5785         | Ant1 | 16.110   | >=0.5      | PASS    |
| 11A       | 5785         | Ant2 | 16.140   | >=0.5      | PASS    |
| 11A       | 5825         | Ant1 | 16.110   | >=0.5      | PASS    |
| 11A       | 5825         | Ant2 | 16.110   | >=0.5      | PASS    |
| 11N20     | 5180         | Ant1 | 20.550   | ---        | PASS    |
| 11N20     | 5180         | Ant2 | 20.580   | ---        | PASS    |
| 11N20     | 5220         | Ant1 | 20.580   | ---        | PASS    |
| 11N20     | 5220         | Ant2 | 20.580   | ---        | PASS    |
| 11N20     | 5240         | Ant1 | 20.610   | ---        | PASS    |



**SGS-CSTC Standards Technical Services Co., Ltd.**  
**Shenzhen Branch**

Report No.: SZEM180800786204

Page: 319 of 635

|       |      |      |        |       |      |
|-------|------|------|--------|-------|------|
| 11N20 | 5240 | Ant2 | 20.550 | ---   | PASS |
| 11N20 | 5260 | Ant1 | 20.580 | ---   | PASS |
| 11N20 | 5260 | Ant2 | 20.550 | ---   | PASS |
| 11N20 | 5300 | Ant1 | 20.580 | ---   | PASS |
| 11N20 | 5300 | Ant2 | 20.490 | ---   | PASS |
| 11N20 | 5320 | Ant1 | 20.520 | ---   | PASS |
| 11N20 | 5320 | Ant2 | 20.580 | ---   | PASS |
| 11N20 | 5500 | Ant1 | 20.550 | ---   | PASS |
| 11N20 | 5500 | Ant2 | 20.370 | ---   | PASS |
| 11N20 | 5580 | Ant1 | 20.790 | ---   | PASS |
| 11N20 | 5580 | Ant2 | 20.490 | ---   | PASS |
| 11N20 | 5700 | Ant1 | 20.580 | ---   | PASS |
| 11N20 | 5700 | Ant2 | 20.520 | ---   | PASS |
| 11N20 | 5745 | Ant1 | 16.860 | >=0.5 | PASS |
| 11N20 | 5745 | Ant2 | 16.860 | >=0.5 | PASS |
| 11N20 | 5785 | Ant1 | 16.350 | >=0.5 | PASS |
| 11N20 | 5785 | Ant2 | 15.510 | >=0.5 | PASS |
| 11N20 | 5825 | Ant1 | 16.950 | >=0.5 | PASS |
| 11N20 | 5825 | Ant2 | 16.380 | >=0.5 | PASS |
| 11N40 | 5190 | Ant1 | 40.740 | ---   | PASS |
| 11N40 | 5190 | Ant2 | 40.800 | ---   | PASS |
| 11N40 | 5230 | Ant1 | 40.560 | ---   | PASS |
| 11N40 | 5230 | Ant2 | 40.800 | ---   | PASS |
| 11N40 | 5270 | Ant1 | 40.680 | ---   | PASS |
| 11N40 | 5270 | Ant2 | 40.860 | ---   | PASS |
| 11N40 | 5310 | Ant1 | 40.920 | ---   | PASS |
| 11N40 | 5310 | Ant2 | 41.220 | ---   | PASS |
| 11N40 | 5510 | Ant1 | 40.980 | ---   | PASS |
| 11N40 | 5510 | Ant2 | 41.520 | ---   | PASS |
| 11N40 | 5590 | Ant1 | 40.740 | ---   | PASS |
| 11N40 | 5590 | Ant2 | 40.680 | ---   | PASS |
| 11N40 | 5670 | Ant1 | 40.920 | ---   | PASS |
| 11N40 | 5670 | Ant2 | 40.920 | ---   | PASS |
| 11N40 | 5755 | Ant1 | 35.280 | >=0.5 | PASS |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



**SGS-CSTC Standards Technical Services Co., Ltd.**  
**Shenzhen Branch**

Report No.: SZEM180800786204

Page: 320 of 635

|        |      |      |        |       |      |
|--------|------|------|--------|-------|------|
| 11N40  | 5755 | Ant2 | 35.280 | >=0.5 | PASS |
| 11N40  | 5795 | Ant1 | 35.220 | >=0.5 | PASS |
| 11N40  | 5795 | Ant2 | 35.280 | >=0.5 | PASS |
| 11AC20 | 5180 | Ant1 | 20.550 | ---   | PASS |
| 11AC20 | 5180 | Ant2 | 20.460 | ---   | PASS |
| 11AC20 | 5220 | Ant1 | 20.550 | ---   | PASS |
| 11AC20 | 5220 | Ant2 | 20.520 | ---   | PASS |
| 11AC20 | 5240 | Ant1 | 20.550 | ---   | PASS |
| 11AC20 | 5240 | Ant2 | 20.610 | ---   | PASS |
| 11AC20 | 5260 | Ant1 | 20.550 | ---   | PASS |
| 11AC20 | 5260 | Ant2 | 20.460 | ---   | PASS |
| 11AC20 | 5300 | Ant1 | 20.550 | ---   | PASS |
| 11AC20 | 5300 | Ant2 | 20.430 | ---   | PASS |
| 11AC20 | 5320 | Ant1 | 20.490 | ---   | PASS |
| 11AC20 | 5320 | Ant2 | 20.460 | ---   | PASS |
| 11AC20 | 5500 | Ant1 | 20.490 | ---   | PASS |
| 11AC20 | 5500 | Ant2 | 20.520 | ---   | PASS |
| 11AC20 | 5580 | Ant1 | 21.300 | ---   | PASS |
| 11AC20 | 5580 | Ant2 | 20.610 | ---   | PASS |
| 11AC20 | 5700 | Ant1 | 20.550 | ---   | PASS |
| 11AC20 | 5700 | Ant2 | 20.490 | ---   | PASS |
| 11AC20 | 5745 | Ant1 | 15.870 | >=0.5 | PASS |
| 11AC20 | 5745 | Ant2 | 16.080 | >=0.5 | PASS |
| 11AC20 | 5785 | Ant1 | 17.010 | >=0.5 | PASS |
| 11AC20 | 5785 | Ant2 | 16.080 | >=0.5 | PASS |
| 11AC20 | 5825 | Ant1 | 16.350 | >=0.5 | PASS |
| 11AC20 | 5825 | Ant2 | 16.020 | >=0.5 | PASS |
| 11AC80 | 5210 | Ant1 | 81.840 | ---   | PASS |
| 11AC80 | 5210 | Ant2 | 81.720 | ---   | PASS |
| 11AC80 | 5290 | Ant1 | 82.080 | ---   | PASS |
| 11AC80 | 5290 | Ant2 | 81.720 | ---   | PASS |
| 11AC80 | 5530 | Ant1 | 82.200 | ---   | PASS |
| 11AC80 | 5530 | Ant2 | 81.960 | ---   | PASS |
| 11AC80 | 5610 | Ant1 | 80.280 | ---   | PASS |





**SGS-CSTC Standards Technical Services Co., Ltd.**  
**Shenzhen Branch**


Report No.: SZEM180800786204

Page: 321 of 635


|        |      |      |        |       |      |
|--------|------|------|--------|-------|------|
| 11AC80 | 5610 | Ant2 | 80.520 | ---   | PASS |
| 11AC80 | 5775 | Ant1 | 75.360 | >=0.5 | PASS |
| 11AC80 | 5775 | Ant2 | 75.480 | >=0.5 | PASS |
| 11AC40 | 5190 | Ant1 | 41.040 | ---   | PASS |
| 11AC40 | 5190 | Ant2 | 40.680 | ---   | PASS |
| 11AC40 | 5230 | Ant1 | 40.500 | ---   | PASS |
| 11AC40 | 5230 | Ant2 | 41.100 | ---   | PASS |
| 11AC40 | 5270 | Ant1 | 41.160 | ---   | PASS |
| 11AC40 | 5270 | Ant2 | 40.920 | ---   | PASS |
| 11AC40 | 5310 | Ant1 | 40.680 | ---   | PASS |
| 11AC40 | 5310 | Ant2 | 40.800 | ---   | PASS |
| 11AC40 | 5510 | Ant1 | 40.800 | ---   | PASS |
| 11AC40 | 5510 | Ant2 | 40.800 | ---   | PASS |
| 11AC40 | 5590 | Ant1 | 43.200 | ---   | PASS |
| 11AC40 | 5590 | Ant2 | 40.980 | ---   | PASS |
| 11AC40 | 5670 | Ant1 | 40.860 | ---   | PASS |
| 11AC40 | 5670 | Ant2 | 40.500 | ---   | PASS |
| 11AC40 | 5755 | Ant1 | 35.220 | >=0.5 | PASS |
| 11AC40 | 5755 | Ant2 | 35.220 | >=0.5 | PASS |
| 11AC40 | 5795 | Ant1 | 35.220 | >=0.5 | PASS |
| 11AC40 | 5795 | Ant2 | 35.280 | >=0.5 | PASS |





Emission Bandwidth Measurement\_11A\_5220\_Ant1



Emission Bandwidth Measurement\_11A\_5220\_Ant2















Emission Bandwidth Measurement\_11A\_5500\_Ant1




Emission Bandwidth Measurement\_11A\_5500\_Ant2









**Emission Bandwidth Measurement\_11A\_5745\_Ant1**




**Emission Bandwidth Measurement\_11A\_5745\_Ant2**





**Emission Bandwidth Measurement\_11A\_5785\_Ant1**




**Emission Bandwidth Measurement\_11A\_5785\_Ant2**







Emission Bandwidth Measurement\_11N20\_5180\_Ant1




Emission Bandwidth Measurement\_11N20\_5180\_Ant2




Emission Bandwidth Measurement\_11N20\_5220\_Ant1




Emission Bandwidth Measurement\_11N20\_5220\_Ant2




Emission Bandwidth Measurement\_11N20\_5240\_Ant1




Emission Bandwidth Measurement\_11N20\_5240\_Ant2




Emission Bandwidth Measurement\_11N20\_5260\_Ant1




Emission Bandwidth Measurement\_11N20\_5260\_Ant2




Emission Bandwidth Measurement\_11N20\_5300\_Ant1




Emission Bandwidth Measurement\_11N20\_5300\_Ant2




Emission Bandwidth Measurement\_11N20\_5320\_Ant1




Emission Bandwidth Measurement\_11N20\_5320\_Ant2




Emission Bandwidth Measurement\_11N20\_5500\_Ant1




Emission Bandwidth Measurement\_11N20\_5500\_Ant2




Emission Bandwidth Measurement\_11N20\_5580\_Ant1




Emission Bandwidth Measurement\_11N20\_5580\_Ant2





Emission Bandwidth Measurement\_11N20\_5700\_Ant1




Emission Bandwidth Measurement\_11N20\_5700\_Ant2







Emission Bandwidth Measurement\_11N20\_5785\_Ant1




Emission Bandwidth Measurement\_11N20\_5785\_Ant2




Emission Bandwidth Measurement\_11N20\_5825\_Ant1




Emission Bandwidth Measurement\_11N20\_5825\_Ant2




Emission Bandwidth Measurement\_11N40\_5190\_Ant1




Emission Bandwidth Measurement\_11N40\_5190\_Ant2




Emission Bandwidth Measurement\_11N40\_5230\_Ant1




Emission Bandwidth Measurement\_11N40\_5230\_Ant2




Emission Bandwidth Measurement\_11N40\_5270\_Ant1




Emission Bandwidth Measurement\_11N40\_5270\_Ant2




Emission Bandwidth Measurement\_11N40\_5310\_Ant1




Emission Bandwidth Measurement\_11N40\_5310\_Ant2





Emission Bandwidth Measurement\_11N40\_5510\_Ant1




Emission Bandwidth Measurement\_11N40\_5510\_Ant2







Emission Bandwidth Measurement\_11N40\_5670\_Ant1




Emission Bandwidth Measurement\_11N40\_5670\_Ant2




Emission Bandwidth Measurement\_11N40\_5755\_Ant1




Emission Bandwidth Measurement\_11N40\_5755\_Ant2




Emission Bandwidth Measurement\_11N40\_5795\_Ant1




Emission Bandwidth Measurement\_11N40\_5795\_Ant2




**Emission Bandwidth Measurement\_11AC20\_5180\_Ant1**




**Emission Bandwidth Measurement\_11AC20\_5180\_Ant2**




**Emission Bandwidth Measurement\_11AC20\_5220\_Ant1**




**Emission Bandwidth Measurement\_11AC20\_5220\_Ant2**







Emission Bandwidth Measurement\_11AC20\_5240\_Ant1




Emission Bandwidth Measurement\_11AC20\_5240\_Ant2










**Emission Bandwidth Measurement\_11AC20\_5320\_Ant1**




**Emission Bandwidth Measurement\_11AC20\_5320\_Ant2**









**Emission Bandwidth Measurement\_11AC20\_5580\_Ant1**




**Emission Bandwidth Measurement\_11AC20\_5580\_Ant2**










Emission Bandwidth Measurement\_11AC20\_5785\_Ant1





Emission Bandwidth Measurement\_11AC20\_5785\_Ant2












Emission Bandwidth Measurement\_11AC80\_5530\_Ant1




Emission Bandwidth Measurement\_11AC80\_5530\_Ant2




**Emission Bandwidth Measurement\_11AC80\_5610\_Ant1**




**Emission Bandwidth Measurement\_11AC80\_5610\_Ant2**




**Emission Bandwidth Measurement\_11AC80\_5775\_Ant1**




**Emission Bandwidth Measurement\_11AC80\_5775\_Ant2**




**Emission Bandwidth Measurement\_11AC40\_5190\_Ant1**




**Emission Bandwidth Measurement\_11AC40\_5190\_Ant2**






**Emission Bandwidth Measurement\_11AC40\_5230\_Ant1**




**Emission Bandwidth Measurement\_11AC40\_5230\_Ant2**










Emission Bandwidth Measurement\_11AC40\_5510\_Ant1




Emission Bandwidth Measurement\_11AC40\_5510\_Ant2







**Emission Bandwidth Measurement\_11AC40\_5670\_Ant1**




**Emission Bandwidth Measurement\_11AC40\_5670\_Ant2**




Emission Bandwidth Measurement\_11AC40\_5755\_Ant1




Emission Bandwidth Measurement\_11AC40\_5755\_Ant2



**Emission Bandwidth Measurement\_11AC40\_5795\_Ant1**



**Emission Bandwidth Measurement\_11AC40\_5795\_Ant2**





## 2.Occupied Bandwidth Measurement

| Test Mode | Test Channel | Ant  | OBW[MHz] | Limit[MHz] | Verdict |
|-----------|--------------|------|----------|------------|---------|
| 11A       | 5180         | Ant1 | 16.980   | ---        | PASS    |
| 11A       | 5180         | Ant2 | 16.950   | ---        | PASS    |
| 11A       | 5220         | Ant1 | 16.980   | ---        | PASS    |
| 11A       | 5220         | Ant2 | 16.980   | ---        | PASS    |
| 11A       | 5240         | Ant1 | 16.950   | ---        | PASS    |
| 11A       | 5240         | Ant2 | 16.920   | ---        | PASS    |
| 11A       | 5260         | Ant1 | 16.950   | ---        | PASS    |
| 11A       | 5260         | Ant2 | 16.980   | ---        | PASS    |
| 11A       | 5300         | Ant1 | 16.950   | ---        | PASS    |
| 11A       | 5300         | Ant2 | 16.950   | ---        | PASS    |
| 11A       | 5320         | Ant1 | 16.950   | ---        | PASS    |
| 11A       | 5320         | Ant2 | 16.950   | ---        | PASS    |
| 11A       | 5500         | Ant1 | 16.950   | ---        | PASS    |
| 11A       | 5500         | Ant2 | 16.950   | ---        | PASS    |
| 11A       | 5580         | Ant1 | 17.010   | ---        | PASS    |
| 11A       | 5580         | Ant2 | 16.980   | ---        | PASS    |
| 11A       | 5700         | Ant1 | 16.980   | ---        | PASS    |
| 11A       | 5700         | Ant2 | 16.980   | ---        | PASS    |
| 11A       | 5745         | Ant1 | 17.010   | ---        | PASS    |
| 11A       | 5745         | Ant2 | 16.980   | ---        | PASS    |
| 11A       | 5785         | Ant1 | 16.980   | ---        | PASS    |
| 11A       | 5785         | Ant2 | 16.980   | ---        | PASS    |
| 11A       | 5825         | Ant1 | 17.010   | ---        | PASS    |
| 11A       | 5825         | Ant2 | 16.980   | ---        | PASS    |
| 11N20     | 5180         | Ant1 | 17.730   | ---        | PASS    |
| 11N20     | 5180         | Ant2 | 17.760   | ---        | PASS    |
| 11N20     | 5220         | Ant1 | 17.730   | ---        | PASS    |
| 11N20     | 5220         | Ant2 | 17.730   | ---        | PASS    |
| 11N20     | 5240         | Ant1 | 17.730   | ---        | PASS    |
| 11N20     | 5240         | Ant2 | 17.730   | ---        | PASS    |
| 11N20     | 5260         | Ant1 | 17.730   | ---        | PASS    |
| 11N20     | 5260         | Ant2 | 17.730   | ---        | PASS    |



**SGS-CSTC Standards Technical Services Co., Ltd.**  
**Shenzhen Branch**

Report No.: SZEM180800786204

Page: 382 of 635

|       |      |      |        |     |      |
|-------|------|------|--------|-----|------|
| 11N20 | 5300 | Ant1 | 17.760 | --- | PASS |
| 11N20 | 5300 | Ant2 | 17.760 | --- | PASS |
| 11N20 | 5320 | Ant1 | 17.730 | --- | PASS |
| 11N20 | 5320 | Ant2 | 17.760 | --- | PASS |
| 11N20 | 5500 | Ant1 | 17.730 | --- | PASS |
| 11N20 | 5500 | Ant2 | 17.730 | --- | PASS |
| 11N20 | 5580 | Ant1 | 17.760 | --- | PASS |
| 11N20 | 5580 | Ant2 | 17.760 | --- | PASS |
| 11N20 | 5700 | Ant1 | 17.730 | --- | PASS |
| 11N20 | 5700 | Ant2 | 17.760 | --- | PASS |
| 11N20 | 5745 | Ant1 | 17.760 | --- | PASS |
| 11N20 | 5745 | Ant2 | 17.730 | --- | PASS |
| 11N20 | 5785 | Ant1 | 17.760 | --- | PASS |
| 11N20 | 5785 | Ant2 | 17.730 | --- | PASS |
| 11N20 | 5825 | Ant1 | 17.760 | --- | PASS |
| 11N20 | 5825 | Ant2 | 17.730 | --- | PASS |
| 11N40 | 5190 | Ant1 | 36.180 | --- | PASS |
| 11N40 | 5190 | Ant2 | 36.180 | --- | PASS |
| 11N40 | 5230 | Ant1 | 36.180 | --- | PASS |
| 11N40 | 5230 | Ant2 | 36.180 | --- | PASS |
| 11N40 | 5270 | Ant1 | 36.180 | --- | PASS |
| 11N40 | 5270 | Ant2 | 36.180 | --- | PASS |
| 11N40 | 5310 | Ant1 | 36.240 | --- | PASS |
| 11N40 | 5310 | Ant2 | 36.180 | --- | PASS |
| 11N40 | 5510 | Ant1 | 36.180 | --- | PASS |
| 11N40 | 5510 | Ant2 | 36.240 | --- | PASS |
| 11N40 | 5590 | Ant1 | 36.180 | --- | PASS |
| 11N40 | 5590 | Ant2 | 36.180 | --- | PASS |
| 11N40 | 5670 | Ant1 | 36.180 | --- | PASS |
| 11N40 | 5670 | Ant2 | 36.180 | --- | PASS |
| 11N40 | 5755 | Ant1 | 36.180 | --- | PASS |
| 11N40 | 5755 | Ant2 | 36.240 | --- | PASS |
| 11N40 | 5795 | Ant1 | 36.180 | --- | PASS |
| 11N40 | 5795 | Ant2 | 36.180 | --- | PASS |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



**SGS-CSTC Standards Technical Services Co., Ltd.**  
**Shenzhen Branch**

Report No.: SZEM180800786204

Page: 383 of 635

|        |      |      |        |     |      |
|--------|------|------|--------|-----|------|
| 11AC20 | 5180 | Ant1 | 17.760 | --- | PASS |
| 11AC20 | 5180 | Ant2 | 17.760 | --- | PASS |
| 11AC20 | 5220 | Ant1 | 17.760 | --- | PASS |
| 11AC20 | 5220 | Ant2 | 17.760 | --- | PASS |
| 11AC20 | 5240 | Ant1 | 17.760 | --- | PASS |
| 11AC20 | 5240 | Ant2 | 17.760 | --- | PASS |
| 11AC20 | 5260 | Ant1 | 17.760 | --- | PASS |
| 11AC20 | 5260 | Ant2 | 17.760 | --- | PASS |
| 11AC20 | 5300 | Ant1 | 17.760 | --- | PASS |
| 11AC20 | 5300 | Ant2 | 17.730 | --- | PASS |
| 11AC20 | 5320 | Ant1 | 17.760 | --- | PASS |
| 11AC20 | 5320 | Ant2 | 17.760 | --- | PASS |
| 11AC20 | 5500 | Ant1 | 17.760 | --- | PASS |
| 11AC20 | 5500 | Ant2 | 17.760 | --- | PASS |
| 11AC20 | 5580 | Ant1 | 17.760 | --- | PASS |
| 11AC20 | 5580 | Ant2 | 17.760 | --- | PASS |
| 11AC20 | 5700 | Ant1 | 17.760 | --- | PASS |
| 11AC20 | 5700 | Ant2 | 17.760 | --- | PASS |
| 11AC20 | 5745 | Ant1 | 17.760 | --- | PASS |
| 11AC20 | 5745 | Ant2 | 17.760 | --- | PASS |
| 11AC20 | 5785 | Ant1 | 17.760 | --- | PASS |
| 11AC20 | 5785 | Ant2 | 17.760 | --- | PASS |
| 11AC20 | 5825 | Ant1 | 17.790 | --- | PASS |
| 11AC20 | 5825 | Ant2 | 17.760 | --- | PASS |
| 11AC80 | 5210 | Ant1 | 75.120 | --- | PASS |
| 11AC80 | 5210 | Ant2 | 75.240 | --- | PASS |
| 11AC80 | 5290 | Ant1 | 75.120 | --- | PASS |
| 11AC80 | 5290 | Ant2 | 75.120 | --- | PASS |
| 11AC80 | 5530 | Ant1 | 75.240 | --- | PASS |
| 11AC80 | 5530 | Ant2 | 75.240 | --- | PASS |
| 11AC80 | 5610 | Ant1 | 75.120 | --- | PASS |
| 11AC80 | 5610 | Ant2 | 75.000 | --- | PASS |
| 11AC80 | 5775 | Ant1 | 75.240 | --- | PASS |
| 11AC80 | 5775 | Ant2 | 75.240 | --- | PASS |



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



**SGS-CSTC Standards Technical Services Co., Ltd.**  
**Shenzhen Branch**

Report No.: SZEM180800786204  
Page: 384 of 635

|        |      |      |        |     |      |
|--------|------|------|--------|-----|------|
| 11AC40 | 5190 | Ant1 | 36.180 | --- | PASS |
| 11AC40 | 5190 | Ant2 | 36.180 | --- | PASS |
| 11AC40 | 5230 | Ant1 | 36.180 | --- | PASS |
| 11AC40 | 5230 | Ant2 | 36.180 | --- | PASS |
| 11AC40 | 5270 | Ant1 | 36.180 | --- | PASS |
| 11AC40 | 5270 | Ant2 | 36.180 | --- | PASS |
| 11AC40 | 5310 | Ant1 | 36.240 | --- | PASS |
| 11AC40 | 5310 | Ant2 | 36.240 | --- | PASS |
| 11AC40 | 5510 | Ant1 | 36.240 | --- | PASS |
| 11AC40 | 5510 | Ant2 | 36.180 | --- | PASS |
| 11AC40 | 5590 | Ant1 | 36.180 | --- | PASS |
| 11AC40 | 5590 | Ant2 | 36.180 | --- | PASS |
| 11AC40 | 5670 | Ant1 | 36.180 | --- | PASS |
| 11AC40 | 5670 | Ant2 | 36.180 | --- | PASS |
| 11AC40 | 5755 | Ant1 | 36.180 | --- | PASS |
| 11AC40 | 5755 | Ant2 | 36.180 | --- | PASS |
| 11AC40 | 5795 | Ant1 | 36.180 | --- | PASS |
| 11AC40 | 5795 | Ant2 | 36.180 | --- | PASS |
















Occupied Bandwidth Measurement\_11A\_5500\_Ant1




Occupied Bandwidth Measurement\_11A\_5500\_Ant2



**Occupied Bandwidth Measurement\_11A\_5580\_Ant1**



**Occupied Bandwidth Measurement\_11A\_5580\_Ant2**













Occupied Bandwidth Measurement\_11N20\_5180\_Ant1




Occupied Bandwidth Measurement\_11N20\_5180\_Ant2








**Occupied Bandwidth Measurement\_11N20\_5260\_Ant1**




**Occupied Bandwidth Measurement\_11N20\_5260\_Ant2**




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Occupied Bandwidth Measurement\_11N20\_5300\_Ant1




Occupied Bandwidth Measurement\_11N20\_5300\_Ant2



**Occupied Bandwidth Measurement\_11N20\_5320\_Ant1**



**Occupied Bandwidth Measurement\_11N20\_5320\_Ant2**















Occupied Bandwidth Measurement\_11N20\_5825\_Ant1




Occupied Bandwidth Measurement\_11N20\_5825\_Ant2






Occupied Bandwidth Measurement\_11N40\_5230\_Ant1



Occupied Bandwidth Measurement\_11N40\_5230\_Ant2














Occupied Bandwidth Measurement\_11N40\_5670\_Ant1




Occupied Bandwidth Measurement\_11N40\_5670\_Ant2



Occupied Bandwidth Measurement\_11N40\_5755\_Ant1




Occupied Bandwidth Measurement\_11N40\_5755\_Ant2






**Occupied Bandwidth Measurement\_11AC20\_5180\_Ant1**




**Occupied Bandwidth Measurement\_11AC20\_5180\_Ant2**







**Occupied Bandwidth Measurement\_11AC20\_5240\_Ant1**




**Occupied Bandwidth Measurement\_11AC20\_5240\_Ant2**



Occupied Bandwidth Measurement\_11AC20\_5260\_Ant1




Occupied Bandwidth Measurement\_11AC20\_5260\_Ant2








Occupied Bandwidth Measurement\_11AC20\_5320\_Ant1




Occupied Bandwidth Measurement\_11AC20\_5320\_Ant2






Occupied Bandwidth Measurement\_11AC20\_5580\_Ant1




Occupied Bandwidth Measurement\_11AC20\_5580\_Ant2







Occupied Bandwidth Measurement\_11AC20\_5745\_Ant1




Occupied Bandwidth Measurement\_11AC20\_5745\_Ant2





Occupied Bandwidth Measurement\_11AC20\_5785\_Ant1




Occupied Bandwidth Measurement\_11AC20\_5785\_Ant2









Occupied Bandwidth Measurement\_11AC80\_5290\_Ant1




Occupied Bandwidth Measurement\_11AC80\_5290\_Ant2




**Occupied Bandwidth Measurement\_11AC80\_5530\_Ant1**




**Occupied Bandwidth Measurement\_11AC80\_5530\_Ant2**




Occupied Bandwidth Measurement\_11AC80\_5610\_Ant1




Occupied Bandwidth Measurement\_11AC80\_5610\_Ant2



Occupied Bandwidth Measurement\_11AC80\_5775\_Ant1




Occupied Bandwidth Measurement\_11AC80\_5775\_Ant2









Occupied Bandwidth Measurement\_11AC40\_5270\_Ant1




Occupied Bandwidth Measurement\_11AC40\_5270\_Ant2



**Occupied Bandwidth Measurement\_11AC40\_5310\_Ant1**





**Occupied Bandwidth Measurement\_11AC40\_5310\_Ant2**













**3.Maximum Conduct Output Power**

| Test Mode | Test Channel | Ant  | Level [dBm] | 10log(1/x) Factor [dB] | Power [dBm] | Limit [dBm] | Verdict |
|-----------|--------------|------|-------------|------------------------|-------------|-------------|---------|
| 11A       | 5180         | Ant1 | 11.77       | 0.67                   | 12.44       | <23.98      | PASS    |
| 11A       | 5180         | Ant2 | 11.45       | 0.67                   | 12.12       | <23.98      | PASS    |
| 11A       | 5220         | Ant1 | 11.8        | 0.67                   | 12.47       | <23.98      | PASS    |
| 11A       | 5220         | Ant2 | 11.78       | 0.67                   | 12.45       | <23.98      | PASS    |
| 11A       | 5240         | Ant1 | 12.31       | 0.67                   | 12.98       | <23.98      | PASS    |
| 11A       | 5240         | Ant2 | 12.03       | 0.67                   | 12.70       | <23.98      | PASS    |
| 11A       | 5260         | Ant1 | 12.18       | 0.67                   | 12.85       | <23.98      | PASS    |
| 11A       | 5260         | Ant2 | 11.73       | 0.67                   | 12.40       | <23.98      | PASS    |
| 11A       | 5300         | Ant1 | 12.01       | 0.67                   | 12.68       | <23.98      | PASS    |
| 11A       | 5300         | Ant2 | 12.37       | 0.67                   | 13.04       | <23.98      | PASS    |
| 11A       | 5320         | Ant1 | 11.89       | 0.67                   | 12.56       | <23.98      | PASS    |
| 11A       | 5320         | Ant2 | 11.82       | 0.67                   | 12.49       | <23.98      | PASS    |
| 11A       | 5500         | Ant1 | 11.74       | 0.67                   | 12.41       | <23.98      | PASS    |
| 11A       | 5500         | Ant2 | 11.29       | 0.67                   | 11.96       | <23.98      | PASS    |
| 11A       | 5580         | Ant1 | 15.62       | 0.67                   | 16.29       | <23.98      | PASS    |
| 11A       | 5580         | Ant2 | 13.9        | 0.67                   | 14.57       | <23.98      | PASS    |
| 11A       | 5700         | Ant1 | 11.77       | 0.67                   | 12.44       | <23.98      | PASS    |
| 11A       | 5700         | Ant2 | 11.95       | 0.67                   | 12.62       | <23.98      | PASS    |
| 11A       | 5745         | Ant1 | 15.33       | 0.64                   | 15.97       | <30.00      | PASS    |
| 11A       | 5745         | Ant2 | 14.91       | 0.64                   | 15.55       | <30.00      | PASS    |
| 11A       | 5785         | Ant1 | 14.54       | 0.67                   | 15.21       | <30.00      | PASS    |
| 11A       | 5785         | Ant2 | 14.02       | 0.67                   | 14.69       | <30.00      | PASS    |
| 11A       | 5825         | Ant1 | 14.78       | 0.67                   | 15.45       | <30.00      | PASS    |
| 11A       | 5825         | Ant2 | 13.68       | 0.64                   | 14.32       | <30.00      | PASS    |
| 11N20     | 5180         | Ant1 | 11.55       | 0.71                   | 12.26       | <23.98      | PASS    |
| 11N20     | 5180         | Ant2 | 11.67       | 0.68                   | 12.35       | <23.98      | PASS    |
| 11N20     | 5220         | Ant1 | 11.79       | 0.71                   | 12.50       | <23.98      | PASS    |
| 11N20     | 5220         | Ant2 | 12.24       | 0.71                   | 12.95       | <23.98      | PASS    |
| 11N20     | 5240         | Ant1 | 12.19       | 0.71                   | 12.90       | <23.98      | PASS    |
| 11N20     | 5240         | Ant2 | 12.21       | 0.71                   | 12.92       | <23.98      | PASS    |
| 11N20     | 5260         | Ant1 | 12.25       | 0.71                   | 12.96       | <23.98      | PASS    |



|       |      |      |       |      |       |        |      |
|-------|------|------|-------|------|-------|--------|------|
| 11N20 | 5260 | Ant2 | 12.55 | 0.68 | 13.23 | <23.98 | PASS |
| 11N20 | 5300 | Ant1 | 12.05 | 0.71 | 12.76 | <23.98 | PASS |
| 11N20 | 5300 | Ant2 | 11.99 | 0.71 | 12.70 | <23.98 | PASS |
| 11N20 | 5320 | Ant1 | 11.91 | 0.71 | 12.62 | <23.98 | PASS |
| 11N20 | 5320 | Ant2 | 11.89 | 0.71 | 12.60 | <23.98 | PASS |
| 11N20 | 5500 | Ant1 | 11.83 | 0.71 | 12.54 | <23.98 | PASS |
| 11N20 | 5500 | Ant2 | 11.57 | 0.71 | 12.28 | <23.98 | PASS |
| 11N20 | 5580 | Ant1 | 15.74 | 0.71 | 16.45 | <23.98 | PASS |
| 11N20 | 5580 | Ant2 | 14.05 | 0.71 | 14.76 | <23.98 | PASS |
| 11N20 | 5700 | Ant1 | 11.69 | 0.68 | 12.37 | <23.98 | PASS |
| 11N20 | 5700 | Ant2 | 12.16 | 0.68 | 12.84 | <23.98 | PASS |
| 11N20 | 5745 | Ant1 | 15.33 | 0.71 | 16.04 | <30.00 | PASS |
| 11N20 | 5745 | Ant2 | 14.9  | 0.71 | 15.61 | <30.00 | PASS |
| 11N20 | 5785 | Ant1 | 14.47 | 0.71 | 15.18 | <30.00 | PASS |
| 11N20 | 5785 | Ant2 | 13.75 | 0.68 | 14.43 | <30.00 | PASS |
| 11N20 | 5825 | Ant1 | 14.84 | 0.71 | 15.55 | <30.00 | PASS |
| 11N20 | 5825 | Ant2 | 13.8  | 0.68 | 14.48 | <30.00 | PASS |
| 11N40 | 5190 | Ant1 | 11.96 | 1.22 | 13.18 | <23.98 | PASS |
| 11N40 | 5190 | Ant2 | 11.61 | 1.22 | 12.83 | <23.98 | PASS |
| 11N40 | 5230 | Ant1 | 12.18 | 1.22 | 13.40 | <23.98 | PASS |
| 11N40 | 5230 | Ant2 | 11.9  | 1.22 | 13.12 | <23.98 | PASS |
| 11N40 | 5270 | Ant1 | 12.34 | 1.22 | 13.56 | <23.98 | PASS |
| 11N40 | 5270 | Ant2 | 12.26 | 1.22 | 13.48 | <23.98 | PASS |
| 11N40 | 5310 | Ant1 | 11.68 | 1.22 | 12.90 | <23.98 | PASS |
| 11N40 | 5310 | Ant2 | 11.96 | 1.22 | 13.18 | <23.98 | PASS |
| 11N40 | 5510 | Ant1 | 12.04 | 1.22 | 13.26 | <23.98 | PASS |
| 11N40 | 5510 | Ant2 | 11.22 | 1.22 | 12.44 | <23.98 | PASS |
| 11N40 | 5590 | Ant1 | 15.55 | 1.22 | 16.77 | <23.98 | PASS |
| 11N40 | 5590 | Ant2 | 13.79 | 1.22 | 15.01 | <23.98 | PASS |
| 11N40 | 5670 | Ant1 | 11.59 | 1.22 | 12.81 | <23.98 | PASS |
| 11N40 | 5670 | Ant2 | 12.28 | 1.22 | 13.50 | <23.98 | PASS |
| 11N40 | 5755 | Ant1 | 15.26 | 1.22 | 16.48 | <30.00 | PASS |
| 11N40 | 5755 | Ant2 | 14.82 | 1.22 | 16.04 | <30.00 | PASS |
| 11N40 | 5795 | Ant1 | 15.72 | 1.22 | 16.94 | <30.00 | PASS |



|        |      |      |       |      |       |        |      |
|--------|------|------|-------|------|-------|--------|------|
| 11N40  | 5795 | Ant2 | 14.04 | 1.22 | 15.26 | <30.00 | PASS |
| 11AC20 | 5180 | Ant1 | 11.76 | 0.68 | 12.44 | <23.98 | PASS |
| 11AC20 | 5180 | Ant2 | 11.95 | 0.71 | 12.66 | <23.98 | PASS |
| 11AC20 | 5220 | Ant1 | 12.06 | 0.71 | 12.77 | <23.98 | PASS |
| 11AC20 | 5220 | Ant2 | 11.55 | 0.71 | 12.26 | <23.98 | PASS |
| 11AC20 | 5240 | Ant1 | 12.38 | 0.71 | 13.09 | <23.98 | PASS |
| 11AC20 | 5240 | Ant2 | 11.64 | 0.71 | 12.35 | <23.98 | PASS |
| 11AC20 | 5260 | Ant1 | 12.43 | 0.71 | 13.14 | <23.98 | PASS |
| 11AC20 | 5260 | Ant2 | 12.26 | 0.68 | 12.94 | <23.98 | PASS |
| 11AC20 | 5300 | Ant1 | 12.43 | 0.68 | 13.11 | <23.98 | PASS |
| 11AC20 | 5300 | Ant2 | 11.73 | 0.71 | 12.44 | <23.98 | PASS |
| 11AC20 | 5320 | Ant1 | 12.23 | 0.71 | 12.94 | <23.98 | PASS |
| 11AC20 | 5320 | Ant2 | 12.29 | 0.71 | 13.00 | <23.98 | PASS |
| 11AC20 | 5500 | Ant1 | 11.83 | 0.68 | 12.51 | <23.98 | PASS |
| 11AC20 | 5500 | Ant2 | 11.82 | 0.68 | 12.50 | <23.98 | PASS |
| 11AC20 | 5580 | Ant1 | 15.72 | 0.71 | 16.43 | <23.98 | PASS |
| 11AC20 | 5580 | Ant2 | 13.97 | 0.68 | 14.65 | <23.98 | PASS |
| 11AC20 | 5700 | Ant1 | 11.89 | 0.71 | 12.60 | <23.98 | PASS |
| 11AC20 | 5700 | Ant2 | 12.02 | 0.68 | 12.70 | <23.98 | PASS |
| 11AC20 | 5745 | Ant1 | 15.14 | 0.68 | 15.82 | <30.00 | PASS |
| 11AC20 | 5745 | Ant2 | 14.27 | 0.71 | 14.98 | <30.00 | PASS |
| 11AC20 | 5785 | Ant1 | 14.64 | 0.71 | 15.35 | <30.00 | PASS |
| 11AC20 | 5785 | Ant2 | 13.89 | 0.71 | 14.60 | <30.00 | PASS |
| 11AC20 | 5825 | Ant1 | 14.75 | 0.71 | 15.46 | <30.00 | PASS |
| 11AC20 | 5825 | Ant2 | 13.56 | 0.68 | 14.24 | <30.00 | PASS |
| 11AC80 | 5210 | Ant1 | 12.42 | 2.16 | 14.58 | <23.98 | PASS |
| 11AC80 | 5210 | Ant2 | 12.39 | 2.14 | 14.53 | <23.98 | PASS |
| 11AC80 | 5290 | Ant1 | 12.65 | 2.14 | 14.79 | <23.98 | PASS |
| 11AC80 | 5290 | Ant2 | 12.9  | 2.14 | 15.04 | <23.98 | PASS |
| 11AC80 | 5530 | Ant1 | 16.14 | 2.11 | 18.25 | <23.98 | PASS |
| 11AC80 | 5530 | Ant2 | 15.22 | 2.14 | 17.36 | <23.98 | PASS |
| 11AC80 | 5610 | Ant1 | 16.45 | 2.14 | 18.59 | <23.98 | PASS |
| 11AC80 | 5610 | Ant2 | 14.48 | 2.14 | 16.62 | <23.98 | PASS |
| 11AC80 | 5775 | Ant1 | 15.77 | 2.11 | 17.88 | <30.00 | PASS |




**SGS-CSTC Standards Technical Services Co., Ltd.**  
**Shenzhen Branch**


Report No.: SZEM180800786204  
Page: 447 of 635

|        |      |      |       |      |       |        |      |
|--------|------|------|-------|------|-------|--------|------|
| 11AC80 | 5775 | Ant2 | 15.26 | 2.14 | 17.40 | <30.00 | PASS |
| 11AC40 | 5190 | Ant1 | 11.98 | 1.24 | 13.22 | <23.98 | PASS |
| 11AC40 | 5190 | Ant2 | 11.58 | 1.24 | 12.82 | <23.98 | PASS |
| 11AC40 | 5230 | Ant1 | 12.08 | 1.24 | 13.32 | <23.98 | PASS |
| 11AC40 | 5230 | Ant2 | 11.69 | 1.24 | 12.93 | <23.98 | PASS |
| 11AC40 | 5270 | Ant1 | 12.4  | 1.24 | 13.64 | <23.98 | PASS |
| 11AC40 | 5270 | Ant2 | 12.04 | 1.24 | 13.28 | <23.98 | PASS |
| 11AC40 | 5310 | Ant1 | 12.19 | 1.24 | 13.43 | <23.98 | PASS |
| 11AC40 | 5310 | Ant2 | 11.82 | 1.24 | 13.06 | <23.98 | PASS |
| 11AC40 | 5510 | Ant1 | 11.98 | 1.24 | 13.22 | <23.98 | PASS |
| 11AC40 | 5510 | Ant2 | 11.05 | 1.24 | 12.29 | <23.98 | PASS |
| 11AC40 | 5590 | Ant1 | 16.08 | 1.24 | 17.32 | <23.98 | PASS |
| 11AC40 | 5590 | Ant2 | 14.24 | 1.24 | 15.48 | <23.98 | PASS |
| 11AC40 | 5670 | Ant1 | 11.4  | 1.27 | 12.67 | <23.98 | PASS |
| 11AC40 | 5670 | Ant2 | 11.82 | 1.24 | 13.06 | <23.98 | PASS |
| 11AC40 | 5755 | Ant1 | 15.24 | 1.24 | 16.48 | <30.00 | PASS |
| 11AC40 | 5755 | Ant2 | 14.9  | 1.24 | 16.14 | <30.00 | PASS |
| 11AC40 | 5795 | Ant1 | 15.79 | 1.27 | 17.06 | <30.00 | PASS |
| 11AC40 | 5795 | Ant2 | 13.89 | 1.27 | 15.16 | <30.00 | PASS |


**Maximum Conduct Output Power\_11A\_5180\_Ant1**




**Maximum Conduct Output Power\_11A\_5180\_Ant2**




**Maximum Conduct Output Power\_11A\_5220\_Ant1**




**Maximum Conduct Output Power\_11A\_5220\_Ant2**




**Maximum Conduct Output Power\_11A\_5240\_Ant1**




**Maximum Conduct Output Power\_11A\_5240\_Ant2**




**Maximum Conduct Output Power\_11A\_5260\_Ant1**




**Maximum Conduct Output Power\_11A\_5260\_Ant2**




**Maximum Conduct Output Power\_11A\_5300\_Ant1**




**Maximum Conduct Output Power\_11A\_5300\_Ant2**




Maximum Conduct Output Power\_11A\_5320\_Ant1




Maximum Conduct Output Power\_11A\_5320\_Ant2




**Maximum Conduct Output Power\_11A\_5500\_Ant1**




**Maximum Conduct Output Power\_11A\_5500\_Ant2**




**Maximum Conduct Output Power\_11A\_5580\_Ant1**




**Maximum Conduct Output Power\_11A\_5580\_Ant2**




**Maximum Conduct Output Power\_11A\_5700\_Ant1**




**Maximum Conduct Output Power\_11A\_5700\_Ant2**




**Maximum Conduct Output Power\_11A\_5745\_Ant1**




**Maximum Conduct Output Power\_11A\_5745\_Ant2**




**Maximum Conduct Output Power\_11A\_5785\_Ant1**




**Maximum Conduct Output Power\_11A\_5785\_Ant2**




**Maximum Conduct Output Power\_11A\_5825\_Ant1**




**Maximum Conduct Output Power\_11A\_5825\_Ant2**




**Maximum Conduct Output Power\_11N20\_5180\_Ant1**




**Maximum Conduct Output Power\_11N20\_5180\_Ant2**




**Maximum Conduct Output Power\_11N20\_5220\_Ant1**




**Maximum Conduct Output Power\_11N20\_5220\_Ant2**




Maximum Conduct Output Power\_11N20\_5240\_Ant1




Maximum Conduct Output Power\_11N20\_5240\_Ant2




**Maximum Conduct Output Power\_11N20\_5260\_Ant1**




**Maximum Conduct Output Power\_11N20\_5260\_Ant2**




**Maximum Conduct Output Power\_11N20\_5300\_Ant1**




**Maximum Conduct Output Power\_11N20\_5300\_Ant2**




**Maximum Conduct Output Power\_11N20\_5320\_Ant1**




**Maximum Conduct Output Power\_11N20\_5320\_Ant2**




**Maximum Conduct Output Power\_11N20\_5500\_Ant1**




**Maximum Conduct Output Power\_11N20\_5500\_Ant2**




**Maximum Conduct Output Power\_11N20\_5580\_Ant1**




**Maximum Conduct Output Power\_11N20\_5580\_Ant2**




**Maximum Conduct Output Power\_11N20\_5700\_Ant1**




**Maximum Conduct Output Power\_11N20\_5700\_Ant2**




Maximum Conduct Output Power\_11N20\_5745\_Ant1




Maximum Conduct Output Power\_11N20\_5745\_Ant2




**Maximum Conduct Output Power\_11N20\_5785\_Ant1**




**Maximum Conduct Output Power\_11N20\_5785\_Ant2**




**Maximum Conduct Output Power\_11N20\_5825\_Ant1**




**Maximum Conduct Output Power\_11N20\_5825\_Ant2**




**Maximum Conduct Output Power\_11N40\_5190\_Ant1**




**Maximum Conduct Output Power\_11N40\_5190\_Ant2**




**Maximum Conduct Output Power\_11N40\_5230\_Ant1**




**Maximum Conduct Output Power\_11N40\_5230\_Ant2**




Maximum Conduct Output Power\_11N40\_5270\_Ant1



Maximum Conduct Output Power\_11N40\_5270\_Ant2



Maximum Conduct Output Power\_11N40\_5310\_Ant1



Maximum Conduct Output Power\_11N40\_5310\_Ant2

