




11N-20M-ANT2-CH100

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5460.000	-4.57	41.49	36.92	54.00	-17.08	AVG	
2		5460.000	4.49	41.49	45.98	74.00	-28.02	peak	



11N-20M-ANT2-CH140

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5460.000	-4.72	41.49	36.77	54.00	-17.23	AVG	
2		5460.000	3.57	41.49	45.06	74.00	-28.94	peak	



11N-40M-ANT1-CH38

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5150.000	0.16	40.42	40.58	54.00	-13.42	AVG	
2		5150.000	10.18	40.42	50.60	74.00	-23.40	peak	



11N-40M-ANT1-CH46

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5150.000	-4.12	40.42	36.30	54.00	-17.70	AVG	
2		5150.000	3.76	40.42	44.18	74.00	-29.82	peak	



11N-40M-ANT1-CH54

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5350.000	-4.05	41.11	37.06	54.00	-16.94	AVG	
2		5350.000	4.26	41.11	45.37	74.00	-28.63	peak	



11N-40M-ANT1-CH62

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5350.000	-2.38	41.11	38.73	54.00	-15.27	AVG	
2		5350.000	5.27	41.11	46.38	74.00	-27.62	peak	



11N-40M-ANT1-CH102

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5460.000	-4.19	41.49	37.30	54.00	-16.70	AVG	
2		5460.000	4.65	41.49	46.14	74.00	-27.86	peak	



11N-40M-ANT1-CH134

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5460.000	-4.67	41.49	36.82	54.00	-17.18	AVG	
2		5460.000	2.58	41.49	44.07	74.00	-29.93	peak	



11N-40M-ANT2-CH134

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5460.000	-4.67	41.49	36.82	54.00	-17.18	AVG	
2		5460.000	4.16	41.49	45.65	74.00	-28.35	peak	



11N-40M-ANT2-CH102

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5460.000	-3.86	41.49	37.63	54.00	-16.37	AVG	
2		5460.000	3.80	41.49	45.29	74.00	-28.71	peak	



11N-40M-ANT2-CH62

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5350.000	-3.34	41.11	37.77	54.00	-16.23	AVG	
2		5350.000	7.06	41.11	48.17	74.00	-25.83	peak	



11N-40M-ANT2-CH54

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5350.000	-4.06	41.11	37.05	54.00	-16.95	AVG	
2		5350.000	4.70	41.11	45.81	74.00	-28.19	peak	



11N-40M-ANT2-CH46

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5150.000	-4.38	40.42	36.04	54.00	-17.96	AVG	
2		5150.000	2.39	40.42	42.81	74.00	-31.19	peak	



11N-40M-ANT2-CH38

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5150.000	-2.18	40.42	38.24	54.00	-15.76	AVG	
2		5150.000	5.93	40.42	46.35	74.00	-27.65	peak	



11N-20M-MIMO-CH36

110.0 dBuA




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuA	dB	dBuA	dBuA	dB		
1	*	5150.000	-3.79	40.42	36.63	54.00	-17.37	AVG	
2		5150.000	4.03	40.42	44.45	74.00	-29.55	peak	



11N-20M-MIMO-CH48

110.0 dBuA




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuA	dB	dBuA	dBuA	dB		
1	*	5150.000	-4.27	40.42	36.15	54.00	-17.85	AVG	
2		5150.000	4.31	40.42	44.73	74.00	-29.27	peak	



11N-20M-MIMO-CH52

110.0 dBuA




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuA	dB	dBuA	dBuA	dB		
1	*	5350.000	-4.11	41.11	37.00	54.00	-17.00	AVG	
2		5350.000	5.81	41.11	46.92	74.00	-27.08	peak	



11N-20M-MIMO-CH64

110.0 dBuA




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuA	dB	dBuA	dBuA	dB		
1	*	5350.000	-3.68	41.11	37.43	54.00	-16.57	AVG	
2		5350.000	3.25	41.11	44.36	74.00	-29.64	peak	



11N-20M-MIMO-CH100

110.0 dBuA




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuA	dB	dBuA	dBuA	dB		
1	*	5460.000	-4.45	41.49	37.04	54.00	-16.96	AVG	
2		5460.000	4.98	41.49	46.47	74.00	-27.53	peak	



11N-20M-MIMO-CH140

110.0 dBuA




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuA	dB	dBuA	dBuA	dB		
1	*	5460.000	-4.76	41.49	36.73	54.00	-17.27	AVG	
2		5460.000	2.97	41.49	44.46	74.00	-29.54	peak	



11N-40M-MIMO-CH38

110.0 dBuA




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuA	dB	dBuA	dBuA	dB		
1	*	5150.000	-0.15	40.42	40.27	54.00	-13.73	AVG	
2		5150.000	8.87	40.42	49.29	74.00	-24.71	peak	



11N-40M-MIMO-CH46

110.0 dBuA




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuA	dB	dBuA	dBuA	dB		
1	*	5150.000	-4.19	40.42	36.23	54.00	-17.77	AVG	
2		5150.000	5.21	40.42	45.63	74.00	-28.37	peak	



11N-40M-MIMO-CH54

110.0 dBuA




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuA	dB	dBuA	dBuA	dB		
1	*	5350.000	-4.00	41.11	37.11	54.00	-16.89	AVG	
2		5350.000	3.79	41.11	44.90	74.00	-29.10	peak	



11N-40M-MIMO-CH62

110.0 dBuA




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuA	dB	dBuA	dBuA	dB		
1	*	5350.000	-2.91	41.11	38.20	54.00	-15.80	AVG	
2		5350.000	5.92	41.11	47.03	74.00	-26.97	peak	



11N-40M-MIMO-CH102

110.0 dBuA




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuA	dB	dBuA	dBuA	dB		
1	*	5460.000	-3.94	41.49	37.55	54.00	-16.45	AVG	
2		5460.000	3.99	41.49	45.48	74.00	-28.52	peak	



11N-40M-MIMO-CH134

110.0 dBuA




No.	Mk.	Freq. MHz	Reading Level dBuA	Correct Factor dB	Measure- ment dBuA	Limit dBuA	Margin dB	Detector	Comment
1	*	5460.000	-4.68	41.49	36.81	54.00	-17.19	AVG	
2		5460.000	3.49	41.49	44.98	74.00	-29.02	peak	



11AC-20M-ANT1-CH36

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5150.000	-4.19	40.42	36.23	54.00	-17.77	AVG	
2		5150.000	4.00	40.42	44.42	74.00	-29.58	peak	



11AC-20M-ANT1-CH48

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5150.000	-4.70	40.42	35.72	54.00	-18.28	AVG	
2		5150.000	3.17	40.42	43.59	74.00	-30.41	peak	



11AC-20M-ANT1-CH52

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5350.000	-4.57	41.11	36.54	54.00	-17.46	AVG	
2		5350.000	3.41	41.11	44.52	74.00	-29.48	peak	



11AC-20M-ANT1-CH64

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5350.000	-4.35	41.11	36.76	54.00	-17.24	AVG	
2		5350.000	5.25	41.11	46.36	74.00	-27.64	peak	



11AC-20M-ANT1-CH100

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5460.000	-4.75	41.49	36.74	54.00	-17.26	AVG	
2		5460.000	3.45	41.49	44.94	74.00	-29.06	peak	



11AC-20M-ANT1-CH140

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5460.000	-4.94	41.49	36.55	54.00	-17.45	AVG	
2		5460.000	3.91	41.49	45.40	74.00	-28.60	peak	



11AC-20M-ANT2-CH140

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5460.000	-5.07	41.49	36.42	54.00	-17.58	AVG	
2		5460.000	2.28	41.49	43.77	74.00	-30.23	peak	



11AC-20M-ANT2-CH100

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5460.000	-4.92	41.49	36.57	54.00	-17.43	AVG	
2		5460.000	4.11	41.49	45.60	74.00	-28.40	peak	



11AC-20M-ANT2-CH64

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5350.000	-4.30	41.11	36.81	54.00	-17.19	AVG	
2		5350.000	3.21	41.11	44.32	74.00	-29.68	peak	



11AC-20M-ANT2-CH52

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5350.000	-4.72	41.11	36.39	54.00	-17.61	AVG	
2		5350.000	3.15	41.11	44.26	74.00	-29.74	peak	



11AC-20M-ANT2-CH48

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5150.000	-4.84	40.42	35.58	54.00	-18.42	AVG	
2		5150.000	2.67	40.42	43.09	74.00	-30.91	peak	



11AC-20M-ANT2-CH36

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5150.000	-4.49	40.42	35.93	54.00	-18.07	AVG	
2		5150.000	4.86	40.42	45.28	74.00	-28.72	peak	



11AC-40M-ANT1-CH38

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5150.000	-1.52	40.42	38.90	54.00	-15.10	AVG	
2		5150.000	7.07	40.42	47.49	74.00	-26.51	peak	



11AC-40M-ANT1-CH46

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5150.000	-4.57	40.42	35.85	54.00	-18.15	AVG	
2		5150.000	4.10	40.42	44.52	74.00	-29.48	peak	



11AC-40M-ANT1-CH54

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5350.000	-4.53	41.11	36.58	54.00	-17.42	AVG	
2		5350.000	4.69	41.11	45.80	74.00	-28.20	peak	



11AC-40M-ANT1-CH62

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5350.000	-3.33	41.11	37.78	54.00	-16.22	AVG	
2		5350.000	5.17	41.11	46.28	74.00	-27.72	peak	



11AC-40M-ANT1-CH102

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5460.000	-4.32	41.49	37.17	54.00	-16.83	AVG	
2		5460.000	6.66	41.49	48.15	74.00	-25.85	peak	



11AC-40M-ANT1-CH134

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5460.000	-5.02	41.49	36.47	54.00	-17.53	AVG	
2		5460.000	4.70	41.49	46.19	74.00	-27.81	peak	



11AC-40M-ANT2-CH134

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5460.000	-5.01	41.49	36.48	54.00	-17.52	AVG	
2		5460.000	3.06	41.49	44.55	74.00	-29.45	peak	



11AC-40M-ANT2-CH102

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5460.000	-4.28	41.49	37.21	54.00	-16.79	AVG	
2		5460.000	2.84	41.49	44.33	74.00	-29.67	peak	



11AC-40M-ANT2-CH62

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5350.000	-3.53	41.11	37.58	54.00	-16.42	AVG	
2		5350.000	4.55	41.11	45.66	74.00	-28.34	peak	



11AC-40M-ANT2-CH54

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5350.000	-4.68	41.11	36.43	54.00	-17.57	AVG	
2		5350.000	3.27	41.11	44.38	74.00	-29.62	peak	



11AC-40M-ANT2-CH46

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5150.000	-4.71	40.42	35.71	54.00	-18.29	AVG	
2		5150.000	2.88	40.42	43.30	74.00	-30.70	peak	



11AC-40M-ANT2-CH38

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5150.000	-2.72	40.42	37.70	54.00	-16.30	AVG	
2		5150.000	5.19	40.42	45.61	74.00	-28.39	peak	



11AC-80M-ANT1-CH42

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5150.000	-2.11	40.42	38.31	54.00	-15.69	AVG	
2		5150.000	9.62	40.42	50.04	74.00	-23.96	peak	



11AC-80M-ANT1-CH58

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5350.000	-3.92	41.11	37.19	54.00	-16.81	AVG	
2		5350.000	3.62	41.11	44.73	74.00	-29.27	peak	



11AC-80M-ANT1-CH106

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5460.000	-3.84	41.49	37.65	54.00	-16.35	AVG	
2		5460.000	6.03	41.49	47.52	74.00	-26.48	peak	



11AC-80M-ANT1-CH122

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5460.000	-5.10	41.49	36.39	54.00	-17.61	AVG	
2		5460.000	3.39	41.49	44.88	74.00	-29.12	peak	



11AC-80M-ANT2-CH122

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5460.000	-5.02	41.49	36.47	54.00	-17.53	AVG	
2		5460.000	2.57	41.49	44.06	74.00	-29.94	peak	



11AC-80M-ANT2-CH106

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5460.000	-4.03	41.49	37.46	54.00	-16.54	AVG	
2		5460.000	3.49	41.49	44.98	74.00	-29.02	peak	



11AC-80M-ANT2-CH58

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5350.000	-3.65	41.11	37.46	54.00	-16.54	AVG	
2		5350.000	3.09	41.11	44.20	74.00	-29.80	peak	



11AC-80M-ANT2-CH42

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5150.000	-3.40	40.42	37.02	54.00	-16.98	AVG	
2		5150.000	4.45	40.42	44.87	74.00	-29.13	peak	



11AC-20M-MIMO-CH36

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5150.000	-3.87	40.42	36.55	54.00	-17.45	AVG	
2		5150.000	5.42	40.42	45.84	74.00	-28.16	peak	



11AC-20M-MIMO-CH48

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5150.000	-4.70	40.42	35.72	54.00	-18.28	AVG	
2		5150.000	3.73	40.42	44.15	74.00	-29.85	peak	



11AC-20M-MIMO-CH52

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5350.000	-4.53	41.11	36.58	54.00	-17.42	AVG	
2		5350.000	3.52	41.11	44.63	74.00	-29.37	peak	



11AC-20M-MIMO-CH64

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5350.000	-4.38	41.11	36.73	54.00	-17.27	AVG	
2		5350.000	3.92	41.11	45.03	74.00	-28.97	peak	



11AC-20M-MIMO-CH100

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5460.000	-4.51	41.49	36.98	54.00	-17.02	AVG	
2		5460.000	3.36	41.49	44.85	74.00	-29.15	peak	



11AC-20M-MIMO-CH140

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5460.000	-5.02	41.49	36.47	54.00	-17.53	AVG	
2		5460.000	2.62	41.49	44.11	74.00	-29.89	peak	



11AC-40M-MIMO-CH38

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5150.000	0.44	40.42	40.86	54.00	-13.14	AVG	
2		5150.000	11.28	40.42	51.70	74.00	-22.30	peak	



11AC-40M-MIMO-CH46

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5150.000	-4.39	40.42	36.03	54.00	-17.97	AVG	
2		5150.000	2.05	40.42	42.47	74.00	-31.53	peak	



11AC-40M-MIMO-CH54

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5350.000	-4.23	41.11	36.88	54.00	-17.12	AVG	
2		5350.000	4.16	41.11	45.27	74.00	-28.73	peak	



11AC-40M-MIMO-CH62

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5350.000	-2.99	41.11	38.12	54.00	-15.88	AVG	
2		5350.000	5.76	41.11	46.87	74.00	-27.13	peak	



11AC-40M-MIMO-CH102

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5460.000	-4.14	41.49	37.35	54.00	-16.65	AVG	
2		5460.000	3.45	41.49	44.94	74.00	-29.06	peak	



11AC-40M-MIMO-CH134

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5460.000	-4.99	41.49	36.50	54.00	-17.50	AVG	
2		5460.000	3.06	41.49	44.55	74.00	-29.45	peak	



11AC-80M-MIMO-CH42

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5150.000	-1.56	40.42	38.86	54.00	-15.14	AVG	
2		5150.000	8.45	40.42	48.87	74.00	-25.13	peak	



11AC-80M-MIMO-CH58

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5350.000	-4.07	41.11	37.04	54.00	-16.96	AVG	
2		5350.000	3.26	41.11	44.37	74.00	-29.63	peak	



11AC-80M-MIMO-CH106

110.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5460.000	-2.40	41.49	39.09	54.00	-14.91	AVG	
2		5460.000	7.73	41.49	49.22	74.00	-24.78	peak	



11AC-80M-MIMO-CH122


110.0 dBuV/m



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5460.000	-4.95	41.49	36.54	54.00	-17.46	AVG	
2		5460.000	5.43	41.49	46.92	74.00	-27.08	peak	



Part 5: Testing Range of "1 GHz to 18 GHz"





Appendix G: Frequency Stability

Frequency Error vs. Voltage:

Test Conditions	Measured Frequency (MHz)
	5180
V nom(V)	5180.0087
V max(V)	5180.0085
V min(V)	5180.0088
Max. Deviation Frequency	0.0088
Max. Frequency Error (ppm)	1.7

Frequency Error vs. Temperature:

Test Conditions (° C)	Measured Frequency (MHz)
	5180
-5	5180.0075
5	5180.0062
15	5180.0053
25	5180.0070
35	5180.0066
45	5180.0071
50	5180.0089
Max. Deviation Frequency	0.0089
Max. Frequency Error (ppm)	1.7181



Frequency Error vs. Voltage:

Test Conditions	Measured Frequency (MHz)
	5725
V nom(V)	5725.00159
V max(V)	5725.00647
V min(V)	5725.00672
Max. Deviation Frequency	0.00672
Max. Frequency Error (ppm)	1.15

Frequency Error vs. Temperature:

Test Conditions (° C)	Measured Frequency (MHz)
	5725
-5	5725.00458
5	5725.00458
15	5725.00455
25	5725.00453
35	5725.00454
45	5725.00445
50	5725.00453
Max. Deviation Frequency	0.00458
Max. Frequency Error (ppm)	0.78626

END