CH106



Date: 11.JUN.2016 19:52:30

CH122



Date: 11.JUN.2016 19:54:38

Test Mode: UNII-2C/TX 802.11ac Wave2(80MHz)_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-0.60	5.37
CH122	5610	-0.99	5.37

Test Mode: UNII-3/ TX 802.11ac Wave2(20MHz)_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.02	0.08	5.10	24.37
CH157	5785	5.07	0.08	5.15	24.37
CH165	5825	4.40	0.08	4.48	24.37

TX CH149



Date: 11.JUN.2016 18:47:23

TX CH157



Date: 11.JUN.2016 18:49:23

TX CH165



Date: 11.JUN.2016 18:51:09

Test Mode: UNII-3/ TX 802.11ac Wave2(20MHz)_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.06	0.08	5.14	24.37
CH157	5785	5.07	0.08	5.15	24.37
CH165	5825	4.38	0.08	4.46	24.37

TX CH149



TX CH157



Date: 11.JUN.2016 18:50:04

TX CH165



Date: 11.JUN.2016 18:51:56

Test Mode: UNII-3/ TX 802.11ac Wave2(20MHz)_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	8.13	24.37
CH157	5785	8.16	24.37
CH165	5825	7.48	24.37

Test Mode: UNII-3/ TX 802.11ac Wave2(40MHz) Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.31	0.16	2.47	24.37
CH159	5795	2.28	0.16	2.44	24.37

TX CH151



Date: 11.JUN.2016 19:40:47

TX CH159



Date: 11.JUN.2016 19:42:49

Test Mode: UNII-3/ TX 802.11ac Wave2(40MHz) Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.39	0.16	2.55	24.37
CH159	5795	2.22	0.16	2.38	24.37

TX CH151



Date: 11.JUN.2016 19:41:35

TX CH159



Date: 11.JUN.2016 19:43:36

Test Mode: UNII-3/ TX 802.11ac Wave2(40MHz) Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	5.52	24.37
CH159	5795	5.42	24.37

Test Mode: UNII-3/ TX 802.11ac Wave2(80MHz)_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-1.14	0.37	-0.77	24.37

TX CH155



Date: 11.JUN.2016 19:57:13

Test Mode: UNII-3/ TX 802.11ac Wave2(80MHz)_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-1.41	0.37	-1.04	24.37

TX CH155



Date: 11.JUN.2016 19:58:15

Test Mode: UNII-3/ TX 802.11ac Wave2(80MHz)_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	2.11	24.37

ATTACHMENT H - FREQUENCY STABILITY

Test Mode:	UNII-1

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9176
120	5179.9176
108	5179.9172
Max. Deviation (MHz)	0.0828
Max. Deviation (ppm)	15.9846

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(℃)	5180.0000
-5	5179.9172
5	5179.9168
15	5179.9168
25	5179.9168
35	5179.9164
45	5179.9164
50	5179.9160
Max. Deviation (MHz)	0.0840
Max. Deviation (ppm)	16.2162

Test Mode:	UNII-2A

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5259.9148
120	5259.9148
108	5259.9148
Max. Deviation (MHz)	0.0852
Max. Deviation (ppm)	16.1977

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(℃)	5260.0000
-5	5259.9148
5	5259.9148
15	5259.9148
25	5259.9144
35	5259.9148
45	5259.9144
50	5259.9144
Max. Deviation (MHz)	0.0856
Max. Deviation (ppm)	16.2738

Test Mode:	UNII-2C

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5499.9108
120	5499.9108
108	5499.9108
Max. Deviation (MHz)	0.0892
Max. Deviation (ppm)	16.2182

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(℃)	5500.0000
-5	5499.9108
5	5499.9108
15	5499.9108
25	5499.9108
35	5499.9108
45	5499.9108
50	5499.9108
Max. Deviation (MHz)	0.0892
Max. Deviation (ppm)	16.2182

Test Mode:	UNII-3

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9064
120	5744.9064
108	5744.9064
Max. Deviation (MHz)	0.0936
Max. Deviation (ppm)	16.2924

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(℃)	5745.0000
-5	5744.9064
5	5744.9068
15	5744.9068
25	5744.9068
35	5744.9068
45	5744.9068
50	5744.9068
Max. Deviation (MHz)	0.0936
Max. Deviation (ppm)	16.2924