



CH38



Date: 27.JUL.2015 12:16:51

CH46




Date: 27.JUL.2015 12:18:02

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT B

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-8.44	0.32	-8.12	17.00
CH46	5230	-6.02	0.32	-5.70	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	-8.12	5.50	-2.62	10.00
CH46	5230	-5.70	5.50	-0.20	10.00

CH38



Date: 27.JUL.2015 12:27:07

CH46




Date: 27.JUL.2015 14:02:01

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT C

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-8.84	0.32	-8.52	17.00
CH46	5230	-5.57	0.32	-5.25	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	-8.52	5.50	-3.02	10.00
CH46	5230	-5.25	5.50	0.25	10.00

CH38



Date: 27.JUL.2015 14:16:16

CH46



Date: 27.JUL.2015 14:17:26


Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.55	17.00
CH46	5230	-0.77	17.00

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	1.95	10.00
CH46	5230	4.73	10.00


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT A

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-3.76	0.10	-3.66	11.00
CH60	5300	-3.85	0.10	-3.75	11.00
CH64	5320	-7.12	0.10	-7.02	11.00




Date: 27.JUL.2015 10:48:19

CH60



Date: 27.JUL.2015 10:49:20

CH64




Date: 27.JUL.2015 10:50:13

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-3.02	0.10	-2.92	11.00
CH60	5300	-3.51	0.10	-3.41	11.00
CH64	5320	-6.99	0.10	-6.89	11.00

CH52




Date: 27.JUL.2015 11:03:00

CH60



Date: 27.JUL.2015 11:04:14


CH64



Date: 27.JUL.2015 11:05:35


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT C

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-2.24	0.10	-2.14	11.00
CH60	5300	-3.05	0.10	-2.95	11.00
CH64	5320	-6.31	0.10	-6.21	11.00




Date: 27.JUL.2015 11:21:41

CH60



Date: 27.JUL.2015 11:23:06

CH64



Date: 27.JUL.2015 11:24:18


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.91	11.00
CH60	5300	1.41	11.00
CH64	5320	-1.92	11.00

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-7.07	0.32	-6.75	11.00
CH62	5310	-10.45	0.32	-10.13	11.00

CH54



Date: 27.JUL.2015 12:18:54

CH62




Date: 27.JUL.2015 12:20:04

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-7.11	0.32	-6.79	11.00
CH62	5310	-10.44	0.32	-10.12	11.00

CH54



Date: 27.JUL.2015 14:03:27

CH62




Date: 27.JUL.2015 14:04:36

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT C


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-5.88	0.32	-5.56	11.00
CH62	5310	-9.79	0.32	-9.47	11.00

CH54



Date: 27.JUL.2015 14:18:31

CH62




Date: 27.JUL.2015 14:19:31

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-1.56	11.00
CH62	5310	-5.12	11.00

CH116



Date: 27.JUL.2015 10:52:18

CH140




Date: 27.JUL.2015 10:53:12

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-6.06	0.10	-5.96	11.00
CH116	5580	-3.21	0.10	-3.11	11.00
CH140	5700	-6.84	0.10	-6.74	11.00

CH100




Date: 27.JUL.2015 11:06:53

CH116



Date: 27.JUL.2015 11:09:47

CH140




Date: 27.JUL.2015 11:12:00

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT C


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-6.18	0.10	-6.08	11.00
CH116	5580	-3.10	0.10	-3.00	11.00
CH140	5700	-6.98	0.10	-6.88	11.00

CH100




Date: 27.JUL.2015 11:25:34

CH116



Date: 27.JUL.2015 11:26:47

CH140



Date: 27.JUL.2015 11:27:52


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-1.38	11.00
CH116	5580	1.68	11.00
CH140	5700	-2.27	11.00

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-6.83	0.32	-6.51	11.00
CH110	5550	-6.65	0.32	-6.33	11.00
CH134	5670	-6.54	0.32	-6.22	11.00

CH102




Date: 27.JUL.2015 12:21:11

CH110



Date: 27.JUL.2015 12:22:07


CH134



Date: 27.JUL.2015 12:23:01


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT B

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-6.86	0.32	-6.54	11.00
CH110	5550	-6.74	0.32	-6.42	11.00
CH134	5670	-6.63	0.32	-6.31	11.00




Date: 27.JUL.2015 14:05:35

CH110



Date: 27.JUL.2015 14:06:34


CH134




Date: 27.JUL.2015 14:07:34

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT C


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-6.56	0.32	-6.24	11.00
CH110	5550	-6.31	0.32	-5.99	11.00
CH134	5670	-6.63	0.32	-6.31	11.00



Date: 27.JUL.2015 14:21:26

CH110

Date: 27.JUL.2015 14:22:20

CH134

Date: 27.JUL.2015 14:23:14


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-1.66	11.00
CH110	5550	-1.47	11.00
CH134	5670	-1.51	11.00

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT A


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-7.29	0.10	-7.19	30.00
CH157	5785	-7.26	0.10	-7.16	30.00
CH165	5825	-7.73	0.10	-7.63	30.00

TX CH149




Date: 27.JUL.2015 10:54:21

TX CH157



Date: 27.JUL.2015 10:55:22

TX CH165




Date: 27.JUL.2015 10:56:15

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT B


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-6.40	0.10	-6.30	30.00
CH157	5785	-6.50	0.10	-6.40	30.00
CH165	5825	-7.17	0.10	-7.07	30.00

TX CH149




Date: 27.JUL.2015 11:13:18

TX CH157



Date: 27.JUL.2015 11:14:37

TX CH165




Date: 27.JUL.2015 11:15:46

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT C

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-7.29	0.10	-7.19	30.00
CH157	5785	-7.48	0.10	-7.38	30.00
CH165	5825	-7.75	0.10	-7.65	30.00

TX CH149



Date: 27.JUL.2015 11:30:50


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-2.10	30.00
CH157	5785	-2.19	30.00
CH165	5825	-2.67	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT A


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-10.53	0.32	-10.21	30.00
CH159	5795	-10.50	0.32	-10.18	30.00

TX CH151



Date: 27.JUL.2015 12:24:03

TX CH159




Date: 27.JUL.2015 12:24:58

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT B


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-10.64	0.32	-10.32	30.00
CH159	5795	-10.60	0.32	-10.28	30.00

TX CH151



Date: 27.JUL.2015 14:08:44

TX CH159




Date: 27.JUL.2015 14:09:41

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT C


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-11.03	0.32	-10.71	30.00
CH159	5795	-11.01	0.32	-10.69	30.00

TX CH151



Date: 27.JUL.2015 14:24:20

TX CH159



Date: 27.JUL.2015 14:25:16

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-5.64	30.00
CH159	5795	-5.61	30.00

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT A

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-6.53	0.10	-6.43	17.00
CH40	5200	-3.35	0.10	-3.25	17.00
CH48	5240	-3.84	0.10	-3.74	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	-6.43	5.50	-0.93	10.00
CH40	5200	-3.25	5.50	2.25	10.00
CH48	5240	-3.74	5.50	1.76	10.00

CH36




Date: 27.JUL.2015 12:04:05

CH40



Date: 27.JUL.2015 12:04:57

CH48




Date: 27.JUL.2015 12:05:43

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT B

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-6.09	0.10	-5.99	17.00
CH40	5200	-3.01	0.10	-2.91	17.00
CH48	5240	-3.24	0.10	-3.14	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	-5.99	5.50	-0.49	10.00
CH40	5200	-2.91	5.50	2.59	10.00
CH48	5240	-3.14	5.50	2.36	10.00

CH36




Date: 27.JUL.2015 11:48:12

CH40



Date: 27.JUL.2015 11:49:14

CH48




Date: 27.JUL.2015 11:50:04

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT C

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-6.21	0.10	-6.11	17.00
CH40	5200	-2.89	0.10	-2.79	17.00
CH48	5240	-2.97	0.10	-2.87	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	-6.11	5.50	-0.61	10.00
CH40	5200	-2.79	5.50	2.71	10.00
CH48	5240	-2.87	5.50	2.63	10.00

CH36




Date: 27.JUL.2015 11:35:31

CH40



Date: 27.JUL.2015 11:36:49

CH48



Date: 27.JUL.2015 11:37:39

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-1.40	17.00
CH40	5200	1.79	17.00
CH48	5240	1.54	17.00

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	4.10	10.00
CH40	5200	7.29	10.00
CH48	5240	7.04	10.00


Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT A

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-8.62	1.13	-7.49	17.00
CH46	5230	-6.35	1.13	-5.22	17.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	-7.49	5.50	-1.99	10.00
CH46	5230	-5.22	5.50	0.28	10.00

CH38

Date: 27.JUL.2015 14:48:05

CH46


Date: 27.JUL.2015 14:49:07

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT B

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-8.54	1.13	-7.41	17.00
CH46	5230	-5.90	1.13	-4.77	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	-7.41	5.50	-1.91	10.00
CH46	5230	-4.77	5.50	0.73	10.00

CH38



Date: 27.JUL.2015 14:36:48

CH46




Date: 27.JUL.2015 14:37:53

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT C

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-8.86	1.13	-7.73	17.00
CH46	5230	-5.56	1.13	-4.43	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	-7.73	5.50	-2.23	10.00
CH46	5230	-4.43	5.50	1.07	10.00

CH38



Date: 27.JUL.2015 14:27:19

CH46



Date: 27.JUL.2015 14:28:42

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.77	17.00
CH46	5230	-0.02	17.00

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	2.73	10.00
CH46	5230	5.48	10.00

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT A

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-11.07	0.48	-10.59	17.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH42	5210	-10.59	5.50	-5.09	10.00




Date: 27.JUL.2015 14:57:07

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT B

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-10.55	0.48	-10.07	17.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH42	5210	-10.07	5.50	-4.57	10.00




Date: 27.JUL.2015 15:03:45

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT C

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-10.65	0.48	-10.17	17.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH42	5210	-10.17	5.50	-4.67	10.00



Date: 27.JUL.2015 15:10:48


Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-5.50	17.00

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH42	5210	0.00	10.00


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT A

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-3.57	0.10	-3.47	11.00
CH60	5300	-3.75	0.10	-3.65	11.00
CH64	5320	-6.87	0.10	-6.77	11.00




Date: 27.JUL.2015 12:06:40

CH60



Date: 27.JUL.2015 12:07:45


CH64



Date: 27.JUL.2015 12:08:53


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT B

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-2.84	0.10	-2.74	11.00
CH60	5300	-3.35	0.10	-3.25	11.00
CH64	5320	-6.78	0.10	-6.68	11.00




Date: 27.JUL.2015 11:50:56

CH60



Date: 27.JUL.2015 11:53:05


CH64



Date: 27.JUL.2015 11:54:00


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT C

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-2.11	0.10	-2.01	11.00
CH60	5300	-2.85	0.10	-2.75	11.00
CH64	5320	-6.20	0.10	-6.10	11.00




Date: 27.JUL.2015 11:38:33

CH60



Date: 27.JUL.2015 11:39:56

CH64



Date: 27.JUL.2015 11:40:53


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.07	11.00
CH60	5300	1.57	11.00
CH64	5320	-1.74	11.00

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-7.31	1.13	-6.18	11.00
CH62	5310	-10.67	1.13	-9.54	11.00

CH54



Date: 27.JUL.2015 14:49:58

CH62




Date: 27.JUL.2015 14:50:55

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-6.81	1.13	-5.68	11.00
CH62	5310	-10.42	1.13	-9.29	11.00

CH54



Date: 27.JUL.2015 14:38:46

CH62




Date: 27.JUL.2015 14:39:50

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT C


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-5.48	1.13	-4.35	11.00
CH62	5310	-9.74	1.13	-8.61	11.00

CH54



Date: 27.JUL.2015 14:29:35

CH62



Date: 27.JUL.2015 14:30:35


Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-0.56	11.00
CH62	5310	-4.36	11.00

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT A

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-12.60	0.48	-12.12	11.00


CH58



Date: 27.JUL.2015 14:58:25

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT B

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-12.04	0.48	-11.56	11.00




Date: 27.JUL.2015 15:05:07

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT C

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-11.38	0.48	-10.90	11.00

CH58



Date: 27.JUL.2015 15:12:03


Test Mode: UNII-2A/TX AC80 Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-6.73	11.00

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-6.50	0.10	-6.40	11.00
CH116	5580	-3.34	0.10	-3.24	11.00
CH140	5700	-7.48	0.10	-7.38	11.00

CH100




Date: 27.JUL.2015 12:09:52

CH116



Date: 27.JUL.2015 12:10:49


CH140



Date: 27.JUL.2015 12:11:44


Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT B

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-5.95	0.10	-5.85	11.00
CH116	5580	-3.10	0.10	-3.00	11.00
CH140	5700	-6.95	0.10	-6.85	11.00




Date: 27.JUL.2015 11:55:03

CH116



Date: 27.JUL.2015 11:56:05


CH140



Date: 27.JUL.2015 11:57:15


Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT C

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-5.97	0.10	-5.87	11.00
CH116	5580	-3.07	0.10	-2.97	11.00
CH140	5700	-6.89	0.10	-6.79	11.00




Date: 27.JUL.2015 11:41:52

CH116



Date: 27.JUL.2015 11:42:51

CH140




Date: 27.JUL.2015 11:43:54

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-1.26	11.00
CH116	5580	1.70	11.00
CH140	5700	-2.23	11.00

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT A


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-6.76	1.13	-5.63	11.00
CH110	5550	-6.63	1.13	-5.50	11.00
CH134	5670	-6.65	1.13	-5.52	11.00



Date: 27.JUL.2015 14:51:59

CH110

Date: 27.JUL.2015 14:52:51


CH134

Date: 27.JUL.2015 14:53:39

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-6.61	1.13	-5.48	11.00
CH110	5550	-6.55	1.13	-5.42	11.00
CH134	5670	-6.64	1.13	-5.51	11.00

CH102




Date: 27.JUL.2015 14:41:19

CH110



Date: 27.JUL.2015 14:42:17

CH134




Date: 27.JUL.2015 14:44:09

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT C

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-6.54	1.13	-5.41	11.00
CH110	5550	-6.39	1.13	-5.26	11.00
CH134	5670	-6.54	1.13	-5.41	11.00

CH102




Date: 27.JUL.2015 14:31:31

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.73	11.00
CH110	5550	-0.62	11.00
CH134	5670	-0.71	11.00

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT A

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-11.08	0.48	-10.60	11.00
CH122	5610	-11.36	0.48	-10.88	11.00

CH106

Date: 27.JUL.2015 14:59:51


CH122

Date: 27.JUL.2015 15:00:55

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT B


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-10.73	0.48	-10.25	11.00
CH122	5610	-11.02	0.48	-10.54	11.00

CH106



Date: 27.JUL.2015 15:06:22

CH122



Date: 27.JUL.2015 15:07:23

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT C

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-10.86	0.48	-10.38	11.00
CH122	5610	-11.26	0.48	-10.78	11.00


Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-5.64	11.00
CH122	5610	-5.96	11.00

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT A

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-7.02	0.10	-6.92	30.00
CH157	5785	-7.20	0.10	-7.10	30.00
CH165	5825	-7.81	0.10	-7.71	30.00

TX CH149




Date: 27.JUL.2015 12:12:52


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT B

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-6.28	0.10	-6.18	30.00
CH157	5785	-6.47	0.10	-6.37	30.00
CH165	5825	-7.11	0.10	-7.01	30.00


TX CH149



Date: 27.JUL.2015 11:58:57

TX CH157

Date: 27.JUL.2015 12:00:02


TX CH165

Date: 27.JUL.2015 12:01:18

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT C

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-7.26	0.10	-7.16	30.00
CH157	5785	-7.40	0.10	-7.30	30.00
CH165	5825	-7.78	0.10	-7.68	30.00

TX CH149




Date: 27.JUL.2015 11:45:02

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-1.96	30.00
CH157	5785	-2.13	30.00
CH165	5825	-2.68	30.00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT A

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-10.77	1.13	-9.64	30.00
CH159	5795	-10.77	1.13	-9.64	30.00

TX CH151

Date: 27.JUL.2015 14:54:40


TX CH159

Date: 27.JUL.2015 14:55:33

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT B


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-10.20	1.13	-9.07	30.00
CH159	5795	-10.00	1.13	-8.87	30.00

TX CH151



Date: 27.JUL.2015 14:45:13

TX CH159




Date: 27.JUL.2015 14:46:06

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT C


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-10.95	1.13	-9.82	30.00
CH159	5795	-11.15	1.13	-10.02	30.00

TX CH151



Date: 27.JUL.2015 14:34:29

TX CH159



Date: 27.JUL.2015 14:35:22


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-4.73	30.00
CH159	5795	-4.71	30.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT B

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-13.48	0.48	-13.00	30.00

TX CH155




Date: 27.JUL.2015 15:08:26

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT C

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-15.26	0.48	-14.78	30.00

TX CH155



Date: 27.JUL.2015 15:15:41

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-9.21	30.00

ATTACHMENT I - FREQUENCY STABILITY

Test Mode:	UNII-1
-------------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9999
120	5179.9996
108	5179.9993
Max. Deviation (MHz)	0.0007
Max. Deviation (ppm)	0.1351

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5180.0000
-10	5179.9780
5	5179.9810
15	5179.9830
25	5179.9850
35	5179.9820
45	5179.9840
50	5179.9790
Max. Deviation (MHz)	0.0220
Max. Deviation (ppm)	4.2471

Test Mode:	UNII-2A
-------------------	----------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5259.9799
120	5259.9803
108	5259.9796
Max. Deviation (MHz)	0.0204
Max. Deviation (ppm)	3.8783

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5260.0000
-10	5260.0126
5	5260.0124
15	5260.0128
25	5260.0131
35	5260.0125
45	5260.0127
50	5260.0130
Max. Deviation (MHz)	0.0131
Max. Deviation (ppm)	2.4905

Test Mode:	UNII-2C
-------------------	----------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5499.9994
120	5499.9997
108	5499.9991
Max. Deviation (MHz)	0.0009
Max. Deviation (ppm)	0.1636

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5500.0000
-10	5500.0143
5	5500.0145
15	5500.0147
25	5500.0149
35	5500.0144
45	5500.0146
50	5500.0148
Max. Deviation (MHz)	0.0149
Max. Deviation (ppm)	2.7091

Test Mode:	UNII-3
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9995
120	5744.9991
108	5744.9998
Max. Deviation (MHz)	0.0009
Max. Deviation (ppm)	0.1567

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5745.0000
-10	5744.9921
5	5744.9928
15	5744.9933
25	5744.9924
35	5744.9927
45	5744.9929
50	5744.9931
Max. Deviation (MHz)	0.0079
Max. Deviation (ppm)	1.3751