**CH110**

Date: 14.DEC.2016 15:38:20

CH134

Date: 14.DEC.2016 15:39:08

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	9.52	10.42
CH110	5550	9.62	10.42
CH134	5670	10.35	10.42

Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	6.86	0.06	6.92	10.42
CH116	5580	5.13	0.06	5.19	10.42
CH140	5700	7.67	0.06	7.73	10.42

CH100

Date: 14.DEC.2016 15:10:56

CH116


```
                                    *RBW  1 MHz     Marker 1 [T1 ]
                                    *VBW  3 MHz                 5.13 dBm
        Ref   20 dBm     *Att  30 dB    SWT 20 ms      5.578400000 GHz
        20  Offset  4 dB
```

Center 5.58 GHz   5 MHz/   Span 50 MHz

Date: 20.DEC.2016 19:58:47

CH140


```
                                    *RBW  1 MHz     Marker 1 [T1 ]
                                    *VBW  3 MHz                 7.67 dBm
        Ref   20 dBm     *Att  30 dB    SWT 20 ms      5.696100000 GHz
        20  Offset  4 dB
```

Center 5.7 GHz   5 MHz/   Span 50 MHz

Date: 14.DEC.2016 15:21:11

Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode_CH100/CH116/CH140_ANT 2

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.18	0.06	7.24	10.42
CH116	5580	4.89	0.06	4.95	10.42
CH140	5700	6.60	0.06	6.66	10.42

CH100

Date: 14.DEC.2016 15:13:13

CH116

Date: 20.DEC.2016 19:59:21

CH140

Date: 14.DEC.2016 15:22:23

Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode_CH100/CH116/CH140_Total

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	10.09	10.42
CH116	5580	8.08	10.42
CH140	5700	10.24	10.42

Test Mode: UNII-2C/TX AC Wave2(40 MHz)_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	6.11	0.14	6.25	10.42
CH110	5550	6.16	0.14	6.30	10.42
CH134	5670	7.41	0.14	7.55	10.42

CH102

Date: 14.DEC.2016 15:54:04

CH110

Date: 14.DEC.2016 15:55:16

CH134

Date: 14.DEC.2016 15:57:59

Test Mode: UNII-2C/TX AC Wave2(40 MHz)_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	6.64	0.14	6.78	10.42
CH110	5550	6.73	0.14	6.87	10.42
CH134	5670	6.72	0.14	6.86	10.42

CH102

Date: 14.DEC.2016 15:44:03

CH110

Date: 14.DEC.2016   15:46:38

CH134

Date: 14.DEC.2016   15:47:37

Test Mode: UNII-2C/TX AC Wave2(40 MHz)_CH102/CH110/CH134_Total

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	9.53	10.42
CH110	5550	9.60	10.42
CH134	5670	10.23	10.42

Test Mode: UNII-2C/TX AC Wave2(80 MHz)_CH106/CH122_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	0.67	0.22	0.89	10.42
CH122	5610	-1.59	0.22	-1.37	10.42

Date: 22.SEP.2016 21:54:02

CH122

Date: 22.SEP.2016 21:55:09

Test Mode: UNII-2C/TX AC Wave2(80 MHz)_CH106/CH122_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-0.87	0.22	-0.65	10.42
CH122	5610	-2.43	0.22	-2.21	10.42

CH106


```
                                        *RBW 1 MHz    Marker 1 [T1 ]
                                        *VBW 3 MHz               -0.87 dBm
  Ref  20 dBm         *Att  30 dB        SWT 20 ms       5.508400000 GHz
  20 Offset  4 dB
                                                                        A
  -10
                                                                        LVL
  -0                              1
  -10
  -20
  -30                                                                   3DB
        VIEW 100 of   100
  -40
  -50
  -60
  -70
  -80
  Center 5.53 GHz           20 MHz/                  Span 200 MHz
```

Date: 26.SEP.2016 12:13:39

CH122


```
                                        *RBW 1 MHz    Marker 1 [T1 ]
                                        *VBW 3 MHz               -2.43 dBm
  Ref  20 dBm         *Att  30 dB        SWT 20 ms       5.622400000 GHz
  20 Offset  4 dB
                                                                        A
  -10
                                                                        LVL
  -0                              1
  -10
  -20
  -30                                                                   3DB
        SWT  100 of  100
  -50
  -60
  -70
  -80
  Center 5.61 GHz           20 MHz/                  Span 200 MHz
```

Date: 26.SEP.2016 12:14:51

**Test Mode: UNII-2C/TX AC Wave2(80 MHz)_CH106/CH122_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	3.20	10.42
CH122	5610	1.24	10.42

Test Mode: TX AC Wave2(160 MHz) Mode / CH58(UNII-2A)+CH1122 (UNII-2C)_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-0.84	0.12	-0.72	10.42
CH122	5610	-0.82	0.12	-0.70	10.42

CH58

Date: 29.DEC.2016 11:30:57

Date: 29.DEC.2016 10:54:32

Test Mode: TX AC Wave2(160 MHz) Mode / CH58(UNII-2A)+CH1122 (UNII-2C)_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	0.19	0.12	0.31	10.42
CH122	5610	-1.03	0.12	-0.91	10.42

CH58

Date: 29.DEC.2016 11:19:30

CH122


```
                                        *RBW 1 MHz    Marker 1 [T1 ]
                                        *VBW 3 MHz            -1.03 dBm
       Ref  20 dBm        *Att  30 dB   SWT 20 ms      5.634400000 GHz
```

Date: 29.DEC.2016 11:01:28

**Test Mode: TX AC Wave2(160 MHz) Mode / CH58(UNII-2A)+CH1122 (UNII-2C)_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	2.83	10.42
CH122	5610	2.20	10.42

For 3TX Non-Beamforming

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 1

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.39	0.14	5.53	10.42
CH60	5300	4.56	0.14	4.70	10.42
CH64	5320	4.62	0.14	4.76	10.42

CH52

Date: 18.DEC.2016 15:41:38

CH60


```
                                    * RBW 1 MHz    Marker 1 [T1 ]
                                    * VBW 3 MHz              4.56 dBm
     Ref  20 dBm      * Att  30 dB  SWT 20 ms       5.302700000 GHz

     20 Offset  4 dB                                              A

     -10                                1
1 RM
VIEW
      0

     -10

     -20

     -30
        SWT  100 of   100
     -40                                                         3DB

     -50

     -60

     -70

     -80
     Center 5.3 GHz              5 MHz/              Span 50 MHz
```

Date: 18.DEC.2016 15:42:37

CH64


```
                                    * RBW 1 MHz    Marker 1 [T1 ]
                                    * VBW 3 MHz              4.62 dBm
     Ref  20 dBm      * Att  30 dB  SWT 20 ms       5.321700000 GHz

     20 Offset  4 dB                                              A

     -10                                1
1 RM
VIEW
      0

     -10

     -20

     -30
        SWT  100 of   100
     -40                                                         3DB

     -50

     -60

     -70

     -80
     Center 5.32 GHz             5 MHz/              Span 50 MHz
```

Date: 18.DEC.2016 15:43:46

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.67	0.14	5.81	10.42
CH60	5300	5.62	0.14	5.76	10.42
CH64	5320	5.87	0.14	6.01	10.42

CH52

Date: 18.DEC.2016 15:50:33

CH60

```
                                    ▲RBW 1 MHz    Marker 1 [T1 ]
                                    ●VBW 3 MHz              5.62 dBm
        Ref  20 dBm      ●Att  30 dB   SWT 20 ms      5.297900000 GHz
```



```
Center 5.3 GHz              5 MHz/              Span 50 MHz
```

Date: 18.DEC.2016 15:51:28

CH64

```
                                    ▲RBW 1 MHz    Marker 1 [T1 ]
                                    ●VBW 3 MHz              5.87 dBm
        Ref  20 dBm      ●Att  30 dB   SWT 20 ms      5.316300000 GHz
```



```
Center 5.32 GHz             5 MHz/              Span 50 MHz
```

Date: 18.DEC.2016 15:52:21

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.44	0.14	5.58	10.42
CH60	5300	4.52	0.14	4.66	10.42
CH64	5320	4.85	0.14	4.99	10.42

CH52

Date: 18.DEC.2016 16:18:36

CH60

Date: 18.DEC.2016 16:20:03

CH64

Date: 18.DEC.2016 16:21:00

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_Total

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	10.41	10.42
CH60	5300	9.84	10.42
CH64	5320	10.06	10.42

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.15	0.06	5.21	10.42
CH60	5300	4.35	0.06	4.41	10.42
CH64	5320	4.45	0.06	4.51	10.42

CH52

Date: 18.DEC.2016 16:31:42

CH60

Date: 18.DEC.2016 16:32:33

CH64

Date: 18.DEC.2016 16:33:37

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	6.09	0.06	6.15	10.42
CH60	5300	5.42	0.06	5.48	10.42
CH64	5320	5.65	0.06	5.71	10.42

CH52

Date: 18.DEC.2016 16:38:17

CH60

```
                                    *RBW 1 MHz    Marker 1 [T1 ]
                                    *VBW 3 MHz              5.42 dBm
        Ref  20 dBm      *Att  30 dB   SWT 20 ms      5.296200000 GHz
```

Date: 18.DEC.2016 16:39:21

CH64

```
                                    *RBW 1 MHz    Marker 1 [T1 ]
                                    *VBW 3 MHz              5.65 dBm
        Ref  20 dBm      *Att  30 dB   SWT 20 ms      5.315800000 GHz
```

Date: 18.DEC.2016 16:40:25

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.11	0.06	5.17	10.42
CH60	5300	4.20	0.06	4.26	10.42
CH64	5320	4.57	0.06	4.63	10.42

CH52

Date: 18.DEC.2016 16:45:13

CH60

```
                                        ▲ RBW 1 MHz      Marker 1 [T1 ]
                                        * VBW 3 MHz                4.20 dBm
      Ref   20 dBm          * Att  30 dB    SWT 20 ms         5.295800000 GHz
```



```
  20  Offset  4 dB                                              A
 -10                                                            LVL
   0          ┌──────────1──────┐
 -10                                                            3DB
 -20
 -30     SWP  100 of  100
 -40
 -50
 -60
 -70
 -80
      Center 5.3 GHz              5 MHz/              Span 50 MHz
```

Date: 18.DEC.2016 16:46:05

CH64

```
                                        ▲ RBW 1 MHz      Marker 1 [T1 ]
                                        * VBW 3 MHz                4.57 dBm
      Ref   20 dBm          * Att  30 dB    SWT 20 ms         5.324200000 GHz
```



```
  20  Offset  4 dB                                              A
 -10                                                            LVL
   0          ┌──────────1──────┐
 -10                                                            3DB
 -20
 -30     SWP  100 of  100
 -40
 -50
 -60
 -70
 -80
      Center 5.32 GHz             5 MHz/              Span 50 MHz
```

Date: 18.DEC.2016 16:47:13

## Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	10.31	10.42
CH60	5300	9.52	10.42
CH64	5320	9.76	10.42

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	4.61	0.14	4.75	10.42
CH62	5310	5.19	0.14	5.33	10.42

CH54

```
                                  *RBW 1 MHz      Marker 1 [T1 ]
                                  *VBW 3 MHz                  4.61 dBm
     Ref  20 dBm      *Att  30 dB  SWT 20 ms        5.275800000 GHz
     20  Offset  4 dB
```

CH54 spectrum plot — Center 5.27 GHz, 10 MHz/, Span 100 MHz

Date: 20.DEC.2016 20:24:31

CH62

```
                                  *RBW 1 MHz      Marker 1 [T1 ]
                                  *VBW 3 MHz                  5.19 dBm
     Ref  20 dBm      *Att  30 dB  SWT 20 ms        5.314400000 GHz
     20  Offset  4 dB
```

CH62 spectrum plot — Center 5.31 GHz, 10 MHz/, Span 100 MHz

Date: 20.DEC.2016 20:26:36

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 2

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	5.55	0.14	5.69	10.42
CH62	5310	6.14	0.14	6.28	10.42

CH54


```
                                          *RBW  1 MHz    Marker 1 [T1 ]
                                          *VBW  3 MHz              5.55 dBm
         Ref   20 dBm      *Att  30 dB    SWT 20 ms       5.267400000 GHz
         20  Offset   4 dB
      -10                                                              A
                                   1
        0
                                                                     LVL
      -10
      -20
      -30
           SWT   100 of   100                                        3DB
      -40
      -50
      -60
      -70
      -80
      Center 5.27 GHz          10 MHz/              Span 100 MHz
```

Date: 20.DEC.2016 20:25:01

CH62


```
                                          *RBW  1 MHz    Marker 1 [T1 ]
                                          *VBW  3 MHz              6.14 dBm
         Ref   20 dBm      *Att  30 dB    SWT 20 ms       5.305000000 GHz
         20  Offset   4 dB
      -10                                                              A
                                   1
        0
                                                                     LVL
      -10
      -20
      -30
           SWT   100 of   100                                        3DB
      -40
      -50
      -60
      -70
      -80
      Center 5.31 GHz          10 MHz/              Span 100 MHz
```

Date: 20.DEC.2016 20:27:46

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 3

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	4.25	0.14	4.39	10.42
CH62	5310	5.01	0.14	5.15	10.42

CH54

Date: 20.DEC.2016 20:25:36

CH62

Date: 20.DEC.2016 20:28:38

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	9.75	10.42
CH62	5310	10.39	10.42

Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.27	0.06	5.33	10.42
CH60	5300	4.44	0.06	4.50	10.42
CH64	5320	5.60	0.06	5.66	10.42

CH52

Date: 18.DEC.2016 17:07:01

CH60


```
                                    *RBW  1 MHz      Marker 1 [T1 ]
                                    *VBW  3 MHz                    4.44 dBm
    Ref  20 dBm        *Att  30 dB   SWT 20 ms        5.303500000 GHz
    20  Offset   4 dB
```

Date: 18.DEC.2016 17:07:59

CH64


```
                                    *RBW  1 MHz      Marker 1 [T1 ]
                                    *VBW  3 MHz                    5.60 dBm
    Ref  20 dBm        *Att  30 dB   SWT 20 ms        5.316300000 GHz
    20  Offset   4 dB
```

Date: 18.DEC.2016 17:18:12

Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	6.14	0.06	6.20	10.42
CH60	5300	5.45	0.06	5.51	10.42
CH64	5320	5.64	0.06	5.70	10.42

CH52

Date: 18.DEC.2016 17:01:16

## CH60

Date: 18.DEC.2016 17:02:11

CH64

Date: 18.DEC.2016 17:03:04

Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode_CH52/CH60/CH64_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.12	0.06	5.18	10.42
CH60	5300	4.15	0.06	4.21	10.42
CH64	5320	4.42	0.06	4.48	10.42

CH52

Date: 18.DEC.2016 17:22:25

CH60

```
                                      *RBW 1 MHz    Marker 1 [T1 ]
                                      *VBW 3 MHz              4.15 dBm
         Ref  20 dBm      *Att  30 dB  SWT 20 ms      5.295800000 GHz
```



```
Center 5.3 GHz              5 MHz/              Span 50 MHz
```

Date: 18.DEC.2016 17:23:26

CH64

```
                                      *RBW 1 MHz    Marker 1 [T1 ]
                                      *VBW 3 MHz              4.42 dBm
         Ref  20 dBm      *Att  30 dB  SWT 20 ms      5.324500000 GHz
```



```
Center 5.32 GHz             5 MHz/              Span 50 MHz
```

Date: 18.DEC.2016 17:24:31

Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode_CH52/CH60/CH64_Total

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	10.36	10.42
CH60	5300	9.55	10.42
CH64	5320	10.09	10.42

Test Mode: UNII-2A/TX AC Wave2(40 MHz)_CH54/CH62_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	4.62	0.14	4.76	10.42
CH62	5310	5.28	0.14	5.42	10.42

CH54

Date: 20.DEC.2016 20:31:47

CH62

Date: 20.DEC.2016 20:33:26

Test Mode: UNII-2A/TX AC Wave2(40 MHz)_CH54/CH62_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	5.40	0.14	5.54	10.42
CH62	5310	6.16	0.14	6.30	10.42

CH54

Ref 20 dBm   *Att 30 dB   SWT 20 ms

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   5.40 dBm
SWT 20 ms   5.263800000 GHz

20 Offset 4 dB

1 RM
VIEW

SWT 100 of 100

Center 5.27 GHz   10 MHz/   Span 100 MHz

Date: 20.DEC.2016 20:32:13

CH62

Ref 20 dBm   *Att 30 dB   SWT 20 ms

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   6.16 dBm
SWT 20 ms   5.305000000 GHz

20 Offset 4 dB

1 RM
VIEW

SWT 100 of 100

Center 5.31 GHz   10 MHz/   Span 100 MHz

Date: 20.DEC.2016 20:33:56

Test Mode: UNII-2A/TX AC Wave2(40 MHz)_CH54/CH62_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	4.17	0.14	4.31	10.42
CH62	5310	4.81	0.14	4.95	10.42

CH54

```
                                    ▲RBW  1 MHz      Marker 1 [T1 ]
                                    ▲VBW  3 MHz                    4.17 dBm
              Ref  20 dBm      ▲Att  30 dB    SWT 20 ms       5.278200000 GHz
         20  Offset  4 dB                                                    A
       -10
                                              1
        0
       -10
       -20
       -30
            SWP   100 of   100                                              3DB
       -40
       -50
       -60
       -70
       -80
              Center 5.27 GHz              10 MHz/              Span 100 MHz
```

Date: 20.DEC.2016 20:32:45

CH62

```
                                    ▲RBW  1 MHz      Marker 1 [T1 ]
                                    ▲VBW  3 MHz                    4.81 dBm
              Ref  20 dBm      ▲Att  30 dB    SWT 20 ms       5.319000000 GHz
         20  Offset  4 dB                                                    A
       -10
                                              1
        0
       -10
       -20
       -30
            SWP   100 of   100                                              3DB
       -40
       -50
       -60
       -70
       -80
              Center 5.31 GHz              10 MHz/              Span 100 MHz
```

Date: 20.DEC.2016 20:34:27

Test Mode: UNII-2A/TX AC Wave2(40 MHz)_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	9.67	10.42
CH62	5310	10.36	10.42

Test Mode: UNII-2A/TX AC Wave2(80 MHz)_CH58_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	0.58	0.22	0.80	10.42

CH58

Date: 18.DEC.2016 18:51:15

Test Mode: UNII-2A/TX AC Wave2(80 MHz)_CH58_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	1.49	0.22	1.71	10.42

CH58

Date: 18.DEC.2016 18:44:24

Test Mode: UNII-2A/TX AC Wave2(80 MHz)_CH58_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	0.43	0.22	0.65	10.42

CH58

Date: 18.DEC.2016 18:40:48

Test Mode: UNII-2A/TX AC Wave2(80 MHz)_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	5.85	10.42

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	5.00	0.14	5.14	10.42
CH116	5580	5.36	0.14	5.50	10.42
CH140	5700	4.87	0.14	5.01	10.42

CH100

Date: 20.DEC.2016 20:07:21

CH116

```
                                    *RBW  1 MHz     Marker 1 [T1 ]
                                    *VBW  3 MHz              5.36 dBm
      Ref   20 dBm      *Att  30 dB  SWT 20 ms        5.576900000 GHz
   20 Offset  4 dB
  -10                                                                    A
                              ┌───────────────┐
    0                         │      1        │                        LVL
                              │      ▼        │
  -10                         │               │
                              │               │
  -20                         │               │
                              │               │
  -30                         │               │                        3DB
        WR   100 of   100     │               │
  -40                         │               │
  -50
  -60
  -70
  -80
      Center 5.58 GHz              5 MHz/              Span 50 MHz
```

Date: 18.DEC.2016 15:48:36

CH140

```
                                    *RBW  1 MHz     Marker 1 [T1 ]
                                    *VBW  3 MHz              4.87 dBm
      Ref   20 dBm      *Att  30 dB  SWT 20 ms        5.702600000 GHz
   20 Offset  4 dB
  -10                                                                    A
                              ┌───────────────┐
    0                         │      1        │                        LVL
                              │      ▼        │
  -10                         │               │
                              │               │
  -20                         │               │
                              │               │
  -30                         │               │                        3DB
        WR   100 of   100     │               │
  -40                         │               │
  -50
  -60
  -70
  -80
      Center 5.7 GHz               5 MHz/              Span 50 MHz
```

Date: 18.DEC.2016 15:49:26

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 2

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.98	0.14	4.12	10.42
CH116	5580	4.90	0.14	5.04	10.42
CH140	5700	4.91	0.14	5.05	10.42

CH100

Date: 20.DEC.2016 20:08:56

CH116

```
                                      ▲ RBW 1 MHz      Marker 1 [T1 ]
                                      ● VBW 3 MHz            4.90 dBm
    Ref  20 dBm        ● Att  30 dB   SWT 20 ms        5.577100000 GHz
```



```
Center 5.58 GHz              5 MHz/               Span 50 MHz
```

Date: 18.DEC.2016 15:54:18

CH140

```
                                      ▲ RBW 1 MHz      Marker 1 [T1 ]
                                      ● VBW 3 MHz            4.91 dBm
    Ref  20 dBm        ● Att  30 dB   SWT 20 ms        5.703000000 GHz
```



```
Center 5.7 GHz               5 MHz/               Span 50 MHz
```

Date: 18.DEC.2016 15:55:59

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.18	0.14	4.32	10.42
CH116	5580	4.88	0.14	5.02	10.42
CH140	5700	4.45	0.14	4.59	10.42

CH100

Date: 20.DEC.2016 20:09:32

CH116


```
                                      *RBW 1 MHz    Marker 1 [T1 ]
                                      *VBW 3 MHz            4.88 dBm
      Ref  20 dBm      *Att  30 dB    SWT 20 ms      5.583300000 GHz
      20  Offset  4 dB
```

Date: 18.DEC.2016 16:22:52

CH140


```
                                      *RBW 1 MHz    Marker 1 [T1 ]
                                      *VBW 3 MHz            4.45 dBm
      Ref  20 dBm      *Att  30 dB    SWT 20 ms      5.703100000 GHz
      20  Offset  4 dB
```

Date: 18.DEC.2016 16:23:47

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_Total

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	9.32	10.42
CH116	5580	9.96	10.42
CH140	5700	9.66	10.42

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.91	0.06	4.97	10.42
CH116	5580	5.04	0.06	5.10	10.42
CH140	5700	5.60	0.06	5.66	10.42

CH100

Date: 20.DEC.2016 20:16:54

CH116

```
                                     ◆RBW 1 MHz    Marker 1 [T1 ]
                                     ◆VBW 3 MHz              5.04 dBm
    Ref  20 dBm         ◆Att  30 dB  SWT 20 ms       5.578000000 GHz
    20  Offset  4 dB
                                                                    A
  -10
1 RM                                                                LVL
VIEW
    0
  -10
  -20
  -30
        SWT   100 of   100                                          3DB
  -40
  -50
  -60
  -70
  -80
    Center 5.58 GHz            5 MHz/            Span 50 MHz
```

Date: 20.DEC.2016 20:19:51

CH140

```
                                     ◆RBW 1 MHz    Marker 1 [T1 ]
                                     ◆VBW 3 MHz              5.60 dBm
    Ref  20 dBm         ◆Att  30 dB  SWT 20 ms       5.704200000 GHz
    20  Offset  4 dB
  -10
1 RM                                                                A
VIEW
    0                                                               LVL
  -10
  -20
  -30
        SWT   100 of   100                                          3DB
  -40
  -50
  -60
  -70
  -80
    Center 5.7 GHz             5 MHz/            Span 50 MHz
```

Date: 18.DEC.2016 16:53:26

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.95	0.06	4.01	10.42
CH116	5580	4.72	0.06	4.78	10.42
CH140	5700	5.61	0.06	5.67	10.42

CH100

Date: 20.DEC.2016 20:18:45

CH116


```
                                    *RBW 1 MHz    Marker 1 [T1 ]
                                    *VBW 3 MHz               4.72 dBm
    Ref  20 dBm        *Att  30 dB   SWT 20 ms      5.575700000 GHz
    20 Offset  4 dB
```

Center 5.58 GHz   5 MHz/   Span 50 MHz

Date: 20.DEC.2016 20:20:22

CH140


```
                                    *RBW 1 MHz    Marker 1 [T1 ]
                                    *VBW 3 MHz               5.61 dBm
    Ref  20 dBm        *Att  30 dB   SWT 20 ms      5.704200000 GHz
    20 Offset  4 dB
```

Center 5.7 GHz   5 MHz/   Span 50 MHz

Date: 18.DEC.2016 16:52:22

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.17	0.06	4.23	10.42
CH116	5580	4.62	0.06	4.68	10.42
CH140	5700	5.40	0.06	5.46	10.42

CH100

Date: 20.DEC.2016 20:18:21

CH116


```
                                    *RBW 1 MHz    Marker 1 [T1 ]
                                    *VBW 3 MHz              4.62 dBm
          Ref  20 dBm      *Att  30 dB    SWT 20 ms    5.584100000 GHz
          20 Offset  4 dB
```

Center 5.58 GHz   5 MHz/   Span 50 MHz

Date: 20.DEC.2016 20:20:49

CH140


```
                                    *RBW 1 MHz    Marker 1 [T1 ]
                                    *VBW 3 MHz              5.40 dBm
          Ref  20 dBm      *Att  30 dB    SWT 20 ms    5.703200000 GHz
          20 Offset  4 dB
```

Center 5.7 GHz   5 MHz/   Span 50 MHz

Date: 18.DEC.2016 16:50:39

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	9.19	10.42
CH116	5580	9.63	10.42
CH140	5700	10.37	10.42

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	5.35	0.14	5.49	10.42
CH110	5550	4.83	0.14	4.97	10.42
CH134	5670	2.63	0.14	2.77	10.42

CH102

Date: 18.DEC.2016 18:00:47

CH110

```
                                    *RBW 1 MHz      Marker 1 [T1 ]
                                    *VBW 3 MHz                4.83 dBm
   Ref  20 dBm        *Att  30 dB   SWT 20 ms     5.546000000 GHz
   20 Offset  4 dB
 -10
1 RM
VIEW
 0
 -10
 -20
 -30
SWP   100 of   100
 -40
 -50
 -60
 -70
 -80
   Center 5.55 GHz           10 MHz/           Span 100 MHz
```

Date: 20.DEC.2016 20:30:02

CH134

```
                                    *RBW 1 MHz      Marker 1 [T1 ]
                                    *VBW 3 MHz                2.63 dBm
   Ref  20 dBm        *Att  30 dB   SWT 20 ms     5.667600000 GHz
   20 Offset  4 dB
 -10
1 RM
VIEW
 0
 -10
 -20
 -30
SWP   100 of   100
 -40
 -50
 -60
 -70
 -80
   Center 5.67 GHz           10 MHz/           Span 100 MHz
```

Date: 18.DEC.2016 17:39:44

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 2

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	5.49	0.14	5.63	10.42
CH110	5550	4.26	0.14	4.40	10.42
CH134	5670	2.60	0.14	2.74	10.42

CH102

Date: 18.DEC.2016 18:01:40

CH110

Date: 20.DEC.2016 20:30:26

CH134

Date: 18.DEC.2016 17:45:36

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	5.45	0.14	5.59	10.42
CH110	5550	4.28	0.14	4.42	10.42
CH134	5670	2.35	0.14	2.49	10.42

CH102

Date: 18.DEC.2016 18:02:13

CH110


```
                                    *RBW 1 MHz    Marker 1 [T1 ]
                                    *VBW 3 MHz              4.28 dBm
    Ref  20 dBm        *Att  30 dB   SWT 20 ms     5.542600000 GHz
    20 Offset  4 dB
```

Date: 20.DEC.2016 20:30:54

CH134


```
                                    *RBW 1 MHz    Marker 1 [T1 ]
                                    *VBW 3 MHz              2.35 dBm
    Ref  20 dBm        *Att  30 dB   SWT 20 ms     5.673400000 GHz
    20 Offset  4 dB
```

Date: 18.DEC.2016 17:50:52

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	10.34	10.42
CH110	5550	9.38	10.42
CH134	5670	7.44	10.42

Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	5.39	0.06	5.45	10.42
CH116	5580	5.78	0.06	5.84	10.42
CH140	5700	4.44	0.06	4.50	10.42

CH100

Date: 18.DEC.2016 17:18:58

CH116


```
                                        *RBW 1 MHz      Marker 1 [T1 ]
                                        *VBW 3 MHz               5.78 dBm
        Ref   20 dBm        *Att  30 dB  SWT 20 ms        5.576300000 GHz
        20  Offset   4 dB                                                    A
       -10                        1
  1 RM                            ▼                                         LVL
  VIEW
        0
       -10
       -20
       -30
        SWE   100 of   100                                                  3DB
       -40
       -50
       -60
       -70
       -80
        Center 5.58 GHz                5 MHz/              Span 50 MHz
```

Date: 18.DEC.2016 17:20:07

CH140


```
                                        *RBW 1 MHz      Marker 1 [T1 ]
                                        *VBW 3 MHz               4.44 dBm
        Ref   20 dBm        *Att  30 dB  SWT 20 ms        5.697300000 GHz
        20  Offset   4 dB                                                    A
       -10                        1
  1 RM                            ▼                                         LVL
  VIEW
        0
       -10
       -20
       -30
        SWE   100 of   100                                                  3DB
       -40
       -50
       -60
       -70
       -80
        Center 5.7 GHz                 5 MHz/              Span 50 MHz
```

Date: 18.DEC.2016 17:20:58

Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	5.45	0.06	5.51	10.42
CH116	5580	5.58	0.06	5.64	10.42
CH140	5700	5.70	0.06	5.76	10.42

CH100

Date: 18.DEC.2016 17:03:56

CH116


```
                                        *RBW  1 MHz    Marker 1 [T1 ]
                                        *VBW  3 MHz              5.58 dBm
       Ref   20 dBm        *Att  30 dB   SWT 20 ms      5.575600000 GHz
      20 Offset  4 dB
```

Date: 18.DEC.2016 17:05:07

CH140


```
                                        *RBW  1 MHz    Marker 1 [T1 ]
                                        *VBW  3 MHz              5.70 dBm
       Ref   20 dBm        *Att  30 dB   SWT 20 ms      5.703800000 GHz
      20 Offset  4 dB
```

Date: 18.DEC.2016 17:05:57

Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode_CH100/CH116/CH140_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	5.20	0.06	5.26	10.42
CH116	5580	5.03	0.06	5.09	10.42
CH140	5700	3.92	0.06	3.98	10.42

CH100

Date: 18.DEC.2016 17:25:25

CH116


```
                                    ᵃRBW 1 MHz     Marker 1 [T1 ]
                                    ᵃVBW 3 MHz                 5.03 dBm
        Ref  20 dBm      ᵃAtt  30 dB  SWT 20 ms      5.576000000 GHz
        20  Offset   4 dB
```

Date: 18.DEC.2016 17:26:28

CH140


```
                                    ᵃRBW 1 MHz     Marker 1 [T1 ]
                                    ᵃVBW 3 MHz                 3.92 dBm
        Ref  20 dBm      ᵃAtt  30 dB  SWT 20 ms      5.703400000 GHz
        20  Offset   4 dB
```

Date: 18.DEC.2016 17:27:27

Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode_CH100/CH116/CH140_Total

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	10.18	10.42
CH116	5580	10.31	10.42
CH140	5700	9.58	10.42

Test Mode: UNII-2C/TX AC Wave2(40 MHz)_CH102/CH110/CH134_ANT 1

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	5.88	0.14	6.02	10.42
CH110	5550	5.84	0.14	5.98	10.42
CH134	5670	2.48	0.14	2.62	10.42

CH102

Date: 18.DEC.2016 18:36:55

## CH110

Date: 18.DEC.2016 18:20:15

## CH134

Date: 18.DEC.2016 18:21:11

Test Mode: UNII-2C/TX AC Wave2(40 MHz)_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	5.06	0.14	5.20	10.42
CH110	5550	4.99	0.14	5.13	10.42
CH134	5670	2.19	0.14	2.33	10.42

CH102

Date: 18.DEC.2016 18:37:34

CH110

```
                                    ▲ RBW  1 MHz     Marker 1 [T1 ]
                                    ▲ VBW  3 MHz              4.99 dBm
        Ref   20 dBm     ● Att  30 dB    SWT 20 ms    5.543800000 GHz
```



```
Center 5.55 GHz              10 MHz/              Span 100 MHz
```

Date: 18.DEC.2016 18:25:13

CH134

```
                                    ▲ RBW  1 MHz     Marker 1 [T1 ]
                                    ▲ VBW  3 MHz              2.19 dBm
        Ref   20 dBm     ● Att  30 dB    SWT 20 ms    5.675400000 GHz
```



```
Center 5.67 GHz              10 MHz/              Span 100 MHz
```

Date: 18.DEC.2016 18:27:41

Test Mode: UNII-2C/TX AC Wave2(40 MHz)_CH102/CH110/CH134_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	5.34	0.14	5.48	10.42
CH110	5550	5.17	0.14	5.31	10.42
CH134	5670	1.99	0.14	2.13	10.42

CH102

Date: 18.DEC.2016 18:38:06

CH110


```
                                        *RBW 1 MHz    Marker 1 [T1 ]
                                        *VBW 3 MHz              5.17 dBm
         Ref   20 dBm    *Att  30 dB    SWT 20 ms     5.543200000 GHz
         20 Offset  4 dB
```

Date: 18.DEC.2016 18:33:48

CH134


```
                                        *RBW 1 MHz    Marker 1 [T1 ]
                                        *VBW 3 MHz              1.99 dBm
         Ref   20 dBm    *Att  30 dB    SWT 20 ms     5.667400000 GHz
         20 Offset  4 dB
```

Date: 18.DEC.2016 18:34:44

Test Mode: UNII-2C/TX AC Wave2(40 MHz)_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	10.35	10.42
CH110	5550	10.26	10.42
CH134	5670	7.14	10.42

Test Mode: UNII-2C/TX AC Wave2(80 MHz)_CH106/CH122_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	2.51	0.22	2.73	10.42
CH122	5610	-0.39	0.22	-0.17	10.42

CH106


```
                                          *RBW 1 MHz      Marker 1 [T1 ]
                                          *VBW 3 MHz                2.51 dBm
     Ref  20 dBm          *Att  30 dB      SWT 20 ms        5.508000000 GHz
     20  Offset  4 dB
```

Center 5.53 GHz   20 MHz/   Span 200 MHz

Date: 18.DEC.2016   18:52:51

CH122


```
                                          *RBW 1 MHz      Marker 1 [T1 ]
                                          *VBW 3 MHz               -0.39 dBm
     Ref  20 dBm          *Att  30 dB      SWT 20 ms        5.587600000 GHz
     20  Offset  4 dB
```

Center 5.61 GHz   20 MHz/   Span 200 MHz

Date: 18.DEC.2016   18:53:42

Test Mode: UNII-2C/TX AC Wave2(80 MHz)_CH106/CH122_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	1.20	0.22	1.42	10.42
CH122	5610	-1.30	0.22	-1.08	10.42

CH106

Date: 18.DEC.2016 18:46:14

CH122

Date: 18.DEC.2016 18:48:37

Test Mode: UNII-2C/TX AC Wave2(80 MHz)_CH106/CH122_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	1.77	0.22	1.99	10.42
CH122	5610	-1.06	0.22	-0.84	10.42

CH106


```
                                    *RBW  1 MHz    Marker 1 [T1 ]
                                    *VBW  3 MHz              1.77 dBm
   Ref  20 dBm        *Att  30 dB    SWT 20 ms      5.508000000 GHz
   20  Offset  4 dB
```

Center 5.53 GHz   20 MHz/   Span 200 MHz

Date: 18.DEC.2016 18:41:59

CH122


```
                                    *RBW  1 MHz    Marker 1 [T1 ]
                                    *VBW  3 MHz             -1.06 dBm
   Ref  20 dBm        *Att  30 dB    SWT 20 ms      5.587600000 GHz
   20  Offset  4 dB
```

Center 5.61 GHz   20 MHz/   Span 200 MHz

Date: 18.DEC.2016 18:43:07

Test Mode: UNII-2C/TX AC Wave2(80 MHz)_CH106/CH122_Total

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	6.85	10.42
CH122	5610	4.09	10.42

For 4TX Non-Beamforming

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.66	0.14	2.80	10.42
CH60	5300	2.12	0.14	2.26	10.42
CH64	5320	2.40	0.14	2.54	10.42

CH52

Date: 20.DEC.2016 13:48:19

CH60

```
                                          ▲RBW  1 MHz    Marker 1 [T1 ]
                                          ▲VBW  3 MHz               2.12 dBm
         Ref   20 dBm        ▲Att  30 dB   SWT  20 ms       5.302400000 GHz
```



```
Center 5.3 GHz              5 MHz/                    Span 50 MHz
```

Date: 20.DEC.2016   13:58:12

CH64

```
                                          ▲RBW  1 MHz    Marker 1 [T1 ]
                                          ▲VBW  3 MHz               2.40 dBm
         Ref   20 dBm        ▲Att  30 dB   SWT  20 ms       5.321900000 GHz
```



```
Center 5.32 GHz             5 MHz/                    Span 50 MHz
```

Date: 20.DEC.2016   14:25:14

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.69	0.14	3.83	10.42
CH60	5300	3.18	0.14	3.32	10.42
CH64	5320	3.49	0.14	3.63	10.42

CH52

Date: 20.DEC.2016 13:49:36

CH60

RBW 1 MHz Marker 1 [T1]
VBW 3 MHz   3.18 dBm
Ref 20 dBm   Att 30 dB SWT 20 ms   5.297600000 GHz

Center 5.3 GHz   5 MHz/   Span 50 MHz

Date: 20.DEC.2016 13:56:54

CH64

RBW 1 MHz Marker 1 [T1]
VBW 3 MHz   3.49 dBm
Ref 20 dBm   Att 30 dB SWT 20 ms   5.316800000 GHz

Center 5.32 GHz   5 MHz/   Span 50 MHz

Date: 20.DEC.2016 14:23:55

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.71	0.14	2.85	10.42
CH60	5300	2.11	0.14	2.25	10.42
CH64	5320	2.58	0.14	2.72	10.42

CH52

Date: 20.DEC.2016 13:52:02

CH60

```
                                    ▲ RBW  1 MHz    Marker 1 [T1 ]
                                    ● VBW  3 MHz              2.11 dBm
     Ref   20 dBm      ● Att  30 dB  SWT 20 ms       5.297200000 GHz
   20 Offset   4 dB
```

Date: 20.DEC.2016   13:59:35

CH64

```
                                    ▲ RBW  1 MHz    Marker 1 [T1 ]
                                    ● VBW  3 MHz              2.58 dBm
     Ref   20 dBm      ● Att  30 dB  SWT 20 ms       5.317200000 GHz
   20 Offset   4 dB
```

Date: 20.DEC.2016   14:21:42

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.69	0.14	3.83	10.42
CH60	5300	3.36	0.14	3.50	10.42
CH64	5320	3.76	0.14	3.90	10.42

CH52

Date: 20.DEC.2016 13:53:26

CH60


```
                                          ▲RBW 1 MHz    Marker 1 [T1 ]
                                          ▲VBW 3 MHz              3.36 dBm
  Ref  20 dBm          ●Att  30 dB        SWT 20 ms       5.302600000 GHz
  20  Offset   4 dB
```

Date: 20.DEC.2016 14:18:05

CH64


```
                                          ▲RBW 1 MHz    Marker 1 [T1 ]
                                          ▲VBW 3 MHz              3.76 dBm
  Ref  20 dBm          ●Att  30 dB        SWT 20 ms       5.322300000 GHz
  20  Offset   4 dB
```

Date: 20.DEC.2016 14:20:23

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	9.38	10.42
CH60	5300	8.90	10.42
CH64	5320	9.26	10.42

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.48	0.06	2.54	10.42
CH60	5300	1.98	0.06	2.04	10.42
CH64	5320	2.22	0.06	2.28	10.42

CH52

Date: 20.DEC.2016 14:54:03

CH60


```
                                          *RBW 1 MHz    Marker 1 [T1 ]
                                          *VBW 3 MHz              1.98 dBm
          Ref   20 dBm      *Att  30 dB    SWT 20 ms      5.303300000 GHz
          20  Offset   4 dB
     -10
                                                            A
                                      1
       0
                                                           LVL
     -10

     -20

     -30                                                    3DB
           SWP  100  T  100
     -40

     -50

     -60

     -70

     -80
          Center 5.3 GHz              5 MHz/           Span 50 MHz
```

Date: 20.DEC.2016 14:55:34

CH64


```
                                          *RBW 1 MHz    Marker 1 [T1 ]
                                          *VBW 3 MHz              2.22 dBm
          Ref   20 dBm      *Att  30 dB    SWT 20 ms      5.318900000 GHz
          20  Offset   4 dB
     -10
                                                            A
                                1
       0
                                                           LVL
     -10

     -20

     -30                                                    3DB
           SWP  100  T  100
     -40

     -50

     -60

     -70

     -80
          Center 5.32 GHz             5 MHz/           Span 50 MHz
```

Date: 20.DEC.2016 15:21:39