



### CH60



Date: 29.DEC.2016 16:33:32


### CH64



Date: 29.DEC.2016 16:39:53


**Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode\_CH52/CH60/CH64\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-2.70	0.06	-2.64	4.42
CH60	5300	-2.90	0.06	-2.84	4.42
CH64	5320	-3.59	0.06	-3.53	4.42




Date: 29.DEC.2016 16:24:27

### CH60



Date: 29.DEC.2016 16:31:52


### CH64



Date: 29.DEC.2016 16:42:19


**Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode\_CH52/CH60/CH64\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-3.60	0.06	-3.54	4.42
CH60	5300	-4.03	0.06	-3.97	4.42
CH64	5320	-2.86	0.06	-2.80	4.42




Date: 29.DEC.2016 16:25:34

### CH60



Date: 29.DEC.2016 16:30:18


### CH64



Date: 29.DEC.2016 16:43:33


**Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode\_CH52/CH60/CH64\_ANT 4**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-2.30	0.06	-2.24	4.42
CH60	5300	-2.59	0.06	-2.53	4.42
CH64	5320	-2.12	0.06	-2.06	4.42




Date: 29.DEC.2016 16:26:47

### CH60



Date: 29.DEC.2016 16:28:32

### CH64



Date: 29.DEC.2016 16:44:45


**Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode\_CH52/CH60/CH64\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.02	4.42
CH60	5300	2.73	4.42
CH64	5320	3.04	4.42

**Test Mode: UNII-2A/TX AC Wave2(40 MHz)\_CH54/CH62\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-3.29	0.14	-3.15	4.42
CH62	5310	-3.61	0.14	-3.47	4.42

### CH54



Date: 29.DEC.2016 18:40:34

### CH62




Date: 29.DEC.2016 18:48:22

**Test Mode: UNII-2A/TX AC Wave2(40 MHz)\_CH54/CH62\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.21	0.14	-2.07	4.42
CH62	5310	-2.54	0.14	-2.40	4.42

### CH54



Date: 29.DEC.2016 18:41:36

### CH62




Date: 29.DEC.2016 18:47:21

**Test Mode: UNII-2A/TX AC Wave2(40 MHz)\_CH54/CH62\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-3.32	0.14	-3.18	4.42
CH62	5310	-3.56	0.14	-3.42	4.42

### CH54



Date: 29.DEC.2016 18:42:42

### CH62




Date: 29.DEC.2016 18:46:18

**Test Mode: UNII-2A/TX AC Wave2(40 MHz)\_CH54/CH62\_ANT 4**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.12	0.14	-1.98	4.42
CH62	5310	-2.13	0.14	-1.99	4.42

### CH54



Date: 29.DEC.2016 18:43:50

### CH62




Date: 29.DEC.2016 18:45:14

**Test Mode: UNII-2A/TX AC Wave2(40 MHz)\_CH54/CH62\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.00	4.42
CH62	5310	1.70	4.42

**Test Mode: UNII-2A/TX AC Wave2(80 MHz)\_CH58\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-3.27	0.22	-3.05	4.42



Date: 29.DEC.2016 19:17:25

**Test Mode: UNII-2A/TX AC Wave2(80 MHz)\_CH58\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-2.76	0.22	-2.54	4.42



Date: 29.DEC.2016 19:14:35

**Test Mode: UNII-2A/TX AC Wave2(80 MHz)\_CH58\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-3.30	0.22	-3.08	4.42



Date: 29.DEC.2016 19:13:33

**Test Mode: UNII-2A/TX AC Wave2(80 MHz)\_CH58\_ANT 4**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-2.78	0.22	-2.56	4.42



Date: 29.DEC.2016 19:12:26


**Test Mode: UNII-2A/TX AC Wave2(80 MHz)\_CH58\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	3.22	4.42

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-2.51	0.06	-2.45	4.42
CH116	5580	-2.87	0.06	-2.81	4.42
CH140	5700	-3.34	0.06	-3.28	4.42

**CH100**




Date: 29.DEC.2016 15:55:14

### CH116



Date: 29.DEC.2016 16:04:10


### CH140



Date: 29.DEC.2016 16:16:21


**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-2.87	0.06	-2.81	4.42
CH116	5580	-3.01	0.06	-2.95	4.42
CH140	5700	-3.59	0.06	-3.53	4.42

**CH100**



Date: 29.DEC.2016 15:56:25

### CH116



Date: 29.DEC.2016 16:05:14


### CH140



Date: 29.DEC.2016 16:14:57


**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-2.71	0.06	-2.65	4.42
CH116	5580	-2.93	0.06	-2.87	4.42
CH140	5700	-3.50	0.06	-3.44	4.42




Date: 29.DEC.2016 15:57:26

### CH116



Date: 29.DEC.2016 16:06:24


### CH140



Date: 29.DEC.2016 16:13:18


**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 4**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-2.54	0.06	-2.48	4.42
CH116	5580	-2.63	0.06	-2.57	4.42
CH140	5700	-2.75	0.06	-2.69	4.42

**CH100**



Date: 29.DEC.2016 15:58:28

### CH116



Date: 29.DEC.2016 16:07:27

### CH140




Date: 29.DEC.2016 16:09:59

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.43	4.42
CH116	5580	3.22	4.42
CH140	5700	2.80	4.42


**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.56	0.14	-2.42	4.42
CH110	5550	-2.20	0.14	-2.06	4.42
CH134	5670	-3.64	0.14	-3.50	4.42




Date: 29.DEC.2016 17:35:01

### CH110



Date: 29.DEC.2016 18:22:04


### CH134



Date: 29.DEC.2016 18:38:41


**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.08	0.14	-2.94	4.42
CH110	5550	-2.71	0.14	-2.57	4.42
CH134	5670	-3.53	0.14	-3.39	4.42




Date: 29.DEC.2016 18:08:51

### CH110



Date: 29.DEC.2016 18:27:24


### CH134



Date: 29.DEC.2016 18:37:37


**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.89	0.14	-2.75	4.42
CH110	5550	-2.51	0.14	-2.37	4.42
CH134	5670	-3.79	0.14	-3.65	4.42




Date: 29.DEC.2016 18:10:24

### CH110



Date: 29.DEC.2016 18:28:46


### CH134



Date: 29.DEC.2016 18:35:15


**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 4**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.72	0.14	-2.58	4.42
CH110	5550	-2.13	0.14	-1.99	4.42
CH134	5670	-3.53	0.14	-3.39	4.42




Date: 29.DEC.2016 18:13:47

### CH110



Date: 29.DEC.2016 18:31:37

### CH134




Date: 29.DEC.2016 18:36:20

**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	3.35	4.42
CH110	5550	3.78	4.42
CH134	5670	2.54	4.42


**Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode\_CH100/CH116/CH140\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-2.42	0.06	-2.36	4.42
CH116	5580	-2.74	0.06	-2.68	4.42
CH140	5700	-3.24	0.06	-3.18	4.42




Date: 29.DEC.2016 16:53:24

### CH116



Date: 29.DEC.2016 16:54:50


### CH140



Date: 29.DEC.2016 17:03:07


**Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode\_CH100/CH116/CH140\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-2.94	0.06	-2.88	4.42
CH116	5580	-3.00	0.06	-2.94	4.42
CH140	5700	-3.47	0.06	-3.41	4.42




Date: 29.DEC.2016 19:02:55

### CH116



Date: 29.DEC.2016 19:08:42


### CH140



Date: 29.DEC.2016 19:14:35


**Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode\_CH100/CH116/CH140\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-2.69	0.06	-2.63	4.42
CH116	5580	-2.87	0.06	-2.81	4.42
CH140	5700	-3.39	0.06	-3.33	4.42




Date: 29.DEC.2016 16:51:23

### CH116



Date: 29.DEC.2016 16:57:07


### CH140



Date: 29.DEC.2016 17:00:47




### CH116



Date: 29.DEC.2016 16:58:13

### CH140




Date: 29.DEC.2016 16:59:44

**Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode\_CH100/CH116/CH140\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.43	4.42
CH116	5580	3.32	4.42
CH140	5700	2.93	4.42


**Test Mode: UNII-2C/TX AC Wave2(40 MHz)\_CH102/CH110/CH134\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.38	0.14	-2.24	4.42
CH110	5550	-2.24	0.14	-2.10	4.42
CH134	5670	-3.54	0.14	-3.40	4.42




Date: 29.DEC.2016 18:49:57

### CH110



Date: 29.DEC.2016 19:05:40


### CH134



Date: 29.DEC.2016 19:07:31


**Test Mode: UNII-2C/TX AC Wave2(40 MHz)\_CH102/CH110/CH134\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.99	0.14	-2.85	4.42
CH110	5550	-2.61	0.14	-2.47	4.42
CH134	5670	-3.42	0.14	-3.28	4.42




Date: 29.DEC.2016 18:51:00

### CH110



Date: 29.DEC.2016 19:02:55


### CH134



Date: 29.DEC.2016 19:08:42


**Test Mode: UNII-2C/TX AC Wave2(40 MHz)\_CH102/CH110/CH134\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.70	0.14	-2.56	4.42
CH110	5550	-2.47	0.14	-2.33	4.42
CH134	5670	-3.61	0.14	-3.47	4.42

**CH102**



Date: 29.DEC.2016 18:52:24

### CH110



Date: 29.DEC.2016 19:01:49


### CH134



Date: 29.DEC.2016 19:09:44


**Test Mode: UNII-2C/TX AC Wave2(40 MHz)\_CH102/CH110/CH134\_ANT 4**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.68	0.14	-2.54	4.42
CH110	5550	-2.15	0.14	-2.01	4.42
CH134	5670	-2.98	0.14	-2.84	4.42

**CH102**



Date: 29.DEC.2016 18:58:49

### CH110



Date: 29.DEC.2016 19:00:27

### CH134



Date: 29.DEC.2016 19:10:47


**Test Mode: UNII-2C/TX AC Wave2(40 MHz)\_CH102/CH110/CH134\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.23	4.42
CH110	5550	2.48	4.42
CH134	5670	1.39	4.42

**Test Mode: UNII-2C/TX AC Wave2(80 MHz)\_CH106/CH122\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-2.29	0.22	-2.07	4.42
CH122	5610	-3.68	0.22	-3.46	4.42

### CH106



Date: 29.DEC.2016 19:46:58

### CH122




Date: 29.DEC.2016 19:55:30

**Test Mode: UNII-2C/TX AC Wave2(80 MHz)\_CH106/CH122\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-3.19	0.22	-2.97	4.42
CH122	5610	-3.42	0.22	-3.20	4.42

### CH106



Date: 29.DEC.2016 19:48:09

### CH122




Date: 29.DEC.2016 19:54:08

**Test Mode: UNII-2C/TX AC Wave2(80 MHz)\_CH106/CH122\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-2.81	0.22	-2.59	4.42
CH122	5610	-3.90	0.22	-3.68	4.42

### CH106



Date: 29.DEC.2016 19:49:20

### CH122




Date: 29.DEC.2016 19:52:59

**Test Mode: UNII-2C/TX AC Wave2(80 MHz)\_CH106/CH122\_ANT 4**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-2.53	0.22	-2.31	4.42
CH122	5610	-3.02	0.22	-2.80	4.42

### CH106



Date: 29.DEC.2016 19:50:31

### CH122



Date: 29.DEC.2016 19:51:51

**Test Mode: UNII-2C/TX AC Wave2(80 MHz)\_CH106/CH122\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	3.55	4.42
CH122	5610	2.75	4.42

## ATTACHMENT H-FREQUENCY STABILITY

<b>Test Mode:</b>	<b>UNII-2A</b>
-------------------	----------------

**Voltage vs. Frequency Stability**

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5259.9999
120	5259.9999
108	5260.0000
Max. Deviation (MHz)	0.0001
Max. Deviation (ppm)	0.0190

**Temperature vs. Frequency Stability**

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
-5	5259.9999
5	5260.0150
15	5260.0150
25	5260.0150
35	5260.0150
45	5260.0150
50	5260.0150
Max. Deviation (MHz)	0.0150
Max. Deviation (ppm)	2.8517

<b>Test Mode:</b>	<b>UNII-2C</b>
-------------------	----------------

**Voltage vs. Frequency Stability**

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5499.9950
120	5499.9999
108	5500.0000
Max. Deviation (MHz)	0.0050
Max. Deviation (ppm)	0.9091

**Temperature vs. Frequency Stability**

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
-5	5499.9999
5	5500.0150
15	5499.9999
25	5499.9999
35	5500.0000
45	5499.9999
50	5499.9999
Max. Deviation (MHz)	0.0150
Max. Deviation (ppm)	2.7273