Test Mode: UNII-3/TX 802.11a Mode_CH149/CH157/CH165_Total			

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	9.42	30.00
CH157	5785	11.14	30.00
CH165	5825	8.91	30.00

Test Mode: UNII-3/ TX 802.11n(20MHz) Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.35	0.07	5.42	30.00
CH157	5785	4.65	0.07	4.72	30.00
CH165	5825	4.09	0.07	4.16	30.00

TX CH149

Date: 31.MAY.2016 16:11:00

TX CH157

Date: 31.MAY.2016 16:11:32

TX CH165

Date: 31.MAY.2016 16:12:42

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.65	0.07	5.72	30.00
CH157	5785	5.12	0.07	5.19	30.00
CH165	5825	4.59	0.07	4.66	30.00

TX CH149

Date: 31.MAY.2016 16:19:47

TX CH157

Date: 31.MAY.2016 16:20:23

TX CH165

Date: 31.MAY.2016 16:20:46

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.01	0.07	7.08	30.00
CH157	5785	6.13	0.07	6.20	30.00
CH165	5825	4.84	0.07	4.91	30.00

TX CH149

Date: 31.MAY.2016 16:31:51

TX CH157

Date: 31.MAY.2016 16:36:08

TX CH165

Date: 31.MAY.2016 16:36:59

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.01	0.07	7.08	30.00
CH157	5785	6.28	0.07	6.35	30.00
CH165	5825	5.39	0.07	5.46	30.00

TX CH149

Date: 31.MAY.2016 16:41:45

TX CH157


```
                                    * RBW 1 MHz     Marker 1 [T1 ]
                                    * VBW 3 MHz                6.28 dBm
     Ref  18 dBm      * Att  30 dB   SWT 20 ms      5.783600000 GHz
         Offset -1 dB
```

Center 5.785 GHz   5 MHz/   Span 50 MHz

Date: 31.MAY.2016 16:42:05

TX CH165


```
                                    * RBW 1 MHz     Marker 1 [T1 ]
                                    * VBW 3 MHz                5.39 dBm
     Ref  18 dBm      * Att  30 dB   SWT 20 ms      5.823100000 GHz
         Offset -1 dB
```

Center 5.825 GHz   5 MHz/   Span 50 MHz

Date: 31.MAY.2016 16:42:23

Test Mode: UNII-3/ TX 802.11n(20MHz) Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	12.41	30.00
CH157	5785	11.68	30.00
CH165	5825	10.84	30.00

Test Mode: UNII-3/ TX 802.11n(40MHz) Mode_CH151/CH159_ANT 1					
Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.58	0.18	2.76	30.00
CH159	5795	1.80	0.18	1.98	30.00

TX CH151


```
                                    *RBW 1 MHz     Marker 1 [T1 ]
                                    *VBW 3 MHz              2.58 dBm
    Ref  18 dBm         *Att  30 dB  SWT 20 ms      5.746000000 GHz
```

Offset -1 dB

Center 5.755 GHz   10 MHz/   Span 100 MHz

Date: 31.MAY.2016 17:51:22

TX CH159


```
                                    *RBW 1 MHz     Marker 1 [T1 ]
                                    *VBW 3 MHz              1.80 dBm
    Ref  18 dBm         *Att  30 dB  SWT 20 ms      5.789000000 GHz
```

Offset -1 dB

Center 5.795 GHz   10 MHz/   Span 100 MHz

Date: 31.MAY.2016 17:51:58

Test Mode: UNII-3/ TX 802.11n(40MHz) Mode_CH151/CH159_ANT 2

| Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	1.67	0.18	1.85	30.00
CH159	5795	1.13	0.18	1.31	30.00

TX CH151

RBW 1 MHz Marker 1 [T1]
VBW 3 MHz 1.67 dBm
Ref 18 dBm *Att 30 dB SWT 20 ms 5.746000000 GHz

Offset -1 dB

Center 5.755 GHz   10 MHz/   Span 100 MHz

Date: 31.MAY.2016 17:56:08

TX CH159

RBW 1 MHz Marker 1 [T1]
VBW 3 MHz 1.13 dBm
Ref 18 dBm *Att 30 dB SWT 20 ms 5.783800000 GHz

Offset -1 dB

Center 5.795 GHz   10 MHz/   Span 100 MHz

Date: 31.MAY.2016 17:57:51

| Test Mode: UNII-3/ TX 802.11n(40MHz) Mode_CH151/CH159_ANT 3					
Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.94	0.18	3.12	30.00
CH159	5795	1.71	0.18	1.89	30.00

TX CH151


```
                                          * RBW  1 MHz    Marker 1 [T1 ]
                                          * VBW  3 MHz              2.94 dBm
        Ref  18 dBm         * Att  30 dB   SWT 20 ms       5.757600000 GHz
```

Date: 31.MAY.2016 18:02:02

TX CH159


```
                                          * RBW  1 MHz    Marker 1 [T1 ]
                                          * VBW  3 MHz              1.71 dBm
        Ref  18 dBm         * Att  30 dB   SWT 20 ms       5.792400000 GHz
```

Date: 31.MAY.2016 18:02:22

				Test Mode: UNII-3/ TX 802.11n(40MHz) Mode_CH151/CH159_ANT 4	

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.85	0.18	3.03	30.00
CH159	5795	2.05	0.18	2.23	30.00

TX CH151

Date: 31.MAY.2016 18:07:04

TX CH159

Date: 31.MAY.2016 18:07:22

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	8.74	30.00
CH159	5795	7.88	30.00

Test Mode: UNII-3/ TX 802.11n(40MHz) Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.49	0.06	8.55	17.00
CH40	5200	9.17	0.06	9.23	17.00
CH48	5240	10.46	0.06	10.52	17.00

CH36

Date: 31.MAY.2016 16:44:31

CH40

* RBW 1 MHz   Marker 1 [T1]
* VBW 3 MHz   9.17 dBm
Ref 20 dBm   *Att 30 dB   SWT 20 ms   5.204000000 GHz

20 Offset 2 dB

A

LVL

3DB

SWP 100 of 100

Center 5.2 GHz   5 MHz/   Span 50 MHz

Date: 31.MAY.2016 16:44:49

CH48

* RBW 1 MHz   Marker 1 [T1]
* VBW 3 MHz   10.46 dBm
Ref 20 dBm   *Att 30 dB   SWT 20 ms   5.243700000 GHz

20 Offset 2 dB

A

LVL

3DB

SWP 100 of 100

Center 5.24 GHz   5 MHz/   Span 50 MHz

Date: 31.MAY.2016 16:45:16

Test Mode: UNII-1/TX 802.11ac Wave2(20MHz) Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.02	0.06	8.08	17.00
CH40	5200	8.76	0.06	8.82	17.00
CH48	5240	10.06	0.06	10.12	17.00

CH36

Date: 31.MAY.2016 17:05:01

CH40

* RBW 1 MHz   Marker 1 [T1]
* VBW 3 MHz   8.76 dBm
Ref 20 dBm   *Att 30 dB   SWT 20 ms   5.196400000 GHz

20 Offset 2 dB

Center 5.2 GHz   5 MHz/   Span 50 MHz

Date: 31.MAY.2016   17:05:20

CH48

* RBW 1 MHz   Marker 1 [T1]
* VBW 3 MHz   10.06 dBm
Ref 20 dBm   *Att 30 dB   SWT 20 ms   5.236100000 GHz

20 Offset 2 dB

Center 5.24 GHz   5 MHz/   Span 50 MHz

Date: 31.MAY.2016   17:05:41

Test Mode: UNII-1/TX 802.11ac Wave2(20MHz) Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.01	0.06	8.07	17.00
CH40	5200	8.66	0.06	8.72	17.00
CH48	5240	9.60	0.06	9.66	17.00

CH36

Date: 31.MAY.2016 17:13:45

CH40

* RBW 1 MHz   Marker 1 [T1]
* VBW 3 MHz   8.66 dBm
Ref 20 dBm   * Att 30 dB   SWT 20 ms   5.201700000 GHz

20 Offset 2 dB

Center 5.2 GHz   5 MHz/   Span 50 MHz

Date: 31.MAY.2016 17:14:05

CH48

* RBW 1 MHz   Marker 1 [T1]
* VBW 3 MHz   9.60 dBm
Ref 20 dBm   * Att 30 dB   SWT 20 ms   5.238700000 GHz

20 Offset 2 dB

Center 5.24 GHz   5 MHz/   Span 50 MHz

Date: 31.MAY.2016 17:14:33

Test Mode: UNII-1/TX 802.11ac Wave2(20MHz) Mode_CH36/CH40/CH48_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.88	0.06	8.94	17.00
CH40	5200	9.51	0.06	9.57	17.00
CH48	5240	10.60	0.06	10.66	17.00

CH36

Date: 31.MAY.2016 17:26:23

CH40


```
                              *RBW 1 MHz    Marker 1 [T1 ]
                              *VBW 3 MHz              9.51 dBm
Ref  20 dBm     *Att  30 dB   SWT 20 ms      5.204000000 GHz
```

Date: 31.MAY.2016 17:27:00

CH48


```
                              *RBW 1 MHz    Marker 1 [T1 ]
                              *VBW 3 MHz             10.60 dBm
Ref  20 dBm     *Att  30 dB   SWT 20 ms      5.244000000 GHz
```

Date: 31.MAY.2016 17:27:22

### Test Mode: UNII-1/TX 802.11ac Wave2(20MHz) Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	14.44	17.00
CH40	5200	15.12	17.00
CH48	5240	16.28	17.00

Test Mode: UNII-1/TX 802.11ac Wave2(40MHz) Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.29	0.18	5.47	17.00
CH46	5230	6.47	0.18	6.65	17.00

CH38

Date: 31.MAY.2016 20:41:08

CH46

Date: 31.MAY.2016 20:41:28

Test Mode: UNII-1/TX 802.11ac Wave2(40MHz) Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.15	0.18	5.33	17.00
CH46	5230	6.35	0.18	6.53	17.00

CH38

RBW 1 MHz   Marker 1 [T1]
VBW 3 MHz   5.15 dBm
Ref 20 dBm   Att 30 dB   SWT 20 ms   5.202400000 GHz

20 Offset 2 dB

A

LVL

3DB

SWP 100 of 100

Center 5.19 GHz   10 MHz/   Span 100 MHz

Date: 31.MAY.2016 21:11:22

CH46

RBW 1 MHz   Marker 1 [T1]
VBW 3 MHz   6.35 dBm
Ref 20 dBm   Att 30 dB   SWT 20 ms   5.241000000 GHz

20 Offset 2 dB

A

LVL

3DB

SWP 100 of 100

Center 5.23 GHz   10 MHz/   Span 100 MHz

Date: 31.MAY.2016 21:11:40

|	Test Mode: UNII-1/TX 802.11ac Wave2(40MHz) Mode_CH38/CH46_ANT 3				
Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	4.64	0.18	4.82	17.00
CH46	5230	5.74	0.18	5.92	17.00

CH38

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   4.64 dBm
Ref 20 dBm   *Att 30 dB   SWT 20 ms   5.194800000 GHz

20 Offset 2 dB

Center 5.19 GHz   10 MHz/   Span 100 MHz

Date: 31.MAY.2016 21:16:22

CH46

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   5.74 dBm
Ref 20 dBm   *Att 30 dB   SWT 20 ms   5.232400000 GHz

20 Offset 2 dB

Center 5.23 GHz   10 MHz/   Span 100 MHz

Date: 31.MAY.2016 21:19:18

Test Mode: UNII-1/TX 802.11ac Wave2(40MHz) Mode_CH38/CH46_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.24	0.18	5.42	17.00
CH46	5230	6.36	0.18	6.54	17.00

CH38

* RBW 1 MHz   Marker 1 [T1]
* VBW 3 MHz   5.24 dBm
Ref 20 dBm   * Att 30 dB   SWT 20 ms   5.194400000 GHz

20 Offset 2 dB

Center 5.19 GHz   10 MHz/   Span 100 MHz

Date: 31.MAY.2016 21:23:20

CH46

* RBW 1 MHz   Marker 1 [T1]
* VBW 3 MHz   6.36 dBm
Ref 20 dBm   * Att 30 dB   SWT 20 ms   5.234400000 GHz

20 Offset 2 dB

Center 5.23 GHz   10 MHz/   Span 100 MHz

Date: 31.MAY.2016 21:23:36

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	9.99	17.00
CH46	5230	11.15	17.00

Test Mode: UNII-1/TX 802.11ac Wave2(40MHz) Mode_CH38/CH46_Total

Test Mode: UNII-1/TX 802.11ac Wave2(80MHz) Mode_CH42_ANT 1

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	0.81	0.41	1.22	17.00

CH42

Date: 31.MAY.2016 21:43:24

Test Mode: UNII-1/TX 802.11ac Wave2(80MHz) Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	1.00	0.41	1.41	17.00

CH42

Date: 31.MAY.2016 21:57:59

Test Mode: UNII-1/TX 802.11ac Wave2(80MHz) Mode_CH42_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	0.11	0.41	0.52	17.00

CH42

Date: 31.MAY.2016 22:01:27

Test Mode: UNII-1/TX 802.11ac Wave2(80MHz) Mode_CH42_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	0.01	0.41	0.42	17.00

CH42

Date: 31.MAY.2016 22:05:01

Test Mode: UNII-1/TX 802.11ac Wave2(80MHz) Mode_CH42_Total			

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	6.93	17.00

Test Mode: UNII-2A/TX 802.11ac Wave2(20MHz) Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.49	0.06	4.55	11.00
CH60	5300	4.77	0.06	4.83	11.00
CH64	5320	4.46	0.06	4.52	11.00

CH52

Date: 14.JUN.2016 16:51:51

CH60

Date: 14.JUN.2016 16:57:05

CH64

Date: 14.JUN.2016 17:00:20

Test Mode: UNII-2A/TX 802.11ac Wave2(20MHz) Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.53	0.06	4.59	11.00
CH60	5300	4.80	0.06	4.86	11.00
CH64	5320	4.54	0.06	4.60	11.00

CH52

Date: 14.JUN.2016 16:52:00

CH60

RBW 1 MHz   Marker 1 [T1]
VBW 3 MHz   4.80 dBm
Ref 20 dBm   *Att 30 dB   SWT 20 ms   5.303100000 GHz

20 Offset 2.5 dB

1 RM *
VIEW

SWP 100 of 100

Center 5.3 GHz   5 MHz/   Span 50 MHz

Date: 14.JUN.2016 16:57:14

CH64

RBW 1 MHz   Marker 1 [T1]
VBW 3 MHz   4.54 dBm
Ref 20 dBm   *Att 30 dB   SWT 20 ms   5.322800000 GHz

20 Offset 2.5 dB

1 RM *
VIEW

SWP 100 of 100

Center 5.32 GHz   5 MHz/   Span 50 MHz

Date: 14.JUN.2016 17:00:29

Test Mode: UNII-2A/TX 802.11ac Wave2(20MHz) Mode_CH52/CH60/CH64_ANT 3

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.53	0.06	4.59	11.00
CH60	5300	4.80	0.06	4.86	11.00
CH64	5320	4.52	0.06	4.58	11.00

CH52

Date: 14.JUN.2016 16:52:10

CH60

RBW 1 MHz Marker 1 [T1]
VBW 3 MHz   4.80 dBm
Ref 20 dBm   * Att 30 dB   SWT 20 ms   5.303400000 GHz

20 Offset 2.5 dB

A

1 RM *
VIEW

LVL

SWP 100 of 100

3DB

Center 5.3 GHz   5 MHz/   Span 50 MHz

Date: 14.JUN.2016 16:57:24

CH64

RBW 1 MHz Marker 1 [T1]
VBW 3 MHz   4.52 dBm
Ref 20 dBm   * Att 30 dB   SWT 20 ms   5.322800000 GHz

20 Offset 2.5 dB

A

1 RM *
VIEW

LVL

SWP 100 of 100

3DB

Center 5.32 GHz   5 MHz/   Span 50 MHz

Date: 14.JUN.2016 17:00:38

Test Mode: UNII-2A/TX 802.11ac Wave2(20MHz) Mode_CH52/CH60/CH64_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.49	0.06	4.55	11.00
CH60	5300	4.81	0.06	4.87	11.00
CH64	5320	4.50	0.06	4.56	11.00

CH52

Date: 14.JUN.2016 16:52:19

CH60

```
20 Offset  2.5 dB                                          A

-10
1 RM *                    1
VIEW                                                       LVL
 0

-10

-20

-30
SWP   100 of  100                                          3DB
-40

-50

-60

-70

-80
Center 5.3 GHz              5 MHz/            Span 50 MHz
```

Date: 14.JUN.2016 16:57:33

CH64

```
20 Offset  2.5 dB                                          A

-10
1 RM *                    1
VIEW                                                       LVL
 0

-10

-20

-30
SWP   100 of  100                                          3DB
-40

-50

-60

-70

-80
Center 5.32 GHz             5 MHz/            Span 50 MHz
```

Date: 14.JUN.2016 17:00:47

Test Mode: UNII-2A/TX 802.11ac Wave2(20MHz) Mode_CH52/CH60/CH64_Total

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	10.59	11.00
CH60	5300	10.87	11.00
CH64	5320	10.58	11.00

Test Mode: UNII-2A/TX 802.11ac Wave2(40MHz) Mode_CH54/CH62_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	4.55	0.18	4.73	11.00
CH62	5310	3.46	0.18	3.64	11.00

CH54


```
                                          *RBW 1 MHz    Marker 1 [T1 ]
                                          *VBW 3 MHz              4.55 dBm
        Ref  20 dBm        *Att  30 dB    SWT 20 ms      5.274800000 GHz
        20  Offset  2 dB
    -10                                                                    A
                                       1
     0                                                                     LVL

    -10

    -20

    -30
        SWP   100 of  100                                                  3DB
    -40

    -50

    -60

    -70

    -80
        Center 5.27 GHz          10 MHz/           Span 100 MHz
```

Date: 31.MAY.2016   21:04:16

CH62


```
                                          *RBW 1 MHz    Marker 1 [T1 ]
                                          *VBW 3 MHz              3.46 dBm
        Ref  20 dBm        *Att  30 dB    SWT 20 ms      5.308200000 GHz
        20  Offset  2.5 dB
    -10                                                                    A
                                     1
     0                                                                     LVL

    -10

    -20

    -30
        SWP   100 of  100                                                  3DB
    -40

    -50

    -60

    -70

    -80
        Center 5.31 GHz          10 MHz/           Span 100 MHz
```

Date: 14.JUN.2016   17:24:33

Test Mode: UNII-2A/TX 802.11ac Wave2(40MHz) Mode_CH54/CH62_ANT 2					
Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	4.51	0.18	4.69	11.00
CH62	5310	3.38	0.18	3.56	11.00

CH54

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   4.51 dBm
Ref 20 dBm   *Att 30 dB   SWT 20 ms   5.280400000 GHz

20 Offset 2 dB

Center 5.27 GHz   10 MHz/   Span 100 MHz

Date: 31.MAY.2016 21:11:59

CH62

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   3.38 dBm
Ref 20 dBm   *Att 30 dB   SWT 20 ms   5.307200000 GHz

20 Offset 2.5 dB

Center 5.31 GHz   10 MHz/   Span 100 MHz

Date: 14.JUN.2016 17:24:43

Test Mode: UNII-2A/TX 802.11ac Wave2(40MHz) Mode_CH54/CH62_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.46	0.18	3.64	11.00
CH62	5310	3.24	0.18	3.42	11.00

CH54

*RBW 1 MHz Marker 1 [T1]
*VBW 3 MHz   3.46 dBm
Ref 20 dBm   *Att 30 dB   SWT 20 ms   5.265800000 GHz

20 Offset 2 dB

A

1 RM *
VIEW

LVL

SWP 100 of 100

3DB

Center 5.27 GHz   10 MHz/   Span 100 MHz

Date: 31.MAY.2016 21:19:46

CH62

*RBW 1 MHz Marker 1 [T1]
*VBW 3 MHz   3.24 dBm
Ref 20 dBm   *Att 30 dB   SWT 20 ms   5.322600000 GHz

20 Offset 2.5 dB

A

1 RM *
VIEW

LVL

SWP 100 of 100

3DB

Center 5.31 GHz   10 MHz/   Span 100 MHz

Date: 14.JUN.2016 17:24:52

Test Mode: UNII-2A/TX 802.11ac Wave2(40MHz) Mode_CH54/CH62_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	4.45	0.18	4.63	11.00
CH62	5310	3.33	0.18	3.51	11.00

CH54

*RBW 1 MHz Marker 1 [T1]
*VBW 3 MHz   4.45 dBm
Ref 20 dBm   *Att 30 dB   SWT 20 ms   5.273800000 GHz

20 Offset 2 dB

Center 5.27 GHz   10 MHz/   Span 100 MHz

Date: 31.MAY.2016 21:25:32

CH62

*RBW 1 MHz Marker 1 [T1]
*VBW 3 MHz   3.33 dBm
Ref 20 dBm   *Att 30 dB   SWT 20 ms   5.312000000 GHz

20 Offset 2.5 dB

Center 5.31 GHz   10 MHz/   Span 100 MHz

Date: 14.JUN.2016 17:25:01

Test Mode: UNII-2A/TX 802.11ac Wave2(40MHz) Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	9.16	11.00
CH62	5310	8.32	11.00

Test Mode: UNII-2A/TX 802.11ac Wave2(80MHz) Mode_CH58_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	1.23	0.41	1.64	11.00

CH58

Date: 31.MAY.2016 21:53:26

Test Mode: UNII-2A/TX 802.11ac Wave2(80MHz) Mode_CH58_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	1.40	0.41	1.81	11.00

CH58

Date: 31.MAY.2016 21:58:19

Test Mode: UNII-2A/TX 802.11ac Wave2(80MHz) Mode_CH58_ANT 3

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	0.35	0.41	0.76	11.00

CH58

Date: 31.MAY.2016 22:01:59

Test Mode: UNII-2A/TX 802.11ac Wave2(80MHz) Mode_CH58_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	0.48	0.41	0.89	11.00

CH58

Date: 31.MAY.2016 22:05:50

Test Mode: UNII-2A/TX 802.11ac Wave2(80MHz) Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	7.32	11.00

Test Mode: UNII-2C/TX 802.11ac Wave2(20MHz) Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.30	0.06	4.36	11.00
CH116	5580	1.47	0.06	1.53	11.00
CH140	5700	2.47	0.06	2.53	11.00

CH100

Date: 14.JUN.2016 17:01:52

CH116


```
                                    * RBW  1 MHz     Marker 1 [T1 ]
                                    * VBW  3 MHz               3.89 dBm
    Ref  20 dBm      * Att  30 dB    SWT 20 ms       5.576600000 GHz
    20  Offset  2 dB
```

Center 5.58 GHz   5 MHz/   Span 50 MHz

Date: 31.MAY.2016   16:53:34

CH140


```
                                    * RBW  1 MHz     Marker 1 [T1 ]
                                    * VBW  3 MHz               2.52 dBm
    Ref  20 dBm      * Att  30 dB    SWT 20 ms       5.703200000 GHz
    20  Offset  2 dB
```

Center 5.7 GHz   5 MHz/   Span 50 MHz

Date: 31.MAY.2016   16:54:41

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.29	0.06	4.35	11.00
CH116	5580	3.89	0.06	3.95	11.00
CH140	5700	2.52	0.06	2.58	11.00

CH100

Date: 14.JUN.2016 17:02:01

CH116

RBW 1 MHz   Marker 1 [T1]
VBW 3 MHz   4.32 dBm
Ref 20 dBm   * Att 30 dB   SWT 20 ms   5.575600000 GHz

20 Offset 2 dB

A

LVL

3DB

SWP   100 of 100

Center 5.58 GHz   5 MHz/   Span 50 MHz

Date: 31.MAY.2016 17:09:04

CH140

RBW 1 MHz   Marker 1 [T1]
VBW 3 MHz   3.65 dBm
Ref 20 dBm   * Att 30 dB   SWT 20 ms   5.693600000 GHz

20 Offset 2 dB

A

LVL

3DB

SWP   100 of 100

Center 5.7 GHz   5 MHz/   Span 50 MHz

Date: 31.MAY.2016 17:09:29

Test Mode: UNII-2C/TX 802.11ac Wave2(20MHz) Mode_CH100/CH116/CH140_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.32	0.06	4.38	11.00
CH116	5580	4.32	0.06	4.38	11.00
CH140	5700	3.65	0.06	3.71	11.00

CH100

Date: 14.JUN.2016 17:02:11

CH116


```
                              * RBW 1 MHz    Marker 1 [T1 ]
                              * VBW 3 MHz              3.71 dBm
 Ref  20 dBm     * Att  30 dB  SWT 20 ms      5.583100000 GHz
 20  Offset  2 dB
                                                              A

-10
                              1
 0                                                          LVL

-10

-20

-30
                                                           3DB
    SWP    100 of  100
-40

-50

-60

-70

-80
 Center 5.58 GHz        5 MHz/            Span 50 MHz
```

Date: 31.MAY.2016 17:17:43

CH140


```
                              * RBW 1 MHz    Marker 1 [T1 ]
                              * VBW 3 MHz              4.77 dBm
 Ref  20 dBm     * Att  30 dB  SWT 20 ms      5.702900000 GHz
 20  Offset  2 dB
                                                              A

-10
                              1
 0                                                          LVL

-10

-20

-30
                                                           3DB
    SWP    100 of  100
-40

-50

-60

-70

-80
 Center 5.7 GHz         5 MHz/            Span 50 MHz
```

Date: 31.MAY.2016 17:18:07

Test Mode: UNII-2C/TX 802.11ac Wave2(20MHz) Mode_CH100/CH116/CH140_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.35	0.06	4.41	11.00
CH116	5580	3.71	0.06	3.77	11.00
CH140	5700	4.77	0.06	4.83	11.00

CH100

Date: 14.JUN.2016 17:02:20

CH116


```
                              *RBW 1 MHz    Marker 1 [T1 ]
                              *VBW 3 MHz              4.33 dBm
Ref  20 dBm    *Att  30 dB    SWT 20 ms       5.587000000 GHz
20 Offset  2 dB
-10                                        1
                                           A
 0                                         LVL
-10
-20
-30
      SWP   100 of  100
-40                                        3DB
-50
-60
-70
-80
Center 5.58 GHz         5 MHz/           Span 50 MHz
```

Date: 31.MAY.2016 17:31:56

CH140


```
                              *RBW 1 MHz    Marker 1 [T1 ]
                              *VBW 3 MHz              4.73 dBm
Ref  20 dBm    *Att  30 dB    SWT 20 ms       5.703600000 GHz
20 Offset  2 dB
-10                                1
                                           A
 0                                         LVL
-10
-20
-30
      SWP   100 of  100
-40                                        3DB
-50
-60
-70
-80
Center 5.7 GHz          5 MHz/           Span 50 MHz
```

Date: 31.MAY.2016 17:32:26

Test Mode: UNII-2C/TX 802.11ac Wave2(20MHz) Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	10.39	11.00
CH116	5580	9.55	11.00
CH140	5700	9.54	11.00

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	3.90	0.18	4.08	11.00
CH110	5550	3.88	0.18	4.06	11.00
CH134	5670	4.48	0.18	4.66	11.00

CH102

Date: 31.MAY.2016 21:06:51

CH110


```
                                    *RBW  1 MHz     Marker 1 [T1 ]
                                    *VBW  3 MHz              3.88 dBm
Ref  20 dBm         *Att  30 dB     SWT  20 ms      5.545400000 GHz
```

Date: 31.MAY.2016 21:07:11

CH134


```
                                    *RBW  1 MHz     Marker 1 [T1 ]
                                    *VBW  3 MHz              4.48 dBm
Ref  20 dBm         *Att  30 dB     SWT  20 ms      5.671600000 GHz
```

Date: 14.JUN.2016 17:26:31

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	4.49	0.18	4.67	11.00
CH110	5550	4.32	0.18	4.50	11.00
CH134	5670	4.55	0.18	4.73	11.00

CH102

Date: 31.MAY.2016 21:13:45

CH110

* RBW 1 MHz Marker 1 [T1]
* VBW 3 MHz 4.32 dBm
Ref 20 dBm * Att 30 dB SWT 20 ms 5.562200000 GHz

20 Offset 2 dB

Center 5.55 GHz 10 MHz/ Span 100 MHz

Date: 31.MAY.2016 21:14:15

CH134

* RBW 1 MHz Marker 1 [T1]
* VBW 3 MHz 4.55 dBm
Ref 20 dBm * Att 30 dB SWT 20 ms 5.672000000 GHz

20 Offset 2.5 dB

Center 5.67 GHz 10 MHz/ Span 100 MHz

Date: 14.JUN.2016 17:26:40

Test Mode: UNII-2C/TX 802.11ac Wave2(40MHz) Mode_CH102/CH110/CH134_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	4.07	0.18	4.25	11.00
CH110	5550	3.70	0.18	3.88	11.00
CH134	5670	4.51	0.18	4.69	11.00

CH102

Date: 31.MAY.2016 21:20:39

CH110

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   3.70 dBm
Ref 20 dBm   *Att 30 dB   SWT 20 ms   5.557400000 GHz

20 Offset 2 dB

Center 5.55 GHz   10 MHz/   Span 100 MHz

Date: 31.MAY.2016 21:20:57

CH134

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   4.51 dBm
Ref 20 dBm   *Att 30 dB   SWT 20 ms   5.672200000 GHz

20 Offset 2.5 dB

Center 5.67 GHz   10 MHz/   Span 100 MHz

Date: 14.JUN.2016 17:26:49

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	4.48	0.18	4.66	11.00
CH110	5550	4.54	0.18	4.72	11.00
CH134	5670	4.53	0.18	4.71	11.00

CH102

Date: 31.MAY.2016 21:26:18

CH110


```
                                    *RBW  1 MHz    Marker 1 [T1 ]
                                    *VBW  3 MHz              4.54 dBm
        Ref   20 dBm    *Att  30 dB   SWT 20 ms      5.543000000 GHz
        20  Offset   2 dB
```

Center 5.55 GHz   10 MHz/   Span 100 MHz

Date: 31.MAY.2016 21:32:19

CH134


```
                                    *RBW  1 MHz    Marker 1 [T1 ]
                                    *VBW  3 MHz              4.53 dBm
        Ref   20 dBm    *Att  30 dB   SWT 20 ms      5.672400000 GHz
        20  Offset   2.5 dB
```

Center 5.67 GHz   10 MHz/   Span 100 MHz

Date: 14.JUN.2016 17:26:58

Test Mode: UNII-2C/TX 802.11ac Wave2(40MHz) Mode_CH102/CH110/CH134_Total				

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	9.12	11.00
CH110	5550	8.93	11.00
CH134	5670	9.47	11.00

Test Mode: UNII-2C/TX 802.11ac Wave2(80MHz) Mode_CH106/CH122_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	0.30	0.41	0.71	11.00
CH122	5610	3.21	0.41	3.62	11.00

CH106

* RBW 1 MHz   Marker 1 [T1]
* VBW 3 MHz   0.30 dBm
Ref 20 dBm   * Att 30 dB   SWT 20 ms   5.507200000 GHz

20 Offset 2 dB

A

10

1 RM *
VIEW

LVL

-10

-20

-30

SWP   100 of 100

3DB

-40

-50

-60

-70

-80

Center 5.53 GHz   20 MHz/   Span 200 MHz

Date: 31.MAY.2016 21:54:34

CH122

* RBW 1 MHz   Marker 1 [T1]
* VBW 3 MHz   3.21 dBm
Ref 20 dBm   * Att 30 dB   SWT 20 ms   5.603200000 GHz

20 Offset 2 dB

A

10

1 RM *
VIEW

LVL

-10

-20

-30

SWP   100 of 100

3DB

-40

-50

-60

-70

-80

Center 5.61 GHz   20 MHz/   Span 200 MHz

Date: 31.MAY.2016 21:55:47

| Test Mode: UNII-2C/TX 802.11ac Wave2(80MHz) Mode_CH106/CH122_ANT 2					
Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	0.90	0.41	1.31	11.00
CH122	5610	1.07	0.41	1.48	11.00

CH106

Ref 20 dBm
* Att 30 dB

* RBW 1 MHz
* VBW 3 MHz
SWT 20 ms

Marker 1 [T1]
0.90 dBm
5.566400000 GHz

20 Offset 2 dB

1 RM *
VIEW

A

LVL

SWP 100 of 100

3DB

Center 5.53 GHz   20 MHz/   Span 200 MHz

Date: 31.MAY.2016 21:58:46

CH122

Ref 20 dBm
* Att 30 dB

* RBW 1 MHz
* VBW 3 MHz
SWT 20 ms

Marker 1 [T1]
1.07 dBm
5.644000000 GHz

20 Offset 2 dB

1 RM *
VIEW

A

LVL

SWP 100 of 100

3DB

Center 5.61 GHz   20 MHz/   Span 200 MHz

Date: 31.MAY.2016 22:00:00

Test Mode: UNII-2C/TX 802.11ac Wave2(80MHz) Mode_CH106/CH122_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	0.61	0.41	1.02	11.00
CH122	5610	0.79	0.41	1.20	11.00

CH106

* RBW 1 MHz
* VBW 3 MHz
SWT 20 ms
Ref 20 dBm   * Att 30 dB

Marker 1 [T1]
0.61 dBm
5.562000000 GHz

20 Offset 2 dB

1 RM *
VIEW

A

LVL

3DB

SWP 100 of 100

Center 5.53 GHz   20 MHz/   Span 200 MHz

Date: 31.MAY.2016 22:02:28

CH122

* RBW 1 MHz
* VBW 3 MHz
SWT 20 ms
Ref 20 dBm   * Att 30 dB

Marker 1 [T1]
0.79 dBm
5.575200000 GHz

20 Offset 2 dB

1 RM *
VIEW

A

LVL

3DB

SWP 100 of 100

Center 5.61 GHz   20 MHz/   Span 200 MHz

Date: 31.MAY.2016 22:03:37

Test Mode: UNII-2C/TX 802.11ac Wave2(80MHz) Mode_CH106/CH122_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	0.75	0.41	1.16	11.00
CH122	5610	1.13	0.41	1.54	11.00

CH106

Center 5.53 GHz   20 MHz/   Span 200 MHz

Date: 31.MAY.2016 22:06:22

CH122

Center 5.61 GHz   20 MHz/   Span 200 MHz

Date: 31.MAY.2016 22:09:29

Test Mode: UNII-2C/TX 802.11ac Wave2(80MHz) Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	7.08	11.00
CH122	5610	8.10	11.00

Test Mode: UNII-3/ TX 802.11ac Wave2(20MHz) Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.46	0.06	5.52	30.00
CH157	5785	4.77	0.06	4.83	30.00
CH165	5825	4.26	0.06	4.32	30.00

TX CH149

Date: 31.MAY.2016 16:56:00

TX CH157

Date: 31.MAY.2016 16:56:20

TX CH165

Date: 31.MAY.2016 16:57:23

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.64	0.06	5.70	30.00
CH157	5785	5.10	0.06	5.16	30.00
CH165	5825	4.61	0.06	4.67	30.00

TX CH149

Date: 31.MAY.2016 17:10:11

TX CH157

Ref 18 dBm *Att 30 dB SWT 20 ms

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   5.10 dBm
                   5.789000000 GHz

Offset -1 dB

Center 5.785 GHz   5 MHz/   Span 50 MHz

Date: 31.MAY.2016 17:10:35

TX CH165

Ref 18 dBm *Att 30 dB SWT 20 ms

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   4.61 dBm
                   5.829200000 GHz

Offset -1 dB

Center 5.825 GHz   5 MHz/   Span 50 MHz

Date: 31.MAY.2016 17:10:56

Test Mode: UNII-3/ TX 802.11ac Wave2(20MHz) Mode_CH149/CH157/CH165_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.15	0.06	7.21	30.00
CH157	5785	6.30	0.06	6.36	30.00
CH165	5825	5.07	0.06	5.13	30.00

TX CH149

Date: 31.MAY.2016 17:18:33

TX CH157


```
                                            * RBW  1 MHz      Marker 1 [T1 ]
                                            * VBW  3 MHz                    6.30 dBm
        Ref  18 dBm           * Att  30 dB    SWT 20 ms         5.788500000 GHz
```

Date: 31.MAY.2016 17:23:33

TX CH165


```
                                            * RBW  1 MHz      Marker 1 [T1 ]
                                            * VBW  3 MHz                    5.07 dBm
        Ref  18 dBm           * Att  30 dB    SWT 20 ms         5.826100000 GHz
```

Date: 31.MAY.2016 17:24:02

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.04	0.06	7.10	30.00
CH157	5785	6.20	0.06	6.26	30.00
CH165	5825	5.32	0.06	5.38	30.00

TX CH149

Date: 31.MAY.2016 17:33:03

TX CH157

Date: 31.MAY.2016 17:33:27

TX CH165

Date: 31.MAY.2016 17:33:48

Test Mode: UNII-3/ TX 802.11ac Wave2(20MHz) Mode_CH149/CH157/CH165_Total			

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	12.47	30.00
CH157	5785	11.72	30.00
CH165	5825	10.91	30.00

| | | | | Test Mode: UNII-3/ TX 802.11ac Wave2(40MHz) Mode_CH151/CH159_ANT 1 |

Test Mode: UNII-3/ TX 802.11ac Wave2(40MHz) Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.51	0.18	-0.33	30.00
CH159	5795	-1.22	0.18	-1.04	30.00

TX CH151

RBW 1 MHz   Marker 1 [T1]
VBW 3 MHz   -0.51 dBm
Ref 18 dBm   *Att 30 dB   SWT 20 ms   5.743600000 GHz

Offset -1 dB

Center 5.755 GHz   10 MHz/   Span 100 MHz

Date: 31.MAY.2016 21:09:35

TX CH159

RBW 1 MHz   Marker 1 [T1]
VBW 3 MHz   -1.22 dBm
Ref 18 dBm   *Att 30 dB   SWT 20 ms   5.788600000 GHz

Offset -1 dB

Center 5.795 GHz   10 MHz/   Span 100 MHz

Date: 31.MAY.2016 21:09:55

|				Power Density+Duty Factor (dBm/500kHz)	

Test Mode: UNII-3/ TX 802.11ac Wave2(40MHz) Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	1.56	0.18	1.74	30.00
CH159	5795	0.99	0.18	1.17	30.00

TX CH151


```
                                    *RBW 1 MHz    Marker 1 [T1 ]
                                    *VBW 3 MHz              1.56 dBm
        Ref  18 dBm      *Att  30 dB    SWT 20 ms     5.744000000 GHz
             Offset -1 dB
      -10
       -0
      -10
      -20
      -30
             SWP  100 of  100
      -40
      -50
      -60
      -70
      -80
        Center 5.755 GHz          10 MHz/           Span 100 MHz
```

Date: 31.MAY.2016 21:15:16

TX CH159


```
                                    *RBW 1 MHz    Marker 1 [T1 ]
                                    *VBW 3 MHz              0.99 dBm
        Ref  18 dBm      *Att  30 dB    SWT 20 ms     5.783800000 GHz
             Offset -1 dB
      -10
       -0
      -10
      -20
      -30
             SWP  100 of  100
      -40
      -50
      -60
      -70
      -80
        Center 5.795 GHz          10 MHz/           Span 100 MHz
```

Date: 31.MAY.2016 21:15:36

| | | | | Test Mode: UNII-3/ TX 802.11ac Wave2(40MHz) Mode_CH151/CH159_ANT 3 |

Test Mode: UNII-3/ TX 802.11ac Wave2(40MHz) Mode_CH151/CH159_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.70	0.18	2.88	30.00
CH159	5795	1.50	0.18	1.68	30.00

TX CH151

Date: 31.MAY.2016 21:22:05

TX CH159

Date: 31.MAY.2016 21:22:33

| | | | | Test Mode: UNII-3/ TX 802.11ac Wave2(40MHz) Mode_CH151/CH159_ANT 4 | |

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.69	0.18	2.87	30.00
CH159	5795	1.93	0.18	2.11	30.00

TX CH151

*RBW 1 MHz Marker 1 [T1]
*VBW 3 MHz   2.69 dBm
Ref 18 dBm   *Att 30 dB   SWT 20 ms   5.757400000 GHz

Offset -1 dB

Center 5.755 GHz   10 MHz/   Span 100 MHz

Date: 31.MAY.2016 21:39:14

TX CH159

*RBW 1 MHz Marker 1 [T1]
*VBW 3 MHz   1.93 dBm
Ref 18 dBm   *Att 30 dB   SWT 20 ms   5.793400000 GHz

Offset -1 dB

Center 5.795 GHz   10 MHz/   Span 100 MHz

Date: 31.MAY.2016 21:39:36

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	7.99	30.00
CH159	5795	7.16	30.00

Test Mode: UNII-3/ TX 802.11ac Wave2(40MHz) Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-4.12	0.41	-3.71	30.00

TX CH155

Date: 31.MAY.2016 21:56:58

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-4.20	0.41	-3.79	30.00

TX CH155

Date: 31.MAY.2016 22:00:31

Test Mode: UNII-3/ TX 802.11ac Wave2(80MHz) Mode_CH155_ANT 3

| Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-2.74	0.41	-2.33	30.00

TX CH155

Date: 31.MAY.2016 22:04:01

Test Mode: UNII-3/ TX 802.11ac Wave2(80MHz) Mode_CH155_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-2.45	0.41	-2.04	30.00

TX CH155

Date: 31.MAY.2016 22:04:01

		Test Mode: UNII-3/ TX 802.11ac Wave2(80MHz) Mode_CH155_Total	

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	3.13	30.00

For 2TX with Beamforming

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.43	0.07	5.50	17.00
CH40	5200	6.09	0.07	6.16	17.00
CH48	5240	7.17	0.07	7.24	17.00

CH36

Date: 5.JUN.2016 15:38:18

CH40

```
                                    *RBW 1 MHz     Marker 1 [T1 ]
                                    *VBW 3 MHz              6.09 dBm
        Ref  20 dBm      *Att  30 dB   SWT 20 ms     5.203100000 GHz
        20 Offset  2 dB
```

```
        Center 5.2 GHz              5 MHz/              Span 50 MHz
```

Date: 5.JUN.2016 15:38:39

CH48

```
                                    *RBW 1 MHz     Marker 1 [T1 ]
                                    *VBW 3 MHz              7.17 dBm
        Ref  20 dBm      *Att  30 dB   SWT 20 ms     5.242900000 GHz
        20 Offset  2 dB
```

```
        Center 5.24 GHz             5 MHz/              Span 50 MHz
```

Date: 5.JUN.2016 15:39:05

Test Mode: UNII-1/TX 802.11n(20MHz) Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.40	0.07	5.47	17.00
CH40	5200	5.67	0.07	5.74	17.00
CH48	5240	6.77	0.07	6.84	17.00

CH36

Date: 5.JUN.2016 17:06:26

CH40

Ref 20 dBm   *Att 30 dB   SWT 20 ms

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   5.67 dBm
SWT 20 ms   5.198600000 GHz

20 Offset 2 dB

Center 5.2 GHz   5 MHz/   Span 50 MHz

Date: 5.JUN.2016 17:07:01

CH48

Ref 20 dBm   *Att 30 dB   SWT 20 ms

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   6.77 dBm
SWT 20 ms   5.235800000 GHz

20 Offset 2 dB

Center 5.24 GHz   5 MHz/   Span 50 MHz

Date: 5.JUN.2016 17:15:04

Test Mode: UNII-1/TX 802.11n(20MHz) Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.50	17.00
CH40	5200	8.97	17.00
CH48	5240	10.05	17.00

Test Mode: UNII-1/TX 802.11n(40MHz) Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.68	0.18	2.86	17.00
CH46	5230	3.70	0.18	3.88	17.00

CH38

Date: 5.JUN.2016 16:50:58

## CH46

Date: 5.JUN.2016 16:51:25

Test Mode: UNII-1/TX 802.11n(40MHz) Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.82	0.18	3.00	17.00
CH46	5230	3.96	0.18	4.14	17.00

CH38

Ref 20 dBm   *Att 30 dB

* RBW 1 MHz   Marker 1 [T1]
* VBW 3 MHz   2.82 dBm
SWT 20 ms   5.201400000 GHz

20 Offset 2 dB

SWP 100 of 100

Center 5.19 GHz   10 MHz/   Span 100 MHz

Date: 5.JUN.2016   17:32:49

CH46

Ref 20 dBm   *Att 30 dB

* RBW 1 MHz   Marker 1 [T1]
* VBW 3 MHz   3.96 dBm
SWT 20 ms   5.241000000 GHz

20 Offset 2 dB

SWP 100 of 100

Center 5.23 GHz   10 MHz/   Span 100 MHz

Date: 5.JUN.2016   17:33:24

Test Mode: UNII-1/TX 802.11n(40MHz) Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.94	17.00
CH46	5230	7.02	17.00

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	7.15	0.07	7.22	11.00
CH60	5300	7.17	0.07	7.24	11.00
CH64	5320	7.14	0.07	7.21	11.00

CH52

Date: 5.JUN.2016 16:38:50

CH60


```
                                    *RBW  1 MHz    Marker 1 [T1 ]
                                    *VBW  3 MHz              7.17 dBm
       Ref  20 dBm      *Att  30 dB  SWT  20 ms      5.303900000 GHz
       20 Offset  2 dB                                              A
  -10                                    1
  1 RM *
  VIEW
   -0                                                              LVL
  -10

  -20

  -30
       SWP  100 of  100                                            3DB
  -40

  -50

  -60

  -70

  -80
       Center 5.3 GHz            5 MHz/              Span 50 MHz
```

Date: 5.JUN.2016 16:39:25

CH64


```
                                    *RBW  1 MHz    Marker 1 [T1 ]
                                    *VBW  3 MHz              7.14 dBm
       Ref  20 dBm      *Att  30 dB  SWT  20 ms      5.323900000 GHz
       20 Offset  2 dB                                              A
  -10                                    1
  1 RM *
  VIEW
   -0                                                              LVL
  -10

  -20

  -30
       SWP  100 of  100                                            3DB
  -40

  -50

  -60

  -70

  -80
       Center 5.32 GHz           5 MHz/              Span 50 MHz
```

Date: 5.JUN.2016 16:39:49

Test Mode: UNII-2A/TX 802.11n(20MHz) Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	6.92	0.07	6.99	11.00
CH60	5300	7.32	0.07	7.39	11.00
CH64	5320	7.29	0.07	7.36	11.00

CH52

Date: 5.JUN.2016 17:15:34

CH60

* RBW 1 MHz   Marker 1 [T1]
* VBW 3 MHz   7.32 dBm
Ref 20 dBm   * Att 30 dB   SWT 20 ms   5.304100000 GHz

20 Offset 2 dB

1 RM *
VIEW

SWP 100 of 100

Center 5.3 GHz   5 MHz/   Span 50 MHz

Date: 5.JUN.2016 17:17:11

CH64

* RBW 1 MHz   Marker 1 [T1]
* VBW 3 MHz   7.29 dBm
Ref 20 dBm   * Att 30 dB   SWT 20 ms   5.323000000 GHz

20 Offset 2 dB

1 RM *
VIEW

SWP 100 of 100

Center 5.32 GHz   5 MHz/   Span 50 MHz

Date: 5.JUN.2016 17:17:33

Test Mode: UNII-2A/TX 802.11n(20MHz) Mode_CH52/CH60/CH64_Total

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	10.12	11.00
CH60	5300	10.33	11.00
CH64	5320	10.30	11.00

Test Mode: UNII-2A/TX 802.11n(40MHz) Mode_CH54/CH62_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.98	0.18	4.16	11.00
CH62	5310	4.11	0.18	4.29	11.00

CH54


```
                                    *RBW 1 MHz    Marker 1 [T1 ]
                                    *VBW 3 MHz                3.98 dBm
       Ref  20 dBm      *Att  30 dB   SWT 20 ms    5.275200000 GHz
       20 Offset  2 dB
        -10                                                          A
    1 RM *
    VIEW  -0                                                        LVL

        -10

        -20

        -30
        SWP   100 of  100                                          3DB
        -40

        -50

        -60

        -70

        -80
       Center 5.27 GHz            10 MHz/            Span 100 MHz
```

Date: 5.JUN.2016 16:51:52

CH62


```
                                    *RBW 1 MHz    Marker 1 [T1 ]
                                    *VBW 3 MHz                4.11 dBm
       Ref  20 dBm      *Att  30 dB   SWT 20 ms    5.321000000 GHz
       20 Offset  2 dB
        -10                                                          A
    1 RM *
    VIEW  -0                                                        LVL

        -10

        -20

        -30
        SWP   100 of  100                                          3DB
        -40

        -50

        -60

        -70

        -80
       Center 5.31 GHz            10 MHz/            Span 100 MHz
```

Date: 5.JUN.2016 16:52:13

Test Mode: UNII-2A/TX 802.11n(40MHz) Mode_CH54/CH62_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	4.23	0.18	4.41	11.00
CH62	5310	4.39	0.18	4.57	11.00

CH54

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   4.23 dBm
Ref 20 dBm   *Att 30 dB   SWT 20 ms   5.279000000 GHz

20 Offset 2 dB

A

LVL

3DB

SWP 100 of 100

Center 5.27 GHz   10 MHz/   Span 100 MHz

Date: 5.JUN.2016   17:34:01

CH62

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   4.39 dBm
Ref 20 dBm   *Att 30 dB   SWT 20 ms   5.316800000 GHz

20 Offset 2 dB

A

LVL

3DB

SWP 100 of 100

Center 5.31 GHz   10 MHz/   Span 100 MHz

Date: 5.JUN.2016   17:34:53

| Test Mode: UNII-2A/TX 802.11n(40MHz) Mode_CH54/CH62_Total			
Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	7.30	11.00
CH62	5310	7.44	11.00

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	6.62	0.07	6.69	11.00
CH116	5580	6.45	0.07	6.52	11.00
CH140	5700	6.59	0.07	6.66	11.00

CH100

Date: 5.JUN.2016 16:41:07

CH116


```
                                        *RBW  1 MHz    Marker 1 [T1 ]
                                        *VBW  3 MHz              6.45 dBm
        Ref  20 dBm      *Att  30 dB     SWT  20 ms      5.577700000 GHz
        20  Offset   2 dB                                                    A

  1  RM *                                                                    LVL
     VIEW

                                                                            3DB
        SWP   100 of  100

        Center 5.58 GHz              5 MHz/              Span 50 MHz
```

Date: 5.JUN.2016 16:41:29

CH140


```
                                        *RBW  1 MHz    Marker 1 [T1 ]
                                        *VBW  3 MHz              6.59 dBm
        Ref  20 dBm      *Att  30 dB     SWT  20 ms      5.703300000 GHz
        20  Offset   2 dB                                                    A

  1  RM *                                                                    LVL
     VIEW

                                                                            3DB
        SWP   100 of  100

        Center 5.7 GHz               5 MHz/              Span 50 MHz
```

Date: 5.JUN.2016 16:41:52

## Test Mode: UNII-2C/TX 802.11n(20MHz) Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.45	0.07	7.52	11.00
CH116	5580	7.26	0.07	7.33	11.00
CH140	5700	6.45	0.07	6.52	11.00

CH100

Date: 5.JUN.2016 17:22:00

CH116


```
                                          *RBW 1 MHz    Marker 1 [T1 ]
                                          *VBW 3 MHz              7.26 dBm
        Ref  20 dBm        *Att  30 dB    SWT 20 ms      5.576300000 GHz
```

Date: 5.JUN.2016 17:23:08

CH140


```
                                          *RBW 1 MHz    Marker 1 [T1 ]
                                          *VBW 3 MHz              6.45 dBm
        Ref  20 dBm        *Att  30 dB    SWT 20 ms      5.707500000 GHz
```

Date: 5.JUN.2016 17:24:38

Test Mode: UNII-2C/TX 802.11n(20MHz) Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	10.14	11.00
CH116	5580	9.95	11.00
CH140	5700	9.60	11.00

Test Mode: UNII-2C/TX 802.11n(40MHz) Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	3.57	0.18	3.75	11.00
CH110	5550	3.46	0.18	3.64	11.00
CH134	5670	3.07	0.18	3.25	11.00

CH102

Date: 5.JUN.2016 16:52:39

CH110

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   3.46 dBm
Ref 20 dBm   *Att 30 dB   SWT 20 ms   5.545200000 GHz

20 Offset 2 dB

A

-10

1 RM *
VIEW   LVL

-0

-10

-20

-30   3DB
SWP 100 of 100
-40

-50

-60

-70

-80
Center 5.55 GHz   10 MHz/   Span 100 MHz

Date: 5.JUN.2016 16:53:12

CH134

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   3.07 dBm
Ref 20 dBm   *Att 30 dB   SWT 20 ms   5.673800000 GHz

20 Offset 2 dB

A

-10

1 RM *
VIEW   LVL

-0

-10

-20

-30   3DB
SWP 100 of 100
-40

-50

-60

-70

-80
Center 5.67 GHz   10 MHz/   Span 100 MHz

Date: 5.JUN.2016 16:53:36

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	4.36	0.18	4.54	11.00
CH110	5550	4.40	0.18	4.58	11.00
CH134	5670	4.28	0.18	4.46	11.00

CH102

Date: 5.JUN.2016 17:35:53

CH110


```
                                              *RBW 1 MHz    Marker 1 [T1 ]
                                              *VBW 3 MHz              4.40 dBm
        Ref  20 dBm          *Att  30 dB      SWT 20 ms      5.547800000 GHz
      20  Offset  2 dB
                                                                              A
      -10

    1 RM
    VIEW                                                                     LVL
      -0

     -10

     -20

     -30
       SWP    100 of  100                                                    3DB
     -40

     -50

     -60

     -70

     -80
      Center 5.55 GHz            10 MHz/            Span 100 MHz
```

Date: 5.JUN.2016 17:36:18

CH134


```
                                              *RBW 1 MHz    Marker 1 [T1 ]
                                              *VBW 3 MHz              4.28 dBm
        Ref  20 dBm          *Att  30 dB      SWT 20 ms      5.681400000 GHz
      20  Offset  2 dB
                                                                              A
      -10

    1 RM
    VIEW                                                                     LVL
      -0

     -10

     -20

     -30
       SWP    100 of  100                                                    3DB
     -40

     -50

     -60

     -70

     -80
      Center 5.67 GHz            10 MHz/            Span 100 MHz
```

Date: 5.JUN.2016 17:37:19

Test Mode: UNII-2C/TX 802.11n(40MHz) Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	7.17	11.00
CH110	5550	7.15	11.00
CH134	5670	6.91	11.00

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.82	0.07	2.89	30.00
CH157	5785	2.26	0.07	2.33	30.00
CH165	5825	1.67	0.07	1.74	30.00

TX CH149

Date: 5.JUN.2016 16:42:51

TX CH157

RBW 1 MHz   Marker 1 [T1]
VBW 3 MHz   2.26 dBm
Ref 18 dBm   *Att 30 dB   SWT 20 ms   5.788400000 GHz

Offset -1 dB

Center 5.785 GHz   5 MHz/   Span 50 MHz

Date: 5.JUN.2016 16:43:49

TX CH165

RBW 1 MHz   Marker 1 [T1]
VBW 3 MHz   1.67 dBm
Ref 18 dBm   *Att 30 dB   SWT 20 ms   5.821300000 GHz

Offset -1 dB

Center 5.825 GHz   5 MHz/   Span 50 MHz

Date: 5.JUN.2016 16:44:14

## Test Mode: UNII-3/ TX 802.11n(20MHz) Mode_CH149/CH157/CH165_ANT 2

| Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.07	0.07	3.14	30.00
CH157	5785	2.81	0.07	2.88	30.00
CH165	5825	2.54	0.07	2.61	30.00

TX CH149

Date: 5.JUN.2016 17:25:00

TX CH157

Date: 5.JUN.2016 17:25:35

TX CH165

Date: 5.JUN.2016 17:26:14

Test Mode: UNII-3/ TX 802.11n(20MHz) Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.03	30.00
CH157	5785	5.62	30.00
CH165	5825	5.21	30.00

|					
Test Mode: UNII-3/ TX 802.11n(40MHz) Mode_CH151/CH159_ANT 1					

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.16	0.18	0.02	30.00
CH159	5795	-0.64	0.18	-0.46	30.00

TX CH151

Offset -1 dB

A

LVL

1 RM
VIEW

SWP   100 of   100

3DB

Center 5.755 GHz   10 MHz/   Span 100 MHz

Date: 5.JUN.2016 16:54:03

TX CH159

Offset -1 dB

A

LVL

1 RM
VIEW

SWP   100 of   100

3DB

Center 5.795 GHz   10 MHz/   Span 100 MHz

Date: 5.JUN.2016 16:54:33

| Test Mode: UNII-3/ TX 802.11n(40MHz) Mode_CH151/CH159_ANT 2 |

| Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	0.23	0.18	0.41	30.00
CH159	5795	-0.13	0.18	0.05	30.00

TX CH151


```
                                              *RBW  1 MHz     Marker 1 [T1 ]
                                              *VBW  3 MHz               0.23 dBm
       Ref   18 dBm            *Att   30 dB    SWT  20 ms       5.744200000 GHz
          Offset -1 dB
```

Date: 5.JUN.2016 17:37:45

TX CH159


```
                                              *RBW  1 MHz     Marker 1 [T1 ]
                                              *VBW  3 MHz              -0.13 dBm
       Ref   18 dBm            *Att   30 dB    SWT  20 ms       5.783800000 GHz
          Offset -1 dB
```

Date: 5.JUN.2016 17:38:23

Test Mode: UNII-3/ TX 802.11n(40MHz) Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.23	30.00
CH159	5795	2.81	30.00

Test Mode: UNII-1/TX 802.11ac Wave2(20MHz) Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.33	0.06	5.39	17.00
CH40	5200	5.92	0.06	5.98	17.00
CH48	5240	7.09	0.06	7.15	17.00

CH36

Date: 5.JUN.2016 16:44:42

CH40


```
                                        *RBW 1 MHz    Marker 1 [T1 ]
                                        *VBW 3 MHz              5.92 dBm
        Ref  20 dBm        *Att  30 dB   SWT 20 ms       5.202900000 GHz
```

Date: 5.JUN.2016 16:45:08

CH48


```
                                        *RBW 1 MHz    Marker 1 [T1 ]
                                        *VBW 3 MHz              7.09 dBm
        Ref  20 dBm        *Att  30 dB   SWT 20 ms       5.242900000 GHz
```

Date: 5.JUN.2016 16:45:32

Test Mode: UNII-1/TX 802.11ac Wave2(20MHz) Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.10	0.06	5.16	17.00
CH40	5200	5.76	0.06	5.82	17.00
CH48	5240	6.81	0.06	6.87	17.00

CH36

Date: 5.JUN.2016 17:26:41

CH40

20 Offset 2 dB

-10

A

0

LVL

-10

-20

-30

SWP   100 of 100

-40

3DB

-50

-60

-70

-80

Center 5.2 GHz   5 MHz/   Span 50 MHz

1 RM
VIEW

Date: 5.JUN.2016 17:27:06

CH48

RBW 1 MHz   Marker 1 [T1]
VBW 3 MHz   6.81 dBm
Ref 20 dBm   *Att 30 dB   SWT 20 ms   5.236000000 GHz

20 Offset 2 dB

-10

A

0

LVL

-10

-20

-30

SWP   100 of 100

-40

3DB

-50

-60

-70

-80

Center 5.24 GHz   5 MHz/   Span 50 MHz

1 RM
VIEW

Date: 5.JUN.2016 17:27:26

Test Mode: UNII-1/TX 802.11ac Wave2(20MHz) Mode_CH36/CH40/CH48_Total

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.29	17.00
CH40	5200	8.91	17.00
CH48	5240	10.02	17.00

Test Mode: UNII-1/TX 802.11ac Wave2(40MHz) Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.78	0.18	2.96	17.00
CH46	5230	3.77	0.18	3.95	17.00

CH38


```
                                    * RBW 1 MHz     Marker 1 [T1 ]
                                    * VBW 3 MHz              2.78 dBm
    Ref  20 dBm      * Att  30 dB     SWT 20 ms      5.196600000 GHz
    20  Offset  2 dB
                                                                    A
    -10
1 RM *
VIEW                                                                LVL
   0                          1

    -10

    -20

    -30
        SWP    100 of  100                                         3DB
    -40

    -50

    -60

    -70

    -80
    Center 5.19 GHz              10 MHz/            Span 100 MHz
```

Date: 5.JUN.2016 16:55:41

CH46


```
                                    * RBW 1 MHz     Marker 1 [T1 ]
                                    ▲ VBW 3 MHz              3.77 dBm
    Ref  20 dBm      * Att  30 dB     SWT 20 ms      5.234200000 GHz
    20  Offset  2 dB
                                                                    A
    -10
1 RM *
VIEW                                                                LVL
   0                          1

    -10

    -20

    -30
        SWP    100 of  100                                         3DB
    -40

    -50

    -60

    -70

    -80
    Center 5.23 GHz              10 MHz/            Span 100 MHz
```

Date: 5.JUN.2016 16:56:07

Test Mode: UNII-1/TX 802.11ac Wave2(40MHz) Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.78	0.18	2.96	17.00
CH46	5230	3.96	0.18	4.14	17.00

CH38


```
                                          *RBW  1 MHz     Marker 1 [T1 ]
                                          *VBW  3 MHz                 2.78 dBm
        Ref  20 dBm          *Att  30 dB   SWT  20 ms        5.201400000 GHz
     20  Offset   2 dB
                                                                              A
     -10
1 RM*                                              1
VIEW                                                                         LVL
     -0

     -10

     -20

     -30
        SWE   100 of  100                                                    3DB
     -40

     -50

     -60

     -70

     -80
        Center 5.19 GHz            10 MHz/            Span 100 MHz
```

Date: 5.JUN.2016 17:39:09

CH46


```
                                          *RBW  1 MHz     Marker 1 [T1 ]
                                          *VBW  3 MHz                 3.96 dBm
        Ref  20 dBm          *Att  30 dB   SWT  20 ms        5.241800000 GHz
     20  Offset   2 dB
                                                                              A
     -10
1 RM*                                              1
VIEW                                                                         LVL
     -0

     -10

     -20

     -30
        SWE   100 of  100                                                    3DB
     -40

     -50

     -60

     -70

     -80
        Center 5.23 GHz            10 MHz/            Span 100 MHz
```

Date: 5.JUN.2016 17:40:14

Test Mode: UNII-1/TX 802.11ac Wave2(40MHz) Mode_CH38/CH46_Total			

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.97	17.00
CH46	5230	7.06	17.00

Test Mode: UNII-1/TX 802.11ac Wave2(80MHz) Mode_CH42_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	0.00	0.41	0.41	17.00

CH42

Date: 5.JUN.2016 17:02:18

Test Mode: UNII-1/TX 802.11ac Wave2(80MHz) Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	0.71	0.41	1.12	17.00

CH42

Date: 5.JUN.2016 17:46:02

Test Mode: UNII-1/TX 802.11ac Wave2(80MHz) Mode_CH42_Total			

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	3.79	17.00

Test Mode: UNII-2A/TX 802.11ac Wave2(20MHz) Mode_CH52/CH60/CH64_ANT 1

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	7.09	0.06	7.15	11.00
CH60	5300	7.14	0.06	7.20	11.00
CH64	5320	7.02	0.06	7.08	11.00

CH52

Date: 5.JUN.2016 16:45:55

CH60


```
                                          *RBW  1 MHz    Marker 1 [T1 ]
                                          *VBW  3 MHz              7.14 dBm
      Ref   20 dBm         *Att  30 dB    SWT  20 ms      5.303400000 GHz
      20  Offset   2 dB
```

Center 5.3 GHz   5 MHz/   Span 50 MHz

Date: 5.JUN.2016 16:46:34

CH64


```
                                          *RBW  1 MHz    Marker 1 [T1 ]
                                          *VBW  3 MHz              7.02 dBm
      Ref   20 dBm         *Att  30 dB    SWT  20 ms      5.322900000 GHz
      20  Offset   2 dB
```

Center 5.32 GHz   5 MHz/   Span 50 MHz

Date: 5.JUN.2016 16:47:42

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	6.91	0.06	6.97	11.00
CH60	5300	7.33	0.06	7.39	11.00
CH64	5320	7.32	0.06	7.38	11.00

CH52

Date: 5.JUN.2016 17:28:16

CH60


```
                                        *RBW  1 MHz    Marker 1 [T1 ]
                                        *VBW  3 MHz              7.33 dBm
        Ref  20 dBm         *Att  30 dB  SWT  20 ms    5.303600000 GHz
```

Date: 5.JUN.2016 17:28:42

CH64


```
                                        *RBW  1 MHz    Marker 1 [T1 ]
                                        *VBW  3 MHz              7.32 dBm
        Ref  20 dBm         *Att  30 dB  SWT  20 ms    5.323500000 GHz
```

Date: 5.JUN.2016 17:29:09

Test Mode: UNII-2A/TX 802.11ac Wave2(20MHz) Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	10.07	11.00
CH60	5300	10.31	11.00
CH64	5320	10.24	11.00

Test Mode: UNII-2A/TX 802.11ac Wave2(40MHz) Mode_CH54/CH62_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.94	0.18	4.12	11.00
CH62	5310	4.14	0.18	4.32	11.00

CH54


```
                              *RBW  1 MHz    Marker 1 [T1 ]
                              *VBW  3 MHz              3.94 dBm
     Ref  20 dBm     *Att  30 dB    SWT 20 ms    5.273400000 GHz
     20  Offset  2 dB                                          A
   -10
                                        1
1 RM *
VIEW
   -10
   -20
   -30
     SWP   100 of  100                                        3DB
   -40
   -50
   -60
   -70
   -80
     Center 5.27 GHz        10 MHz/         Span 100 MHz
```

Date: 5.JUN.2016 16:56:49

CH62


```
                              *RBW  1 MHz    Marker 1 [T1 ]
                              *VBW  3 MHz              4.14 dBm
     Ref  20 dBm     *Att  30 dB    SWT 20 ms    5.318600000 GHz
     20  Offset  2 dB                                          A
   -10
                                        1
1 RM *
VIEW
   -10
   -20
   -30
     SWP   100 of  100                                        3DB
   -40
   -50
   -60
   -70
   -80
     Center 5.31 GHz        10 MHz/         Span 100 MHz
```

Date: 5.JUN.2016 16:57:55

|	Test Mode: UNII-2A/TX 802.11ac Wave2(40MHz) Mode_CH54/CH62_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	4.26	0.18	4.44	11.00
CH62	5310	4.47	0.18	4.65	11.00

CH54

Center 5.27 GHz   10 MHz/   Span 100 MHz

Date: 5.JUN.2016 17:40:36

CH62

Center 5.31 GHz   10 MHz/   Span 100 MHz

Date: 5.JUN.2016 17:41:01

Test Mode: UNII-2A/TX 802.11ac Wave2(40MHz) Mode_CH54/CH62_Total				

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	7.29	11.00
CH62	5310	7.50	11.00

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	0.89	0.41	1.30	11.00

CH58

Date: 5.JUN.2016 17:03:30

Test Mode: UNII-2A/TX 802.11ac Wave2(80MHz) Mode_CH58_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	1.44	0.41	1.85	11.00

CH58

Date: 5.JUN.2016 17:46:38

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	4.59	11.00

Test Mode: UNII-2A/TX 802.11ac Wave2(80MHz) Mode_CH58_Total

Test Mode: UNII-2C/TX 802.11ac Wave2(20MHz) Mode_CH100/CH116/CH140_ANT 1

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	6.62	0.06	6.68	11.00
CH116	5580	6.35	0.06	6.41	11.00
CH140	5700	6.44	0.06	6.50	11.00

CH100

Date: 5.JUN.2016 16:48:16

CH116

* RBW 1 MHz Marker 1 [T1]
* VBW 3 MHz 6.35 dBm
Ref 20 dBm * Att 30 dB SWT 20 ms 5.576800000 GHz

20 Offset 2 dB

A

LVL

1 RM *
VIEW

SWP 100 of 100

3DB

Center 5.58 GHz 5 MHz/ Span 50 MHz

Date: 5.JUN.2016 16:48:40

CH140

* RBW 1 MHz Marker 1 [T1]
* VBW 3 MHz 6.44 dBm
Ref 20 dBm * Att 30 dB SWT 20 ms 5.702800000 GHz

20 Offset 2 dB

A

LVL

1 RM *
VIEW

SWP 100 of 100

3DB

Center 5.7 GHz 5 MHz/ Span 50 MHz

Date: 5.JUN.2016 16:49:13

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.44	0.06	7.50	11.00
CH116	5580	7.28	0.06	7.34	11.00
CH140	5700	6.53	0.06	6.59	11.00

CH100

Date: 5.JUN.2016 17:29:33

CH116

RBW 1 MHz   Marker 1 [T1]
VBW 3 MHz   7.28 dBm
Ref 20 dBm   Att 30 dB   SWT 20 ms   5.575700000 GHz

20 Offset 2 dB

1 RM
VIEW

SWE 100 of 100

Center 5.58 GHz   5 MHz/   Span 50 MHz

Date: 5.JUN.2016 17:30:01

CH140

RBW 1 MHz   Marker 1 [T1]
VBW 3 MHz   6.53 dBm
Ref 20 dBm   Att 30 dB   SWT 20 ms   5.707300000 GHz

20 Offset 2 dB

1 RM
VIEW

SWE 100 of 100

Center 5.7 GHz   5 MHz/   Span 50 MHz

Date: 5.JUN.2016 17:30:25

Test Mode: UNII-2C/TX 802.11ac Wave2(20MHz) Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	10.12	11.00
CH116	5580	9.91	11.00
CH140	5700	9.56	11.00

Test Mode: UNII-2C/TX 802.11ac Wave2(40MHz) Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	3.59	0.18	3.77	11.00
CH110	5550	3.50	0.18	3.68	11.00
CH134	5670	3.22	0.18	3.40	11.00

CH102

Date: 5.JUN.2016 16:58:37

CH110

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   3.50 dBm
Ref 20 dBm   *Att 30 dB   SWT 20 ms   5.544400000 GHz

20 Offset 2 dB

-10

0

-10

-20

-30

SWP   100 of 100
-40

-50

-60

-70

-80

Center 5.55 GHz   10 MHz/   Span 100 MHz

Date: 5.JUN.2016 16:59:03

CH134

*RBW 1 MHz   Marker 1 [T1]
▲VBW 3 MHz   3.22 dBm
Ref 20 dBm   *Att 30 dB   SWT 20 ms   5.673600000 GHz

20 Offset 2 dB

-10

0

-10

-20

-30

SWP   100 of 100
-40

-50

-60

-70

-80

Center 5.67 GHz   10 MHz/   Span 100 MHz

Date: 5.JUN.2016 16:59:39

Test Mode: UNII-2C/TX 802.11ac Wave2(40MHz) Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	4.33	0.18	4.51	11.00
CH110	5550	4.12	0.18	4.30	11.00
CH134	5670	4.22	0.18	4.40	11.00

CH102

Date: 5.JUN.2016 17:41:28

CH110

RBW 1 MHz   Marker 1 [T1]
VBW 3 MHz   4.12 dBm
Ref 20 dBm   Att 30 dB   SWT 20 ms   5.546200000 GHz

20 Offset 2 dB

SWP 100 of 100

Center 5.55 GHz   10 MHz/   Span 100 MHz

Date: 5.JUN.2016 17:42:02

CH134

RBW 1 MHz   Marker 1 [T1]
VBW 3 MHz   4.22 dBm
Ref 20 dBm   Att 30 dB   SWT 20 ms   5.679200000 GHz

20 Offset 2 dB

SWP 100 of 100

Center 5.67 GHz   10 MHz/   Span 100 MHz

Date: 5.JUN.2016 17:44:08

| Test Mode: UNII-2C/TX 802.11ac Wave2(40MHz) Mode_CH102/CH110/CH134_Total | | | | |

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	7.17	11.00
CH110	5550	7.01	11.00
CH134	5670	6.94	11.00

Test Mode: UNII-2C/TX 802.11ac Wave2(80MHz) Mode_CH106/CH122_ANT 1

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	0.23	0.41	0.64	11.00
CH122	5610	-0.39	0.41	0.02	11.00

CH106

Date: 5.JUN.2016 17:04:08

CH122

Date: 5.JUN.2016 17:04:44

	Test Mode: UNII-2C/TX 802.11ac Wave2(80MHz) Mode_CH106/CH122_ANT 2	

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	1.19	0.41	1.60	11.00
CH122	5610	1.05	0.41	1.46	11.00

CH106

Date: 5.JUN.2016 17:47:50

CH122

Date: 5.JUN.2016 17:49:01

Test Mode: UNII-2C/TX 802.11ac Wave2(80MHz) Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	4.16	11.00
CH122	5610	3.81	11.00

Test Mode: UNII-3/ TX 802.11ac Wave2(20MHz) Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.74	0.06	2.80	30.00
CH157	5785	2.22	0.06	2.28	30.00
CH165	5825	1.58	0.06	1.64	30.00

TX CH149

Date: 5.JUN.2016 16:49:34

TX CH157

Date: 5.JUN.2016 16:50:00

TX CH165

Date: 5.JUN.2016 16:50:24

Test Mode: UNII-3/ TX 802.11ac Wave2(20MHz) Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.08	0.06	3.14	30.00
CH157	5785	2.92	0.06	2.98	30.00
CH165	5825	2.62	0.06	2.68	30.00

TX CH149

Date: 5.JUN.2016 17:30:50

TX CH157

* RBW 1 MHz   Marker 1 [T1]
* VBW 3 MHz   2.92 dBm
Ref 18 dBm   * Att 30 dB   SWT 20 ms   5.789300000 GHz

Offset -1 dB

Center 5.785 GHz   5 MHz/   Span 50 MHz

Date: 5.JUN.2016 17:31:46

TX CH165

* RBW 1 MHz   Marker 1 [T1]
* VBW 3 MHz   2.62 dBm
Ref 18 dBm   * Att 30 dB   SWT 20 ms   5.829600000 GHz

Offset -1 dB

Center 5.825 GHz   5 MHz/   Span 50 MHz

Date: 5.JUN.2016 17:32:14

Test Mode: UNII-3/ TX 802.11ac Wave2(20MHz) Mode_CH149/CH157/CH165_Total			

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.98	30.00
CH157	5785	5.65	30.00
CH165	5825	5.20	30.00

Test Mode: UNII-3/ TX 802.11ac Wave2(40MHz) Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.18	0.18	0.00	30.00
CH159	5795	-0.66	0.18	-0.48	30.00

TX CH151

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   -0.18 dBm
Ref 18 dBm   *Att 30 dB   SWT 20 ms   5.742600000 GHz

Offset -1 dB

Center 5.755 GHz   10 MHz/   Span 100 MHz

Date: 5.JUN.2016 17:00:28

TX CH159

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   -0.66 dBm
Ref 18 dBm   *Att 30 dB   SWT 20 ms   5.784000000 GHz

Offset -1 dB

Center 5.795 GHz   10 MHz/   Span 100 MHz

Date: 5.JUN.2016 17:01:40

Test Mode: UNII-3/ TX 802.11ac Wave2(40MHz) Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	0.31	0.18	0.49	30.00
CH159	5795	-0.15	0.18	0.03	30.00

TX CH151


```
                                          *RBW  1 MHz     Marker 1 [T1 ]
                                          *VBW  3 MHz               0.31 dBm
              Ref  18 dBm      *Att  30 dB  SWT 20 ms      5.743400000 GHz
                Offset -1 dB
```

Center 5.755 GHz   10 MHz/   Span 100 MHz

Date: 5.JUN.2016 17:44:40

TX CH159


```
                                          *RBW  1 MHz     Marker 1 [T1 ]
                                          *VBW  3 MHz              -0.15 dBm
              Ref  18 dBm      *Att  30 dB  SWT 20 ms      5.783000000 GHz
                Offset -1 dB
```

Center 5.795 GHz   10 MHz/   Span 100 MHz

Date: 5.JUN.2016 17:45:14

		Test Mode: UNII-3/ TX 802.11ac Wave2(40MHz) Mode_CH151/CH159_Total		

| Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.26	30.00
CH159	5795	2.79	30.00

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-3.75	0.41	-3.34	30.00

TX CH155

Date: 5.JUN.2016 17:05:43

Test Mode: UNII-3/ TX 802.11ac Wave2(80MHz) Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-3.29	0.41	-2.88	30.00

TX CH155

Date: 5.JUN.2016 17:50:19

Test Mode: UNII-3/ TX 802.11ac Wave2(80MHz) Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-0.09	30.00

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
42+58	5250	-1.08	0.13	-0.95	17.00

CH42+58

Date: 6.JUN.2016 11:41:15

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
42+58	5250	-1.35	0.13	-1.22	17.00

CH42+58

Date: 6.JUN.2016 11:41:54

Test Mode: UNII-1/ TX 802.11ac Wave2(160 MHz and 80+80MHz) Mode _ Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
42+58	5250	1.93	17.00

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
106+122	5570	-1.05	0.13	-0.92	17.00

CH106+122

Date: 6.JUN.2016 11:45:25

Test Mode: UNII-2C/ TX 802.11ac Wave2(160 MHz and 80+80MHz) Mode _ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
106+122	5570	-1.00	0.13	-0.87	17.00

CH106+122


Date: 6.JUN.2016 11:45:55

Test Mode: UNII-2C/ TX 802.11ac Wave2(160 MHz and 80+80MHz) Mode _ Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
106+122	5570	2.12	17.00

For 3TX with Beamforming

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.35	0.07	3.42	17.00
CH40	5200	3.94	0.07	4.01	17.00
CH48	5240	5.10	0.07	5.17	17.00

CH36

Date: 5.JUN.2016 13:45:12

CH40


```
                                    * RBW  1 MHz     Marker 1 [T1 ]
                                    * VBW  3 MHz              3.94 dBm
       Ref  20 dBm      * Att  30 dB    SWT 20 ms       5.203500000 GHz
      20  Offset  2 dB
                                                                        A
   -10

 1 RM *
 VIEW                                                                   LVL
    0

  -10

  -20

  -30
        SWE   100 of  100                                               3DB
  -40

  -50

  -60

  -70

  -80
       Center 5.2 GHz          5 MHz/            Span 50 MHz
```

Date: 5.JUN.2016 13:45:42

CH48


```
                                    * RBW  1 MHz     Marker 1 [T1 ]
                                    * VBW  3 MHz              5.10 dBm
       Ref  20 dBm      * Att  30 dB    SWT 20 ms       5.243400000 GHz
      20  Offset  2 dB
                                                                        A
   -10

 1 RM *
 VIEW                                                                   LVL
    0

  -10

  -20

  -30
        SWE   100 of  100                                               3DB
  -40

  -50

  -60

  -70

  -80
       Center 5.24 GHz         5 MHz/            Span 50 MHz
```

Date: 5.JUN.2016 13:46:02

Test Mode: UNII-1/TX 802.11n(20MHz) Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.79	0.07	2.86	17.00
CH40	5200	3.51	0.07	3.58	17.00
CH48	5240	4.79	0.07	4.86	17.00

CH36

Date: 5.JUN.2016 14:25:29

CH40

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   3.51 dBm
Ref 20 dBm   *Att 30 dB   SWT 20 ms   5.196800000 GHz

20 Offset 2 dB

A
-10
1 RM *
VIEW   LVL
0
-10
-20
-30
SWP 100 of 100
-40   3DB
-50
-60
-70
-80

Center 5.2 GHz   5 MHz/   Span 50 MHz

Date: 5.JUN.2016   14:26:11

CH48

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   4.79 dBm
Ref 20 dBm   *Att 30 dB   SWT 20 ms   5.235900000 GHz

20 Offset 2 dB

A
-10
1 RM *
VIEW   LVL
0
-10
-20
-30
SWP 100 of 100
-40   3DB
-50
-60
-70
-80

Center 5.24 GHz   5 MHz/   Span 50 MHz

Date: 5.JUN.2016   14:26:32

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.81	0.07	2.88	17.00
CH40	5200	3.53	0.07	3.60	17.00
CH48	5240	4.80	0.07	4.87	17.00

CH36

Date: 5.JUN.2016 14:57:38

CH40

Ref 20 dBm   *Att 30 dB   SWT 20 ms

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   3.53 dBm
SWT 20 ms   5.197100000 GHz

20 Offset 2 dB

1 RM*
VIEW

SWP 100 of 100

Center 5.2 GHz   5 MHz/   Span 50 MHz

Date: 5.JUN.2016 14:58:11

CH48

Ref 20 dBm   *Att 30 dB   SWT 20 ms

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   4.80 dBm
SWT 20 ms   5.236200000 GHz

20 Offset 2 dB

1 RM*
VIEW

SWP 100 of 100

Center 5.24 GHz   5 MHz/   Span 50 MHz

Date: 5.JUN.2016 14:59:06

Test Mode: UNII-1/TX 802.11n(20MHz) Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	7.83	17.00
CH40	5200	8.51	17.00
CH48	5240	9.74	17.00

Test Mode: UNII-1/TX 802.11n(40MHz) Mode_CH38/CH46_ANT 1					
Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.69	0.18	0.87	17.00
CH46	5230	1.79	0.18	1.97	17.00

CH38


```
                                        *RBW  1 MHz    Marker 1 [T1 ]
                                        *VBW  3 MHz              0.69 dBm
        Ref  20 dBm        *Att  30 dB   SWT 20 ms       5.199400000 GHz
        20  Offset  2 dB
```

Center 5.19 GHz   10 MHz/   Span 100 MHz

Date: 5.JUN.2016 14:07:07

CH46


```
                                        *RBW  1 MHz    Marker 1 [T1 ]
                                        *VBW  3 MHz              1.79 dBm
        Ref  20 dBm        *Att  30 dB   SWT 20 ms       5.239400000 GHz
        20  Offset  2 dB
```

Center 5.23 GHz   10 MHz/   Span 100 MHz

Date: 5.JUN.2016 14:07:52

Test Mode: UNII-1/TX 802.11n(40MHz) Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.60	0.18	0.78	17.00
CH46	5230	1.73	0.18	1.91	17.00

CH38

RBW 1 MHz   Marker 1 [T1]
VBW 3 MHz   0.60 dBm
Ref 20 dBm   Att 30 dB   SWT 20 ms   5.202200000 GHz

20 Offset 2 dB

Center 5.19 GHz   10 MHz/   Span 100 MHz

Date: 5.JUN.2016 14:41:40

CH46

RBW 1 MHz   Marker 1 [T1]
VBW 3 MHz   1.73 dBm
Ref 20 dBm   Att 30 dB   SWT 20 ms   5.242200000 GHz

20 Offset 2 dB

Center 5.23 GHz   10 MHz/   Span 100 MHz

Date: 5.JUN.2016 14:42:03

| Test Mode: UNII-1/TX 802.11n(40MHz) Mode_CH38/CH46_ANT 3					
Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.68	0.18	0.86	17.00
CH46	5230	1.67	0.18	1.85	17.00

CH38

Date: 5.JUN.2016 15:18:27

CH46

Date: 5.JUN.2016 15:18:49

Test Mode: UNII-1/TX 802.11n(40MHz) Mode_CH38/CH46_Total

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.61	17.00
CH46	5230	6.68	17.00

Test Mode: UNII-2A/TX 802.11n(20MHz) Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.15	0.07	3.22	11.00
CH60	5300	3.15	0.07	3.22	11.00
CH64	5320	3.15	0.07	3.22	11.00

CH52

Date: 5.JUN.2016 13:46:32

CH60

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   3.15 dBm
Ref 20 dBm   *Att 30 dB   SWT 20 ms   5.303400000 GHz

20 Offset 2 dB

-10

0

-10

-20

-30
SWP   100 of 100
-40

-50

-60

-70

-80
Center 5.3 GHz   5 MHz/   Span 50 MHz

Date: 5.JUN.2016 13:47:19

CH64

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   3.15 dBm
Ref 20 dBm   *Att 30 dB   SWT 20 ms   5.323900000 GHz

20 Offset 2 dB

-10

0

-10

-20

-30
SWP   100 of 100
-40

-50

-60

-70

-80
Center 5.32 GHz   5 MHz/   Span 50 MHz

Date: 5.JUN.2016 13:47:58

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.97	0.07	3.04	11.00
CH60	5300	3.30	0.07	3.37	11.00
CH64	5320	3.02	0.07	3.09	11.00

CH52

Date: 5.JUN.2016 14:27:06

CH60

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   3.30 dBm
SWT 20 ms   5.304100000 GHz

Ref   20 dBm   *Att   30 dB

20 Offset   2 dB

SWP   100 of   100

Center 5.3 GHz   5 MHz/   Span 50 MHz

Date: 5.JUN.2016   14:28:20

CH64

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   3.02 dBm
SWT 20 ms   5.323700000 GHz

Ref   20 dBm   *Att   30 dB

20 Offset   2 dB

SWP   100 of   100

Center 5.32 GHz   5 MHz/   Span 50 MHz

Date: 5.JUN.2016   14:29:02

Test Mode: UNII-2A/TX 802.11n(20MHz) Mode_CH52/CH60/CH64_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.99	0.07	3.06	11.00
CH60	5300	3.33	0.07	3.40	11.00
CH64	5320	3.00	0.07	3.07	11.00

CH52

Date: 5.JUN.2016 14:59:44

CH60

RBW 1 MHz   Marker 1 [T1]
VBW 3 MHz   3.33 dBm
Ref 20 dBm   *Att 30 dB   SWT 20 ms   5.303900000 GHz

20 Offset 2 dB

Center 5.3 GHz   5 MHz/   Span 50 MHz

Date: 5.JUN.2016 15:00:09

CH64

RBW 1 MHz   Marker 1 [T1]
VBW 3 MHz   3.00 dBm
Ref 20 dBm   *Att 30 dB   SWT 20 ms   5.324100000 GHz

20 Offset 2 dB

Center 5.32 GHz   5 MHz/   Span 50 MHz

Date: 5.JUN.2016 15:00:42

Test Mode: UNII-2A/TX 802.11n(20MHz) Mode_CH52/CH60/CH64_Total

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	7.88	11.00
CH60	5300	8.10	11.00
CH64	5320	7.90	11.00

Test Mode: UNII-2A/TX 802.11n(40MHz) Mode_CH54/CH62_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-0.04	0.18	0.14	11.00
CH62	5310	0.09	0.18	0.27	11.00

CH54


```
                                    *RBW  1 MHz     Marker 1 [T1 ]
                                    *VBW  3 MHz               -0.04 dBm
Ref  20 dBm         *Att  30 dB     SWT 20 ms       5.274200000 GHz
20  Offset  2 dB                                                          A
 -10
1 RM *
VIEW
  0                                                                       LVL
 -10
 -20
 -30
      SWP   100 of   100                                                  3DB
 -40
 -50
 -60
 -70
 -80
Center 5.27 GHz              10 MHz/                Span 100 MHz
```

Date: 5.JUN.2016 14:08:26

CH62


```
                                    *RBW  1 MHz     Marker 1 [T1 ]
                                    *VBW  3 MHz                0.09 dBm
Ref  20 dBm         *Att  30 dB     SWT 20 ms       5.315000000 GHz
20  Offset  2 dB                                                          A
 -10
1 RM *
VIEW
  0                                                                       LVL
 -10
 -20
 -30
      SWP   100 of   100                                                  3DB
 -40
 -50
 -60
 -70
 -80
Center 5.31 GHz              10 MHz/                Span 100 MHz
```

Date: 5.JUN.2016 14:08:50

## Test Mode: UNII-2A/TX 802.11n(40MHz) Mode_CH54/CH62_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	0.22	0.18	0.40	11.00
CH62	5310	0.42	0.18	0.60	11.00

CH54


```
                                        *RBW 1 MHz    Marker 1 [T1 ]
                                        *VBW 3 MHz             0.22 dBm
        Ref  20 dBm        *Att  30 dB   SWT 20 ms      5.280600000 GHz

     20  Offset  2 dB                                                        A
    -10

1 RM*
VIEW                                                                        LVL
   -0                        1

   -10

   -20

   -30
        SWE   100 of  100                                                   3DB
   -40

   -50

   -60

   -70

   -80
        Center 5.27 GHz          10 MHz/            Span 100 MHz
```

Date: 5.JUN.2016 14:42:29

CH62


```
                                        *RBW 1 MHz    Marker 1 [T1 ]
                                        *VBW 3 MHz             0.42 dBm
        Ref  20 dBm        *Att  30 dB   SWT 20 ms      5.317400000 GHz

     20  Offset  2 dB                                                        A
    -10

1 RM*
VIEW                                                                        LVL
   -0                        1

   -10

   -20

   -30
        SWE   100 of  100                                                   3DB
   -40

   -50

   -60

   -70

   -80
        Center 5.31 GHz          10 MHz/            Span 100 MHz
```

Date: 5.JUN.2016 14:43:24

Test Mode: UNII-2A/TX 802.11n(40MHz) Mode_CH54/CH62_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	0.21	0.18	0.39	11.00
CH62	5310	0.48	0.18	0.66	11.00

CH54


```
                                          *RBW  1 MHz    Marker 1 [T1 ]
                                          *VBW  3 MHz              0.21 dBm
        Ref   20 dBm      *Att  30 dB      SWT  20 ms      5.279000000 GHz

        20  Offset   2 dB                                               A

        -10

  1 RM*
  VIEW                                              1                    LVL
        -0

        -10

        -20

        -30
        SWP    100 of   100                                            3DB
        -40

        -50

        -60

        -70

        -80
        Center 5.27 GHz              10 MHz/               Span 100 MHz
```

Date: 5.JUN.2016 15:19:16

CH62


```
                                          *RBW  1 MHz    Marker 1 [T1 ]
                                          *VBW  3 MHz              0.48 dBm
        Ref   20 dBm      *Att  30 dB      SWT  20 ms      5.317800000 GHz

        20  Offset   2 dB                                               A

        -10

  1 RM*
  VIEW                                              1                    LVL
        -0

        -10

        -20

        -30
        SWP    100 of   100                                            3DB
        -40

        -50

        -60

        -70

        -80
        Center 5.31 GHz              10 MHz/               Span 100 MHz
```

Date: 5.JUN.2016 15:20:15

Test Mode: UNII-2A/TX 802.11n(40MHz) Mode_CH54/CH62_Total			

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	5.08	11.00
CH62	5310	5.28	11.00

Test Mode: UNII-2C/TX 802.11n(20MHz) Mode_CH100/CH116/CH140_ANT 1

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	2.77	0.07	2.84	11.00
CH116	5580	2.59	0.07	2.66	11.00
CH140	5700	2.67	0.07	2.74	11.00

CH100

Date: 5.JUN.2016 13:48:54

CH116

		Marker 1 [T1]
*RBW 1 MHz		
*VBW 3 MHz		2.59 dBm
Ref 20 dBm	*Att 30 dB	SWT 20 ms	5.576800000 GHz

20 Offset 2 dB

A

LVL

1 RM *
VIEW

SWP 100 of 100

3DB

Center 5.58 GHz   5 MHz/   Span 50 MHz

Date: 5.JUN.2016 13:49:18

CH140

		Marker 1 [T1]
*RBW 1 MHz		
*VBW 3 MHz		2.67 dBm
Ref 20 dBm	*Att 30 dB	SWT 20 ms	5.703700000 GHz

20 Offset 2 dB

A

LVL

1 RM *
VIEW

SWP 100 of 100

3DB

Center 5.7 GHz   5 MHz/   Span 50 MHz

Date: 5.JUN.2016 13:50:09

Test Mode: UNII-2C/TX 802.11n(20MHz) Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.65	0.07	3.72	11.00
CH116	5580	3.10	0.07	3.17	11.00
CH140	5700	2.62	0.07	2.69	11.00

CH100

Date: 5.JUN.2016 14:29:37

CH116


```
                                    * RBW 1 MHz    Marker 1 [T1 ]
                                    * VBW 3 MHz              3.10 dBm
        Ref  20 dBm     * Att  30 dB   SWT 20 ms       5.577600000 GHz
```

Date: 5.JUN.2016 14:30:07

CH140


```
                                    * RBW 1 MHz    Marker 1 [T1 ]
                                    * VBW 3 MHz              2.62 dBm
        Ref  20 dBm     * Att  30 dB   SWT 20 ms       5.693300000 GHz
```

Date: 5.JUN.2016 14:30:57

Test Mode: UNII-2C/TX 802.11n(20MHz) Mode_CH100/CH116/CH140_ANT 3

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.72	0.07	3.79	11.00
CH116	5580	3.17	0.07	3.24	11.00
CH140	5700	2.59	0.07	2.66	11.00

CH100

Date: 5.JUN.2016 15:01:12

CH116


```
                                        *RBW 1 MHz    Marker 1 [T1 ]
                                        *VBW 3 MHz              3.17 dBm
        Ref  20 dBm      *Att  30 dB    SWT 20 ms     5.576000000 GHz
        20  Offset  2 dB
                                                                         A
        -10                              1
1  RM *
VIEW    -0                                                                LVL

        -10

        -20

        -30
        SWE   100 of  100                                                 3DB
        -40

        -50

        -60

        -70

        -80
        Center 5.58 GHz              5 MHz/              Span 50 MHz
```

Date: 5.JUN.2016 15:02:15

CH140


```
                                        *RBW 1 MHz    Marker 1 [T1 ]
                                        *VBW 3 MHz              2.59 dBm
        Ref  20 dBm      *Att  30 dB    SWT 20 ms     5.692700000 GHz
        20  Offset  2 dB
                                                                         A
        -10                             1
1  RM *
VIEW    -0                                                                LVL

        -10

        -20

        -30
        SWE   100 of  100                                                 3DB
        -40

        -50

        -60

        -70

        -80
        Center 5.7 GHz               5 MHz/              Span 50 MHz
```

Date: 5.JUN.2016 15:02:41

Test Mode: UNII-2C/TX 802.11n(20MHz) Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	8.24	11.00
CH116	5580	7.80	11.00
CH140	5700	7.47	11.00