



### CH110



Date: 3.APR.2015 16:31:39

### CH134




Date: 3.APR.2015 16:32:12

**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-7.64	0.61	-7.03	9.00
CH122	5610	-6.01	0.61	-5.40	9.00

### CH106



Date: 3.APR.2015 16:42:13

### CH122




Date: 3.APR.2015 16:43:12

**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-1.65	0.07	-1.58	28.00
CH157	5785	-1.71	0.07	-1.64	28.00
CH165	5825	-1.51	0.07	-1.44	28.00

**TX CH149**




Date: 3.APR.2015 16:04:00

### TX CH157



Date: 3.APR.2015 16:04:58

### TX CH165




Date: 3.APR.2015 16:05:29

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-6.42	0.26	-6.16	28.00
CH159	5795	-6.27	0.26	-6.01	28.00

### TX CH151



Date: 3.APR.2015 16:32:54

### TX CH159




Date: 3.APR.2015 16:33:45

**Test Mode: UNII-3/ TX AC80 Mode\_CH155**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-8.40	0.61	-7.79	28.00

**TX CH155**




Date: 3.APR.2015 16:44:11

# For 2TX


**Test Mode: UNII-1/ TX A Mode\_CH36/CH40/CH48\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.42	0.09	0.51	15.00
CH40	5200	0.48	0.09	0.57	15.00
CH48	5240	0.00	0.09	0.09	15.00




Date: 3.APR.2015 17:37:14

### CH40



Date: 3.APR.2015 17:38:13


### CH48



Date: 3.APR.2015 17:38:54




### CH40



Date: 3.APR.2015 16:58:36

### CH48




Date: 3.APR.2015 16:59:18

**Test Mode: UNII-1/ TX A Mode\_CH36/CH40/CH48\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.48	0.09	3.48	15.00
CH40	5200	3.67	0.09	3.67	15.00
CH48	5240	3.32	0.09	3.32	15.00


**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.15	0.07	0.22	15.00
CH40	5200	0.05	0.07	0.12	15.00
CH48	5240	-0.12	0.07	-0.05	15.00




Date: 3.APR.2015 17:48:39

### CH40



Date: 3.APR.2015 17:49:05


### CH48



Date: 3.APR.2015 17:49:22

**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.62	0.07	0.69	15.00
CH40	5200	0.48	0.07	0.55	15.00
CH48	5240	0.51	0.07	0.58	15.00



Date: 3.APR.2015 17:06:56




**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.47	0.07	3.47	15.00
CH40	5200	3.35	0.07	3.35	15.00
CH48	5240	3.29	0.07	3.29	15.00

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-4.94	0.32	-4.62	15.00
CH46	5230	-3.15	0.32	-2.83	15.00

### CH38



Date: 3.APR.2015 17:58:55

### CH46




Date: 3.APR.2015 17:59:23

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-5.02	0.32	-4.70	15.00
CH46	5230	-2.98	0.32	-2.66	15.00

### CH38



Date: 3.APR.2015 17:17:51

### CH46




Date: 3.APR.2015 17:18:37

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.65	0.32	-1.65	15.00
CH46	5230	0.26	0.32	0.26	15.00


**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.25	0.09	0.34	9.00
CH60	5300	-0.43	0.09	-0.34	9.00
CH64	5320	-0.57	0.09	-0.48	9.00




Date: 3.APR.2015 17:39:59

### CH60



Date: 3.APR.2015 17:42:22


### CH64



Date: 3.APR.2015 17:43:04


**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.71	0.09	0.80	9.00
CH60	5300	0.06	0.09	0.15	9.00
CH64	5320	-0.08	0.09	0.01	9.00




Date: 3.APR.2015 17:00:04

### CH60



Date: 3.APR.2015 17:00:52

### CH64




Date: 3.APR.2015 17:01:30

**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.59	0.09	3.59	9.00
CH60	5300	2.92	0.09	2.92	9.00
CH64	5320	2.78	0.09	2.78	9.00


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-0.06	0.07	0.01	9.00
CH60	5300	-0.47	0.07	-0.40	9.00
CH64	5320	-0.76	0.07	-0.69	9.00




Date: 3.APR.2015 17:49:55

**CH60**



Date: 3.APR.2015 17:50:20


**CH64**



Date: 3.APR.2015 17:50:40


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.48	0.07	0.55	9.00
CH60	5300	-0.13	0.07	-0.06	9.00
CH64	5320	0.02	0.07	0.09	9.00




Date: 3.APR.2015 17:08:31

### CH60



Date: 3.APR.2015 17:09:03

### CH64



Date: 3.APR.2015 17:09:21


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.30	0.07	3.30	9.00
CH60	5300	2.78	0.07	2.78	9.00
CH64	5320	2.73	0.07	2.73	9.00

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.97	0.32	-2.65	9.00
CH62	5310	-5.46	0.32	-5.14	9.00

**CH54**



Date: 3.APR.2015 17:59:56

**CH62**




Date: 3.APR.2015 18:00:21

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.75	0.32	-2.43	9.00
CH62	5310	-5.07	0.32	-4.75	9.00

### CH54



Date: 3.APR.2015 17:19:11

### CH62




Date: 3.APR.2015 17:19:43

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	0.47	0.32	0.47	9.00
CH62	5310	-1.93	0.32	-1.93	9.00


**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-1.36	0.09	-1.27	9.00
CH116	5580	-1.70	0.09	-1.61	9.00
CH140	5700	-1.21	0.09	-1.12	9.00




Date: 3.APR.2015 17:43:45

### CH116



Date: 3.APR.2015 17:44:31


### CH140



Date: 3.APR.2015 17:45:26


**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.65	0.09	-0.56	9.00
CH116	5580	-0.86	0.09	-0.77	9.00
CH140	5700	-1.22	0.09	-1.13	9.00




Date: 3.APR.2015 17:02:17

### CH116



Date: 3.APR.2015 17:03:02

### CH140




Date: 3.APR.2015 17:03:39


**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	2.11	0.09	2.11	9.00
CH116	5580	1.84	0.09	1.84	9.00
CH140	5700	1.88	0.09	1.88	9.00



**CH116**

Date: 3.APR.2015 17:51:29


**CH140**

Date: 3.APR.2015 17:51:46

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.89	0.07	-0.82	9.00
CH116	5580	-0.85	0.07	-0.78	9.00
CH140	5700	-1.25	0.07	-1.18	9.00

**CH100**




Date: 3.APR.2015 17:09:52

### CH116



Date: 3.APR.2015 17:10:25

### CH140




Date: 3.APR.2015 17:10:41

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	1.87	0.07	1.87	9.00
CH116	5580	1.73	0.07	1.73	9.00
CH140	5700	1.71	0.07	1.71	9.00


**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.64	0.32	-4.32	9.00
CH110	5550	-4.53	0.32	-4.21	9.00
CH134	5670	-4.83	0.32	-4.51	9.00




Date: 3.APR.2015 18:00:46

### CH110



Date: 3.APR.2015 18:01:15


### CH134



Date: 3.APR.2015 18:01:32


**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.19	0.32	-3.87	9.00
CH110	5550	-5.64	0.32	-5.32	9.00
CH134	5670	-5.09	0.32	-4.77	9.00




Date: 3.APR.2015 17:20:11

**CH110**



Date: 3.APR.2015 17:20:37

**CH134**



Date: 3.APR.2015 17:20:55


**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-1.08	0.32	-1.08	9.00
CH110	5550	-1.72	0.32	-1.72	9.00
CH134	5670	-1.63	0.32	-1.63	9.00

**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-4.26	0.09	-4.17	28.00
CH157	5785	-4.17	0.09	-4.08	28.00
CH165	5825	-3.85	0.09	-3.76	28.00

**TX CH149**




Date: 3.APR.2015 17:46:10

### TX CH157



Date: 3.APR.2015 17:47:00


### TX CH165



Date: 3.APR.2015 17:47:38




### TX CH157



Date: 3.APR.2015 17:05:11

### TX CH165




Date: 3.APR.2015 17:05:48


**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-0.83	0.09	-0.83	28.00
CH157	5785	-0.65	0.09	-0.65	28.00
CH165	5825	-0.16	0.09	-0.16	28.00



**TX CH157**

Date: 3.APR.2015 17:52:36


**TX CH165**

Date: 3.APR.2015 17:52:54


**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-3.98	0.07	-3.91	28.00
CH157	5785	-3.42	0.07	-3.35	28.00
CH165	5825	-2.51	0.07	-2.44	28.00


**TX CH149**



Date: 3.APR.2015 17:11:08

**TX CH157**

Date: 3.APR.2015 17:11:54

**TX CH165**

Date: 3.APR.2015 17:12:14


**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-1.17	0.07	-1.17	28.00
CH157	5785	-0.77	0.07	-0.77	28.00
CH165	5825	-0.22	0.07	-0.22	28.00

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-7.49	0.32	-7.17	28.00
CH159	5795	-7.73	0.32	-7.41	28.00

### TX CH151



Date: 3.APR.2015 18:01:57

### TX CH159




Date: 3.APR.2015 18:02:21

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-7.22	0.32	-6.90	28.00
CH159	5795	-6.20	0.32	-5.88	28.00

### TX CH151



Date: 3.APR.2015 17:21:26

### TX CH159




Date: 3.APR.2015 17:21:54

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-4.02	0.32	-4.02	28.00
CH159	5795	-3.57	0.32	-3.57	28.00


**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.68	0.07	0.75	15.00
CH40	5200	0.70	0.07	0.77	15.00
CH48	5240	0.62	0.07	0.69	15.00




Date: 3.APR.2015 17:54:09

### CH40



Date: 3.APR.2015 17:54:35


### CH48



Date: 3.APR.2015 17:54:52


**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.00	0.07	1.07	15.00
CH40	5200	0.82	0.07	0.89	15.00
CH48	5240	0.87	0.07	0.94	15.00




Date: 3.APR.2015 17:12:48

### CH40



Date: 3.APR.2015 17:13:18

### CH48



Date: 3.APR.2015 17:13:35


**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.92	0.07	3.92	15.00
CH40	5200	3.84	0.07	3.84	15.00
CH48	5240	3.83	0.07	3.83	15.00

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-4.86	0.26	-4.60	15.00
CH46	5230	-2.64	0.26	-2.38	15.00

### CH38



Date: 3.APR.2015 18:03:16

### CH46




Date: 3.APR.2015 18:03:46

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-4.44	0.26	-4.18	15.00
CH46	5230	-2.32	0.26	-2.06	15.00

### CH38



Date: 3.APR.2015 17:22:25

### CH46




Date: 3.APR.2015 17:22:56

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.37	0.26	-1.37	15.00
CH46	5230	0.79	0.26	0.79	15.00

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-9.98	0.61	-9.37	15.00



Date: 3.APR.2015 18:07:23

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-9.96	0.61	-9.35	15.00




Date: 3.APR.2015 17:27:35

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-6.35	0.61	-6.35	15.00




### CH60



Date: 3.APR.2015 17:55:42


### CH64



Date: 3.APR.2015 17:55:59


**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.25	0.07	1.32	9.00
CH60	5300	0.68	0.07	0.75	9.00
CH64	5320	0.12	0.07	0.19	9.00




Date: 3.APR.2015 17:13:59

### CH60



Date: 3.APR.2015 17:14:24

### CH64




Date: 3.APR.2015 17:14:46

**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64\_Total**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.02	0.07	4.02	9.00
CH60	5300	3.50	0.07	3.50	9.00
CH64	5320	3.18	0.07	3.18	9.00

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-4.76	0.26	-4.50	9.00
CH62	5310	-5.39	0.26	-5.13	9.00

**CH54**

Date: 3.APR.2015 18:04:11


**CH62**

Date: 3.APR.2015 18:04:38

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.44	0.26	-2.18	9.00
CH62	5310	-5.31	0.26	-5.05	9.00

**CH54**



Date: 3.APR.2015 17:23:32

**CH62**



Date: 3.APR.2015 17:24:11


**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-0.17	0.26	-0.17	9.00
CH62	5310	-2.08	0.26	-2.08	9.00



**Test Mode: UNII-2A/TX AC80 Mode\_CH58\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-10.22	0.61	-9.61	9.00




Date: 3.APR.2015 17:28:18

**Test Mode: UNII-2A/TX AC80 Mode\_CH58\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-7.07	0.61	-7.07	9.00




### CH116



Date: 3.APR.2015 17:56:45


### CH140




Date: 3.APR.2015 17:57:01

**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.74	0.07	-0.67	9.00
CH116	5580	-0.42	0.07	-0.35	9.00
CH140	5700	-0.87	0.07	-0.80	9.00



Date: 3.APR.2015 17:15:09

**CH116**

Date: 3.APR.2015 17:15:36

**CH140**


Date: 3.APR.2015 17:15:53

**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	2.29	0.07	2.29	9.00
CH116	5580	2.18	0.07	2.18	9.00
CH140	5700	2.30	0.07	2.30	9.00


**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.27	0.26	-4.01	9.00
CH110	5550	-4.13	0.26	-3.87	9.00
CH134	5670	-4.68	0.26	-4.42	9.00




Date: 3.APR.2015 18:05:10

### CH110



Date: 3.APR.2015 18:05:41

### CH134




Date: 3.APR.2015 18:05:58

**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.86	0.26	-3.60	9.00
CH110	5550	-4.04	0.26	-3.78	9.00
CH134	5670	-4.97	0.26	-4.71	9.00

**CH102**




Date: 3.APR.2015 17:24:37

### CH110



Date: 3.APR.2015 17:25:04

### CH134



Date: 3.APR.2015 17:25:26

**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.79	0.26	-0.79	9.00
CH110	5550	-0.82	0.26	-0.82	9.00
CH134	5670	-1.55	0.26	-1.55	9.00


**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-11.62	0.61	-11.01	9.00
CH122	5610	-6.88	0.61	-6.27	9.00




**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-11.20	0.61	-10.59	9.00
CH122	5610	-7.38	0.61	-6.77	9.00

**CH106**

Date: 3.APR.2015 17:28:56

**CH122**


Date: 3.APR.2015 17:29:56

**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-7.79	0.61	-7.79	9.00
CH122	5610	-3.50	0.61	-3.50	9.00




### TX CH157



Date: 3.APR.2015 17:57:48

### TX CH165




Date: 3.APR.2015 17:58:06

**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-3.46	0.07	-3.39	28.00
CH157	5785	-2.86	0.07	-2.79	28.00
CH165	5825	-2.44	0.07	-2.37	28.00

**TX CH149**




Date: 3.APR.2015 17:16:17

### TX CH157



Date: 3.APR.2015 17:16:42

### TX CH165



Date: 3.APR.2015 17:17:01


**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-0.53	0.07	-0.53	28.00
CH157	5785	-0.05	0.07	-0.05	28.00
CH165	5825	0.13	0.07	0.13	28.00

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-7.13	0.26	-6.87	28.00
CH159	5795	-7.05	0.26	-6.79	28.00

### TX CH151



Date: 3.APR.2015 18:06:24

### TX CH159




Date: 3.APR.2015 18:06:49

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-6.93	0.26	-6.67	28.00
CH159	5795	-6.38	0.26	-6.12	28.00

### TX CH151



Date: 3.APR.2015 17:25:56

### TX CH159



Date: 3.APR.2015 17:26:32

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_Total**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-3.76	0.26	-3.76	28.00
CH159	5795	-3.43	0.26	-3.43	28.00



**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-10.83	0.61	-10.22	28.00

**TX CH155**



Date: 3.APR.2015 17:32:08


**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-7.82	0.61	-7.82	28.00

# For 3TX


**Test Mode: UNII-1/ TX A Mode\_CH36/CH40/CH48\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-0.84	0.09	-0.75	15.00
CH40	5200	-1.17	0.09	-1.08	15.00
CH48	5240	-0.64	0.09	-0.55	15.00




Date: 7.APR.2015 11:46:51

### CH40



Date: 7.APR.2015 11:49:07


### CH48



Date: 7.APR.2015 11:50:33


**Test Mode: UNII-1/ TX A Mode\_CH36/CH40/CH48\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-1.04	0.09	-0.95	15.00
CH40	5200	-0.94	0.09	-0.85	15.00
CH48	5240	-0.59	0.09	-0.50	15.00




Date: 7.APR.2015 14:05:14

### CH40



Date: 7.APR.2015 14:06:17


### CH48




Date: 7.APR.2015 14:07:02

**Test Mode: UNII-1/ TX A Mode\_CH36/CH40/CH48\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-1.20	0.09	-1.11	15.00
CH40	5200	-1.23	0.09	-1.14	15.00
CH48	5240	-0.83	0.09	-0.74	15.00



Date: 7.APR.2015 14:44:53

**CH40**

Date: 7.APR.2015 14:45:58

**CH48**


Date: 7.APR.2015 14:46:37

**Test Mode: UNII-1/ TX A Mode\_CH36/CH40/CH48\_Total**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.84	0.09	3.84	15.00
CH40	5200	3.75	0.09	3.75	15.00
CH48	5240	4.18	0.09	4.18	15.00

**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-1.10	0.07	-1.03	15.00
CH40	5200	-1.20	0.07	-1.13	15.00
CH48	5240	-0.40	0.07	-0.33	15.00



Date: 7.APR.2015 11:58:26

**CH40**


Date: 7.APR.2015 11:59:00

**CH48**

Date: 7.APR.2015 11:59:20


**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-1.20	0.07	-1.13	15.00
CH40	5200	-1.57	0.07	-1.50	15.00
CH48	5240	-0.64	0.07	-0.57	15.00




Date: 7.APR.2015 14:15:12

### CH40



Date: 7.APR.2015 14:15:44


### CH48




Date: 7.APR.2015 14:16:03

**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-1.40	0.07	-1.33	15.00
CH40	5200	-1.53	0.07	-1.46	15.00
CH48	5240	-1.11	0.07	-1.04	15.00



Date: 7.APR.2015 14:54:17

**CH40**

Date: 7.APR.2015 14:54:52

**CH48**

Date: 7.APR.2015 14:55:11


**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.61	0.07	3.61	15.00
CH40	5200	3.41	0.07	3.41	15.00
CH48	5240	4.14	0.07	4.14	15.00

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-8.07	0.32	-7.75	15.00
CH46	5230	-4.09	0.32	-3.77	15.00

### CH38



Date: 7.APR.2015 12:12:30

### CH46



Date: 7.APR.2015 12:13:06

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-7.86	0.32	-7.54	15.00
CH46	5230	-4.25	0.32	-3.93	15.00



**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-8.30	0.32	-7.98	15.00
CH46	5230	-4.58	0.32	-4.26	15.00

### CH38



Date: 7.APR.2015 15:04:36

### CH46




Date: 7.APR.2015 15:05:06


**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.98	0.32	-2.98	15.00
CH46	5230	0.79	0.32	0.79	15.00



**CH60**


Date: 7.APR.2015 11:52:19

**CH64**


Date: 7.APR.2015 11:52:57

**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-0.73	0.09	-0.64	9.00
CH60	5300	-0.61	0.09	-0.52	9.00
CH64	5320	-0.80	0.09	-0.71	9.00



Date: 7.APR.2015 14:07:47

**CH60**


Date: 7.APR.2015 14:08:50

**CH64**

Date: 7.APR.2015 14:09:56




### CH60



Date: 7.APR.2015 14:48:08

### CH64




Date: 7.APR.2015 14:48:45

**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_Total**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.11	0.09	4.11	9.00
CH60	5300	3.81	0.09	3.81	9.00
CH64	5320	3.84	0.09	3.84	9.00

**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-0.55	0.07	-0.48	9.00
CH60	5300	-0.89	0.07	-0.82	9.00
CH64	5320	-0.78	0.07	-0.71	9.00



Date: 7.APR.2015 11:59:46

**CH60**


Date: 7.APR.2015 12:00:24

**CH64**

Date: 7.APR.2015 12:01:19


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-0.68	0.07	-0.61	9.00
CH60	5300	-0.75	0.07	-0.68	9.00
CH64	5320	-0.71	0.07	-0.64	9.00




Date: 7.APR.2015 14:16:29

### CH60



Date: 7.APR.2015 14:16:55


### CH64




Date: 7.APR.2015 14:17:19

**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-1.36	0.07	-1.29	9.00
CH60	5300	-1.98	0.07	-1.91	9.00
CH64	5320	-1.86	0.07	-1.79	9.00



Date: 7.APR.2015 14:55:38

**CH60**

Date: 7.APR.2015 14:56:10

**CH64**


Date: 7.APR.2015 14:56:27

**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_Total**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.99	0.07	3.99	9.00
CH60	5300	3.67	0.07	3.67	9.00
CH64	5320	3.75	0.07	3.75	9.00

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-4.06	0.32	-3.74	9.00
CH62	5310	-7.74	0.32	-7.42	9.00

**CH54**

Date: 7.APR.2015 12:13:44


**CH62**

Date: 7.APR.2015 12:14:14

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-4.30	0.32	-3.98	9.00
CH62	5310	-7.47	0.32	-7.15	9.00

### CH54



Date: 7.APR.2015 14:27:29

### CH62




Date: 7.APR.2015 14:28:07

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-5.04	0.32	-4.72	9.00
CH62	5310	-8.30	0.32	-7.98	9.00

### CH54



Date: 7.APR.2015 15:05:40

### CH62




Date: 7.APR.2015 15:06:17

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	0.64	0.32	0.64	9.00
CH62	5310	-2.73	0.32	-2.73	9.00


**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.43	0.09	-0.34	9.00
CH116	5580	-0.68	0.09	-0.59	9.00
CH140	5700	0.01	0.09	0.10	9.00




Date: 7.APR.2015 11:53:43

### CH116



Date: 7.APR.2015 11:54:34


### CH140



Date: 7.APR.2015 11:55:10

**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.13	0.09	-0.04	9.00
CH116	5580	-0.31	0.09	-0.22	9.00
CH140	5700	-0.64	0.09	-0.55	9.00




Date: 7.APR.2015 14:10:45




**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-1.09	0.09	-1.00	9.00
CH116	5580	-1.58	0.09	-1.49	9.00
CH140	5700	-1.77	0.09	-1.68	9.00




Date: 7.APR.2015 14:49:32

### CH116



Date: 7.APR.2015 14:50:14

### CH140



Date: 7.APR.2015 14:50:54


**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.33	0.09	4.33	9.00
CH116	5580	4.04	0.09	4.04	9.00
CH140	5700	4.12	0.09	4.12	9.00


**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.76	0.07	-0.69	9.00
CH116	5580	-0.85	0.07	-0.78	9.00
CH140	5700	-0.11	0.07	-0.04	9.00


**CH100**



Date: 7.APR.2015 12:02:13

**CH116**


Date: 7.APR.2015 12:02:42

**CH140**

Date: 7.APR.2015 12:03:13


**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.68	0.07	-0.61	9.00
CH116	5580	-0.44	0.07	-0.37	9.00
CH140	5700	-0.83	0.07	-0.76	9.00

**CH100**



Date: 7.APR.2015 14:17:44

### CH116



Date: 7.APR.2015 14:18:13

### CH140




Date: 7.APR.2015 14:18:31

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-1.68	0.07	-1.61	9.00
CH116	5580	-1.91	0.07	-1.84	9.00
CH140	5700	-2.11	0.07	-2.04	9.00

### CH100




Date: 7.APR.2015 14:56:52

### CH116



Date: 7.APR.2015 14:57:23

### CH140




Date: 7.APR.2015 14:57:39

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.82	0.07	3.82	9.00
CH116	5580	3.82	0.07	3.82	9.00
CH140	5700	3.90	0.07	3.90	9.00




### CH110



Date: 7.APR.2015 12:15:17


### CH134



Date: 7.APR.2015 12:15:38


**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.98	0.32	-3.66	9.00
CH110	5550	-3.79	0.32	-3.47	9.00
CH134	5670	-4.70	0.32	-4.38	9.00




Date: 7.APR.2015 14:30:04

### CH110



Date: 7.APR.2015 14:30:41


### CH134




Date: 7.APR.2015 14:31:07

**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.57	0.32	-4.25	9.00
CH110	5550	-5.15	0.32	-4.83	9.00
CH134	5670	-5.50	0.32	-5.18	9.00



Date: 7.APR.2015 15:06:43

**CH110**

Date: 7.APR.2015 15:07:13

**CH134**

Date: 7.APR.2015 15:07:31


**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	0.86	0.32	0.86	9.00
CH110	5550	0.79	0.32	0.79	9.00
CH134	5670	0.26	0.32	0.26	9.00

**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-3.07	0.09	-2.98	28.00
CH157	5785	-3.18	0.09	-3.09	28.00
CH165	5825	-3.44	0.09	-3.35	28.00

**TX CH149**



Date: 7.APR.2015 11:56:01












**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	0.91	0.09	0.91	28.00
CH157	5785	1.37	0.09	1.37	28.00
CH165	5825	0.86	0.09	0.86	28.00




**TX CH157**



Date: 7.APR.2015 12:04:04

**TX CH165**




Date: 7.APR.2015 12:04:30

**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-3.82	0.07	-3.75	28.00
CH157	5785	-2.92	0.07	-2.85	28.00
CH165	5825	-3.61	0.07	-3.54	28.00

**TX CH149**




Date: 7.APR.2015 14:18:58

### TX CH157



Date: 7.APR.2015 14:19:27

### TX CH165




Date: 7.APR.2015 14:19:46

**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-5.26	0.07	-5.19	28.00
CH157	5785	-4.65	0.07	-4.58	28.00
CH165	5825	-5.19	0.07	-5.12	28.00

**TX CH149**




Date: 7.APR.2015 14:58:05

### TX CH157



Date: 7.APR.2015 14:58:30

### TX CH165



Date: 7.APR.2015 14:58:49


**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	0.81	0.07	0.81	28.00
CH157	5785	1.29	0.07	1.29	28.00
CH165	5825	0.78	0.07	0.78	28.00

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-6.96	0.32	-6.64	28.00
CH159	5795	-7.21	0.32	-6.89	28.00

### TX CH151



Date: 7.APR.2015 12:16:03

### TX CH159




Date: 7.APR.2015 12:16:30

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-7.06	0.32	-6.74	28.00
CH159	5795	-6.68	0.32	-6.36	28.00

### TX CH151



Date: 7.APR.2015 14:31:39

### TX CH159




Date: 7.APR.2015 14:32:09

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-8.89	0.32	-8.57	28.00
CH159	5795	-8.61	0.32	-8.29	28.00

### TX CH151



Date: 7.APR.2015 15:07:57

### TX CH159




Date: 7.APR.2015 15:08:23

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-2.46	0.32	-2.46	28.00
CH159	5795	-2.33	0.32	-2.33	28.00


**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-0.97	0.07	-0.90	15.00
CH40	5200	-0.53	0.07	-0.46	15.00
CH48	5240	-0.11	0.07	-0.04	15.00




Date: 7.APR.2015 12:05:18

### CH40



Date: 7.APR.2015 12:07:27


### CH48



Date: 7.APR.2015 12:07:47


**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-0.83	0.07	-0.76	15.00
CH40	5200	-0.74	0.07	-0.67	15.00
CH48	5240	-0.50	0.07	-0.43	15.00




Date: 7.APR.2015 14:20:22

### CH40



Date: 7.APR.2015 14:20:51


### CH48



Date: 7.APR.2015 14:21:10




**CH40**



Date: 7.APR.2015 14:59:50

**CH48**



Date: 7.APR.2015 15:00:10


**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.93	0.07	3.93	15.00
CH40	5200	4.05	0.07	4.05	15.00
CH48	5240	4.51	0.07	4.51	15.00

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-7.10	0.26	-6.84	15.00
CH46	5230	-3.17	0.26	-2.91	15.00

### CH38



Date: 7.APR.2015 12:17:03

### CH46



Date: 7.APR.2015 12:17:40

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-7.68	0.26	-7.42	15.00
CH46	5230	-4.18	0.26	-3.92	15.00



**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-7.76	0.26	-7.50	15.00
CH46	5230	-3.92	0.26	-3.66	15.00

### CH38



Date: 7.APR.2015 15:08:57

### CH46



Date: 7.APR.2015 15:09:34


**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.47	0.26	-2.47	15.00
CH46	5230	1.30	0.26	1.30	15.00



**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-12.27	0.61	-11.66	15.00



Date: 7.APR.2015 14:38:51

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-12.51	0.61	-11.90	15.00




Date: 7.APR.2015 15:13:12

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-6.72	0.61	-6.72	15.00




### CH60



Date: 7.APR.2015 12:08:43


### CH64



Date: 7.APR.2015 12:09:07


**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-0.05	0.07	0.02	9.00
CH60	5300	-0.41	0.07	-0.34	9.00
CH64	5320	-0.50	0.07	-0.43	9.00




Date: 7.APR.2015 14:21:37

### CH60



Date: 7.APR.2015 14:22:08


### CH64



Date: 7.APR.2015 14:22:40


**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-0.76	0.07	-0.69	9.00
CH60	5300	-0.77	0.07	-0.70	9.00
CH64	5320	-0.78	0.07	-0.71	9.00




Date: 7.APR.2015 15:00:36

### CH60



Date: 7.APR.2015 15:01:02

### CH64



Date: 7.APR.2015 15:01:21


**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.64	0.07	4.64	9.00
CH60	5300	4.44	0.07	4.44	9.00
CH64	5320	4.33	0.07	4.33	9.00

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-3.03	0.26	-2.77	9.00
CH62	5310	-6.67	0.26	-6.41	9.00

### CH54



Date: 7.APR.2015 12:18:13

### CH62




Date: 7.APR.2015 12:18:50

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-3.96	0.26	-3.70	9.00
CH62	5310	-7.03	0.26	-6.77	9.00

### CH54



Date: 7.APR.2015 14:34:36

### CH62



Date: 7.APR.2015 14:35:24

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-4.42	0.26	-4.16	9.00
CH62	5310	-7.75	0.26	-7.49	9.00




**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	1.27	0.26	1.27	9.00
CH62	5310	-2.10	0.26	-2.10	9.00

**Test Mode: UNII-2A/TX AC80 Mode\_CH58\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-11.70	0.61	-11.09	9.00



Date: 7.APR.2015 12:22:39

**Test Mode: UNII-2A/TX AC80 Mode\_CH58\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-12.28	0.61	-11.67	9.00



Date: 7.APR.2015 14:39:37




**Test Mode: UNII-2A/TX AC80 Mode\_CH58\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-6.83	0.61	-6.83	9.00


**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.18	0.07	0.25	9.00
CH116	5580	-0.02	0.07	0.05	9.00
CH140	5700	0.34	0.07	0.41	9.00




Date: 7.APR.2015 12:09:44

### CH116



Date: 7.APR.2015 12:10:09


### CH140




Date: 7.APR.2015 12:10:27

**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.05	0.07	0.12	9.00
CH116	5580	0.21	0.07	0.28	9.00
CH140	5700	-0.25	0.07	-0.18	9.00



Date: 7.APR.2015 14:23:05

**CH116**


Date: 7.APR.2015 14:23:38

**CH140**

Date: 7.APR.2015 14:23:58


**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.83	0.07	-0.76	9.00
CH116	5580	-1.48	0.07	-1.41	9.00
CH140	5700	-1.14	0.07	-1.07	9.00




Date: 7.APR.2015 15:01:45

### CH116



Date: 7.APR.2015 15:02:11

### CH140




Date: 7.APR.2015 15:02:27

**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.66	0.07	4.66	9.00
CH116	5580	4.47	0.07	4.47	9.00
CH140	5700	4.53	0.07	4.53	9.00




### CH110



Date: 7.APR.2015 12:19:50


### CH134



Date: 7.APR.2015 12:20:16




### CH110



Date: 7.APR.2015 14:36:50

### CH134




Date: 7.APR.2015 14:37:12

**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.38	0.26	-4.12	9.00
CH110	5550	-4.55	0.26	-4.29	9.00
CH134	5670	-5.10	0.26	-4.84	9.00

**CH102**




Date: 7.APR.2015 15:11:00

### CH110



Date: 7.APR.2015 15:11:26

### CH134



Date: 7.APR.2015 15:11:44


**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	1.37	0.26	1.37	9.00
CH110	5550	1.67	0.26	1.67	9.00
CH134	5670	0.95	0.26	0.95	9.00

**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-11.13	0.61	-10.52	9.00
CH122	5610	-4.21	0.61	-3.60	9.00

### CH106



Date: 7.APR.2015 12:23:16

### CH122




Date: 7.APR.2015 12:23:53

**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-11.75	0.61	-11.14	9.00
CH122	5610	-4.63	0.61	-4.02	9.00

### CH106



Date: 7.APR.2015 14:40:16


### CH122




Date: 7.APR.2015 14:40:50

**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-12.61	0.61	-12.00	9.00
CH122	5610	-5.58	0.61	-4.97	9.00

**CH106**

Date: 7.APR.2015 15:14:35

**CH122**


Date: 7.APR.2015 15:15:05

**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-6.41	0.61	-6.41	9.00
CH122	5610	0.61	0.61	0.61	9.00




### TX CH157



Date: 7.APR.2015 12:11:21

### TX CH165




Date: 7.APR.2015 12:11:39


**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-3.24	0.07	-3.17	28.00
CH157	5785	-2.47	0.07	-2.40	28.00
CH165	5825	-2.43	0.07	-2.36	28.00


**TX CH149**



Date: 7.APR.2015 14:24:27

**TX CH157**

Date: 7.APR.2015 14:24:57


**TX CH165**

Date: 7.APR.2015 14:25:19


**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-4.41	0.07	-4.34	28.00
CH157	5785	-4.23	0.07	-4.16	28.00
CH165	5825	-4.60	0.07	-4.53	28.00


**TX CH149**



Date: 7.APR.2015 15:02:55

**TX CH157**

Date: 7.APR.2015 15:03:27

**TX CH165**


Date: 7.APR.2015 15:03:48

**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_Total**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	1.53	0.07	1.53	28.00
CH157	5785	1.90	0.07	1.90	28.00
CH165	5825	1.69	0.07	1.69	28.00

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-5.74	0.26	-5.48	28.00
CH159	5795	-6.08	0.26	-5.82	28.00

**TX CH151**

Date: 7.APR.2015 12:20:41


**TX CH159**

Date: 7.APR.2015 12:21:10

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-6.84	0.26	-6.58	28.00
CH159	5795	-6.17	0.26	-5.91	28.00

### TX CH151



Date: 7.APR.2015 14:37:46

### TX CH159




Date: 7.APR.2015 14:38:13

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-8.12	0.26	-7.86	28.00
CH159	5795	-7.94	0.26	-7.68	28.00

### TX CH151



Date: 7.APR.2015 15:12:09

### TX CH159



Date: 7.APR.2015 15:12:35

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_Total**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-1.76	0.26	-1.76	28.00
CH159	5795	-1.62	0.26	-1.62	28.00



**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-12.81	0.61	-12.20	28.00

**TX CH155**



Date: 7.APR.2015 14:41:24



**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-7.32	0.61	-7.32	28.00

## ATTACHMENTI-FREQUENCY STABILITY

<b>Test Mode:</b>	<b>UNII-1</b>
-------------------	---------------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9800
120	5179.9800
108	5179.9600
Max. Deviation (MHz)	0.0400
Max. Deviation (ppm)	7.7220

### Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5179.9823
5	5179.9800
15	5179.9810
25	5179.9800
35	5179.9820
45	5179.9830
50	5179.9810
Max. Deviation (MHz)	0.0200
Max. Deviation (ppm)	3.8610

<b>Test Mode:</b>	<b>UNII-2A</b>
-------------------	----------------

**Voltage vs. Frequency Stability**

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5260.0000
120	5260.0000
108	5260.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0024

**Temperature vs. Frequency Stability**

Voltage	Measurement Frequency (MHz)
(°C)	5260.0000
-5	5260.0000
5	5260.0000
15	5260.0000
25	5260.0000
35	5260.0000
45	5260.0000
50	5260.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0000

<b>Test Mode:</b>	<b>UNII-2C</b>
-------------------	----------------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5500.0000
120	5500.0000
108	5500.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0023

### Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5500.0000
-5	5500.0000
5	5500.0000
15	5500.0000
25	5500.0000
35	5500.0000
45	5500.0000
50	5500.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0000

<b>Test Mode:</b>	<b>UNII-3</b>
-------------------	---------------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5745.0000
120	5745.0000
108	5745.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0000

### Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5745.0000
5	5745.0000
15	5745.0000
25	5745.0000
35	5745.0000
45	5745.0000
50	5745.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0000