













6.1.1.2.4.2 Test Channel = MCH



6.1.1.2.4.2.1 Test RB = RB1#0





















6.1.1.2.5.1.1 Test RB = RB1#0











6.1.1.2.5.2 Test Channel = MCH

6.1.1.2.5.2.1 Test RB = RB1#0












6.1.1.2.5.3 Test Channel = HCH

6.1.1.2.5.3.1 Test RB = RB1#0













6.1.1.2.6 Test Bandwidth = 20


6.1.1.2.6.1 Test Channel = LCH


6.1.1.2.6.1.1 Test RB = RB1#0




















6.1.1.2.6.3 Test Channel = HCH

6.1.1.2.6.3.1 Test RB = RB1#0







7Appendix_G: Field Strength of Spurious Radiation

Note: We tested all modes, but the data presented below is the worst case.

9kHz~150kHz, RBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, RBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK


Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK

Part I - Test Plots


7.1 For LTE

7.1.1 Test Band = BAND2


7.1.1.1 Test Bandwidth = 1.4




LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_L




LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_H




18G~26.5G RSE-TX-DIRECTOR ABOVE 1.5G PK




7.1.1.2 Test Bandwidth = 5




LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_L




LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_H




18G~26.5G RSE-TX-DIRECTOR ABOVE 1.5G PK




7.1.1.3 Test Bandwidth = 20




LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_L



LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_H



18G~26.5G RSE-TX-DIRECTOR ABOVE 1.5G PK



8Appendix_H: Frequency Stability

8.1 For LTE

8.1.1Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND2	LTE/TM1	1.4	LCH	TN	VL	1.32	0.00071	PASS
					VN	-0.84	-0.00045	PASS
					VH	-1.1	-0.00059	PASS
			MCH	TN	VL	-6.28	-0.00334	PASS
					VN	-4.28	-0.00228	PASS
					VH	-6.84	-0.00364	PASS
			HCH	TN	VL	9.77	0.00512	PASS
					VN	0.16	0.00008	PASS
					VH	-3.12	-0.00163	PASS
		3	LCH	TN	VL	-2.13	-0.00115	PASS
					VN	-4.08	-0.0022	PASS
					VH	-5.76	-0.00311	PASS
			MCH	TN	VL	-3.66	-0.00195	PASS
					VN	-2.85	-0.00152	PASS
					VH	-0.6	-0.00032	PASS
			HCH	TN	VL	-0.13	-0.00007	PASS
					VN	0.53	0.00028	PASS
					VH	2.96	0.00155	PASS
		5	LCH	TN	VL	-8.15	-0.0044	PASS
					VN	-3.93	-0.00212	PASS
					VH	-3.13	-0.00169	PASS
			MCH	TN	VL	-2.35	-0.00125	PASS
					VN	-2.26	-0.0012	PASS
					VH	-1.82	-0.00097	PASS
			HCH	TN	VL	0.07	0.00004	PASS
					VN	0.74	0.00039	PASS
					VH	-1.42	-0.00074	PASS
		10	LCH	TN	VL	-5.58	-0.00301	PASS
					VN	-5.48	-0.00295	PASS
					VH	-1.04	-0.00056	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
	LTE/TM2	15	MCH	TN	VL	-4.05	-0.00215	PASS
					VN	-2.09	-0.00111	PASS
					VH	-5.04	-0.00268	PASS
			HCH	TN	VL	2.37	0.00124	PASS
					VN	-0.03	-0.00002	PASS
					VH	-2.98	-0.00156	PASS
			LCH	TN	VL	-1.65	-0.00089	PASS
					VN	-1.63	-0.00088	PASS
					VH	0.87	0.00047	PASS
			MCH	TN	VL	-4.13	-0.0022	PASS
					VN	-2.72	-0.00145	PASS
					VH	-2.63	-0.0014	PASS
			HCH	TN	VL	-3.42	-0.0018	PASS
					VN	-7.41	-0.00389	PASS
					VH	-3.5	-0.00184	PASS
		20	LCH	TN	VL	0.49	0.00026	PASS
					VN	-4.39	-0.00236	PASS
					VH	-0.84	-0.00045	PASS
			MCH	TN	VL	-3.16	-0.00168	PASS
					VN	-4.62	-0.00246	PASS
					VH	-0.9	-0.00048	PASS
			HCH	TN	VL	-6.94	-0.00365	PASS
					VN	-3.63	-0.00191	PASS
					VH	-5.12	-0.00269	PASS
		1.4	LCH	TN	VL	-2.29	-0.00124	PASS
					VN	-4.23	-0.00229	PASS
					VH	-3.1	-0.00168	PASS
			MCH	TN	VL	-4.71	-0.00251	PASS
					VN	-4.73	-0.00252	PASS
					VH	-3.48	-0.00185	PASS
			HCH	TN	VL	-3.92	-0.00205	PASS
					VN	-0.97	-0.00051	PASS
					VH	-3.52	-0.00184	PASS
		3	LCH	TN	VL	2.06	0.00111	PASS
					VN	-2	-0.00108	PASS
					VH	-0.9	-0.00049	PASS
			MCH	TN	VL	-7.01	-0.00373	PASS
					VN	-7.93	-0.00422	PASS
					VH	-2.66	-0.00141	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			HCH	TN	VL	-1.03	-0.00054	PASS
					VN	-2.09	-0.0011	PASS
					VH	-2.06	-0.00108	PASS
		5	LCH	TN	VL	-0.56	-0.0003	PASS
					VN	-1.75	-0.00094	PASS
					VH	-2.65	-0.00143	PASS
			MCH	TN	VL	-4.69	-0.00249	PASS
					VN	-2.46	-0.00131	PASS
					VH	-4.23	-0.00225	PASS
			HCH	TN	VL	2.03	0.00106	PASS
					VN	1.1	0.00058	PASS
					VH	-0.97	-0.00051	PASS
		10	LCH	TN	VL	0.36	0.00019	PASS
					VN	-2.45	-0.00132	PASS
					VH	0.04	0.00002	PASS
			MCH	TN	VL	-4.81	-0.00256	PASS
					VN	-2.69	-0.00143	PASS
					VH	-1.93	-0.00103	PASS
			HCH	TN	VL	-0.19	-0.0001	PASS
					VN	0.8	0.00042	PASS
					VH	1.67	0.00088	PASS
		15	LCH	TN	VL	-1.32	-0.00071	PASS
					VN	-4.55	-0.00245	PASS
					VH	-2.65	-0.00143	PASS
			MCH	TN	VL	-4.03	-0.00214	PASS
					VN	-9.23	-0.00491	PASS
					VH	0.5	0.00027	PASS
			HCH	TN	VL	-4.62	-0.00243	PASS
					VN	-3.03	-0.00159	PASS
					VH	-5.02	-0.00264	PASS
		20	LCH	TN	VL	1.33	0.00072	PASS
					VN	-1.07	-0.00058	PASS
					VH	8.51	0.00458	PASS
			MCH	TN	VL	-0.56	-0.0003	PASS
					VN	4.39	0.00234	PASS
					VH	1.67	0.00089	PASS
			HCH	TN	VL	-3.62	-0.00191	PASS
					VN	-4.29	-0.00226	PASS
					VH	-4.85	-0.00255	PASS

8.1.2 Frequency Error vs. Temperature:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND2	LTE/TM1	1.4	LCH	VN	-30	-5.72	-0.00309	PASS
					-20	-3.93	-0.00212	PASS
					-10	-4.18	-0.00226	PASS
					0	-3.36	-0.00182	PASS
					10	-2.05	-0.00111	PASS
					20	-5.71	-0.00309	PASS
					30	-3.82	-0.00206	PASS
					40	-5.99	-0.00324	PASS
					50	-7.9	-0.00427	PASS
			MCH	VN	-30	-5.46	-0.0029	PASS
					-20	-5.41	-0.00288	PASS
					-10	-5.29	-0.00281	PASS
					0	-3.33	-0.00177	PASS
					10	-8.1	-0.00431	PASS
					20	-5.59	-0.00297	PASS
					30	-2.49	-0.00132	PASS
					40	-9.04	-0.00481	PASS
					50	-2.76	-0.00147	PASS
			HCH	VN	-30	4.61	0.00241	PASS
					-20	-3.46	-0.00181	PASS
					-10	-2.09	-0.00109	PASS
					0	-1.42	-0.00074	PASS
					10	-0.7	-0.00037	PASS
					20	2.09	0.00109	PASS
					30	1.42	0.00074	PASS
					40	0.74	0.00039	PASS
					50	2.73	0.00143	PASS
		3	LCH	VN	-30	-5.49	-0.00297	PASS
					-20	3.06	0.00165	PASS
					-10	-4.66	-0.00252	PASS
					0	-3.63	-0.00196	PASS
					10	-5.88	-0.00318	PASS
					20	2.9	0.00157	PASS
					30	-9.71	-0.00524	PASS
					40	-3.83	-0.00207	PASS
					50	-4.98	-0.00269	PASS
			MCH	VN	-30	-3.65	-0.00194	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	-1.17	-0.00062	PASS
					-10	-3.52	-0.00187	PASS
					0	-1.06	-0.00056	PASS
					10	-7.04	-0.00374	PASS
					20	-4.26	-0.00227	PASS
					30	-1.37	-0.00073	PASS
					40	-3.42	-0.00182	PASS
					50	-2.26	-0.0012	PASS
			HCH	VN	-30	0.43	0.00023	PASS
					-20	-2.73	-0.00143	PASS
					-10	3.03	0.00159	PASS
					0	5.21	0.00273	PASS
					10	-2.17	-0.00114	PASS
					20	-1.67	-0.00088	PASS
					30	0.34	0.00018	PASS
					40	-1.87	-0.00098	PASS
					50	2.98	0.00156	PASS
		5	LCH	VN	-30	-3.79	-0.00205	PASS
					-20	0.36	0.00019	PASS
					-10	-1.6	-0.00086	PASS
					0	-0.59	-0.00032	PASS
					10	-2.37	-0.00128	PASS
					20	-0.47	-0.00025	PASS
					30	-1.7	-0.00092	PASS
					40	-0.53	-0.00029	PASS
					50	-4.22	-0.00228	PASS
			MCH	VN	-30	-4.52	-0.0024	PASS
					-20	-2.46	-0.00131	PASS
					-10	-0.7	-0.00037	PASS
					0	-3.73	-0.00198	PASS
					10	-7.72	-0.00411	PASS
					20	-6.81	-0.00362	PASS
					30	-3.92	-0.00209	PASS
					40	-5.46	-0.0029	PASS
					50	1.67	0.00089	PASS
			HCH	VN	-30	2.13	0.00112	PASS
					-20	3.89	0.00204	PASS
					-10	-1.66	-0.00087	PASS
					0	0.31	0.00016	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-3.76	-0.00197	PASS
					20	3.29	0.00172	PASS
					30	-1.13	-0.00059	PASS
					40	0.46	0.00024	PASS
					50	2.56	0.00134	PASS
		10	LCH	VN	-30	-0.24	-0.00013	PASS
					-20	-3.43	-0.00185	PASS
					-10	-6.55	-0.00353	PASS
					0	-4.15	-0.00224	PASS
					10	-12.86	-0.00693	PASS
					20	-5.11	-0.00275	PASS
					30	-2.03	-0.00109	PASS
					40	-3.72	-0.00201	PASS
					50	9.46	0.0051	PASS
			MCH	VN	-30	-4.29	-0.00228	PASS
					-20	-10.67	-0.00568	PASS
					-10	-6.81	-0.00362	PASS
					0	-1.52	-0.00081	PASS
					10	-1.47	-0.00078	PASS
					20	-3.06	-0.00163	PASS
					30	-1.66	-0.00088	PASS
					40	-6.44	-0.00343	PASS
					50	-5.04	-0.00268	PASS
			HCH	VN	-30	-0.93	-0.00049	PASS
					-20	-2.52	-0.00132	PASS
					-10	0.79	0.00041	PASS
					0	7.75	0.00407	PASS
					10	0.04	0.00002	PASS
					20	-0.27	-0.00014	PASS
					30	-0.69	-0.00036	PASS
					40	3.88	0.00204	PASS
					50	-1.66	-0.00087	PASS
		15	LCH	VN	-30	0.8	0.00043	PASS
					-20	-7.68	-0.00413	PASS
					-10	-4.69	-0.00252	PASS
					0	-4.45	-0.0024	PASS
					10	-3.65	-0.00197	PASS
					20	-2.8	-0.00151	PASS
					30	-2.27	-0.00122	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	-4.55	-0.00245	PASS
					50	-4.03	-0.00217	PASS
			MCH	VN	-30	-6.48	-0.00345	PASS
					-20	-7.04	-0.00374	PASS
					-10	-2.57	-0.00137	PASS
					0	-3.32	-0.00177	PASS
					10	-5.76	-0.00306	PASS
					20	-5.66	-0.00301	PASS
					30	-3.72	-0.00198	PASS
					40	-3.63	-0.00193	PASS
					50	-1.9	-0.00101	PASS
			HCH	VN	-30	-3.75	-0.00197	PASS
					-20	-1.44	-0.00076	PASS
					-10	-3.72	-0.00196	PASS
					0	-3.5	-0.00184	PASS
					10	-4.16	-0.00219	PASS
					20	-2.12	-0.00111	PASS
					30	-5.45	-0.00286	PASS
					40	-7.52	-0.00395	PASS
					50	-8.05	-0.00423	PASS
		20	LCH	VN	-30	3.96	0.00213	PASS
					-20	3.46	0.00186	PASS
					-10	4.76	0.00256	PASS
					0	0.72	0.00039	PASS
					10	8.44	0.00454	PASS
					20	2.32	0.00125	PASS
					30	-0.84	-0.00045	PASS
					40	0.99	0.00053	PASS
					50	5.26	0.00283	PASS
			MCH	VN	-30	7.42	0.00395	PASS
					-20	-1.09	-0.00058	PASS
					-10	1.76	0.00094	PASS
					0	4.48	0.00238	PASS
					10	0.84	0.00045	PASS
					20	3.19	0.0017	PASS
					30	-1.23	-0.00065	PASS
					40	8.87	0.00472	PASS
					50	-3.49	-0.00186	PASS
			HCH	VN	-30	2.62	0.00138	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	1.8	0.00095	PASS
					-10	0.11	0.00006	PASS
					0	-3.08	-0.00162	PASS
					10	-3.58	-0.00188	PASS
					20	-0.36	-0.00019	PASS
					30	-0.96	-0.00051	PASS
					40	-3.71	-0.00195	PASS
					50	1.14	0.0006	PASS
	LTE/TM2	1.4	LCH	VN	-30	4.84	0.00262	PASS
					-20	-3.38	-0.00183	PASS
					-10	-2.83	-0.00153	PASS
					0	-1.95	-0.00105	PASS
					10	-1.69	-0.00091	PASS
					20	-5.92	-0.0032	PASS
					30	-4.03	-0.00218	PASS
					40	-0.74	-0.0004	PASS
					50	-2.55	-0.00138	PASS
			MCH	VN	-30	-3.03	-0.00161	PASS
					-20	-3.02	-0.00161	PASS
					-10	-4.02	-0.00214	PASS
					0	-1.8	-0.00096	PASS
					10	-3.4	-0.00181	PASS
					20	-3.06	-0.00163	PASS
					30	-2.62	-0.00139	PASS
					40	-1.04	-0.00055	PASS
					50	-3.6	-0.00191	PASS
			HCH	VN	-30	1.65	0.00086	PASS
					-20	-1.66	-0.00087	PASS
					-10	2.1	0.0011	PASS
					0	-1.95	-0.00102	PASS
					10	-2.36	-0.00124	PASS
					20	-3.73	-0.00195	PASS
					30	0.87	0.00046	PASS
					40	-0.24	-0.00013	PASS
					50	-2.72	-0.00142	PASS
		3	LCH	VN	-30	-5.26	-0.00284	PASS
					-20	-2.02	-0.00109	PASS
					-10	-7.17	-0.00387	PASS
					0	-1.43	-0.00077	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-5.88	-0.00318	PASS
					20	-2.42	-0.00131	PASS
					30	-3.45	-0.00186	PASS
					40	1.47	0.00079	PASS
					50	0.21	0.00011	PASS
			MCH	VN	-30	-5.18	-0.00276	PASS
					-20	-3.69	-0.00196	PASS
					-10	-3.52	-0.00187	PASS
					0	-3.15	-0.00168	PASS
					10	-3.46	-0.00184	PASS
					20	-2.45	-0.0013	PASS
					30	-4.19	-0.00223	PASS
					40	-2.12	-0.00113	PASS
					50	-4.66	-0.00248	PASS
			HCH	VN	-30	1.86	0.00097	PASS
					-20	1.27	0.00067	PASS
					-10	-0.16	-0.00008	PASS
					0	0.96	0.0005	PASS
					10	-1.27	-0.00067	PASS
					20	-0.69	-0.00036	PASS
					30	1.39	0.00073	PASS
					40	-0.62	-0.00032	PASS
					50	0.13	0.00007	PASS
		5	LCH	VN	-30	1.63	0.00088	PASS
					-20	-0.2	-0.00011	PASS
					-10	-1.22	-0.00066	PASS
					0	-4.35	-0.00235	PASS
					10	-0.23	-0.00012	PASS
					20	-2.95	-0.00159	PASS
					30	-3.91	-0.00211	PASS
					40	-8.18	-0.00442	PASS
					50	-5.75	-0.0031	PASS
			MCH	VN	-30	-4.21	-0.00224	PASS
					-20	-3.89	-0.00207	PASS
					-10	-3.59	-0.00191	PASS
					0	-5.64	-0.003	PASS
					10	-3.53	-0.00188	PASS
					20	-1.9	-0.00101	PASS
					30	-1.97	-0.00105	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	-1.23	-0.00065	PASS
					50	-1.89	-0.00101	PASS
			HCH	VN	-30	-1.27	-0.00067	PASS
					-20	0.01	0.00001	PASS
					-10	1.27	0.00067	PASS
					0	2.23	0.00117	PASS
					10	-0.23	-0.00012	PASS
					20	-0.41	-0.00021	PASS
					30	1.46	0.00077	PASS
					40	0.31	0.00016	PASS
					50	-2.46	-0.00129	PASS
		10	LCH	VN	-30	-2.06	-0.00111	PASS
					-20	0.86	0.00046	PASS
					-10	5.76	0.00311	PASS
					0	-6.51	-0.00351	PASS
					10	-4.18	-0.00225	PASS
					20	-5.59	-0.00301	PASS
					30	-7.93	-0.00427	PASS
					40	-0.31	-0.00017	PASS
					50	5.75	0.0031	PASS
			MCH	VN	-30	-2.42	-0.00129	PASS
					-20	-4.08	-0.00217	PASS
					-10	-1.77	-0.00094	PASS
					0	-4.35	-0.00231	PASS
					10	-3	-0.0016	PASS
					20	-3.16	-0.00168	PASS
					30	-3.71	-0.00197	PASS
					40	-3.55	-0.00189	PASS
					50	-3.32	-0.00177	PASS
			HCH	VN	-30	-0.13	-0.00007	PASS
					-20	1.1	0.00058	PASS
					-10	0.89	0.00047	PASS
					0	0.7	0.00037	PASS
					10	-0.7	-0.00037	PASS
					20	1.6	0.00084	PASS
					30	-0.41	-0.00022	PASS
					40	-0.01	-0.00001	PASS
					50	0.16	0.00008	PASS
		15	LCH	VN	-30	-1.09	-0.00059	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	-4.06	-0.00219	PASS
					-10	-6.32	-0.0034	PASS
					0	-2.83	-0.00152	PASS
					10	-3.73	-0.00201	PASS
					20	0.76	0.00041	PASS
					30	-7.1	-0.00382	PASS
					40	-4.63	-0.00249	PASS
					50	-12.15	-0.00654	PASS
			MCH	VN	-30	-3.98	-0.00212	PASS
					-20	-4.41	-0.00235	PASS
					-10	-2.85	-0.00152	PASS
					0	-3.06	-0.00163	PASS
					10	-2.86	-0.00152	PASS
					20	-4.19	-0.00223	PASS
					30	-3.1	-0.00165	PASS
					40	-3.42	-0.00182	PASS
					50	-3.78	-0.00201	PASS
			HCH	VN	-30	-3.63	-0.00191	PASS
					-20	-3.66	-0.00192	PASS
					-10	-4.75	-0.0025	PASS
					0	-3.25	-0.00171	PASS
					10	-3.08	-0.00162	PASS
					20	-4.09	-0.00215	PASS
					30	-2.79	-0.00147	PASS
					40	-2.73	-0.00143	PASS
					50	-4.31	-0.00227	PASS
		20	LCH	VN	-30	-1.69	-0.00091	PASS
					-20	-0.21	-0.00011	PASS
					-10	0.86	0.00046	PASS
					0	-0.07	-0.00004	PASS
					10	2.8	0.00151	PASS
					20	2.63	0.00141	PASS
					30	-0.73	-0.00039	PASS
					40	-0.99	-0.00053	PASS
					50	0.07	0.00004	PASS
			MCH	VN	-30	0.47	0.00025	PASS
					-20	-3.26	-0.00173	PASS
					-10	-4.02	-0.00214	PASS
					0	1.42	0.00076	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-2.99	-0.00159	PASS
					20	0.27	0.00014	PASS
					30	-0.99	-0.00053	PASS
					40	0.6	0.00032	PASS
					50	-5.09	-0.00271	PASS
			HCH	VN	-30	-4.11	-0.00216	PASS
					-20	-3.91	-0.00206	PASS
					-10	-4.45	-0.00234	PASS
					0	-2.72	-0.00143	PASS
					10	-3.42	-0.0018	PASS
					20	-4.02	-0.00212	PASS
					30	-2.6	-0.00137	PASS
					40	-4.15	-0.00218	PASS
					50	-3.46	-0.00182	PASS

END