

3.4 Emission Mask

3.4.1 Limit of Emission Mask


The power of any emission must be attenuated below the unmodulated carrier power (P) as follows.

- (1) On any frequency removed from the assigned frequency by more than 50 percent, but not more than 100 percent of the authorized bandwidth: At least 25 dB.
- (2) On any frequency removed from the assigned frequency by more than 100 percent, but not more than 250 percent of the authorized bandwidth: At least 35 dB.
- (3) On any frequency removed from the assigned frequency by more than 250 percent of the authorized bandwidth: At least $43 + 10 \log (P)$ dB.


3.4.2 Test Procedures



1. Set RBW=1% of 26dBc bandwidth, VBW=3 X RBW, detector=RMS, Sweep time = Auto.
2. Set EUT to transmit modulation signal to spectrum analyzer and confirm that the signal complies the limit or not.
3. Record the max trace value and capture the test plot.







3.4.3 Test Setup






3.4.4 Test Result of Emission Mask












| High Ch. | QPSK, CB: 5MHz, 1RB-H | --- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|------------------------|-----|------|---------------|-------------|----------|----------------|----------------|----------------|----------------|---|---|---|---|---------------|-------------|--|--|--|---|---|---|---|---------------|-------------|--|--|--|---|---|---|---|---------------|-------------|--|--|--|---|---|---|---|---------------|-------------|--|--|--|-----|
|  <table border="1" data-bbox="159 649 686 784"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>3.670 000 GHz</td> <td>-38.986 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>3.675 000 GHz</td> <td>-37.472 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>N</td> <td>1</td> <td>f</td> <td>3.687 500 GHz</td> <td>-41.301 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>N</td> <td>1</td> <td>f</td> <td>3.677 500 GHz</td> <td>-39.785 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | | MKR | MODE | TRC | SCL | X | Y | FUNCTION | FUNCTION WIDTH | FUNCTION VALUE | 1 | N | 1 | f | 3.670 000 GHz | -38.986 dBm | | | | 2 | N | 1 | f | 3.675 000 GHz | -37.472 dBm | | | | 3 | N | 1 | f | 3.687 500 GHz | -41.301 dBm | | | | 4 | N | 1 | f | 3.677 500 GHz | -39.785 dBm | | | | --- |
| MKR | MODE | TRC | SCL | X | Y | FUNCTION | FUNCTION WIDTH | FUNCTION VALUE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | N | 1 | f | 3.670 000 GHz | -38.986 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | N | 1 | f | 3.675 000 GHz | -37.472 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | N | 1 | f | 3.687 500 GHz | -41.301 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | N | 1 | f | 3.677 500 GHz | -39.785 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| High Ch. | QPSK, CB: 5MHz, 1RB-L | --- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  <table border="1" data-bbox="159 1176 686 1310"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>3.670 000 GHz</td> <td>-29.52 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>3.675 000 GHz</td> <td>-36.267 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>N</td> <td>1</td> <td>f</td> <td>3.687 500 GHz</td> <td>-40.636 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>N</td> <td>1</td> <td>f</td> <td>3.677 500 GHz</td> <td>-39.224 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | | MKR | MODE | TRC | SCL | X | Y | FUNCTION | FUNCTION WIDTH | FUNCTION VALUE | 1 | N | 1 | f | 3.670 000 GHz | -29.52 dBm | | | | 2 | N | 1 | f | 3.675 000 GHz | -36.267 dBm | | | | 3 | N | 1 | f | 3.687 500 GHz | -40.636 dBm | | | | 4 | N | 1 | f | 3.677 500 GHz | -39.224 dBm | | | | --- |
| MKR | MODE | TRC | SCL | X | Y | FUNCTION | FUNCTION WIDTH | FUNCTION VALUE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | N | 1 | f | 3.670 000 GHz | -29.52 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | N | 1 | f | 3.675 000 GHz | -36.267 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | N | 1 | f | 3.687 500 GHz | -40.636 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | N | 1 | f | 3.677 500 GHz | -39.224 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| High Ch. | QPSK, CB: 5MHz, 100%RB | --- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  <table border="1" data-bbox="159 1702 686 1836"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>3.670 000 GHz</td> <td>-33.944 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>3.675 000 GHz</td> <td>-31.817 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>N</td> <td>1</td> <td>f</td> <td>3.687 500 GHz</td> <td>-39.007 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>N</td> <td>1</td> <td>f</td> <td>3.677 500 GHz</td> <td>-35.488 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | | MKR | MODE | TRC | SCL | X | Y | FUNCTION | FUNCTION WIDTH | FUNCTION VALUE | 1 | N | 1 | f | 3.670 000 GHz | -33.944 dBm | | | | 2 | N | 1 | f | 3.675 000 GHz | -31.817 dBm | | | | 3 | N | 1 | f | 3.687 500 GHz | -39.007 dBm | | | | 4 | N | 1 | f | 3.677 500 GHz | -35.488 dBm | | | | --- |
| MKR | MODE | TRC | SCL | X | Y | FUNCTION | FUNCTION WIDTH | FUNCTION VALUE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | N | 1 | f | 3.670 000 GHz | -33.944 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | N | 1 | f | 3.675 000 GHz | -31.817 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | N | 1 | f | 3.687 500 GHz | -39.007 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | N | 1 | f | 3.677 500 GHz | -35.488 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |






| | |
|---|--|
| High Ch. 16QAM, CB: 5MHz, 1RB-H | <p style="text-align: center;">---</p> |
|  | <p style="text-align: center;">---</p> |
| High Ch. 16QAM, CB: 5MHz, 1RB-L | <p style="text-align: center;">---</p> |
|  | <p style="text-align: center;">---</p> |
| High Ch. 16QAM, CB: 5MHz, 100%RB | <p style="text-align: center;">---</p> |
|  | <p style="text-align: center;">---</p> |



| High Ch. | QPSK, CB: 10MHz, 1RB-H | <p style="text-align: center;">---</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-------------------------------|--|---------------|-------------|----------|----------------|----------------|----------------|----------------|---|---|---|--------------|-------------|--|--|--|---|---|---|---------------|-------------|--|--|--|---|---|---|--------------|-------------|--|--|--|---|---|---|--------------|-------------|--|--|--|--|
|  <p>Center Freq 3.67000000 GHz #Res BW 100 kHz #VBW 300 kHz Span 50.00 MHz Sweep 20.00 ms (1001 pts)</p> <table border="1"> <thead> <tr> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>N</td> <td>1</td> <td>f</td> <td>3.665 00 GHz</td> <td>-34.834 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N</td> <td>1</td> <td>f</td> <td>3.675 000 GHz</td> <td>-30.781 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N</td> <td>1</td> <td>f</td> <td>3.680 00 GHz</td> <td>-48.768 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N</td> <td>1</td> <td>f</td> <td>3.680 00 GHz</td> <td>-48.738 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | | MODE | TRC | SCL | X | Y | FUNCTION | FUNCTION WIDTH | FUNCTION VALUE | N | 1 | f | 3.665 00 GHz | -34.834 dBm | | | | N | 1 | f | 3.675 000 GHz | -30.781 dBm | | | | N | 1 | f | 3.680 00 GHz | -48.768 dBm | | | | N | 1 | f | 3.680 00 GHz | -48.738 dBm | | | | <p style="text-align: center;">---</p> |
| MODE | TRC | SCL | X | Y | FUNCTION | FUNCTION WIDTH | FUNCTION VALUE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| N | 1 | f | 3.665 00 GHz | -34.834 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| N | 1 | f | 3.675 000 GHz | -30.781 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| N | 1 | f | 3.680 00 GHz | -48.768 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| N | 1 | f | 3.680 00 GHz | -48.738 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  <p>Center Freq 3.67000000 GHz #Res BW 100 kHz #VBW 300 kHz Span 50.00 MHz Sweep 20.00 ms (1001 pts)</p> <table border="1"> <thead> <tr> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>N</td> <td>1</td> <td>f</td> <td>3.665 00 GHz</td> <td>-31.605 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N</td> <td>1</td> <td>f</td> <td>3.675 000 GHz</td> <td>-34.558 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N</td> <td>1</td> <td>f</td> <td>3.680 00 GHz</td> <td>-48.590 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N</td> <td>1</td> <td>f</td> <td>3.680 00 GHz</td> <td>-48.578 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | | MODE | TRC | SCL | X | Y | FUNCTION | FUNCTION WIDTH | FUNCTION VALUE | N | 1 | f | 3.665 00 GHz | -31.605 dBm | | | | N | 1 | f | 3.675 000 GHz | -34.558 dBm | | | | N | 1 | f | 3.680 00 GHz | -48.590 dBm | | | | N | 1 | f | 3.680 00 GHz | -48.578 dBm | | | | <p style="text-align: center;">---</p> |
| MODE | TRC | SCL | X | Y | FUNCTION | FUNCTION WIDTH | FUNCTION VALUE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| N | 1 | f | 3.665 00 GHz | -31.605 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| N | 1 | f | 3.675 000 GHz | -34.558 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| N | 1 | f | 3.680 00 GHz | -48.590 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| N | 1 | f | 3.680 00 GHz | -48.578 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  <p>Center Freq 3.67000000 GHz #Res BW 100 kHz #VBW 300 kHz Span 50.00 MHz Sweep 20.00 ms (1001 pts)</p> <table border="1"> <thead> <tr> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>N</td> <td>1</td> <td>f</td> <td>3.665 00 GHz</td> <td>-30.488 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N</td> <td>1</td> <td>f</td> <td>3.675 000 GHz</td> <td>-34.912 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N</td> <td>1</td> <td>f</td> <td>3.680 00 GHz</td> <td>-40.277 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N</td> <td>1</td> <td>f</td> <td>3.680 00 GHz</td> <td>-41.125 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | | MODE | TRC | SCL | X | Y | FUNCTION | FUNCTION WIDTH | FUNCTION VALUE | N | 1 | f | 3.665 00 GHz | -30.488 dBm | | | | N | 1 | f | 3.675 000 GHz | -34.912 dBm | | | | N | 1 | f | 3.680 00 GHz | -40.277 dBm | | | | N | 1 | f | 3.680 00 GHz | -41.125 dBm | | | | <p style="text-align: center;">---</p> |
| MODE | TRC | SCL | X | Y | FUNCTION | FUNCTION WIDTH | FUNCTION VALUE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| N | 1 | f | 3.665 00 GHz | -30.488 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| N | 1 | f | 3.675 000 GHz | -34.912 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| N | 1 | f | 3.680 00 GHz | -40.277 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| N | 1 | f | 3.680 00 GHz | -41.125 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| High Ch. 16QAM, CB: 10MHz, 1RB-H | <p style="text-align: center;">---</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|------|-----|---------------|-------------|----------|----------------|----------------|----------------|---|---|---|---|--------------|-------------|--|--|--|---|---|---|---|---------------|-------------|--|--|--|---|---|---|---|--------------|-------------|--|--|--|---|---|---|---|--------------|-------------|--|--|--|--|
|  <table border="1" data-bbox="159 649 686 795"> <thead> <tr> <th>MARK</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>3.665 00 GHz</td> <td>-34.938 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>3.675 000 GHz</td> <td>-32.757 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>N</td> <td>1</td> <td>f</td> <td>3.680 00 GHz</td> <td>-48.993 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>N</td> <td>1</td> <td>f</td> <td>3.680 00 GHz</td> <td>-48.985 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | MARK | MODE | TRC | SCL | X | Y | FUNCTION | FUNCTION WIDTH | FUNCTION VALUE | 1 | N | 1 | f | 3.665 00 GHz | -34.938 dBm | | | | 2 | N | 1 | f | 3.675 000 GHz | -32.757 dBm | | | | 3 | N | 1 | f | 3.680 00 GHz | -48.993 dBm | | | | 4 | N | 1 | f | 3.680 00 GHz | -48.985 dBm | | | | <p style="text-align: center;">---</p> |
| MARK | MODE | TRC | SCL | X | Y | FUNCTION | FUNCTION WIDTH | FUNCTION VALUE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | N | 1 | f | 3.665 00 GHz | -34.938 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | N | 1 | f | 3.675 000 GHz | -32.757 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | N | 1 | f | 3.680 00 GHz | -48.993 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | N | 1 | f | 3.680 00 GHz | -48.985 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| High Ch. 16QAM, CB: 10MHz, 1RB-L | <p style="text-align: center;">---</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  <table border="1" data-bbox="159 1187 686 1332"> <thead> <tr> <th>MARK</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>3.665 00 GHz</td> <td>-29.892 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>3.675 000 GHz</td> <td>-33.488 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>N</td> <td>1</td> <td>f</td> <td>3.680 00 GHz</td> <td>-47.613 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>N</td> <td>1</td> <td>f</td> <td>3.680 00 GHz</td> <td>-49.261 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | MARK | MODE | TRC | SCL | X | Y | FUNCTION | FUNCTION WIDTH | FUNCTION VALUE | 1 | N | 1 | f | 3.665 00 GHz | -29.892 dBm | | | | 2 | N | 1 | f | 3.675 000 GHz | -33.488 dBm | | | | 3 | N | 1 | f | 3.680 00 GHz | -47.613 dBm | | | | 4 | N | 1 | f | 3.680 00 GHz | -49.261 dBm | | | | <p style="text-align: center;">---</p> |
| MARK | MODE | TRC | SCL | X | Y | FUNCTION | FUNCTION WIDTH | FUNCTION VALUE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | N | 1 | f | 3.665 00 GHz | -29.892 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | N | 1 | f | 3.675 000 GHz | -33.488 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | N | 1 | f | 3.680 00 GHz | -47.613 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | N | 1 | f | 3.680 00 GHz | -49.261 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| High Ch. 16QAM, CB: 10MHz, 100%RB | <p style="text-align: center;">---</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  <table border="1" data-bbox="159 1713 686 1859"> <thead> <tr> <th>MARK</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>3.665 00 GHz</td> <td>-32.817 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>3.675 000 GHz</td> <td>-31.486 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>N</td> <td>1</td> <td>f</td> <td>3.680 00 GHz</td> <td>-38.272 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>N</td> <td>1</td> <td>f</td> <td>3.680 00 GHz</td> <td>-41.642 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | MARK | MODE | TRC | SCL | X | Y | FUNCTION | FUNCTION WIDTH | FUNCTION VALUE | 1 | N | 1 | f | 3.665 00 GHz | -32.817 dBm | | | | 2 | N | 1 | f | 3.675 000 GHz | -31.486 dBm | | | | 3 | N | 1 | f | 3.680 00 GHz | -38.272 dBm | | | | 4 | N | 1 | f | 3.680 00 GHz | -41.642 dBm | | | | <p style="text-align: center;">---</p> |
| MARK | MODE | TRC | SCL | X | Y | FUNCTION | FUNCTION WIDTH | FUNCTION VALUE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | N | 1 | f | 3.665 00 GHz | -32.817 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | N | 1 | f | 3.675 000 GHz | -31.486 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | N | 1 | f | 3.680 00 GHz | -38.272 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | N | 1 | f | 3.680 00 GHz | -41.642 dBm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |