





















<b>High Ch. QPSK, CB: 15MHz, 1RB-H</b>	<p style="text-align: center;">---</p>																																													
 <table border="1"> <thead> <tr> <th>MNR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>3.660 000 GHz</td> <td>-35.88 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>3.675 000 GHz</td> <td>-33.34 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>N</td> <td>1</td> <td>f</td> <td>3.682 500 GHz</td> <td>-48.22 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>N</td> <td>1</td> <td>f</td> <td>3.682 500 GHz</td> <td>-48.42 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MNR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	3.660 000 GHz	-35.88 dBm				2	N	1	f	3.675 000 GHz	-33.34 dBm				3	N	1	f	3.682 500 GHz	-48.22 dBm				4	N	1	f	3.682 500 GHz	-48.42 dBm				<p style="text-align: center;">---</p>
MNR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																						
1	N	1	f	3.660 000 GHz	-35.88 dBm																																									
2	N	1	f	3.675 000 GHz	-33.34 dBm																																									
3	N	1	f	3.682 500 GHz	-48.22 dBm																																									
4	N	1	f	3.682 500 GHz	-48.42 dBm																																									
<b>High Ch. QPSK, CB: 15MHz, 1RB-L</b>	<p style="text-align: center;">---</p>																																													
 <table border="1"> <thead> <tr> <th>MNR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>3.660 000 GHz</td> <td>-31.172 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>3.675 000 GHz</td> <td>-33.986 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>N</td> <td>1</td> <td>f</td> <td>3.682 500 GHz</td> <td>-47.533 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>N</td> <td>1</td> <td>f</td> <td>3.682 500 GHz</td> <td>-47.746 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MNR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	3.660 000 GHz	-31.172 dBm				2	N	1	f	3.675 000 GHz	-33.986 dBm				3	N	1	f	3.682 500 GHz	-47.533 dBm				4	N	1	f	3.682 500 GHz	-47.746 dBm				<p style="text-align: center;">---</p>
MNR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																						
1	N	1	f	3.660 000 GHz	-31.172 dBm																																									
2	N	1	f	3.675 000 GHz	-33.986 dBm																																									
3	N	1	f	3.682 500 GHz	-47.533 dBm																																									
4	N	1	f	3.682 500 GHz	-47.746 dBm																																									
<b>High Ch. QPSK, CB: 15MHz, 100%RB</b>	<p style="text-align: center;">---</p>																																													
 <table border="1"> <thead> <tr> <th>MNR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>3.660 000 GHz</td> <td>-33.971 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>3.675 000 GHz</td> <td>-36.787 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>N</td> <td>1</td> <td>f</td> <td>3.682 500 GHz</td> <td>-39.821 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>N</td> <td>1</td> <td>f</td> <td>3.682 500 GHz</td> <td>-41.192 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MNR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	3.660 000 GHz	-33.971 dBm				2	N	1	f	3.675 000 GHz	-36.787 dBm				3	N	1	f	3.682 500 GHz	-39.821 dBm				4	N	1	f	3.682 500 GHz	-41.192 dBm				<p style="text-align: center;">---</p>
MNR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																						
1	N	1	f	3.660 000 GHz	-33.971 dBm																																									
2	N	1	f	3.675 000 GHz	-36.787 dBm																																									
3	N	1	f	3.682 500 GHz	-39.821 dBm																																									
4	N	1	f	3.682 500 GHz	-41.192 dBm																																									






<b>High Ch. 16QAM, CB: 15MHz, 1RB-H</b>	<p style="text-align: center;">---</p>
	<p style="text-align: center;">---</p>
<b>High Ch. 16QAM, CB: 15MHz, 1RB-L</b>	<p style="text-align: center;">---</p>
	<p style="text-align: center;">---</p>
<b>High Ch. 16QAM, CB: 15MHz, 100%RB</b>	<p style="text-align: center;">---</p>
	<p style="text-align: center;">---</p>



<b>High Ch. QPSK, CB: 20MHz, 1RB-H</b>	<p style="text-align: center;">---</p>
	<p style="text-align: center;">---</p>
<b>High Ch. QPSK, CB: 20MHz, 1RB-L</b>	<p style="text-align: center;">---</p>
	<p style="text-align: center;">---</p>
<b>High Ch. QPSK, CB: 20MHz, 100%RB</b>	<p style="text-align: center;">---</p>
	<p style="text-align: center;">---</p>



High Ch. 16QAM, CB: 20MHz, 1RB-H	---																																													
 <table border="1"> <thead> <tr> <th>NR</th> <th>MODE</th> <th>TRC</th> <th>SCN</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>3.655 0 GHz</td> <td>-36.978 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>3.675 0 GHz</td> <td>-27.449 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>N</td> <td>1</td> <td>f</td> <td>3.645 0 GHz</td> <td>-46.678 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>N</td> <td>1</td> <td>f</td> <td>3.685 0 GHz</td> <td>-46.456 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	NR	MODE	TRC	SCN	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	3.655 0 GHz	-36.978 dBm				2	N	1	f	3.675 0 GHz	-27.449 dBm				3	N	1	f	3.645 0 GHz	-46.678 dBm				4	N	1	f	3.685 0 GHz	-46.456 dBm				---
NR	MODE	TRC	SCN	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																						
1	N	1	f	3.655 0 GHz	-36.978 dBm																																									
2	N	1	f	3.675 0 GHz	-27.449 dBm																																									
3	N	1	f	3.645 0 GHz	-46.678 dBm																																									
4	N	1	f	3.685 0 GHz	-46.456 dBm																																									
 <table border="1"> <thead> <tr> <th>NR</th> <th>MODE</th> <th>TRC</th> <th>SCN</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>3.655 0 GHz</td> <td>-35.784 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>3.675 0 GHz</td> <td>-35.264 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>N</td> <td>1</td> <td>f</td> <td>3.645 0 GHz</td> <td>-47.713 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>N</td> <td>1</td> <td>f</td> <td>3.685 0 GHz</td> <td>-46.641 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	NR	MODE	TRC	SCN	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	3.655 0 GHz	-35.784 dBm				2	N	1	f	3.675 0 GHz	-35.264 dBm				3	N	1	f	3.645 0 GHz	-47.713 dBm				4	N	1	f	3.685 0 GHz	-46.641 dBm				---
NR	MODE	TRC	SCN	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																						
1	N	1	f	3.655 0 GHz	-35.784 dBm																																									
2	N	1	f	3.675 0 GHz	-35.264 dBm																																									
3	N	1	f	3.645 0 GHz	-47.713 dBm																																									
4	N	1	f	3.685 0 GHz	-46.641 dBm																																									
 <table border="1"> <thead> <tr> <th>NR</th> <th>MODE</th> <th>TRC</th> <th>SCN</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>3.655 0 GHz</td> <td>-33.572 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>3.675 0 GHz</td> <td>-33.434 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>N</td> <td>1</td> <td>f</td> <td>3.645 0 GHz</td> <td>-38.831 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>N</td> <td>1</td> <td>f</td> <td>3.685 0 GHz</td> <td>-43.588 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	NR	MODE	TRC	SCN	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	3.655 0 GHz	-33.572 dBm				2	N	1	f	3.675 0 GHz	-33.434 dBm				3	N	1	f	3.645 0 GHz	-38.831 dBm				4	N	1	f	3.685 0 GHz	-43.588 dBm				---
NR	MODE	TRC	SCN	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																						
1	N	1	f	3.655 0 GHz	-33.572 dBm																																									
2	N	1	f	3.675 0 GHz	-33.434 dBm																																									
3	N	1	f	3.645 0 GHz	-38.831 dBm																																									
4	N	1	f	3.685 0 GHz	-43.588 dBm																																									