



FCC Test Report of B593u-501

FCC ID: QISB593U-501

IC ID : 6369A-B593U501


## **Appendix G**

# Conducted Emission at Power Port

According to FCC Part 15.207 & RSS-210



## Channel 6



### MEASUREMENT RESULT: QP Detector

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Line	PE
0.224077	36.9	9.7	62.7	25.8	L1	FLO
0.330252	41.8	9.7	59.4	17.6	L1	FLO
0.335902	41.6	9.7	59.3	17.7	L1	FLO
0.854070	31.4	9.7	56.0	24.6	L1	FLO
0.862234	31.0	9.7	56.0	25.0	L1	FLO
1.250021	28.1	9.7	56.0	27.9	L1	FLO



MEASUREMENT RESULT: AV Detector

Frequency MHz	Level dB $\mu$ V	Transd dB	Limit dB $\mu$ V	Margin dB	Line	PE
0.238829	29.3	9.7	52.1	22.8	L1	FLO
0.329378	33.3	9.7	49.5	16.2	L1	FLO
0.329396	33.2	9.7	49.5	16.3	L1	FLO
0.806325	22.5	9.7	46.0	23.5	L1	FLO
0.854111	21.4	9.7	46.0	24.6	L1	FLO
1.186392	22.3	9.7	46.0	23.7	L1	FLO