


LTE band 5, 5MHz (-26dBc)


Frequency(MHz)	Occupied Bandwidth (-26dBc)(kHz)	
836.5	QPSK	16QAM
	4903.85	4903.85

LTE band 5, 5MHz Bandwidth, QPSK (-26dBc BW)



Date: 6.MAR.2017 18:45:13

LTE band 5, 5MHz Bandwidth,16QAM (-26dBc BW)




Date: 6.MAR.2017 18:46:02

LTE band 5, 10MHz (-26dBc)


Frequency(MHz)	Occupied Bandwidth (-26dBc)(kHz)	
836.5	QPSK	16QAM
	9759.62	9855.77

LTE band 5, 10MHz Bandwidth, QPSK (-26dBc BW)



Date: 6.MAR.2017 18:55:58

LTE band 5, 10MHz Bandwidth, 16QAM (-26dBc BW)




Date: 6.MAR.2017 18:55:04

LTE band 7, 5MHz (-26dBc)


Frequency(MHz)	Occupied Bandwidth (-26dBc)(kHz)	
2535.0	QPSK	16QAM
	4903.85	4903.85

LTE band 7, 5MHz Bandwidth, QPSK (-26dB BW)



Date: 6.MAR.2017 18:50:01

LTE band 7, 5MHz Bandwidth,16QAM (-26dB BW)




Date: 6.MAR.2017 18:49:27

LTE band 7, 10MHz (-26dBc)


Frequency(MHz)	Occupied Bandwidth (-26dBc)(kHz)	
2535.0	QPSK	16QAM
	9855.77	9807.69

LTE band 7, 10MHz Bandwidth, QPSK (-26dBc BW)



Date: 6.MAR.2017 18:51:25

LTE band 7, 10MHz Bandwidth, 16QAM (-26dBc BW)



Date: 6.MAR.2017 18:52:14

Frequency(MHz)	Occupied Bandwidth (-26dBc)(kHz)	
2535.0	QPSK	16QAM
	14927.88	14855.77

Ref 30 dBm *Att 25 dB

*RBW 200 kHz *VBW 1 MHz *SWT 5 ms

Marker 1 [T1] 14.92 dBm 2.538461538 GHz

30 Offset 7.2 dB

ndB [T1] 26.00 dB
BW 14.927884615 MHz
Temp 1 [T1 ndB] -10.94 dBm
2.527572115 GHz
Temp 2 [T1 ndB] -11.01 dBm
2.542500000 GHz

Center 2.535 GHz 4.5 MHz/ Span 45 MHz

Date: 6.MAR.2017 19:10:14

* RBW 200 kHz
 * VBW 1 MHz
 * SWT 5 ms

Ref 30 dBm
 * Att 25 dB

Marker 1 [T1] 13.52 dBm
 2.540120192 GHz

30 Offset 7.2 dB

ndB [T1] 26.00 dB
 BW 14.855769231 MHz
 Temp 1 [T1_nB] -12.89 dBm
 Temp 2 [T1_nB] -12.30 dBm
 2.527572115 GHz
 2.542427885 GHz

1
 2

T1
 T2


Center 2.535 GHz
 4.5 MHz/
 Span 45 MHz

Date: 6.MAR.2017 19:10:54

LTE band 7, 20MHz (-26dBc)


Frequency(MHz)	Occupied Bandwidth (-26dBc)(kHz)	
2535.0	QPSK	16QAM
	19711.54	19711.54

LTE band 7, 20MHz Bandwidth, QPSK (-26dBc BW)



Date: 6.MAR.2017 19:14:41

LTE band 7, 20MHz Bandwidth, 16QAM (-26dBc BW)




Date: 6.MAR.2017 19:14:01

LTE band 41, 5MHz (-26dBc)


Frequency(MHz)	Occupied Bandwidth (-26dBc)(kHz)	
2600.0	QPSK	16QAM
	4903.85	4903.85

LTE band 41, 5MHz Bandwidth, QPSK (-26dBc BW)



Date: 6.MAR.2017 19:46:53

LTE band 41, 5MHz Bandwidth,16QAM (-26dBc BW)




Date: 6.MAR.2017 19:48:30

LTE band 41, 10MHz (-26dBc)


Frequency(MHz)	Occupied Bandwidth (-26dBc)(kHz)	
2600.0	QPSK	16QAM
	9807.69	9711.54

LTE band 41, 10MHz Bandwidth, QPSK (-26dBc BW)



Date: 6.MAR.2017 19:37:53

LTE band 41, 10MHz Bandwidth, 16QAM (-26dBc BW)




Date: 6.MAR.2017 19:38:23

LTE band 41, 15MHz (-26dBc)


Frequency(MHz)	Occupied Bandwidth (-26dBc)(kHz)	
2600.0	QPSK	16QAM
	14783.65	14783.65

LTE band 41, 15MHz Bandwidth, QPSK (-26dBc BW)



Date: 6.MAR.2017 19:36:53

LTE band 41, 15MHz Bandwidth, 16QAM (-26dBc BW)




Date: 6.MAR.2017 19:36:24

LTE band 41, 20MHz (-26dBc)


Frequency(MHz)	Occupied Bandwidth (-26dBc)(kHz)	
2600.0	QPSK	16QAM
	19711.54	19615.38

LTE band 41, 20MHz Bandwidth, QPSK (-26dBc BW)



Date: 6.MAR.2017 19:31:03

LTE band 41, 20MHz Bandwidth, 16QAM (-26dBc BW)



Date: 6.MAR.2017 19:32:27

Note: Expanded measurement uncertainty is $U = 3428\text{Hz}$, $k = 2$

A.6 BAND EDGE COMPLIANCE

Reference

FCC: CFR Part 2.1051, 22.917, 24.238, 27.53(h).

A.6.1 Measurement limit


On any frequency outside frequency band of the US Cellular/PCS spectrum, the power of any emission shall be attenuated below the transmitter power (P, in Watts) by at least $43+10\log(P)$ dB. For all power levels +30 dBm to 0 dBm, this becomes a constant specification limit of -13 dBm. According to KDB 971168 D01 6.0, a relaxation of the reference bandwidth is often provided for measurements within a specified frequency range at the edge of the authorized frequency block/band. This is often implemented by permitting the use of a narrower RBW (typically limited to a minimum RBW of 1% of the OBW) for measuring the out-of-band emissions without a requirement to integrate the result over the full reference bandwidth.

A.6.2 Measurement result

Only worst case result is given below


LTE band 2

OBW: 1RB-low_offset




Date: 7.MAR.2017 18:25:02

LOW BAND EDGE BLOCK-1RB-low_offset




Date: 7.MAR.2017 18:29:35

OBW: 1RB-high_offset




Date: 7.MAR.2017 18:30:58

HIGH BAND EDGE BLOCK-1RB-high_offset




Date: 7.MAR.2017 18:35:18

LOW BAND EDGE BLOCK-20MHz-100%RB



Date: 7.MAR.2017 18:37:02


HIGH BAND EDGE BLOCK-20MHz-100%RB



Date: 7.MAR.2017 18:36:11


LTE band 4

OBW: 1RB-low_offset




Date: 7.MAR.2017 18:38:51

LOW BAND EDGE BLOCK-1RB-low_offset




Date: 7.MAR.2017 18:39:54

OBW: 1RB-high_offset



Date: 7.MAR.2017 18:41:21


HIGH BAND EDGE BLOCK-1RB-high_offset



Date: 7.MAR.2017 18:42:48

[illegible]


HIGH BAND EDGE BLOCK-20MHz-100%RB



©Copyright. All rights reserved by SAICT.


LTE band 5

OBW: 1RB-low_offset




Date: 7.MAR.2017 18:53:44

LOW BAND EDGE BLOCK-1RB-low_offset




Date: 7.MAR.2017 18:52:26

OBW: 1RB-high_offset




Date: 7.MAR.2017 18:55:03

HIGH BAND EDGE BLOCK-1RB-high_offset




Date: 7.MAR.2017 18:51:28

LOW BAND EDGE BLOCK-10MHz-100%RB



Date: 7.MAR.2017 18:48:56


HIGH BAND EDGE BLOCK-10MHz-100%RB



Date: 7.MAR.2017 18:49:47


LTE band 7

OBW: 1RB-low_offset




Date: 1.JUN.2018 10:51:51

LOW BAND EDGE BLOCK-1RB-low_offset




Date: 1.JUN.2018 10:55:05

OBW: 1RB-high_offset




Date: 1.JUN.2018 10:49:33

HIGH BAND EDGE BLOCK-1RB-high_offset




Date: 1.JUN.2018 10:50:17

LOW BAND EDGE BLOCK-20MHz-100%RB



Date: 1.JUN.2018 10:57:59


HIGH BAND EDGE BLOCK-20MHz-100%RB



Date: 1.JUN.2018 10:58:45


LTE band 41

OBW: 1RB-low_offset




Date: 1.JUN.2018 11:56:09

LOW BAND EDGE BLOCK-1RB-low_offset




Date: 1.JUN.2018 11:43:38

OBW: 1RB-high_offset




Date: 1.JUN.2018 11:57:04

HIGH BAND EDGE BLOCK-1RB-high_offset




Date: 1.JUN.2018 11:45:51

LOW BAND EDGE BLOCK-10MHz-100%RB



Date: 1.JUN.2018 11:51:10

HIGH BAND EDGE BLOCK-10MHz-100%RB



Date: 1.JUN.2018 11:50:01

Note: Expanded measurement uncertainty is $U = 0.488\text{dB}(100\text{KHz}-2\text{GHz})/1.211\text{dB}(2\text{GHz}-26.5\text{GHz})$, $k = 1.96$

A.7 CONDUCTED SPURIOUS EMISSION

Reference

FCC: CFR Part 2.1051, 22.917, 24.238, 27.53(h).

A.7.1 Measurement Method

The following steps outline the procedure used to measure the conducted emissions from the EUT.

1. Determine frequency range for measurements: From CFR 2.1051 the spectrum should be investigated from the lowest radio frequency generated in the equipment up to at least the 10th harmonic of the carrier frequency. For the mobile station equipment tested, this equates to a frequency range of 13 MHz to 9 GHz, data taken from 10 MHz to 25 GHz.
2. Determine EUT transmit frequencies: below outlines the band edge frequencies pertinent to conducted emissions testing.
3. The number of sweep points of spectrum analyzer is set to 30001 which is greater than span/RBW.

A. 7.2 Measurement Limit

Part 22.917, Part 24.238 and Part 27.53(h) specify that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

The specification that emissions shall be attenuated below the transmitter power (P) by at least $43 + 10 \log(P)$ dB, translates in the relevant power range (1 to 0.001 W) to -13 dBm. At 1 W the specified minimum attenuation becomes 43 dB and relative to a 30 dBm (1 W) carrier becomes a limit of -13 dBm. At 0.001 W (0 dBm) the minimum attenuation is 13 dB, which again yields a limit of -13 dBm. In this way a translation of the specification from relative to absolute terms is carried out.

Part 27.53(m)(4) specifies for mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log(P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log(P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log(P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log(P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log(P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Part 27.53(a) states for mobile and portable stations operating in the 2305–2315 MHz and 2350–2360 MHz bands: By a factor of not less than: $43 + 10 \log(P)$ dB on all frequencies between 2305 and 2320 MHz and on all frequencies between 2345 and 2360 MHz that are outside the licensed band(s) of operation, not less than $55 + 10 \log(P)$ dB on all frequencies between 2320 and 2324 MHz and on all frequencies between 2341 and 2345 MHz, not less than $61 + 10 \log(P)$ dB on all frequencies between 2324 and 2328 MHz and on all frequencies between 2337 and 2341 MHz, and not less than $67 + 10 \log(P)$ dB on all frequencies between 2328 and 2337 MHz;


By a factor of not less than $43 + 10 \log (P)$ dB on all frequencies between 2300 and 2305 MHz, $55 + 10 \log (P)$ dB on all frequencies between 2296 and 2300MHz, $61 + 10 \log (P)$ dB on all frequencies between 2292 and 2296 MHz, $67 + 10 \log (P)$ dB on all frequencies between 2288 and 2292 MHz, and $70 + 10 \log (P)$ dB below 2288 MHz; By a factor of not less than $43 + 10 \log (P)$ dB on all frequencies between 2360 and 2365 MHz, and not less than $70 + 10 \log (P)$ dB above 2365 MHz.

A. 7.3 Measurement result

Only worst case result is given below

LTE band 2 1.4MHz QPSK: 30MHz – 20GHz


Spurious emission limit –13dBm.



Date: 12.APR.2017 19:50:24


LTE band 2 1.4MHz 16QAM: 30MHz – 20GHz

Spurious emission limit –13dBm.




Date: 12.APR.2017 19:53:15

LTE band 2 3MHz QPSK: 30MHz – 20GHz
Spurious emission limit –13dBm.




Date: 12.APR.2017 19:58:04

LTE band 2 3MHz 16QAM: 30MHz – 20GHz
Spurious emission limit –13dBm.




Date: 12.APR.2017 20:03:41

LTE band 2 5MHz QPSK: 30MHz – 20GHz
Spurious emission limit –13dBm.




Date: 12.APR.2017 20:08:03

LTE band 2 5MHz 16QAM: 30MHz – 20GHz
Spurious emission limit –13dBm.




Date: 12.APR.2017 20:10:25

LTE band 2 10MHz QPSK: 30MHz – 20GHz
Spurious emission limit –13dBm.




Date: 12.APR.2017 20:17:57

LTE band 2 10MHz 16QAM: 30MHz – 20GHz
Spurious emission limit –13dBm.




Date: 12.APR.2017 20:21:51

LTE band 2 15MHz QPSK: 30MHz – 20GHz
Spurious emission limit –13dBm.




Date: 12.APR.2017 20:25:12

LTE band 2 15MHz 16QAM: 30MHz – 20GHz
Spurious emission limit –13dBm.




Date: 12.APR.2017 20:28:22

LTE band 2 20MHz QPSK: 30MHz – 20GHz
Spurious emission limit –13dBm.



Date: 12.APR.2017 20:33:26


LTE band 2 20MHz 16QAM: 30MHz – 20GHz
Spurious emission limit –13dBm.



Date: 12.APR.2017 20:38:59

LTE band 4 1.4MHz QPSK: 30MHz – 20GHz


Spurious emission limit –13dBm.



Date: 12.APR.2017 21:14:31


LTE band 4 1.4MHz 16QAM: 30MHz – 20GHz

Spurious emission limit –13dBm.




Date: 12.APR.2017 21:11:28

LTE band 4 3MHz QPSK: 30MHz – 20GHz
Spurious emission limit –13dBm.




Date: 12.APR.2017 21:09:01

LTE band 4 3MHz 16QAM: 30MHz – 20GHz
Spurious emission limit –13dBm.




Date: 12.APR.2017 21:06:21

LTE band 4 5MHz QPSK: 30MHz – 20GHz
Spurious emission limit –13dBm.




Date: 12.APR.2017 21:04:26

LTE band 4 5MHz 16QAM: 30MHz – 20GHz
Spurious emission limit –13dBm.




Date: 12.APR.2017 21:02:55

LTE band 4 10MHz QPSK: 30MHz – 20GHz
Spurious emission limit –13dBm.




Date: 12.APR.2017 20:57:28

LTE band 4 10MHz 16QAM: 30MHz – 20GHz
Spurious emission limit –13dBm.




Date: 12.APR.2017 20:54:43

LTE band 4 15MHz QPSK: 30MHz – 20GHz
Spurious emission limit –13dBm.




Date: 12.APR.2017 20:52:13

LTE band 4 15MHz 16QAM: 30MHz – 20GHz
Spurious emission limit –13dBm.




Date: 12.APR.2017 20:49:08

LTE band 4 20MHz QPSK: 30MHz – 20GHz
Spurious emission limit –13dBm.




Date: 12.APR.2017 20:46:30

LTE band 4 20MHz 16QAM: 30MHz – 20GHz
Spurious emission limit –13dBm.




Date: 12.APR.2017 20:43:07

LTE band 5 1.4MHz QPSK: 30MHz – 10GHz
Spurious emission limit –13dBm.




Date: 12.APR.2017 21:17:54

LTE band 5 1.4MHz 16QAM: 30MHz – 10GHz
Spurious emission limit –13dBm.




Date: 12.APR.2017 21:20:36

LTE band 5 3MHz QPSK: 30MHz – 10GHz
Spurious emission limit –13dBm.




Date: 12.APR.2017 21:22:58

LTE band 5 3MHz 16QAM: 30MHz – 10GHz
Spurious emission limit –13dBm.




Date: 12.APR.2017 21:25:14

LTE band 5 5MHz QPSK: 30MHz – 10GHz
Spurious emission limit –13dBm.




Date: 12.APR.2017 21:27:33

LTE band 5 5MHz 16QAM: 30MHz – 10GHz
Spurious emission limit –13dBm.




Date: 12.APR.2017 21:28:11


Spurious emission limit -13dBm .



Spurious emission limit -13dBm .




LTE band 7 5MHz QPSK: 30MHz – 26GHz
Spurious emission limit –25dBm.




Date: 12.APR.2017 21:43:41

LTE band 7 5MHz 16QAM: 30MHz – 26GHz
Spurious emission limit –25dBm.




Date: 12.APR.2017 21:39:46

LTE band 7 10MHz QPSK: 30MHz – 26GHz
Spurious emission limit –25dBm.




Date: 12.APR.2017 21:51:27

LTE band 7 10MHz 16QAM: 30MHz – 26GHz
Spurious emission limit –25dBm.




Date: 12.APR.2017 21:47:18

LTE band 7 15MHz QPSK: 30MHz – 26GHz
Spurious emission limit –25dBm.




Date: 12.APR.2017 21:54:03

LTE band 7 15MHz 16QAM: 30MHz – 26GHz
Spurious emission limit –25dBm.




Date: 12.APR.2017 21:57:44


Spurious emission limit -25dBm.



Spurious emission limit -25dBm.




LTE band 41 5MHz QPSK: 30MHz – 26GHz
Spurious emission limit –25dBm.




Date: 12.APR.2017 22:26:35

LTE band 41 5MHz 16QAM: 30MHz – 26GHz
Spurious emission limit –25dBm.




Date: 12.APR.2017 22:28:02

LTE band 41 10MHz QPSK: 30MHz – 26GHz
Spurious emission limit –25dBm.




Date: 12.APR.2017 22:21:12

LTE band 41 10MHz 16QAM: 30MHz – 26GHz
Spurious emission limit –25dBm.




Date: 12.APR.2017 22:23:32

LTE band 41 15MHz QPSK: 30MHz – 26GHz
Spurious emission limit –25dBm.



Date: 12.APR.2017 22:18:02


LTE band 41 15MHz 16QAM: 30MHz – 26GHz
Spurious emission limit –25dBm.



Date: 12.APR.2017 22:15:08

LTE band 41 20MHz QPSK: 30MHz – 26GHz


Spurious emission limit –25dBm.



Date: 12.APR.2017 22:11:29

LTE band 41 20MHz 16QAM: 30MHz – 26GHz

Spurious emission limit –25dBm.



Date: 12.APR.2017 22:09:25

Note: Expanded measurement uncertainty is $U = 0.488\text{dB}(100\text{KHz}-2\text{GHz})/1.211\text{dB}(2\text{GHz}-26.5\text{GHz})$, $k = 1.96$

A.8 PEAK-TO-AVERAGE POWER RATIO

Reference

FCC: CFR Part 24.232, 27.50(d), KDB971168 D01(5.7.1)

The peak-to-average power ratio (PAPR) of the transmitter output power must not exceed 13 dB. The PAPR measurements should be made using either an instrument with complementary cumulative distribution function (CCDF) capabilities to determine that PAPR will not exceed 13 dB for more than 0.1 percent of the time or other Commission approved procedure. The measurement must be performed using a signal corresponding to the highest PAPR expected during periods of continuous transmission.

According to KDB 971168 D01 5.7.1:

- a) Refer to instrument's analyzer instruction manual for details on how to use the power statistics/CCDF function;
- b) Set resolution/measurement bandwidth $\geq$ signal's occupied bandwidth;
- c) Set the number of counts to a value that stabilizes the measured CCDF curve;
- d) Set the measurement interval to 1 ms
- e) Record the maximum PAPR level associated with a probability of 0.1%

A.8.1 Measurement limit

not exceed 13 dB

A.8.2 Measurement results

LTE band 2

Frequency(MHz)	Bandwidth(MHz)	PAPR(dB)	
		QPSK	16QAM
1860.0	20	6.54	7.55
	15	6.43	7.23
	10	6.61	7.45
	5	6.55	7.43
	3	6.36	7.34
	1.4	6.46	7.59

LTE band 4,

Frequency(MHz)	Bandwidth(MHz)	PAPR(dB)	
		QPSK	16QAM
1732.5	20	6.44	7.58
	15	6.45	7.63
	10	6.48	7.66
	5	6.56	7.65
	3	6.53	7.57
	1.4	6.6	7.68

LTE band 5, 10MHz

Frequency(MHz)	Bandwidth(MHz)	PAPR(dB)	
		QPSK	16QAM
836.5	10	6.49	7.52
	5	6.56	7.67
	3	6.71	7.73
	1.4	6.68	7.49

LTE band 7, 20MHz

Frequency(MHz)	Bandwidth(MHz)	PAPR(dB)	
		QPSK	16QAM
2510.0	20	6.61	7.55
	15	6.65	7.59
	10	6.54	7.63
	5	6.46	7.58

LTE band 41,20MHz

Frequency(MHz)	Bandwidth(MHz)	PAPR(dB)	
		QPSK	16QAM
2600.0	20	6.59	7.48
	15	6.66	7.44
	10	6.73	7.56
	5	6.71	7.66

Note: Expanded measurement uncertainty is $U = 0.483$, $k = 2$

*****END OF REPORT*****