



LTE Band 2 Spectrum Plot_1.4M




LTE Band 2 Spectrum Plot_3M




LTE Band 2 Spectrum Plot_5M




LTE Band 2 Spectrum Plot_10M



LTE Band 2 Spectrum Plot_15M



LTE Band 2 Spectrum Plot_20M



ATTACHMENT G - FREQUENCY STABILITY

Test Mode:	DCS1900_CH661
------------	---------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	6.89	0.003664894	2.5
5	6.17	0.003281915	2.5
10	5.41	0.00287766	2.5
15	3.58	0.001904255	2.5
20	4.01	0.002132979	2.5
25	3.22	0.001712766	2.5
30	4.21	0.002239362	2.5
35	7.62	0.004053191	2.5
Max. Deviation (ppm)	7.62	0.004053191	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
3.8	6.82	0.00362766	2.5
3.5	2.04	0.001085106	2.5
4.35	5.62	0.002989362	2.5
Max. Deviation (ppm)	6.82	0.00362766	2.5

Test Mode:	WCDMA Band II_CH9400
------------	----------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	5.62	0.002989362	2.5
5	4.53	0.002409574	2.5
10	4.96	0.002638298	2.5
15	3.25	0.001728723	2.5
20	2.16	0.001148936	2.5
25	1.58	0.000840426	2.5
30	3.23	0.001718085	2.5
35	4.26	0.002265957	2.5
Max. Deviation (ppm)	5.62	0.002989362	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
3.8	4.22	0.002244681	2.5
3.5	2.65	0.001409574	2.5
4.35	3.59	0.001909574	2.5
Max. Deviation (ppm)	4.22	0.002244681	2.5

Test Mode:	LTE Band 2_CH18900_1.4M
------------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-3.96	0.002106383	2.5
5	-4.99	0.002654255	2.5
10	3.67	0.001952128	2.5
15	2.92	0.001553191	2.5
20	3.84	0.002042553	2.5
25	2.77	0.001473404	2.5
30	-3.95	0.002101064	2.5
35	2.16	0.001148936	2.5
Max. Deviation (ppm)	4.99	0.002654255	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
3.8	3.71	0.001973404	2.5
3.5	3.43	0.001824468	2.5
4.35	1.47	0.000781915	2.5
Max. Deviation (ppm)	3.71	0.001973404	2.5

Test Mode:	LTE Band 2_CH18900_3M
------------	-----------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	4.39	0.002335106	2.5
5	-4.13	0.002196809	2.5
10	3.58	0.001904255	2.5
15	-2.94	0.00156383	2.5
20	3.88	0.00206383	2.5
25	1.76	0.00093617	2.5
30	2.11	0.00112234	2.5
35	3.74	0.001989362	2.5
Max. Deviation (ppm)	4.39	0.002335106	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
3.8	3.11	0.001654255	2.5
3.5	2.52	0.001340426	2.5
4.35	5.19	0.002760638	2.5
Max. Deviation (ppm)	5.19	0.002760638	2.5

Test Mode:	LTE Band 2_CH18900_5M
------------	-----------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	3.54	0.001882979	2.5
5	2.97	0.001579787	2.5
10	5.96	0.003170213	2.5
15	-6.37	0.003388298	2.5
20	2.87	0.001526596	2.5
25	4.41	0.002345745	2.5
30	2.95	0.001569149	2.5
35	5.61	0.002984043	2.5
Max. Deviation (ppm)	6.37	0.003388298	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
3.8	2.55	0.001356383	2.5
3.5	-3.48	0.001851064	2.5
4.35	-5.43	0.002888298	2.5
Max. Deviation (ppm)	5.43	0.002888298	2.5

Test Mode:	LTE Band 2_CH18900_10M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	5.29	0.00281383	2.5
5	4.36	0.002319149	2.5
10	-4.63	0.002462766	2.5
15	5.46	0.002904255	2.5
20	2.64	0.001404255	2.5
25	3.58	0.001904255	2.5
30	-3.64	0.00193617	2.5
35	-4.88	0.002595745	2.5
Max. Deviation (ppm)	5.46	0.002904255	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
3.8	2.57	0.001367021	2.5
3.5	-3.19	0.001696809	2.5
4.35	3.48	0.001851064	2.5
Max. Deviation (ppm)	3.48	0.001851064	2.5

Test Mode:	LTE Band 2_CH18900_15M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-2.58	0.00137234	2.5
5	-4.33	0.002303191	2.5
10	1.69	0.000898936	2.5
15	2.74	0.001457447	2.5
20	3.25	0.001728723	2.5
25	1.22	0.000648936	2.5
30	-3.10	0.001648936	2.5
35	2.78	0.001478723	2.5
Max. Deviation (ppm)	4.33	0.002303191	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
3.8	5.79	0.003079787	2.5
3.5	2.16	0.001148936	2.5
4.35	4.33	0.002303191	2.5
Max. Deviation (ppm)	5.79	0.003079787	2.5

Test Mode:	LTE Band 2_CH18900_20M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-2.33	0.001239362	2.5
5	-4.18	0.002223404	2.5
10	3.25	0.001728723	2.5
15	-3.44	0.001829787	2.5
20	-2.24	0.001191489	2.5
25	2.76	0.001468085	2.5
30	-4.19	0.002228723	2.5
35	2.23	0.00118617	2.5
Max. Deviation (ppm)	4.18	0.002228723	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
3.8	6.43	0.003420213	2.5
3.5	3.55	0.001888298	2.5
4.35	6.51	0.003462766	2.5
Max. Deviation (ppm)	6.51	0.003462766	2.5