


Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz


### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5180.000	12.81	40.72	53.53	68.30	-14.77	peak	
2		5180.000	2.54	40.72	43.26	54.00	-10.74	AVG	
3	X	5268.000	51.97	41.01	92.98	68.30	24.68	peak	No Limit
4	*	5273.000	43.45	41.04	84.49	54.00	30.49	AVG	No Limit
5		5360.200	13.19	41.31	54.50	68.30	-13.80	peak	
6		5360.200	3.00	41.31	44.31	54.00	-9.69	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10540.00	38.46	13.84	52.30	74.30	-22.00	peak	
2		17940.00	40.74	23.65	64.39	74.30	-9.91	peak	
3	*	17940.00	27.54	23.65	51.19	60.00	-8.81	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		40000.00	43.60	17.60	61.20	74.30	-13.10	peak	
2	*	40000.00	29.53	17.60	47.13	60.00	-12.87	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5180.000	12.28	40.72	53.00	68.30	-15.30	peak	
2		5180.000	2.32	40.72	43.04	54.00	-10.96	AVG	
3	*	5262.400	41.87	41.00	82.87	54.00	28.87	AVG	No Limit
4	X	5268.400	50.51	41.01	91.52	68.30	23.22	peak	No Limit
5		5360.200	15.37	41.31	56.68	68.30	-11.62	peak	
6		5360.200	2.30	41.31	43.61	54.00	-10.39	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10540.00	39.70	13.84	53.54	74.30	-20.76	peak	
2		17952.00	41.29	23.69	64.98	74.30	-9.32	peak	
3	*	17952.00	28.07	23.69	51.76	60.00	-8.24	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz

### Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	39932.50	45.00	17.43	62.43	74.30	-11.87	peak	
2 *	39932.50	31.42	17.43	48.85	60.00	-11.15	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz


### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5220.000	11.09	40.86	51.95	68.30	-16.35	peak	
2		5220.000	2.24	40.86	43.10	54.00	-10.90	AVG	
3	X	5318.800	43.95	41.19	85.14	54.00	31.14	AVG	No Limit
4	*	5321.000	52.21	41.19	93.40	54.00	39.40	AVG	No Limit
5		5350.000	1.04	41.28	42.32	68.30	-25.98	peak	
6		5350.000	9.98	41.28	51.26	68.30	-17.04	peak	
7		5400.200	11.29	41.45	52.74	68.30	-15.56	peak	
8		5400.200	1.64	41.45	43.09	54.00	-10.91	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10620.00	40.55	14.17	54.72	74.30	-19.58	peak	
2		18000.00	41.45	23.83	65.28	74.30	-9.02	peak	
3	*	18000.00	28.33	23.83	52.16	60.00	-7.84	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39919.00	45.19	17.40	62.59	74.30	-11.71	peak	
2		39919.00	30.72	17.40	48.12	60.00	-11.88	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5220.000	12.11	40.86	52.97	68.30	-15.33	peak	
2		5220.000	2.30	40.86	43.16	54.00	-10.84	AVG	
3	*	5315.800	41.14	41.17	82.31	54.00	28.31	AVG	No Limit
4	X	5319.800	49.90	41.19	91.09	68.30	22.79	peak	No Limit
5		5350.000	10.58	41.28	51.86	68.30	-16.44	peak	
6		5350.000	0.76	41.28	42.04	54.00	-11.96	AVG	
7		5400.200	12.91	41.45	54.36	68.30	-13.94	peak	
8		5400.200	2.19	41.45	43.64	54.00	-10.36	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10620.00	39.51	14.17	53.68	74.30	-20.62	peak	
2		17940.00	41.44	23.65	65.09	74.30	-9.21	peak	
3	*	17940.00	28.15	23.65	51.80	60.00	-8.20	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		40000.00	44.34	17.60	61.94	74.30	-12.36	peak	
2	*	40000.00	30.95	17.60	48.55	60.00	-11.45	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz


### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5200.000	20.12	40.79	60.91	68.30	-7.39	peak	
2		5200.000	8.84	40.79	49.63	54.00	-4.37	AVG	
3	X	5265.600	48.55	41.01	89.56	68.30	21.26	peak	No Limit
4	*	5296.000	40.29	41.11	81.40	54.00	27.40	AVG	No Limit
5		5350.000	11.03	41.28	52.31	68.30	-15.99	peak	
6		5350.000	2.69	41.28	43.97	54.00	-10.03	AVG	
7		5380.400	18.00	41.38	59.38	68.30	-8.92	peak	
8		5380.400	7.87	41.38	49.25	54.00	-4.75	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10580.00	39.02	14.00	53.02	74.30	-21.28	peak	
2		17628.00	41.71	22.75	64.46	74.30	-9.84	peak	
3	*	17628.00	28.43	22.75	51.18	60.00	-8.82	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	44.99	17.54	62.53	74.30	-11.77	peak	
2		39973.00	30.48	17.54	48.02	60.00	-11.98	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5200.400	20.39	40.79	61.18	68.30	-7.12	peak	
2		5200.400	9.04	40.79	49.83	54.00	-4.17	AVG	
3	*	5269.200	37.93	41.02	78.95	54.00	24.95	AVG	No Limit
4	X	5277.200	47.66	41.05	88.71	68.30	20.41	peak	No Limit
5		5350.000	12.91	41.28	54.19	68.30	-14.11	peak	
6		5350.000	1.88	41.28	43.16	54.00	-10.84	AVG	
7		5380.000	16.59	41.38	57.97	68.30	-10.33	peak	
8		5380.000	6.75	41.38	48.13	54.00	-5.87	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10580.00	38.55	14.00	52.55	74.30	-21.75	peak	
2		17988.00	41.35	23.80	65.15	74.30	-9.15	peak	
3	*	17988.00	28.09	23.80	51.89	60.00	-8.11	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39932.50	44.60	17.43	62.03	74.30	-12.27	peak	
2		39932.50	30.13	17.43	47.56	60.00	-12.44	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz


### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	10.09	41.64	51.73	68.30	-16.57	peak	
2		5460.000	1.03	41.64	42.67	54.00	-11.33	AVG	
3		5470.000	10.28	41.68	51.96	68.30	-16.34	peak	
4		5470.000	1.60	41.68	43.28	54.00	-10.72	AVG	
5	*	5493.200	44.63	41.75	86.38	54.00	32.38	AVG	No Limit
6	X	5501.800	52.73	41.78	94.51	68.30	26.21	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11000.00	38.42	15.75	54.17	74.30	-20.13	peak	
2		17928.00	41.31	23.62	64.93	74.30	-9.37	peak	
3	*	17928.00	28.36	23.62	51.98	60.00	-8.02	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39959.50	44.09	17.50	61.59	74.30	-12.71	peak	
2	*	39959.50	30.56	17.50	48.06	60.00	-11.94	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz


### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5460.000	9.78	41.64	51.42	68.30	-16.88	peak	
2		5460.000	0.57	41.64	42.21	54.00	-11.79	AVG	
3		5470.000	9.66	41.68	51.34	68.30	-16.96	peak	
4		5470.000	0.92	41.68	42.60	54.00	-11.40	AVG	
5	X	5493.500	50.66	41.75	92.41	68.30	24.11	peak	No Limit
6	*	5498.000	42.19	41.78	83.97	54.00	29.97	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11000.00	39.50	15.75	55.25	74.30	-19.05	peak	
2		17952.00	41.64	23.69	65.33	74.30	-8.97	peak	
3	*	17952.00	28.36	23.69	52.05	60.00	-7.95	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		40000.00	45.27	17.60	62.87	74.30	-11.43	peak	
2	*	40000.00	32.02	17.60	49.62	60.00	-10.38	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz


### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5697.100	53.15	42.48	95.63	68.30	27.33	peak	No Limit
2	*	5707.100	44.15	42.52	86.67	54.00	32.67	AVG	No Limit
3		5725.000	10.45	42.58	53.03	68.30	-15.27	peak	
4		5725.000	1.26	42.58	43.84	54.00	-10.16	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11400.00	39.31	16.70	56.01	74.30	-18.29	peak	
2		17856.00	41.75	23.41	65.16	74.30	-9.14	peak	
3	*	17856.00	28.51	23.41	51.92	60.00	-8.08	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39946.00	44.45	17.47	61.92	74.30	-12.38	peak	
2	*	39946.00	31.19	17.47	48.66	60.00	-11.34	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5705.300	41.88	42.51	84.39	54.00	30.39	AVG	No Limit
2	X	5706.800	51.50	42.52	94.02	68.30	25.72	peak	No Limit
3		5725.000	9.40	42.58	51.98	68.30	-16.32	peak	
4		5725.000	0.91	42.58	43.49	54.00	-10.51	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11400.00	39.86	16.70	56.56	74.30	-17.74	peak	
2		17880.00	41.28	23.47	64.75	74.30	-9.55	peak	
3	*	17880.00	28.16	23.47	51.63	60.00	-8.37	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39959.50	44.34	17.50	61.84	74.30	-12.46	peak	
2	*	39959.50	31.13	17.50	48.63	60.00	-11.37	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz


### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5460.000	10.58	41.64	52.22	68.30	-16.08	peak	
2		5460.000	0.95	41.64	42.59	54.00	-11.41	AVG	
3		5470.000	9.89	41.68	51.57	68.30	-16.73	peak	
4		5470.000	1.49	41.68	43.17	54.00	-10.83	AVG	
5	*	5492.500	44.17	41.75	85.92	54.00	31.92	AVG	No Limit
6	X	5501.500	53.02	41.78	94.80	68.30	26.50	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11000.00	38.75	15.75	54.50	74.30	-19.80	peak	
2		17796.00	41.07	23.23	64.30	74.30	-10.00	peak	
3	*	17796.00	28.01	23.23	51.24	60.00	-8.76	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		40000.00	43.33	17.60	60.93	74.30	-13.37	peak	
2	*	40000.00	30.02	17.60	47.62	60.00	-12.38	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	10.76	41.64	52.40	68.30	-15.90	peak	
2		5460.000	0.60	41.64	42.24	54.00	-11.76	AVG	
3		5470.000	9.11	41.68	50.79	68.30	-17.51	peak	
4		5470.000	0.86	41.68	42.54	54.00	-11.46	AVG	
5	X	5494.000	50.31	41.76	92.07	68.30	23.77	peak	No Limit
6	*	5496.900	41.58	41.77	83.35	54.00	29.35	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11000.00	39.68	15.75	55.43	74.30	-18.87	peak	
2		17448.00	41.89	22.20	64.09	74.30	-10.21	peak	
3	*	17448.00	28.88	22.20	51.08	60.00	-8.92	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39946.00	44.37	17.47	61.84	74.30	-12.46	peak	
2	*	39946.00	30.95	17.47	48.42	60.00	-11.58	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz


### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5691.900	51.11	42.46	93.57	68.30	25.27	peak	No Limit
2	*	5692.600	43.29	42.46	85.75	54.00	31.75	AVG	No Limit
3		5725.000	11.32	42.58	53.90	68.30	-14.40	peak	
4		5725.000	1.33	42.58	43.91	54.00	-10.09	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11400.00	39.27	16.70	55.97	74.30	-18.33	peak	
2		17928.00	41.50	23.62	65.12	74.30	-9.18	peak	
3	*	17928.00	28.26	23.62	51.88	60.00	-8.12	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39946.00	45.80	17.47	63.27	74.30	-11.03	peak	
2	*	39946.00	32.53	17.47	50.00	60.00	-10.00	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz


### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5702.300	51.19	42.50	93.69	68.30	25.39	peak	No Limit
2	*	5705.400	41.59	42.51	84.10	54.00	30.10	AVG	No Limit
3		5725.000	10.60	42.58	53.18	68.30	-15.12	peak	
4		5725.000	0.86	42.58	43.44	54.00	-10.56	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11400.00	38.97	16.70	55.67	74.30	-18.63	peak	
2		17448.00	42.53	22.20	64.73	74.30	-9.57	peak	
3	*	17448.00	29.34	22.20	51.54	60.00	-8.46	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		40000.00	44.23	17.60	61.83	74.30	-12.47	peak	
2	*	40000.00	31.53	17.60	49.13	60.00	-10.87	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz


### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5420.000	13.16	41.52	54.68	68.30	-13.62	peak	
2		5420.000	2.80	41.52	44.32	54.00	-9.68	AVG	
3		5460.000	9.15	41.64	50.79	68.30	-17.51	peak	
4		5460.000	0.87	41.64	42.51	54.00	-11.49	AVG	
5		5470.000	10.71	41.68	52.39	68.30	-15.91	peak	
6		5470.000	0.94	41.68	42.62	54.00	-11.38	AVG	
7	*	5502.400	41.18	41.79	82.97	54.00	28.97	AVG	No Limit
8	X	5507.800	49.38	41.81	91.19	68.30	22.89	peak	No Limit
9		5600.200	9.55	42.14	51.69	68.30	-16.61	peak	
10		5600.200	1.21	42.14	43.35	54.00	-10.65	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11020.00	38.41	15.80	54.21	74.30	-20.09	peak	
2		17880.00	41.94	23.47	65.41	74.30	-8.89	peak	
3	*	17880.00	28.78	23.47	52.25	60.00	-7.75	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39946.00	43.83	17.47	61.30	74.30	-13.00	peak	
2	*	39946.00	29.65	17.47	47.12	60.00	-12.88	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz


### Horizontal




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5420.000	12.04	41.52	53.56	68.30	-14.74	peak	
2	5420.000	2.00	41.52	43.52	54.00	-10.48	AVG	
3	5460.000	9.58	41.64	51.22	68.30	-17.08	peak	
4	5460.000	0.49	41.64	42.13	54.00	-11.87	AVG	
5	5470.000	10.54	41.68	52.22	68.30	-16.08	peak	
6	5470.000	0.65	41.68	42.33	54.00	-11.67	AVG	
7 X	5501.000	46.49	41.78	88.27	68.30	19.97	peak	No Limit
8 *	5513.600	38.21	41.83	80.04	54.00	26.04	AVG	No Limit
9	5600.200	12.39	42.14	54.53	68.30	-13.77	peak	
10	5600.200	1.28	42.14	43.42	54.00	-10.58	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11020.00	38.96	15.80	54.76	74.30	-19.54	peak	
2		17916.00	41.20	23.58	64.78	74.30	-9.52	peak	
3	*	17916.00	28.02	23.58	51.60	60.00	-8.40	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39959.50	44.58	17.50	62.08	74.30	-12.22	peak	
2		39959.50	30.05	17.50	47.55	60.00	-12.45	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5580.000	11.39	42.06	53.45	68.30	-14.85	peak	
2		5580.000	1.24	42.06	43.30	54.00	-10.70	AVG	
3	*	5677.200	41.22	42.42	83.64	54.00	29.64	AVG	No Limit
4	X	5677.400	49.94	42.42	92.36	68.30	24.06	peak	No Limit
5		5725.000	9.81	42.58	52.39	68.30	-15.91	peak	
6		5725.000	0.18	42.58	42.76	54.00	-11.24	AVG	
7		5760.200	11.25	42.70	53.95	68.30	-14.35	peak	
8		5760.200	1.86	42.70	44.56	54.00	-9.44	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11340.00	39.24	16.56	55.80	74.30	-18.50	peak	
2		17964.00	41.23	23.72	64.95	74.30	-9.35	peak	
3	*	17964.00	28.03	23.72	51.75	60.00	-8.25	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39959.50	44.69	17.50	62.19	74.30	-12.11	peak	
2	*	39959.50	30.42	17.50	47.92	60.00	-12.08	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5580.000	11.77	42.06	53.83	68.30	-14.47	peak	
2		5580.000	1.33	42.06	43.39	54.00	-10.61	AVG	
3	X	5661.600	48.24	42.36	90.60	68.30	22.30	peak	No Limit
4	*	5677.400	40.12	42.42	82.54	54.00	28.54	AVG	No Limit
5		5725.000	9.63	42.58	52.21	68.30	-16.09	peak	
6		5725.000	0.19	42.58	42.77	54.00	-11.23	AVG	
7		5760.200	12.41	42.70	55.11	68.30	-13.19	peak	
8		5760.200	2.18	42.70	44.88	54.00	-9.12	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11340.00	38.33	16.56	54.89	74.30	-19.41	peak	
2		17988.00	41.56	23.80	65.36	74.30	-8.94	peak	
3	*	17988.00	28.41	23.80	52.21	60.00	-7.79	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		40000.00	45.55	17.60	63.15	74.30	-11.15	peak	
2	*	40000.00	31.45	17.60	49.05	60.00	-10.95	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz


### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5460.000	9.88	41.64	51.52	68.30	-16.78	peak	
2		5460.000	1.04	41.64	42.68	54.00	-11.32	AVG	
3		5470.000	9.82	41.68	51.50	68.30	-16.80	peak	
4		5470.000	1.43	41.68	43.11	54.00	-10.89	AVG	
5	*	5495.200	43.97	41.77	85.74	54.00	31.74	AVG	No Limit
6	X	5496.700	52.79	41.77	94.56	68.30	26.26	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11000.00	38.84	15.75	54.59	74.30	-19.71	peak	
2		17952.00	41.33	23.69	65.02	74.30	-9.28	peak	
3	*	17952.00	28.19	23.69	51.88	60.00	-8.12	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39946.00	44.11	17.47	61.58	74.30	-12.72	peak	
2	*	39946.00	30.26	17.47	47.73	60.00	-12.27	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	9.96	41.64	51.60	68.30	-16.70	peak	
2		5460.000	0.62	41.64	42.26	54.00	-11.74	AVG	
3		5470.000	10.98	41.68	52.66	68.30	-15.64	peak	
4		5470.000	0.97	41.68	42.65	54.00	-11.35	AVG	
5	X	5493.200	51.36	41.75	93.11	68.30	24.81	peak	No Limit
6	*	5494.500	41.61	41.77	83.38	54.00	29.38	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11000.00	38.73	15.75	54.48	74.30	-19.82	peak	
2		17892.00	42.06	23.51	65.57	74.30	-8.73	peak	
3	*	17892.00	29.02	23.51	52.53	60.00	-7.47	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39932.50	44.02	17.43	61.45	74.30	-12.85	peak	
2	*	39932.50	30.46	17.43	47.89	60.00	-12.11	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz


### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5692.600	43.51	42.46	85.97	54.00	31.97	AVG	No Limit
2	X	5692.800	51.33	42.46	93.79	68.30	25.49	peak	No Limit
3		5725.000	10.27	42.58	52.85	68.30	-15.45	peak	
4		5725.000	1.23	42.58	43.81	54.00	-10.19	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11400.00	39.38	16.70	56.08	74.30	-18.22	peak	
2		17988.00	41.42	23.80	65.22	74.30	-9.08	peak	
3	*	17988.00	28.25	23.80	52.05	60.00	-7.95	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39946.00	44.11	17.47	61.58	74.30	-12.72	peak	
2	*	39946.00	30.46	17.47	47.93	60.00	-12.07	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz


### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5692.300	49.86	42.46	92.32	68.30	24.02	peak	No Limit
2	*	5707.300	41.70	42.52	84.22	54.00	30.22	AVG	No Limit
3		5725.000	9.84	42.58	52.42	68.30	-15.88	peak	
4		5725.000	0.97	42.58	43.55	54.00	-10.45	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11400.00	39.23	16.70	55.93	74.30	-18.37	peak	
2		17952.00	40.66	23.69	64.35	74.30	-9.95	peak	
3	*	17952.00	27.69	23.69	51.38	60.00	-8.62	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	44.67	17.60	62.27	74.30	-12.03	peak	
2		40000.00	30.15	17.60	47.75	60.00	-12.25	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz


**Vertical**




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5420.000	11.20	41.52	52.72	68.30	-15.58	peak	
2		5420.000	2.53	41.52	44.05	54.00	-9.95	AVG	
3		5460.000	7.86	41.64	49.50	68.30	-18.80	peak	
4		5460.000	0.70	41.64	42.34	54.00	-11.66	AVG	
5		5470.000	9.76	41.68	51.44	68.30	-16.86	peak	
6		5470.000	0.97	41.68	42.65	54.00	-11.35	AVG	
7	*	5502.200	40.81	41.79	82.60	54.00	28.60	AVG	No Limit
8	X	5504.400	50.28	41.80	92.08	68.30	23.78	peak	No Limit
9		5600.000	10.89	42.14	53.03	68.30	-15.27	peak	
10		5600.000	1.42	42.14	43.56	54.00	-10.44	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11020.00	38.67	15.80	54.47	74.30	-19.83	peak	
2		17220.00	43.25	21.49	64.74	74.30	-9.56	peak	
3	*	17220.00	30.03	21.49	51.52	60.00	-8.48	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	44.67	17.60	62.27	74.30	-12.03	peak	
2		40000.00	30.16	17.60	47.76	60.00	-12.24	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5420.000	10.97	41.52	52.49	68.30	-15.81	peak	
2		5420.000	1.93	41.52	43.45	54.00	-10.55	AVG	
3		5460.000	10.01	41.64	51.65	68.30	-16.65	peak	
4		5460.000	0.47	41.64	42.11	54.00	-11.89	AVG	
5		5470.000	10.62	41.68	52.30	68.30	-16.00	peak	
6		5470.000	0.60	41.68	42.28	54.00	-11.72	AVG	
7	*	5513.600	38.58	41.83	80.41	54.00	26.41	AVG	No Limit
8	X	5522.400	47.57	41.86	89.43	68.30	21.13	peak	No Limit
9		5600.200	11.47	42.14	53.61	68.30	-14.69	peak	
10		5600.200	1.37	42.14	43.51	54.00	-10.49	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11020.00	38.24	15.80	54.04	74.30	-20.26	peak	
2		18000.00	40.73	23.83	64.56	74.30	-9.74	peak	
3	*	18000.00	28.45	23.83	52.28	60.00	-7.72	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

### Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	40000.00	44.48	17.60	62.08	74.30	-12.22	peak	
2 *	40000.00	31.02	17.60	48.62	60.00	-11.38	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5579.800	12.89	42.06	54.95	68.30	-13.35	peak	
2		5579.800	1.78	42.06	43.84	54.00	-10.16	AVG	
3	X	5657.000	50.20	42.34	92.54	68.30	24.24	peak	No Limit
4	*	5677.200	41.38	42.42	83.80	54.00	29.80	AVG	No Limit
5		5725.000	9.05	42.58	51.63	68.30	-16.67	peak	
6		5725.000	0.10	42.58	42.68	54.00	-11.32	AVG	
7		5760.600	10.71	42.71	53.42	68.30	-14.88	peak	
8		5760.600	1.14	42.71	43.85	54.00	-10.15	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11340.00	38.97	16.56	55.53	74.30	-18.77	peak	
2		17916.00	41.53	23.58	65.11	74.30	-9.19	peak	
3	*	17916.00	28.31	23.58	51.89	60.00	-8.11	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	44.67	17.60	62.27	74.30	-12.03	peak	
2		40000.00	30.23	17.60	47.83	60.00	-12.17	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5580.000	11.05	42.06	53.11	68.30	-15.19	peak	
2		5580.000	1.48	42.06	43.54	54.00	-10.46	AVG	
3	*	5677.200	39.94	42.42	82.36	54.00	28.36	AVG	No Limit
4	X	5678.200	48.78	42.42	91.20	68.30	22.90	peak	No Limit
5		5725.000	9.20	42.58	51.78	68.30	-16.52	peak	
6		5725.000	0.16	42.58	42.74	54.00	-11.26	AVG	
7		5760.200	12.09	42.70	54.79	68.30	-13.51	peak	
8		5760.200	2.25	42.70	44.95	54.00	-9.05	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11340.00	38.47	16.56	55.03	74.30	-19.27	peak	
2		18000.00	41.41	23.83	65.24	74.30	-9.06	peak	
3	*	18000.00	28.21	23.83	52.04	60.00	-7.96	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	44.39	17.54	61.93	74.30	-12.37	peak	
2		39973.00	29.98	17.54	47.52	60.00	-12.48	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz


**Vertical**




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5440.400	18.35	41.59	59.94	68.30	-8.36	peak	
2		5440.400	7.43	41.59	49.02	54.00	-4.98	AVG	
3		5460.000	12.14	41.64	53.78	68.30	-14.52	peak	
4		5460.000	3.05	41.64	44.69	54.00	-9.31	AVG	
5		5470.000	11.77	41.68	53.45	68.30	-14.85	peak	
6		5470.000	2.38	41.68	44.06	54.00	-9.94	AVG	
7	*	5538.800	37.05	41.92	78.97	54.00	24.97	AVG	No Limit
8	X	5540.000	47.27	41.93	89.20	68.30	20.90	peak	No Limit
9		5620.000	15.41	42.21	57.62	68.30	-10.68	peak	
10		5620.000	5.33	42.21	47.54	54.00	-6.46	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11060.00	39.27	15.89	55.16	74.30	-19.14	peak	
2		17976.00	40.71	23.76	64.47	74.30	-9.83	peak	
3	*	17976.00	27.52	23.76	51.28	60.00	-8.72	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39932.50	43.46	17.43	60.89	74.30	-13.41	peak	
2	*	39932.50	29.86	17.43	47.29	60.00	-12.71	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5440.000	17.65	41.59	59.24	68.30	-9.06	peak	
2		5440.400	7.77	41.59	49.36	54.00	-4.64	AVG	
3		5460.000	14.19	41.64	55.83	68.30	-12.47	peak	
4		5460.000	2.96	41.64	44.60	54.00	-9.40	AVG	
5		5470.000	12.58	41.68	54.26	68.30	-14.04	peak	
6		5470.000	1.94	41.68	43.62	54.00	-10.38	AVG	
7	X	5533.200	46.37	41.90	88.27	68.30	19.97	peak	No Limit
8	*	5554.000	35.62	41.97	77.59	54.00	23.59	AVG	No Limit
9		5620.400	16.82	42.21	59.03	68.30	-9.27	peak	
10		5620.400	6.05	42.21	48.26	54.00	-5.74	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11060.00	39.81	15.89	55.70	74.30	-18.60	peak	
2		18000.00	41.69	23.83	65.52	74.30	-8.78	peak	
3	*	18000.00	28.35	23.83	52.18	60.00	-7.82	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	44.88	17.60	62.48	74.30	-11.82	peak	
2		40000.00	30.32	17.60	47.92	60.00	-12.08	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz


### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5520.400	17.04	41.85	58.89	68.30	-9.41	peak	
2		5520.400	7.04	41.85	48.89	54.00	-5.11	AVG	
3	X	5596.400	46.53	42.12	88.65	68.30	20.35	peak	No Limit
4	*	5621.200	36.66	42.21	78.87	54.00	24.87	AVG	No Limit
5		5700.000	16.52	42.49	59.01	68.30	-9.29	peak	
6		5700.000	5.52	42.49	48.01	54.00	-5.99	AVG	
7		5725.000	8.19	42.58	50.77	68.30	-17.53	peak	
8		5725.000	-0.03	42.58	42.55	54.00	-11.45	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11220.00	39.39	16.27	55.66	74.30	-18.64	peak	
2		17988.00	40.98	23.80	64.78	74.30	-9.52	peak	
3	*	17988.00	27.64	23.80	51.44	60.00	-8.56	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39946.00	44.86	17.47	62.33	74.30	-11.97	peak	
2		39946.00	30.46	17.47	47.93	60.00	-12.07	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5520.400	16.30	41.85	58.15	68.30	-10.15	peak	
2		5520.400	5.74	41.85	47.59	54.00	-6.41	AVG	
3	X	5583.200	46.24	42.08	88.32	68.30	20.02	peak	No Limit
4	*	5623.600	35.87	42.22	78.09	54.00	24.09	AVG	No Limit
5		5700.400	16.74	42.49	59.23	68.30	-9.07	peak	
6		5700.400	6.76	42.49	49.25	54.00	-4.75	AVG	
7		5725.000	9.97	42.58	52.55	68.30	-15.75	peak	
8		5725.000	0.20	42.58	42.78	68.30	-25.52	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11220.00	38.17	16.27	54.44	74.30	-19.86	peak	
2		17940.00	40.49	23.65	64.14	74.30	-10.16	peak	
3	*	17940.00	27.26	23.65	50.91	60.00	-9.09	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39946.00	44.86	17.47	62.33	74.30	-11.97	peak	
2		39946.00	30.34	17.47	47.81	60.00	-12.19	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz


**Vertical**




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	10.35	42.55	52.90	109.50	-56.60	peak	
2		5715.000	1.08	42.55	43.63	109.50	-65.87	AVG	
3		5725.000	10.25	42.58	52.83	122.30	-69.47	peak	
4		5725.000	2.42	42.58	45.00	122.30	-77.30	AVG	
5	*	5739.800	53.20	42.64	95.84	122.30	-26.46	peak	
6		5752.000	44.58	42.67	87.25	122.30	-35.05	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	39.57	16.91	56.48	74.30	-17.82	peak	
2		17940.00	41.57	23.65	65.22	74.30	-9.08	peak	
3	*	17940.00	28.35	23.65	52.00	60.00	-8.00	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		40000.00	44.59	17.60	62.19	74.30	-12.11	peak	
2	*	40000.00	31.26	17.60	48.86	60.00	-11.14	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	9.72	42.55	52.27	109.50	-57.23	peak	
2		5715.000	0.83	42.55	43.38	109.50	-66.12	AVG	
3		5725.000	11.05	42.58	53.63	122.30	-68.67	peak	
4		5725.000	1.90	42.58	44.48	122.30	-77.82	AVG	
5	*	5740.200	51.76	42.64	94.40	122.30	-27.90	peak	
6		5740.200	42.75	42.64	85.39	122.30	-36.91	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	39.68	16.91	56.59	74.30	-17.71	peak	
2		17976.00	41.19	23.76	64.95	74.30	-9.35	peak	
3	*	17976.00	28.06	23.76	51.82	60.00	-8.18	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39946.00	44.95	17.47	62.42	74.30	-11.88	peak	
2	*	39946.00	31.56	17.47	49.03	60.00	-10.97	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


**Vertical**




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5818.200	52.38	42.91	95.29	122.30	-27.01	peak	
2		5818.800	43.45	42.92	86.37	122.30	-35.93	AVG	
3		5850.000	10.52	43.03	53.55	122.30	-68.75	peak	
4		5850.000	0.98	43.03	44.01	122.30	-78.29	AVG	
5		5860.000	11.00	43.06	54.06	109.50	-55.44	peak	
6		5860.000	0.63	43.06	43.69	109.50	-65.81	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	39.45	17.17	56.62	74.30	-17.68	peak	
2		17940.00	41.57	23.65	65.22	74.30	-9.08	peak	
3	*	17940.00	28.37	23.65	52.02	60.00	-7.98	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz

### Vertical




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	40000.00	44.59	17.60	62.19	74.30	-12.11	peak	
2 *	40000.00	31.13	17.60	48.73	60.00	-11.27	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5822.300	42.22	42.92	85.14	122.30	-37.16	AVG	
2	*	5825.200	51.37	42.94	94.31	122.30	-27.99	peak	
3		5850.000	8.83	43.03	51.86	122.30	-70.44	peak	
4		5850.000	0.81	43.03	43.84	122.30	-78.46	AVG	
5		5860.000	9.98	43.06	53.04	109.50	-56.46	peak	
6		5860.000	0.29	43.06	43.35	109.50	-66.15	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	39.06	17.17	56.23	74.30	-18.07	peak	
2		17988.00	41.21	23.80	65.01	74.30	-9.29	peak	
3	*	17988.00	28.11	23.80	51.91	60.00	-8.09	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39932.50	45.24	17.43	62.67	74.30	-11.63	peak	
2	*	39932.50	31.52	17.43	48.95	60.00	-11.05	AVG	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	1.08	42.55	43.63	109.50	-65.87	AVG	
2		5725.000	2.37	42.58	44.95	122.30	-77.35	AVG	
3		5750.800	43.65	42.67	86.32	122.30	-35.98	AVG	
4	*	5740.600	51.96	42.64	94.60	122.30	-27.70	peak	
5		5715.000	10.23	42.55	52.78	109.50	-56.72	peak	
6		5725.000	10.64	42.58	53.22	122.30	-69.08	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	38.84	16.91	55.75	74.30	-18.55	peak	
2	*	17880.00	41.58	23.47	65.05	74.30	-9.25	peak	
3		17880.00	24.33	23.47	47.80	60.00	-12.20	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		40000.00	45.03	17.60	62.63	74.30	-11.67	peak	
2	*	40000.00	31.86	17.60	49.46	60.00	-10.54	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	9.27	42.55	51.82	109.50	-57.68	peak	
2		5715.000	0.97	42.55	43.52	109.50	-65.98	AVG	
3		5725.000	11.01	42.58	53.59	122.30	-68.71	peak	
4		5725.000	2.06	42.58	44.64	122.30	-77.66	AVG	
5		5749.800	42.84	42.67	85.51	122.30	-36.79	AVG	
6	*	5753.000	51.74	42.68	94.42	122.30	-27.88	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	38.52	16.91	55.43	74.30	-18.87	peak	
2		17916.00	41.45	23.58	65.03	74.30	-9.27	peak	
3	*	17916.00	28.44	23.58	52.02	60.00	-7.98	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39905.50	43.66	17.37	61.03	74.30	-13.27	peak	
2	*	39905.50	30.25	17.37	47.62	60.00	-12.38	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5817.400	43.06	42.91	85.97	122.30	-36.33	AVG	
2	*	5819.800	51.52	42.92	94.44	122.30	-27.86	peak	
3		5850.000	10.05	43.03	53.08	122.30	-69.22	peak	
4		5850.000	0.92	43.03	43.95	122.30	-78.35	AVG	
5		5860.000	7.85	43.06	50.91	109.50	-58.59	peak	
6		5860.000	0.45	43.06	43.51	109.50	-65.99	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	39.11	17.17	56.28	74.30	-18.02	peak	
2		17844.00	41.81	23.37	65.18	74.30	-9.12	peak	
3	*	17844.00	28.71	23.37	52.08	60.00	-7.92	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		40000.00	45.03	17.60	62.63	74.30	-11.67	peak	
2	*	40000.00	31.76	17.60	49.36	60.00	-10.64	AVG	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5817.600	42.78	42.91	85.69	122.30	-36.61	AVG	
2	*	5818.100	51.30	42.91	94.21	122.30	-28.09	peak	
3		5850.000	10.59	43.03	53.62	122.30	-68.68	peak	
4		5850.000	0.98	43.03	44.01	122.30	-78.29	AVG	
5		5860.000	9.39	43.06	52.45	109.50	-57.05	peak	
6		5860.000	0.45	43.06	43.51	109.50	-65.99	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	38.46	17.17	55.63	74.30	-18.67	peak	
2		17712.00	41.46	22.99	64.45	74.30	-9.85	peak	
3	*	17712.00	28.15	22.99	51.14	60.00	-8.86	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		40000.00	44.60	17.60	62.20	74.30	-12.10	peak	
2	*	40000.00	30.48	17.60	48.08	60.00	-11.92	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	8.56	42.55	51.11	109.50	-58.39	peak	
2		5715.000	0.47	42.55	43.02	109.50	-66.48	AVG	
3		5725.000	10.97	42.58	53.55	122.30	-68.75	peak	
4		5725.000	1.08	42.58	43.66	122.30	-78.64	AVG	
5		5752.200	40.42	42.68	83.10	122.30	-39.20	AVG	
6	*	5765.000	50.07	42.73	92.80	122.30	-29.50	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11510.00	39.15	16.96	56.11	74.30	-18.19	peak	
2		17592.00	41.64	22.64	64.28	74.30	-10.02	peak	
3	*	17592.00	28.43	22.64	51.07	60.00	-8.93	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39986.50	45.40	17.56	62.96	74.30	-11.34	peak	
2	*	39986.50	31.25	17.56	48.81	60.00	-11.19	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	9.51	42.55	52.06	109.50	-57.44	peak	
2		5715.000	0.42	42.55	42.97	109.50	-66.53	AVG	
3		5725.000	10.53	42.58	53.11	122.30	-69.19	peak	
4		5725.000	0.99	42.58	43.57	122.30	-78.73	AVG	
5	*	5751.800	47.99	42.67	90.66	122.30	-31.64	peak	
6		5760.600	39.69	42.71	82.40	122.30	-39.90	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11510.00	39.25	16.96	56.21	74.30	-18.09	peak	
2		17988.00	41.56	23.80	65.36	74.30	-8.94	peak	
3	*	17988.00	28.39	23.80	52.19	60.00	-7.81	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		40000.00	45.55	17.60	63.15	74.30	-11.15	peak	
2	*	40000.00	31.28	17.60	48.88	60.00	-11.12	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5798.000	39.86	42.85	82.71	122.30	-39.59	AVG	
2	*	5800.000	48.60	42.85	91.45	122.30	-30.85	peak	
3		5850.000	8.11	43.03	51.14	122.30	-71.16	peak	
4		5850.000	0.09	43.03	43.12	122.30	-79.18	AVG	
5		5860.000	9.66	43.06	52.72	109.50	-56.78	peak	
6		5860.000	-0.08	43.06	42.98	109.50	-66.52	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11590.00	39.29	17.08	56.37	74.30	-17.93	peak	
2		17940.00	41.72	23.65	65.37	74.30	-8.93	peak	
3	*	17940.00	28.45	23.65	52.10	60.00	-7.90	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39986.50	45.40	17.56	62.96	74.30	-11.34	peak	
2	*	39986.50	31.16	17.56	48.72	60.00	-11.28	AVG	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5798.400	39.25	42.85	82.10	122.30	-40.20	AVG	
2	*	5805.200	48.39	42.86	91.25	122.30	-31.05	peak	
3		5850.000	9.11	43.03	52.14	122.30	-70.16	peak	
4		5850.000	0.13	43.03	43.16	122.30	-79.14	AVG	
5		5860.000	9.18	43.06	52.24	109.50	-57.26	peak	
6		5860.000	0.06	43.06	43.12	109.50	-66.38	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11590.00	38.39	17.08	55.47	74.30	-18.83	peak	
2		17964.00	41.05	23.72	64.77	74.30	-9.53	peak	
3	*	17964.00	27.91	23.72	51.63	60.00	-8.37	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		40000.00	44.08	17.60	61.68	74.30	-12.62	peak	
2	*	40000.00	29.95	17.60	47.55	60.00	-12.45	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	11.62	42.55	54.17	109.50	-55.33	peak	
2		5715.000	1.07	42.55	43.62	109.50	-65.88	AVG	
3		5725.000	10.96	42.58	53.54	122.30	-68.76	peak	
4		5725.000	2.47	42.58	45.05	122.30	-77.25	AVG	
5	*	5744.000	51.68	42.65	94.33	122.30	-27.97	peak	
6		5751.900	43.66	42.67	86.33	122.30	-35.97	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	38.99	16.91	55.90	74.30	-18.40	peak	
2		17892.00	42.23	23.51	65.74	74.30	-8.56	peak	
3	*	17892.00	29.20	23.51	52.71	60.00	-7.29	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	44.45	17.60	62.05	74.30	-12.25	peak	
2		40000.00	30.12	17.60	47.72	60.00	-12.28	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	11.51	42.55	54.06	109.50	-55.44	peak	
2		5715.000	0.81	42.55	43.36	109.50	-66.14	AVG	
3		5725.000	10.87	42.58	53.45	122.30	-68.85	peak	
4		5725.000	1.90	42.58	44.48	122.30	-77.82	AVG	
5	*	5750.400	52.45	42.67	95.12	122.30	-27.18	peak	
6		5750.700	42.56	42.67	85.23	122.30	-37.07	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	40.19	16.91	57.10	74.30	-17.20	peak	
2		17988.00	41.38	23.80	65.18	74.30	-9.12	peak	
3	*	17988.00	28.35	23.80	52.15	60.00	-7.85	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39946.00	44.87	17.47	62.34	74.30	-11.96	peak	
2		39946.00	30.15	17.47	47.62	60.00	-12.38	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


**Vertical**




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5817.800	53.12	42.91	96.03	122.30	-26.27	peak	
2		5832.800	43.50	42.97	86.47	122.30	-35.83	AVG	
3		5850.000	9.17	43.03	52.20	122.30	-70.10	peak	
4		5850.000	1.09	43.03	44.12	122.30	-78.18	AVG	
5		5860.000	9.23	43.06	52.29	109.50	-57.21	peak	
6		5860.000	0.54	43.06	43.60	109.50	-65.90	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	38.78	17.17	55.95	74.30	-18.35	peak	
2		17976.00	41.58	23.76	65.34	74.30	-8.96	peak	
3	*	17976.00	28.49	23.76	52.25	60.00	-7.75	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		40000.00	44.45	17.60	62.05	74.30	-12.25	peak	
2	*	40000.00	30.27	17.60	47.87	60.00	-12.13	AVG	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5817.500	42.54	42.91	85.45	122.30	-36.85	AVG	
2	*	5818.500	50.95	42.91	93.86	122.30	-28.44	peak	
3		5850.000	10.36	43.03	53.39	122.30	-68.91	peak	
4		5850.000	0.93	43.03	43.96	122.30	-78.34	AVG	
5		5860.000	9.03	43.06	52.09	109.50	-57.41	peak	
6		5860.000	0.44	43.06	43.50	109.50	-66.00	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	39.76	17.17	56.93	74.30	-17.37	peak	
2		17988.00	41.74	23.80	65.54	74.30	-8.76	peak	
3	*	17988.00	28.51	23.80	52.31	60.00	-7.69	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39986.50	44.23	17.56	61.79	74.30	-12.51	peak	
2	*	39986.50	30.75	17.56	48.31	60.00	-11.69	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


**Vertical**




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	10.95	42.55	53.50	109.50	-56.00	peak	
2		5715.000	-1041.	42.55	-999.00	109.50	-1108.5	QP	
3		5715.000	0.56	42.55	43.11	109.50	-66.39	AVG	
4		5725.000	9.52	42.58	52.10	122.30	-70.20	peak	
5		5725.000	1.31	42.58	43.89	122.30	-78.41	AVG	
6		5752.200	40.96	42.68	83.64	122.30	-38.66	AVG	
7	*	5752.800	49.44	42.68	92.12	122.30	-30.18	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11510.00	39.64	16.96	56.60	74.30	-17.70	peak	
2		17964.00	41.31	23.72	65.03	74.30	-9.27	peak	
3	*	17964.00	28.04	23.72	51.76	60.00	-8.24	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39959.50	44.98	17.50	62.48	74.30	-11.82	peak	
2		39959.50	30.52	17.50	48.02	60.00	-11.98	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	11.27	42.55	53.82	109.50	-55.68	peak	
2		5715.000	0.44	42.55	42.99	109.50	-66.51	AVG	
3		5725.000	10.29	42.58	52.87	122.30	-69.43	peak	
4		5725.000	0.97	42.58	43.55	122.30	-78.75	AVG	
5	*	5757.800	48.35	42.70	91.05	122.30	-31.25	peak	
6		5760.600	39.79	42.71	82.50	122.30	-39.80	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11510.00	38.39	16.96	55.35	74.30	-18.95	peak	
2		17700.00	41.64	22.96	64.60	74.30	-9.70	peak	
3	*	17700.00	28.32	22.96	51.28	60.00	-8.72	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39959.50	44.98	17.50	62.48	74.30	-11.82	peak	
2		39959.50	30.54	17.50	48.04	60.00	-11.96	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


**Vertical**




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5792.600	39.68	42.82	82.50	122.30	-39.80	AVG	
2	*	5802.800	48.88	42.86	91.74	122.30	-30.56	peak	
3		5850.000	9.95	43.03	52.98	122.30	-69.32	peak	
4		5850.000	0.14	43.03	43.17	122.30	-79.13	AVG	
5		5860.000	8.86	43.06	51.92	109.50	-57.58	peak	
6		5860.000	-0.04	43.06	43.02	109.50	-66.48	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11590.00	38.57	17.08	55.65	74.30	-18.65	peak	
2		17964.00	40.98	23.72	64.70	74.30	-9.60	peak	
3	*	17964.00	27.73	23.72	51.45	60.00	-8.55	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	43.42	17.60	61.02	74.30	-13.28	peak	
2		40000.00	29.01	17.60	46.61	60.00	-13.39	AVG	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5780.000	48.65	42.77	91.42	122.30	-30.88	peak	
2		5798.600	39.53	42.85	82.38	122.30	-39.92	AVG	
3		5850.000	9.48	43.03	52.51	122.30	-69.79	peak	
4		5850.000	0.04	43.03	43.07	122.30	-79.23	AVG	
5		5860.000	11.23	43.06	54.29	109.50	-55.21	peak	
6		5860.000	0.01	43.06	43.07	109.50	-66.43	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11590.00	38.45	17.08	55.53	74.30	-18.77	peak	
2		17976.00	41.05	23.76	64.81	74.30	-9.49	peak	
3	*	17976.00	27.96	23.76	51.72	60.00	-8.28	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	45.08	17.56	62.64	74.30	-11.66	peak	
2		39986.50	30.65	17.56	48.21	60.00	-11.79	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5685.400	18.05	42.44	60.49	94.50	-34.01	peak	
2		5685.400	6.91	42.44	49.35	94.50	-45.15	AVG	
3		5715.000	11.27	42.55	53.82	109.50	-55.68	peak	
4		5715.000	2.15	42.55	44.70	109.50	-64.80	AVG	
5		5725.000	12.36	42.58	54.94	122.30	-67.36	peak	
6		5725.000	3.21	42.58	45.79	122.30	-76.51	AVG	
7		5751.400	37.82	42.67	80.49	122.30	-41.81	AVG	
8	*	5755.000	46.64	42.69	89.33	122.30	-32.97	peak	
9		5850.000	10.36	43.03	53.39	122.30	-68.91	peak	
10		5850.000	0.64	43.03	43.67	122.30	-78.63	AVG	
11		5860.000	9.53	43.06	52.59	109.50	-56.91	peak	
12		5860.000	1.52	43.06	44.58	109.50	-64.92	AVG	
13		5865.000	14.77	43.08	57.85	108.10	-50.25	peak	


No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
14		5865.000	5.03	43.08	48.11	108.10	-59.99	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11550.00	39.17	17.02	56.19	74.30	-18.11	peak	
2		17940.00	41.23	23.65	64.88	74.30	-9.42	peak	
3	*	17940.00	28.01	23.65	51.66	60.00	-8.34	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	45.81	17.56	63.37	74.30	-10.93	peak	
2		39986.50	31.37	17.56	48.93	60.00	-11.07	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5685.000	18.46	42.43	60.89	94.20	-33.31	peak	
2		5685.400	7.09	42.44	49.53	94.50	-44.97	AVG	
3		5715.000	10.27	42.55	52.82	109.50	-56.68	peak	
4		5715.000	1.64	42.55	44.19	109.50	-65.31	AVG	
5		5725.000	10.65	42.58	53.23	122.30	-69.07	peak	
6		5725.000	2.34	42.58	44.92	122.30	-77.38	AVG	
7		5772.200	44.78	42.75	87.53	122.30	-34.77	peak	
8		5779.000	36.14	42.77	78.91	122.30	-43.39	AVG	
9		5850.000	10.17	43.03	53.20	122.30	-69.10	peak	
10		5850.000	0.93	43.03	43.96	122.30	-78.34	AVG	
11		5860.000	12.19	43.06	55.25	109.50	-54.25	peak	
12		5860.000	1.97	43.06	45.03	109.50	-64.47	AVG	
13		5865.000	15.78	43.08	58.86	108.10	-49.24	peak	


No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
14		5865.000	5.57	43.08	48.65	108.10	-59.45	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11550.00	39.18	17.02	56.20	74.30	-18.10	peak	
2		17916.00	41.34	23.58	64.92	74.30	-9.38	peak	
3	*	17916.00	28.15	23.58	51.73	60.00	-8.27	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

### Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	45.81	17.56	63.37	74.30	-10.93	peak	
2		39986.50	31.38	17.56	48.94	60.00	-11.06	AVG	