


Appendix F

Conducted Emission at Power Port According to FCC Part 15.107

TPCA-053065E




MEASUREMENT RESULT: QP Detector

Frequency MHz	Level dBµV	Transd dB	Limit dBµV	Margin dB	Line	PE
0.325500	42.80	10.1	60	17.2	N	FLO
0.465000	42.40	9.9	57	14.6	N	FLO
0.982500	39.40	10.0	56	16.6	L3	FLO
2.211000	37.50	10.1	56	18.5	L3	FLO
9.604500	29.90	10.1	60	30.1	N	FLO
25.350000	22.50	10.4	60	37.5	N	FLO

MEASUREMENT RESULT: AV Detector

Frequency MHz	Level dBµV	Transd dB	Limit dBµV	Margin dB	Line	PE
0.321000	30.90	10.1	50	19.1	L3	FLO
0.496500	31.10	10.0	46	14.9	L3	FLO
0.996000	26.10	10.0	46	19.9	L3	FLO
2.269500	25.30	10.1	46	20.7	L3	FLO
5.586000	22.00	10.1	50	28.0	L3	FLO
0.321000	30.90	10.1	50	18.8	L3	FLO

XQLCHW03



MEASUREMENT RESULT: QP Detector

Frequency MHz	Level dBµV	Transd dB	Limit dBµV	Margin dB	Line	PE
0.343500	44.50	10.1	59	14.5	L3	FLO
0.879000	39.80	10.0	56	16.2	L3	FLO
2.017500	40.00	10.1	56	16.0	L3	FLO
2.220000	35.50	10.1	56	20.5	L3	FLO
5.271000	26.70	10.2	60	33.3	N	FLO
19.050000	25.10	10.3	60	34.9	L3	FLO

MEASUREMENT RESULT: AV Detector

Frequency MHz	Level dBµV	Transd dB	Limit dBµV	Margin dB	Line	PE
0.343500	32.70	10.1	49	16.3	L3	FLO
0.834000	28.10	10.0	46	17.9	L3	FLO
2.040000	27.70	10.1	46	18.3	L3	FLO
2.521500	25.50	10.1	46	20.5	L3	FLO
5.212500	23.40	10.2	50	26.6	L3	FLO
29.818500	11.40	10.5	50	38.6	L3	FLO