


Appendix D
Spurious Emission at Antenna Terminal
Measurements
According to CFR 47 (FCC) part 2.1051



Prüfbericht - Nr.: 17000535 001
Test Report No.


Seite 5 von 9
Page 5 of 9

Agilent 18:20:16 Jul 18, 2002




Marker	Trace	Type	X Axis	Amplitude
1	(1)	Freq	2.620 GHz	-55.56 dBm
2	(1)	Freq	7.045 GHz	-69.57 dBm
3	(1)	Freq	8.770 GHz	-70.47 dBm

* Agilent 18:00:44 Jul 18, 2002




Marker	Trace	Type	X Axis	Amplitude
1	(1)	Freq	875.75 MHz	-2.54 dBm
2	(1)	Freq	890.03 MHz	-38.57 dBm

* Agilent 18:01:55 Jul 18, 2002



Marker	Trace	Type	X Axis	Amplitude
1	(1)	Freq	875.75 MHz	-2.22 dBm
2	(1)	Freq	890.00 MHz	-38.11 dBm

* Agilent 17:51:36 Jul 18, 2002



Center 873.77 MHz

Span 10.04 MHz

*Res BW 30 kHz

VBW 30 kHz

Sweep 13.48 ms

Marker	Trace	Type	X Axis	Amplitude
1R	(1)	Freq	872.12 MHz	34.21 dBm
1Δ	(1)	Freq	-1.28 MHz	-55.94 dB
2R	(1)	Freq	874.86 MHz	37.88 dBm
2Δ	(1)	Freq	1.74 MHz	-56.34 dB