




Test mode:	802.11ac(HT80)	Frequency(MHz):	5530	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5530 Band edge

: Ant 1 5G WIFI 11AC(80) CH106

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5450.879	8.78	34.41	38.15	50.01	55.05	74.00	-18.95 peak
2	5469.319	8.81	34.41	38.15	50.23	55.30	68.20	-12.90 peak
3 pp	5530.000	8.96	34.42	38.14	84.36	89.60	68.20	21.40 peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5530	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5530 Band edge

: Ant 1 5G WIFI 11AC(80) CH106

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp 5459.465	8.79	34.41	38.15	40.45	45.50	54.00	-8.50	Average
2 5530.000	8.96	34.42	38.14	77.09	82.33	-----	-----	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5610	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5610 Band edge

: Ant 1 5G WIFI 11AC(80) CH122

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5610.000	9.24	34.47	38.14	77.36	82.93	68.20	14.73	Peak
2	5742.318	9.70	34.55	38.12	47.41	53.54	68.20	-14.66	Peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5610	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5610 Band edge

: Ant 1 5G WIFI 11AC(80) CH122

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5610.000	9.24	34.47	38.14	84.57	90.14	68.20	21.94 peak
2	5747.190	9.72	34.55	38.12	48.35	54.50	68.20	-13.70 peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5775	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5775 Band edge

: Ant 1 5G WIFI 11AC(80) CH155

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5724.088	9.64	34.54	38.13	47.65	53.70	120.12	-66.42	peak
2 pp	5775.000	9.81	34.57	38.12	80.04	86.30	125.20	-38.90	peak
3	5849.958	10.07	34.61	38.11	45.84	52.41	125.20	-72.79	peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5775	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5775 Band edge

: Ant 1 5G WIFI 11AC(80) CH155


	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5722.883	9.64	34.54	38.13	52.68	58.73	117.37	-58.64	peak
2 pp	5775.000	9.81	34.57	38.12	85.01	91.27	125.20	-33.93	peak
3	5852.424	10.08	34.61	38.11	46.69	53.27	116.67	-63.40	peak



ANT2

Test plot as follows:

Test mode:	802.11a	Frequency(MHz):	5180	Peak	Vertical
------------	---------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5180 Band edge

: Ant 2 5G WIFI 11A CH36

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.857	8.32	34.47	38.18	47.19	51.80	74.00	-22.20	Peak
2	5149.980	8.33	34.47	38.18	49.04	53.66	74.00	-20.34	Peak
3 pp	5180.000	8.37	34.46	38.18	87.11	91.76	68.20	23.56	Peak



Test mode:	802.11a	Frequency(MHz):	5180	Average	Vertical
------------	---------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5180 Band edge

: Ant 2 5G WIFI 11A CH36

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5145.359	8.32	34.47	38.18	37.26	41.87	54.00	-12.13 Average
2	5149.980	8.33	34.47	38.18	37.15	41.77	54.00	-12.23 Average
3	5180.000	8.37	34.46	38.18	80.40	85.05	-----	----- Average



Test mode:	802.11a	Frequency(MHz):	5180	Peak	Horizontal
------------	---------	-----------------	------	------	------------




Condition: 3m HORIZONTAL
 Job No : 0217RG
 Mode : 5180 Band edge
 : Ant 2 5G WIFI 11A CH36

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5146.758	8.32	34.47	38.18	48.24	52.85	74.00	-21.15	peak
2	5149.980	8.33	34.47	38.18	46.61	51.23	74.00	-22.77	peak
3	pp 5180.000	8.37	34.46	38.18	93.43	98.08	68.20	29.88	peak



Test mode:	802.11a	Frequency(MHz):	5180	Average	Horizontal
------------	---------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL
Job No : 0217RG
Mode : 5180 Band edge
: Ant 2 5G WIFI 11A CH36

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5148.958	8.32	34.47	38.18	38.78	43.39	54.00	-10.61 Average
2 pp	5149.980	8.33	34.47	38.18	38.82	43.44	54.00	-10.56 Average
3	5180.000	8.37	34.46	38.18	86.71	91.36	-----	----- Average



Test mode:	802.11a	Frequency(MHz):	5240	Peak	Vertical
------------	---------	-----------------	------	------	----------




Condition: 3m VERTICAL
 Job No : 0217RG
 Mode : 5240 Band edge
 : Ant 2 5G WIFI 11A CH48

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5240.000	8.46	34.45	38.17	89.47	94.21	68.20	26.01	Peak
2	5350.020	8.63	34.43	38.16	45.63	50.53	74.00	-23.47	Peak
3	5393.048	8.69	34.42	38.16	46.35	51.30	74.00	-22.70	Peak



Test mode:	802.11a	Frequency(MHz):	5240	Average	Vertical
------------	---------	-----------------	------	---------	----------




Condition: 3m VERTICAL
 Job No : 0217RG
 Mode : 5240 Band edge
 : Ant 2 5G WIFI 11A CH48

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5240.000	8.46	34.45	38.17	82.67	87.41	-----	-----	Average
2	pp 5350.020	8.63	34.43	38.16	36.86	41.76	54.00	-12.24	Average
3	5350.616	8.63	34.43	38.16	36.85	41.75	54.00	-12.25	Average



Test mode:	802.11a	Frequency(MHz):	5240	Peak	Horizontal
------------	---------	-----------------	------	------	------------




Condition: 3m HORIZONTAL
 Job No : 0217RG
 Mode : 5240 Band edge
 : Ant 2 5G WIFI 11A CH48

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5240.000	8.46	34.45	38.17	94.99	99.73	68.20	31.53	peak
2	5350.020	8.63	34.43	38.16	45.18	50.08	74.00	-23.92	peak
3	5371.517	8.66	34.42	38.16	47.16	52.08	74.00	-21.92	peak



Test mode:	802.11a	Frequency(MHz):	5240	Average	Horizontal
------------	---------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5240 Band edge

: Ant 2 5G WIFI 11A CH48

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5240.000	8.46	34.45	38.17	88.49	93.23	-----	-----	Average
2	5350.020	8.63	34.43	38.16	36.80	41.70	54.00	-12.30	Average
3 pp	5351.523	8.63	34.43	38.16	36.92	41.82	54.00	-12.18	Average



Test mode:	802.11a	Frequency(MHz):	5260	Peak	Vertical
------------	---------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5260 Band edge

: Ant 2 5G WIFI 11A CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5133.009	8.30	34.47	38.19	46.62	51.20	74.00	-22.80	Peak
2	5149.980	8.33	34.47	38.18	46.64	51.26	74.00	-22.74	Peak
3	pp 5260.000	8.49	34.45	38.17	90.00	94.77	68.20	26.57	Peak



Test mode:	802.11a	Frequency(MHz):	5260	Average	Vertical
------------	---------	-----------------	------	---------	----------




Condition: 3m VERTICAL
 Job No : 0217RG
 Mode : 5260 Band edge
 : Ant 2 5G WIFI 11A CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5143.881	8.32	34.47	38.18	36.88	41.49	54.00	-12.51	Average
2	5149.980	8.33	34.47	38.18	36.71	41.33	54.00	-12.67	Average
3	5260.000	8.49	34.45	38.17	83.02	87.79	-----	-----	Average



Test mode:	802.11a	Frequency(MHz):	5260	Peak	Horizontal
------------	---------	-----------------	------	------	------------




Condition: 3m HORIZONTAL
Job No : 0217RG
Mode : 5260 Band edge
: Ant 2 5G WIFI 11A CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5147.094	8.32	34.47	38.18	47.08	51.69	74.00	-22.31	peak
2	5149.980	8.33	34.47	38.18	45.34	49.96	74.00	-24.04	peak
3	pp 5260.000	8.49	34.45	38.17	94.55	99.32	68.20	31.12	peak



Test mode:	802.11a	Frequency(MHz):	5260	Average	Horizontal
------------	---------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL
 Job No : 0217RG
 Mode : 5260 Band edge
 : Ant 2 5G WIFI 11A CH52

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5145.487	8.32	34.47	38.18	36.94	41.55	54.00	-12.45	Average
2	5149.980	8.33	34.47	38.18	36.75	41.37	54.00	-12.63	Average
3	5260.000	8.49	34.45	38.17	87.76	92.53	-----	-----	Average



Test mode:	802.11a	Frequency(MHz):	5320	Peak	Vertical
------------	---------	-----------------	------	------	----------




Condition: 3m VERTICAL
Job No : 0217RG
Mode : 5320 Band edge
: Ant 2 5G WIFI 11A CH64

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5320.000	8.58	34.43	38.17	87.58	92.42	68.20	24.22	Peak
2	5350.020	8.63	34.43	38.16	45.78	50.68	74.00	-23.32	Peak
3	5372.916	8.66	34.42	38.16	47.19	52.11	74.00	-21.89	Peak



Test mode:	802.11a	Frequency(MHz):	5320	Average	Vertical
------------	---------	-----------------	------	---------	----------




Condition: 3m VERTICAL
Job No : 0217RG
Mode : 5320 Band edge
: Ant 2 5G WIFI 11A CH64

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5320.000	8.58	34.43	38.17	81.55	86.39	-----	-----	Average
2	pp 5350.020	8.63	34.43	38.16	37.64	42.54	54.00	-11.46	Average
3	5350.566	8.63	34.43	38.16	37.52	42.42	54.00	-11.58	Average



Test mode:	802.11a	Frequency(MHz):	5320	Peak	Horizontal
------------	---------	-----------------	------	------	------------




Condition: 3m HORIZONTAL
 Job No : 0217RG
 Mode : 5320 Band edge
 : Ant 2 5G WIFI 11A CH64

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5320.000	8.58	34.43	38.17	91.77	96.61	68.20	28.41	peak
2	5350.020	8.63	34.43	38.16	46.39	51.29	74.00	-22.71	peak
3	5367.295	8.66	34.43	38.16	47.88	52.81	74.00	-21.19	peak



Test mode:	802.11a	Frequency(MHz):	5320	Average	Horizontal
------------	---------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL
Job No : 0217RG
Mode : 5320 Band edge
: Ant 2 5G WIFI 11A CH64

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5320.000	8.58	34.43	38.17	85.46	90.30	-----	-----	Average
2	5350.020	8.63	34.43	38.16	38.30	43.20	54.00	-10.80	Average
3 pp	5351.167	8.63	34.43	38.16	38.35	43.25	54.00	-10.75	Average



Test mode:	802.11a	Frequency(MHz):	5500	Peak	Vertical
------------	---------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5500 Band edge

: Ant 2 5G WIFI 11A CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5457.031	8.79	34.41	38.15	47.32	52.37	74.00	-21.63	Peak
2	5466.875	8.80	34.41	38.15	51.62	56.68	68.20	-11.52	peak
3 pp	5500.000	8.85	34.40	38.15	90.03	95.13	68.20	26.93	Peak



Test mode:	802.11a	Frequency(MHz):	5500	Average	Vertical
------------	---------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5500 Band edge

: Ant 2 5G WIFI 11A CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5457.871	8.79	34.41	38.15	37.25	42.30	54.00	-11.70 Average
2	5500.000	8.85	34.40	38.15	83.23	88.33	-----	----- Average



Test mode:	802.11a	Frequency(MHz):	5500	Peak	Horizontal
------------	---------	-----------------	------	------	------------




Condition: 3m HORIZONTAL
 Job No : 0217RG
 Mode : 5500 Band edge
 : Ant 2 5G WIFI 11A CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5440.983	8.76	34.41	38.15	49.92	54.94	74.00	-19.06	peak
2	5468.077	8.80	34.41	38.15	53.09	58.15	68.20	-10.05	peak
3	pp 5500.000	8.85	34.40	38.15	92.83	97.93	68.20	29.73	peak



Test mode:	802.11a	Frequency(MHz):	5500	Average	Horizontal
------------	---------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL
 Job No : 0217RG
 Mode : 5500 Band edge
 : Ant 2 5G WIFI 11A CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5457.631	8.79	34.41	38.15	37.75	42.80	54.00	-11.20 Average
2	5500.000	8.85	34.40	38.15	86.24	91.34	-----	----- Average



Test mode:	802.11a	Frequency(MHz):	5700	Peak	Vertical
------------	---------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5700 Band edge

: Ant 2 5G WIFI 11A CH140

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5700.000	9.56	34.52	38.13	91.14	97.09	68.20	28.89	Peak
2	5725.000	9.64	34.54	38.13	46.63	52.68	68.20	-15.52	Peak
3	5734.884	9.68	34.54	38.12	50.51	56.61	68.20	-11.59	Peak



Test mode:	802.11a	Frequency(MHz):	5700	Peak	Horizontal
------------	---------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5700 Band edge

: Ant 2 5G WIFI 11A CH140

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5700.000	9.56	34.52	38.13	92.24	98.19	68.20	29.99	peak
2	5725.000	9.64	34.54	38.13	50.06	56.11	68.20	-12.09	peak
3	5735.484	9.68	34.54	38.12	51.73	57.83	68.20	-10.37	peak



Test mode:	802.11a	Frequency(MHz):	5745	Peak	Vertical
------------	---------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5745 Band edge

: Ant 2 5G WIFI 11A CH149

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5715.000	9.61	34.53	38.13	53.36	59.37	109.40	-50.03 peak
2	5725.000	9.64	34.54	38.13	61.55	67.60	122.20	-54.60 peak
3 pp	5745.000	9.71	34.55	38.12	91.80	97.94	125.20	-27.26 peak



Test mode:	802.11a	Frequency(MHz):	5745	Peak	Horizontal
------------	---------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5745 Band edge

: Ant 2 5G WIFI 11A CH149

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5715.000	9.61	34.53	38.13	56.04	62.05	109.40	-47.35 peak
2	5725.000	9.64	34.54	38.13	62.57	68.62	122.20	-53.58 peak
3 pp	5745.000	9.71	34.55	38.12	94.14	100.28	125.20	-24.92 peak



Test mode:	802.11a	Frequency(MHz):	5825	Peak	Vertical
------------	---------	-----------------	------	------	----------




Condition: 3m VERTICAL
 Job No : 0217RG
 Mode : 5825 Band edge
 : Ant 2 5G WIFI 11A CH165

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5825.000	9.98	34.60	38.12	90.88	97.34	125.20	-27.86	peak
2	5850.000	10.07	34.61	38.11	50.30	56.87	122.20	-65.33	peak
3	5860.000	10.10	34.62	38.11	49.98	56.59	109.40	-52.81	peak



Test mode:	802.11a	Frequency(MHz):	5825	Peak	Horizontal
------------	---------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5825 Band edge

: Ant 2 5G WIFI 11A CH165

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5825.000	9.98	34.60	38.12	92.38	98.84	125.20	-26.36 peak
2	5850.000	10.07	34.61	38.11	50.52	57.09	122.20	-65.11 peak
3	5860.000	10.10	34.62	38.11	50.36	56.97	109.40	-52.43 peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5180	Peak	Vertical
------------	---------------	-----------------	------	------	----------




Condition: 3m VERTICAL
 Job No : 0217RG
 Mode : 5180 Band edge
 : Ant 2 5G WIFI 11N CH36

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	8.32	34.47	38.18	49.44	54.05	74.00	-19.95	Peak
2	8.33	34.47	38.18	46.24	50.86	74.00	-23.14	Peak
3 pp	8.37	34.46	38.18	85.36	90.01	68.20	21.81	Peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5180	Average	Vertical
------------	---------------	-----------------	------	---------	----------




Condition: 3m VERTICAL
 Job No : 0217RG
 Mode : 5180 Band edge
 : Ant 2 5G WIFI 11N CH36

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp 5144.660	8.32	34.47	38.18	37.25	41.86	54.00	-12.14	Average
2 5149.980	8.33	34.47	38.18	37.07	41.69	54.00	-12.31	Average
3 5180.000	8.37	34.46	38.18	78.84	83.49	-----	-----	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5180	Peak	Horizontal
------------	---------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL
 Job No : 0217RG
 Mode : 5180 Band edge
 : Ant 2 5G WIFI 11N CH36

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5104.558	8.26	34.48	38.19	47.75	52.30	74.00	-21.70 peak
2	5149.980	8.33	34.47	38.18	47.42	52.04	74.00	-21.96 peak
3 pp	5180.000	8.37	34.46	38.18	91.62	96.27	68.20	28.07 peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5180	Average	Horizontal
------------	---------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL
 Job No : 0217RG
 Mode : 5180 Band edge
 : Ant 2 5G WIFI 11N CH36

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5149.458	8.32	34.47	38.18	38.10	42.71	54.00	-11.29	Average
2	5149.980	8.33	34.47	38.18	38.03	42.65	54.00	-11.35	Average
3	5180.000	8.37	34.46	38.18	84.42	89.07	-----	-----	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5240	Peak	Vertical
------------	---------------	-----------------	------	------	----------




Condition: 3m VERTICAL
 Job No : 0217RG
 Mode : 5240 Band edge
 : Ant 2 5G WIFI 11N CH48

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5240.000	8.46	34.45	38.17	88.40	93.14	68.20	24.94	Peak
2	5350.020	8.63	34.43	38.16	45.40	50.30	74.00	-23.70	Peak
3	5353.337	8.63	34.43	38.16	47.19	52.09	74.00	-21.91	Peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5240	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5240 Band edge

: Ant 2 5G WIFI 11N CH48

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5240.000	8.46	34.45	38.17	82.08	86.82	-----	-----	Average
2	5350.020	8.63	34.43	38.16	36.80	41.70	54.00	-12.30	Average
3 pp	5350.616	8.63	34.43	38.16	36.86	41.76	54.00	-12.24	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5240	Peak	Horizontal
------------	---------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL
 Job No : 0217RG
 Mode : 5240 Band edge
 : Ant 2 5G WIFI 11N CH48

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5240.000	8.46	34.45	38.17	93.50	98.24	68.20	30.04	peak
2	5350.020	8.63	34.43	38.16	45.37	50.27	74.00	-23.73	peak
3	5356.060	8.64	34.43	38.16	46.74	51.65	74.00	-22.35	peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5240	Average	Horizontal
------------	---------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL
 Job No : 0217RG
 Mode : 5240 Band edge
 : Ant 2 5G WIFI 11N CH48

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5240.000	8.46	34.45	38.17	86.88	91.62	-----	----- Average
2	pp 5350.020	8.63	34.43	38.16	36.92	41.82	54.00	-12.18 Average
3	5351.704	8.63	34.43	38.16	36.87	41.77	54.00	-12.23 Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5260	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5260 Band edge

: Ant 2 5G WIFI 11N CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5132.297	8.30	34.47	38.19	47.05	51.63	74.00	-22.37 Peak
2	5149.980	8.33	34.47	38.18	45.35	49.97	74.00	-24.03 Peak
3 pp	5260.000	8.49	34.45	38.17	87.68	92.45	68.20	24.25 Peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5260	Average	Vertical
------------	---------------	-----------------	------	---------	----------




Condition: 3m VERTICAL
 Job No : 0217RG
 Mode : 5260 Band edge
 : Ant 2 5G WIFI 11N CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5145.487	8.32	34.47	38.18	36.88	41.49	54.00	-12.51	Average
2	5149.980	8.33	34.47	38.18	36.63	41.25	54.00	-12.75	Average
3	5260.000	8.49	34.45	38.17	81.33	86.10	-----	-----	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5260	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL
 Job No : 0217RG
 Mode : 5260 Band edge
 : Ant 2 5G WIFI 11N CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5142.275	8.31	34.47	38.18	47.62	52.22	74.00	-21.78	peak
2	5149.980	8.33	34.47	38.18	45.73	50.35	74.00	-23.65	peak
3	pp 5260.000	8.49	34.45	38.17	92.31	97.08	68.20	28.88	peak




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180100021702

Page: 562 of 817

Test mode:	802.11n(HT20)	Frequency(MHz):	5260	Average	Horizontal
------------	---------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL
 Job No : 0217RG
 Mode : 5260 Band edge
 : Ant 2 5G WIFI 11N CH52

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp 5145.844	8.32	34.47	38.18	36.97	41.58	54.00	-12.42	Average
2 5149.980	8.33	34.47	38.18	36.69	41.31	54.00	-12.69	Average
3 5260.000	8.49	34.45	38.17	85.56	90.33	-----	-----	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5320	Peak	Vertical
------------	---------------	-----------------	------	------	----------




Condition: 3m VERTICAL
 Job No : 0217RG
 Mode : 5320 Band edge
 : Ant 2 5G WIFI 11N CH64

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5320.000	8.58	34.43	38.17	85.53	90.37	68.20	22.17	Peak
2	5350.020	8.63	34.43	38.16	46.20	51.10	74.00	-22.90	Peak
3	5359.074	8.64	34.43	38.16	47.38	52.29	74.00	-21.71	Peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5320	Average	Vertical
------------	---------------	-----------------	------	---------	----------




Condition: 3m VERTICAL
 Job No : 0217RG
 Mode : 5320 Band edge
 : Ant 2 5G WIFI 11N CH64

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5320.000	8.58	34.43	38.17	78.97	83.81	-----	-----	Average
2	pp 5350.020	8.63	34.43	38.16	37.45	42.35	54.00	-11.65	Average
3	5351.367	8.63	34.43	38.16	37.35	42.25	54.00	-11.75	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5320	Peak	Horizontal
------------	---------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL
Job No : 0217RG
Mode : 5320 Band edge
: Ant 2 5G WIFI 11N CH64

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5320.000	8.58	34.43	38.17	88.85	93.69	68.20	25.49	peak
2	5350.020	8.63	34.43	38.16	47.06	51.96	74.00	-22.04	peak
3	5369.703	8.66	34.43	38.16	47.30	52.23	74.00	-21.77	peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5320	Average	Horizontal
------------	---------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL
 Job No : 0217RG
 Mode : 5320 Band edge
 : Ant 2 5G WIFI 11N CH64

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5320.000	8.58	34.43	38.17	83.02	87.86	-----	Average
2	pp 5350.020	8.63	34.43	38.16	38.23	43.13	54.00	-10.87 Average
3	5353.368	8.63	34.43	38.16	38.16	43.06	54.00	-10.94 Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5500	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5500 Band edge

: Ant 2 5G WIFI 11N CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5452.835	8.78	34.41	38.15	48.07	53.11	74.00	-20.89	Peak
2	5466.995	8.80	34.41	38.15	47.87	52.93	68.20	-15.27	peak
3	pp 5500.000	8.85	34.40	38.15	88.64	93.74	68.20	25.54	Peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5500	Average	Vertical
------------	---------------	-----------------	------	---------	----------




Condition: 3m VERTICAL
 Job No : 0217RG
 Mode : 5500 Band edge
 : Ant 2 5G WIFI 11N CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5453.314	8.78	34.41	38.15	37.66	42.70	54.00	-11.30 Average
2	5500.000	8.85	34.40	38.15	81.52	86.62	-----	----- Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5500	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5500 Band edge

: Ant 2 5G WIFI 11N CH100

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5453.914	8.78	34.41	38.15	47.53	52.57	74.00	-21.43 peak
2	5469.038	8.80	34.41	38.15	48.60	53.66	68.20	-14.54 peak
3 pp	5500.000	8.85	34.40	38.15	91.08	96.18	68.20	27.98 peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5500	Average	Horizontal
------------	---------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL
 Job No : 0217RG
 Mode : 5500 Band edge
 : Ant 2 5G WIFI 11N CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5457.871	8.79	34.41	38.15	38.52	43.57	54.00	-10.43 Average
2	5500.000	8.85	34.40	38.15	85.09	90.19	-----	----- Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5700	Peak	Vertical
------------	---------------	-----------------	------	------	----------




Condition: 3m VERTICAL
 Job No : 0217RG
 Mode : 5700 Band edge
 : Ant 2 5G WIFI 11N CH140

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5700.000	9.56	34.52	38.13	89.69	95.64	68.20	27.44	Peak
2	5725.000	9.64	34.54	38.13	47.55	53.60	68.20	-14.60	Peak
3	5741.193	9.70	34.55	38.12	48.05	54.18	68.20	-14.02	Peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5700	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5700 Band edge

: Ant 2 5G WIFI 11N CH140

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	pp 5700.000	9.56	34.52	38.13	91.91	97.86	68.20	29.66 peak
2	5725.000	9.64	34.54	38.13	47.60	53.65	68.20	-14.55 peak
3	5744.601	9.71	34.55	38.12	49.74	55.88	68.20	-12.32 peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5745	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5745 Band edge

: Ant 2 5G WIFI 11N CH149

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	38.13	50.14	56.15	109.40	-53.25	peak
2	5725.000	9.64	34.54	38.13	59.97	66.02	122.20	-56.18	peak
3 pp	5745.000	9.71	34.55	38.12	86.11	92.25	125.20	-32.95	peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5745	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5745 Band edge

: Ant 2 5G WIFI 11N CH149

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	38.13	56.37	62.38	109.40	-47.02 peak
2	5725.000	9.64	34.54	38.13	66.50	72.55	122.20	-49.65 peak
3	pp 5745.000	9.71	34.55	38.12	92.15	98.29	125.20	-26.91 peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5825	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5825 Band edge

: Ant 2 5G WIFI 11N CH165

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5825.000	9.98	34.60	38.12	90.50	96.96	125.20	-28.24	peak
2	5850.000	10.07	34.61	38.11	50.56	57.13	122.20	-65.07	peak
3	5860.000	10.10	34.62	38.11	51.15	57.76	109.40	-51.64	peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5825	Peak	Horizontal
------------	---------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL
 Job No : 0217RG
 Mode : 5825 Band edge
 : Ant 2 5G WIFI 11N CH165

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5825.000	9.98	34.60	38.12	91.68	98.14	125.20	-27.06	peak
2	5850.000	10.07	34.61	38.11	53.14	59.71	122.20	-62.49	peak
3	5860.000	10.10	34.62	38.11	52.22	58.83	109.40	-50.57	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5180	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5180 Band edge

: Ant 2 5G WIFI 11AC CH36

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5146.858	8.32	34.47	38.18	46.81	51.42	74.00	-22.58	Peak
2	5149.980	8.33	34.47	38.18	45.79	50.41	74.00	-23.59	Peak
3 pp	5180.000	8.37	34.46	38.18	85.51	90.16	68.20	21.96	Peak




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180100021702

Page: 578 of 817

Test mode:	802.11ac(HT20)	Frequency(MHz):	5180	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5180 Band edge

: Ant 2 5G WIFI 11AC CH36

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5147.058	8.32	34.47	38.18	37.15	41.76	54.00	-12.24	Average
2	5149.980	8.33	34.47	38.18	36.95	41.57	54.00	-12.43	Average
3	5180.000	8.37	34.46	38.18	78.79	83.44	-----	-----	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5180	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5180 Band edge

: Ant 2 5G WIFI 11AC CH36

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5140.266	8.31	34.47	38.18	47.57	52.17	74.00	-21.83 peak
2	5149.980	8.33	34.47	38.18	45.74	50.36	74.00	-23.64 peak
3 pp	5180.000	8.37	34.46	38.18	90.91	95.56	68.20	27.36 peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5180	Average	Horizontal
------------	----------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL
Job No : 0217RG
Mode : 5180 Band edge
: Ant 2 5G WIFI 11AC CH36

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5149.357	8.32	34.47	38.18	38.13	42.74	54.00	-11.26	Average
2	5149.980	8.33	34.47	38.18	37.93	42.55	54.00	-11.45	Average
3	5180.000	8.37	34.46	38.18	84.43	89.08	-----	-----	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5240	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5240 Band edge

: Ant 2 5G WIFI 11AC CH48

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5240.000	8.46	34.45	38.17	88.24	92.98	68.20	24.78	Peak
2	5350.020	8.63	34.43	38.16	45.51	50.41	74.00	-23.59	Peak
3	5392.682	8.69	34.42	38.16	46.40	51.35	74.00	-22.65	Peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5240	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5240 Band edge

: Ant 2 5G WIFI 11AC CH48

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5240.000	8.46	34.45	38.17	82.19	86.93	-----	-----	Average
2	5350.020	8.63	34.43	38.16	36.71	41.61	54.00	-12.39	Average
3	pp 5351.341	8.63	34.43	38.16	36.74	41.64	54.00	-12.36	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5240	Peak	Horizontal
------------	----------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL
Job No : 0217RG
Mode : 5240 Band edge
: Ant 2 5G WIFI 11AC CH48

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5240.000	8.46	34.45	38.17	93.66	98.40	68.20	30.20	peak
2	5350.020	8.63	34.43	38.16	45.32	50.22	74.00	-23.78	peak
3	5380.812	8.68	34.42	38.16	46.82	51.76	74.00	-22.24	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5240	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5240 Band edge

: Ant 2 5G WIFI 11AC CH48

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5240.000	8.46	34.45	38.17	87.36	92.10	-----	----- Average
2	pp 5350.020	8.63	34.43	38.16	36.80	41.70	54.00	-12.30 Average
3	5351.160	8.63	34.43	38.16	36.77	41.67	54.00	-12.33 Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5260	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5260 Band edge

: Ant 2 5G WIFI 11AC CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5131.407	8.30	34.47	38.19	46.91	51.49	74.00	-22.51	Peak
2	5149.980	8.33	34.47	38.18	45.83	50.45	74.00	-23.55	Peak
3	pp 5260.000	8.49	34.45	38.17	88.13	92.90	68.20	24.70	Peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5260	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5260 Band edge

: Ant 2 5G WIFI 11AC CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5145.487	8.32	34.47	38.18	36.80	41.41	54.00	-12.59 Average
2	5149.980	8.33	34.47	38.18	36.64	41.26	54.00	-12.74 Average
3	5260.000	8.49	34.45	38.17	81.87	86.64	-----	----- Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5260	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL
 Job No : 0217RG
 Mode : 5260 Band edge
 : Ant 2 5G WIFI 11AC CH52


	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5122.160	8.28	34.47	38.19	47.14	51.70	74.00	-22.30	peak
2	5149.980	8.33	34.47	38.18	45.44	50.06	74.00	-23.94	peak
3	pp 5260.000	8.49	34.45	38.17	93.24	98.01	68.20	29.81	peak



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702
 Page: 588 of 817

Test mode:	802.11ac(HT20)	Frequency(MHz):	5260	Average	Horizontal
------------	----------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL
 Job No : 0217RG
 Mode : 5260 Band edge
 : Ant 2 5G WIFI 11AC CH52

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp 5145.309	8.32	34.47	38.18	36.97	41.58	54.00	-12.42	Average
2 5149.980	8.33	34.47	38.18	36.68	41.30	54.00	-12.70	Average
3 5260.000	8.49	34.45	38.17	87.20	91.97	-----	-----	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5320	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5320 Band edge

: Ant 2 5G WIFI 11AC CH64

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5320.000	8.58	34.43	38.17	86.93	91.77	68.20	23.57	Peak
2	5350.020	8.63	34.43	38.16	45.66	50.56	74.00	-23.44	Peak
3	5367.997	8.66	34.43	38.16	46.71	51.64	74.00	-22.36	Peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5320	Average	Vertical
------------	----------------	-----------------	------	---------	----------




Condition: 3m VERTICAL
 Job No : 0217RG
 Mode : 5320 Band edge
 : Ant 2 5G WIFI 11AC CH64

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5320.000	8.58	34.43	38.17	80.12	84.96	-----	-----	Average
2	5350.020	8.63	34.43	38.16	37.19	42.09	54.00	-11.91	Average
3 pp	5350.667	8.63	34.43	38.16	37.20	42.10	54.00	-11.90	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5320	Peak	Horizontal
------------	----------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL
 Job No : 0217RG
 Mode : 5320 Band edge
 : Ant 2 5G WIFI 11AC CH64

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5320.000	8.58	34.43	38.17	90.81	95.65	68.20	27.45	peak
2	5350.020	8.63	34.43	38.16	46.38	51.28	74.00	-22.72	peak
3	5351.066	8.63	34.43	38.16	47.07	51.97	74.00	-22.03	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5320	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5320 Band edge

: Ant 2 5G WIFI 11AC CH64

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5320.000	8.58	34.43	38.17	83.93	88.77	-----	-----	Average
2	5350.020	8.63	34.43	38.16	37.81	42.71	54.00	-11.29	Average
3	pp 5351.566	8.63	34.43	38.16	37.87	42.77	54.00	-11.23	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5500	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5500 Band edge

: Ant 2 5G WIFI 11AC CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5429.157	8.75	34.41	38.15	46.80	51.81	74.00	-22.19 Peak
2	5462.431	8.80	34.41	38.15	47.48	52.54	68.20	-15.66 peak
3 pp	5500.000	8.85	34.40	38.15	88.78	93.88	68.20	25.68 Peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5500	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5500 Band edge

: Ant 2 5G WIFI 11AC CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5457.750	8.79	34.41	38.15	37.17	42.22	54.00	-11.78 Average
2	5500.000	8.85	34.40	38.15	81.99	87.09	-----	----- Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5500	Peak	Horizontal
------------	----------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL
 Job No : 0217RG
 Mode : 5500 Band edge
 : Ant 2 5G WIFI 11AC CH100

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5454.873	8.78	34.41	38.15	47.56	52.60	74.00	-21.40 peak
2	5468.557	8.80	34.41	38.15	48.12	53.18	68.20	-15.02 peak
3	pp 5500.000	8.85	34.40	38.15	91.92	97.02	68.20	28.82 peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5500	Average	Horizontal
------------	----------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL
 Job No : 0217RG
 Mode : 5500 Band edge
 : Ant 2 5G WIFI 11AC CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5458.710	8.79	34.41	38.15	37.96	43.01	54.00	-10.99 Average
2	5500.000	8.85	34.40	38.15	85.14	90.24	-----	----- Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5700	Peak	Vertical
------------	----------------	-----------------	------	------	----------




Condition: 3m VERTICAL
 Job No : 0217RG
 Mode : 5700 Band edge
 : Ant 2 5G WIFI 11AC CH140

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5700.000	9.56	34.52	38.13	90.10	96.05	68.20	27.85	Peak
2	5725.000	9.64	34.54	38.13	48.80	54.85	68.20	-13.35	Peak
3	5729.382	9.66	34.54	38.13	48.15	54.22	68.20	-13.98	Peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5700	Peak	Horizontal
------------	----------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL
 Job No : 0217RG
 Mode : 5700 Band edge
 : Ant 2 5G WIFI 11AC CH140

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp 5700.000	9.56	34.52	38.13	91.50	97.45	68.20	29.25	peak
2 5725.000	9.64	34.54	38.13	47.70	53.75	68.20	-14.45	peak
3 5726.583	9.65	34.54	38.13	49.80	55.86	68.20	-12.34	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5745	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5745 Band edge

: Ant 2 5G WIFI 11AC CH149

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	38.13	54.12	60.13	109.40	-49.27	peak
2	5725.000	9.64	34.54	38.13	63.47	69.52	122.20	-52.68	peak
3	pp 5745.000	9.71	34.55	38.12	92.56	98.70	125.20	-26.50	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5745	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5745 Band edge

: Ant 2 5G WIFI 11AC CH149

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	38.13	57.19	63.20	109.40	-46.20	peak
2	5725.000	9.64	34.54	38.13	66.37	72.42	122.20	-49.78	peak
3 pp	5745.000	9.71	34.55	38.12	94.37	100.51	125.20	-24.69	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5825	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5825 Band edge

: Ant 2 5G WIFI 11AC CH165

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5825.000	9.98	34.60	38.12	90.69	97.15	125.20	-28.05	peak
2	5850.000	10.07	34.61	38.11	53.00	59.57	122.20	-62.63	peak
3	5860.000	10.10	34.62	38.11	50.21	56.82	109.40	-52.58	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5825	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5825 Band edge

: Ant 2 5G WIFI 11AC CH165

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5825.000	9.98	34.60	38.12	92.73	99.19	125.20	-26.01 peak
2	5850.000	10.07	34.61	38.11	50.91	57.48	122.20	-64.72 peak
3	5860.000	10.10	34.62	38.11	52.91	59.52	109.40	-49.88 peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5190	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5190 Band edge

: Ant 2 5G WIFI 11N(40) CH38

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5105.934	8.26	34.48	38.19	46.75	51.30	74.00	-22.70	Peak
2	5149.980	8.33	34.47	38.18	45.12	49.74	74.00	-24.26	Peak
3 pp	5190.000	8.39	34.46	38.18	76.29	80.96	68.20	12.76	Peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5190	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5190 Band edge

: Ant 2 5G WIFI 11N(40) CH38

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5144.913	8.32	34.47	38.18	36.88	41.49	54.00	-12.51	Average
2	5149.980	8.33	34.47	38.18	36.75	41.37	54.00	-12.63	Average
3	5190.000	8.39	34.46	38.18	69.52	74.19	-----	-----	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5190	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5190 Band edge

: Ant 2 5G WIFI 11N(40) CH38

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.342	8.32	34.47	38.18	47.19	51.80	74.00	-22.20	peak
2	5149.980	8.33	34.47	38.18	47.50	52.12	74.00	-21.88	peak
3 pp	5190.000	8.39	34.46	38.18	86.47	91.14	68.20	22.94	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5190	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5190 Band edge

: Ant 2 5G WIFI 11N(40) CH38

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.102	8.32	34.47	38.18	38.56	43.17	54.00	-10.83 Average
2	pp 5149.980	8.33	34.47	38.18	38.58	43.20	54.00	-10.80 Average
3	5190.000	8.39	34.46	38.18	79.95	84.62	-----	----- Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5230	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5230 Band edge

: Ant 2 5G WIFI 11N(40) CH46

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dB	
1 pp	5230.000	8.45	34.45	38.18	83.46	88.18	68.20	19.98 Peak
2	5350.020	8.63	34.43	38.16	45.66	50.56	74.00	-23.44 Peak
3	5377.223	8.67	34.42	38.16	46.56	51.49	74.00	-22.51 Peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5230	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5230 Band edge

: Ant 2 5G WIFI 11N(40) CH46

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5230.000	8.45	34.45	38.18	76.26	80.98	-----	-----	Average
2	5350.020	8.63	34.43	38.16	36.75	41.65	54.00	-12.35	Average
3	pp 5352.723	8.63	34.43	38.16	36.82	41.72	54.00	-12.28	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5230	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5230 Band edge

: Ant 2 5G WIFI 11N(40) CH46

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5230.000	8.45	34.45	38.18	88.10	92.82	68.20	24.62 peak
2	5350.020	8.63	34.43	38.16	47.04	51.94	74.00	-22.06 peak
3	5372.354	8.66	34.42	38.16	46.91	51.83	74.00	-22.17 peak




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180100021702

Page: 610 of 817

Test mode:	802.11n(HT40)	Frequency(MHz):	5230	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5230 Band edge

: Ant 2 5G WIFI 11N(40) CH46

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5230.000	8.45	34.45	38.18	81.22	85.94	-----	----- Average
2	5350.020	8.63	34.43	38.16	36.86	41.76	54.00	-12.24 Average
3	pp 5352.319	8.63	34.43	38.16	36.87	41.77	54.00	-12.23 Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5270	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5270 Band edge

: Ant 2 5G WIFI 11N(40) CH54

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5143.342	8.32	34.47	38.18	47.10	51.71	74.00	-22.29	Peak
2	5149.980	8.33	34.47	38.18	45.14	49.76	74.00	-24.24	Peak
3	pp 5270.000	8.51	34.44	38.17	83.31	88.09	68.20	19.89	Peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5270	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5270 Band edge

: Ant 2 5G WIFI 11N(40) CH54

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5143.738	8.32	34.47	38.18	36.86	41.47	54.00	-12.53 Average
2	5149.980	8.33	34.47	38.18	36.68	41.30	54.00	-12.70 Average
3	5270.000	8.51	34.44	38.17	77.00	81.78	-----	----- Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5270	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5270 Band edge

: Ant 2 5G WIFI 11N(40) CH54

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5109.622	8.26	34.48	38.19	46.78	51.33	74.00	-22.67	peak
2	5149.980	8.33	34.47	38.18	45.37	49.99	74.00	-24.01	peak
3	pp 5270.000	8.51	34.44	38.17	88.15	92.93	68.20	24.73	peak