




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702
 Page: 614 of 817

Test mode:	802.11n(HT40)	Frequency(MHz):	5270	Average	Horizontal
------------	---------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL
 Job No : 0217RG
 Mode : 5270 Band edge
 : Ant 2 5G WIFI 11N(40) CH54

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5146.113	8.32	34.47	38.18	36.89	41.50	54.00	-12.50	Average
2	5149.980	8.33	34.47	38.18	36.69	41.31	54.00	-12.69	Average
3	5270.000	8.51	34.44	38.17	82.12	86.90	-----	-----	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5310	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5310 Band edge

: Ant 2 5G WIFI 11N(40) CH62

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5310.000	8.57	34.44	38.17	82.61	87.45	68.20	19.25 Peak
2	5350.020	8.63	34.43	38.16	45.85	50.75	74.00	-23.25 Peak
3	5371.557	8.66	34.42	38.16	46.84	51.76	74.00	-22.24 Peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5310	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5310 Band edge

: Ant 2 5G WIFI 11N(40) CH62

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5310.000	8.57	34.44	38.17	76.07	80.91	-----	-----	Average
2	5350.020	8.63	34.43	38.16	37.08	41.98	54.00	-12.02	Average
3 pp	5350.955	8.63	34.43	38.16	37.18	42.08	54.00	-11.92	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5310	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5310 Band edge

: Ant 2 5G WIFI 11N(40) CH62

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5310.000	8.57	34.44	38.17	87.39	92.23	68.20	24.03	peak
2	5350.020	8.63	34.43	38.16	47.26	52.16	74.00	-21.84	peak
3	5359.981	8.64	34.43	38.16	47.41	52.32	74.00	-21.68	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5310	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5310 Band edge

: Ant 2 5G WIFI 11N(40) CH62

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5310.000	8.57	34.44	38.17	80.44	85.28	-----	Average
2	pp 5350.020	8.63	34.43	38.16	38.10	43.00	54.00	-11.00 Average
3	5350.474	8.63	34.43	38.16	38.06	42.96	54.00	-11.04 Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5510	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5510 Band edge

: Ant 2 5G WIFI 11N(40) CH102

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5418.691	8.73	34.42	38.16	47.22	52.21	74.00	-21.79	Peak
2	5467.033	8.80	34.41	38.15	50.33	55.39	68.20	-12.81	peak
3 pp	5510.000	8.89	34.41	38.15	85.09	90.24	68.20	22.04	Peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5510	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5510 Band edge

: Ant 2 5G WIFI 11N(40) CH102

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5459.761	8.79	34.41	38.15	37.73	42.78	54.00	-11.22 Average
2	5510.000	8.89	34.41	38.15	78.18	83.33	-----	----- Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5510	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5510 Band edge

: Ant 2 5G WIFI 11N(40) CH102

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5448.593	8.78	34.41	38.15	48.81	53.85	74.00	-20.15	peak
2	5469.412	8.81	34.41	38.15	53.01	58.08	68.20	-10.12	peak
3 pp	5510.000	8.89	34.41	38.15	88.62	93.77	68.20	25.57	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5510	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5510 Band edge

: Ant 2 5G WIFI 11N(40) CH102

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5459.622	8.79	34.41	38.15	38.72	43.77	54.00	-10.23	Average
2	5510.000	8.89	34.41	38.15	81.53	86.68	-----	-----	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5670	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5670 Band edge

: Ant 2 5G WIFI 11N(40) CH134

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5670.000	9.45	34.50	38.13	86.85	92.67	68.20	24.47	Peak
2	5725.000	9.64	34.54	38.13	46.97	53.02	68.20	-15.18	Peak
3	5738.624	9.69	34.55	38.12	48.50	54.62	68.20	-13.58	Peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5670	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5670 Band edge

: Ant 2 5G WIFI 11N(40) CH134

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	pp 5670.000	9.45	34.50	38.13	88.16	93.98	68.20	25.78 peak
2	5725.000	9.64	34.54	38.13	47.46	53.51	68.20	-14.69 peak
3	5728.361	9.65	34.54	38.13	48.40	54.46	68.20	-13.74 peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5755	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5755 Band edge

: Ant 1 5G WIFI 11N(40) CH151

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	38.13	46.35	52.36	109.40	-57.04	peak
2	5725.000	9.64	34.54	38.13	52.60	58.65	122.20	-63.55	peak
3 pp	5755.000	9.75	34.56	38.12	84.85	91.04	125.20	-34.16	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5755	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5755 Band edge

: Ant 1 5G WIFI 11N(40) CH151

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	38.13	53.58	59.59	109.40	-49.81	peak
2	5725.000	9.64	34.54	38.13	57.82	63.87	122.20	-58.33	peak
3 pp	5755.000	9.75	34.56	38.12	90.69	96.88	125.20	-28.32	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5795	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5795 Band edge

: Ant 1 5G WIFI 11N(40) CH159

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5795.000	9.88	34.58	38.12	84.36	90.70	125.20	-34.50	peak
2	5850.000	10.07	34.61	38.11	45.67	52.24	122.20	-69.96	peak
3	5860.000	10.10	34.62	38.11	45.01	51.62	109.40	-57.78	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5795	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5795 Band edge

: Ant 1 5G WIFI 11N(40) CH159

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5795.000	9.88	34.58	38.12	89.70	96.04	125.20	-29.16	peak
2	5850.000	10.07	34.61	38.11	45.30	51.87	122.20	-70.33	peak
3	5860.000	10.10	34.62	38.11	46.00	52.61	109.40	-56.79	peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5190	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5190 Band edge

: Ant 2 5G WIFI 11AC(40) CH38

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5135.229	8.30	34.47	38.19	46.58	51.16	74.00	-22.84	Peak
2	5149.980	8.33	34.47	38.18	46.15	50.77	74.00	-23.23	Peak
3 pp	5190.000	8.39	34.46	38.18	80.86	85.53	68.20	17.33	Peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5190	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5190 Band edge

: Ant 2 5G WIFI 11AC(40) CH38

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.863	8.32	34.47	38.18	37.13	41.74	54.00	-12.26	Average
2	pp 5149.980	8.33	34.47	38.18	37.12	41.74	54.00	-12.26	Average
3	5190.000	8.39	34.46	38.18	73.67	78.34	-----	-----	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5190	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5190 Band edge

: Ant 2 5G WIFI 11AC(40) CH38

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5136.543	8.30	34.47	38.19	47.34	51.92	74.00	-22.08	peak
2	5149.980	8.33	34.47	38.18	46.48	51.10	74.00	-22.90	peak
3	pp 5190.000	8.39	34.46	38.18	87.00	91.67	68.20	23.47	peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 632 of 817

Test mode:	802.11ac(HT40)	Frequency(MHz):	5190	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5190 Band edge

: Ant 2 5G WIFI 11AC(40) CH38

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.461	8.32	34.47	38.18	38.57	43.18	54.00	-10.82	Average
2	pp 5149.980	8.33	34.47	38.18	38.63	43.25	54.00	-10.75	Average
3	5190.000	8.39	34.46	38.18	80.04	84.71	-----	-----	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5230	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5230 Band edge

: Ant 2 5G WIFI 11AC(40) CH46

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5230.000	8.45	34.45	38.18	82.85	87.57	68.20	19.37	Peak
2	5350.020	8.63	34.43	38.16	45.27	50.17	74.00	-23.83	Peak
3	5379.252	8.67	34.42	38.16	47.06	51.99	74.00	-22.01	Peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5230	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5230 Band edge

: Ant 2 5G WIFI 11AC(40) CH46

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5230.000	8.45	34.45	38.18	75.88	80.60	-----	-----	Average
2	5350.020	8.63	34.43	38.16	36.71	41.61	54.00	-12.39	Average
3	pp 5352.723	8.63	34.43	38.16	36.75	41.65	54.00	-12.35	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5230	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5230 Band edge

: Ant 2 5G WIFI 11AC(40) CH46

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5230.000	8.45	34.45	38.18	88.16	92.88	68.20	24.68	peak
2	5350.020	8.63	34.43	38.16	45.84	50.74	74.00	-23.26	peak
3	5379.862	8.67	34.42	38.16	46.52	51.45	74.00	-22.55	peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5230	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5230 Band edge

: Ant 2 5G WIFI 11AC(40) CH46

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5230.000	8.45	34.45	38.18	81.49	86.21	-----	----- Average
2	5350.020	8.63	34.43	38.16	36.78	41.68	54.00	-12.32 Average
3	pp 5353.330	8.63	34.43	38.16	36.89	41.79	54.00	-12.21 Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5270	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5270 Band edge

: Ant 2 5G WIFI 11AC(40) CH54

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5132.867	8.30	34.47	38.19	46.55	51.13	74.00	-22.87	Peak
2	5149.980	8.33	34.47	38.18	45.52	50.14	74.00	-23.86	Peak
3 pp	5270.000	8.51	34.44	38.17	82.81	87.59	68.20	19.39	Peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5270	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5270 Band edge

: Ant 2 5G WIFI 11AC(40) CH54

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5144.925	8.32	34.47	38.18	36.87	41.48	54.00	-12.52	Average
2	5149.980	8.33	34.47	38.18	36.66	41.28	54.00	-12.72	Average
3	5270.000	8.51	34.44	38.17	75.37	80.15	-----	-----	Average




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180100021702

Page: 639 of 817

Test mode:	802.11ac(HT40)	Frequency(MHz):	5270	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5270 Band edge

: Ant 2 5G WIFI 11AC(40) CH54

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5143.936	8.32	34.47	38.18	47.21	51.82	74.00	-22.18	peak
2	5149.980	8.33	34.47	38.18	45.13	49.75	74.00	-24.25	peak
3	pp 5270.000	8.51	34.44	38.17	88.14	92.92	68.20	24.72	peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5270	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5270 Band edge

: Ant 2 5G WIFI 11AC(40) CH54

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dB	
1	pp 5144.332	8.32	34.47	38.18	36.93	41.54	54.00	-12.46 Average
2	5149.980	8.33	34.47	38.18	36.87	41.49	54.00	-12.51 Average
3	5270.000	8.51	34.44	38.17	81.14	85.92	-----	----- Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5310	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5310 Band edge

: Ant 2 5G WIFI 11AC(40) CH62

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5310.000	8.57	34.44	38.17	81.13	85.97	68.20	17.77	Peak
2	5350.020	8.63	34.43	38.16	45.26	50.16	74.00	-23.84	Peak
3	5358.536	8.64	34.43	38.16	47.34	52.25	74.00	-21.75	Peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5310	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5310 Band edge

: Ant 2 5G WIFI 11AC(40) CH62

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5310.000	8.57	34.44	38.17	74.69	79.53	-----	-----	Average
2	5350.020	8.63	34.43	38.16	37.00	41.90	54.00	-12.10	Average
3 pp	5351.075	8.63	34.43	38.16	37.03	41.93	54.00	-12.07	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5310	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5310 Band edge

: Ant 2 5G WIFI 11AC(40) CH62

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5310.000	8.57	34.44	38.17	85.99	90.83	68.20	22.63 peak
2	5350.020	8.63	34.43	38.16	48.20	53.10	74.00	-20.90 peak
3	5370.712	8.66	34.42	38.16	47.41	52.33	74.00	-21.67 peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5310	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5310 Band edge

: Ant 2 5G WIFI 11AC(40) CH62

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5310.000	8.57	34.44	38.17	79.61	84.45	-----	-----	Average
2	5350.020	8.63	34.43	38.16	37.55	42.45	54.00	-11.55	Average
3 pp	5351.075	8.63	34.43	38.16	37.56	42.46	54.00	-11.54	Average




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180100021702

Page: 645 of 817

Test mode:	802.11ac(HT40)	Frequency(MHz):	5510	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5510 Band edge

: Ant 2 5G WIFI 11AC(40) CH102

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5414.948	8.73	34.42	38.16	47.16	52.15	74.00	-21.85	Peak
2	5468.432	8.80	34.41	38.15	50.73	55.79	68.20	-12.41	peak
3 pp	5510.000	8.89	34.41	38.15	84.88	90.03	68.20	21.83	Peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5510	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5510 Band edge

: Ant 2 5G WIFI 11AC(40) CH102

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5459.761	8.79	34.41	38.15	37.44	42.49	54.00	-11.51 Average
2	5510.000	8.89	34.41	38.15	77.72	82.87	-----	----- Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5510	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5510 Band edge

: Ant 2 5G WIFI 11AC(40) CH102

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5459.481	8.79	34.41	38.15	47.23	52.28	74.00	-21.72	peak
2	5465.634	8.80	34.41	38.15	54.04	59.10	68.20	-9.10	peak
3 pp	5510.000	8.89	34.41	38.15	88.28	93.43	68.20	25.23	peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5510	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5510 Band edge

: Ant 2 5G WIFI 11AC(40) CH102

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5459.342	8.79	34.41	38.15	38.52	43.57	54.00	-10.43 Average
2	5510.000	8.89	34.41	38.15	81.32	86.47	-----	----- Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5670	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5670 Band edge

: Ant 2 5G WIFI 11AC(40) CH134

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5670.000	9.45	34.50	38.13	86.31	92.13	68.20	23.93	Peak
2	5725.000	9.64	34.54	38.13	46.80	52.85	68.20	-15.35	Peak
3	5757.228	9.75	34.56	38.12	47.51	53.70	68.20	-14.50	Peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5670	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5670 Band edge

: Ant 2 5G WIFI 11AC(40) CH134

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	pp 5670.000	9.45	34.50	38.13	88.70	94.52	68.20	26.32 peak
2	5725.000	9.64	34.54	38.13	47.12	53.17	68.20	-15.03 peak
3	5761.888	9.77	34.56	38.12	48.03	54.24	68.20	-13.96 peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5755	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5755 Band edge

: Ant 2 5G WIFI 11AC(40) CH151

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	38.13	52.25	58.26	109.40	-51.14	peak
2	5725.000	9.64	34.54	38.13	55.53	61.58	122.20	-60.62	peak
3	pp 5755.000	9.75	34.56	38.12	86.67	92.86	125.20	-32.34	peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5755	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5755 Band edge

: Ant 2 5G WIFI 11AC(40) CH151

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	38.13	54.11	60.12	109.40	-49.28 peak
2	5725.000	9.64	34.54	38.13	58.13	64.18	122.20	-58.02 peak
3	pp 5755.000	9.75	34.56	38.12	88.22	94.41	125.20	-30.79 peak




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180100021702

Page: 653 of 817

Test mode:	802.11ac(HT40)	Frequency(MHz):	5795	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5795 Band edge

: Ant 2 5G WIFI 11AC(40) CH159

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5795.000	9.88	34.58	38.12	86.55	92.89	125.20	-32.31	peak
2	5850.000	10.07	34.61	38.11	45.54	52.11	122.20	-70.09	peak
3	5860.000	10.10	34.62	38.11	45.71	52.32	109.40	-57.08	peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5795	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5795 Band edge

: Ant 2 5G WIFI 11AC(40) CH159

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp 5795.000	9.88	34.58	38.12	87.20	93.54	125.20	-31.66	peak
2 5850.000	10.07	34.61	38.11	45.54	52.11	122.20	-70.09	peak
3 5860.000	10.10	34.62	38.11	45.73	52.34	109.40	-57.06	peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5210	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5210 Band edge

: Ant 2 5G WIFI 11AC(80) CH42

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5135.395	8.30	34.47	38.19	47.25	51.83	74.00	-22.17 Peak
2	pp 5210.000	8.42	34.46	38.18	78.20	82.90	68.20	14.70 Peak
3	5363.395	8.65	34.43	38.16	47.21	52.13	74.00	-21.87 Peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5210	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5210 Band edge

: Ant 2 5G WIFI 11AC(80) CH42

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5145.973	8.32	34.47	38.18	37.64	42.25	54.00	-11.75	Average
2	5210.000	8.42	34.46	38.18	70.79	75.49	-----	-----	Average
3	5352.676	8.63	34.43	38.16	37.01	41.91	54.00	-12.09	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5210	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5210 Band edge

: Ant 2 5G WIFI 11AC(80) CH42

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5142.738	8.31	34.47	38.18	48.53	53.13	74.00	-20.87	peak
2	pp 5210.000	8.42	34.46	38.18	83.73	88.43	68.20	20.23	peak
3	5393.831	8.69	34.42	38.16	46.52	51.47	74.00	-22.53	peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5210	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5210 Band edge

: Ant 2 5G WIFI 11AC(80) CH42

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5147.738	8.32	34.47	38.18	40.18	44.79	54.00	-9.21	Average
2	5210.000	8.42	34.46	38.18	76.51	81.21	-----	-----	Average
3	5351.758	8.63	34.43	38.16	37.26	42.16	54.00	-11.84	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5290	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5290 Band edge

: Ant 2 5G WIFI 11AC(80) CH58

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5147.443	8.32	34.47	38.18	46.33	50.94	74.00	-23.06	Peak
2	pp 5290.000	8.54	34.44	38.17	77.77	82.58	68.20	14.38	Peak
3	5353.594	8.63	34.43	38.16	46.47	51.37	74.00	-22.63	Peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5290	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5290 Band edge

: Ant 2 5G WIFI 11AC(80) CH58

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5145.384	8.32	34.47	38.18	36.93	41.54	54.00	-12.46	Average
2	5290.000	8.54	34.44	38.17	70.86	75.67	-----	-----	Average
3 pp	5350.229	8.63	34.43	38.16	37.37	42.27	54.00	-11.73	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5290	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5290 Band edge

: Ant 2 5G WIFI 11AC(80) CH58

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.915	8.32	34.47	38.18	46.66	51.27	74.00	-22.73	peak
2	pp 5290.000	8.54	34.44	38.17	82.98	87.79	68.20	19.59	peak
3	5353.899	8.64	34.43	38.16	47.44	52.35	74.00	-21.65	peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5290	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5290 Band edge

: Ant 2 5G WIFI 11AC(80) CH58

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5146.267	8.32	34.47	38.18	37.32	41.93	54.00	-12.07 Average
2	5290.000	8.54	34.44	38.17	75.26	80.07	-----	----- Average
3 pp	5350.229	8.63	34.43	38.16	38.08	42.98	54.00	-11.02 Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5530	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5530 Band edge

: Ant 2 5G WIFI 11AC(80) CH106

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5458.928	8.79	34.41	38.15	49.99	55.04	74.00	-18.96	Peak
2	5468.961	8.80	34.41	38.15	51.48	56.54	68.20	-11.66	peak
3 pp	5530.000	8.96	34.42	38.14	81.93	87.17	68.20	18.97	Peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5530	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5530 Band edge

: Ant 2 5G WIFI 11AC(80) CH106

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5458.928	8.79	34.41	38.15	40.46	45.51	54.00	-8.49	Average
2	5530.000	8.96	34.42	38.14	74.23	79.47	-----	-----	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5530	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5530 Band edge

: Ant 2 5G WIFI 11AC(80) CH106

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5456.064	8.79	34.41	38.15	50.17	55.22	74.00	-18.78 peak
2	5468.961	8.80	34.41	38.15	52.49	57.55	68.20	-10.65 peak
3 pp	5530.000	8.96	34.42	38.14	84.29	89.53	68.20	21.33 peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 666 of 817

Test mode:	802.11ac(HT80)	Frequency(MHz):	5530	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5530 Band edge

: Ant 2 5G WIFI 11AC(80) CH106

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5459.286	8.79	34.41	38.15	42.30	47.35	54.00	-6.65 Average
2	5530.000	8.96	34.42	38.14	78.02	83.26	-----	----- Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5610	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5610 Band edge

: Ant 2 5G WIFI 11AC(80) CH122

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5610.000	9.24	34.47	38.14	81.19	86.76	68.20	18.56	Peak
2	5745.566	9.71	34.55	38.12	47.60	53.74	68.20	-14.46	Peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5610	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5610 Band edge

: Ant 2 5G WIFI 11AC(80) CH122

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	pp 5610.000	9.24	34.47	38.14	84.34	89.91	68.20	21.71 peak
2	5732.585	9.67	34.54	38.13	47.34	53.42	68.20	-14.78 peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5775	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5775 Band edge

: Ant 2 5G WIFI 11AC(80) CH155

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5721.677	9.63	34.54	38.13	50.72	56.76	114.62	-57.86 peak
2	5775.000	9.81	34.57	38.12	81.80	88.06	125.20	-37.14 peak
3	5853.349	10.08	34.61	38.11	46.18	52.76	114.56	-61.80 peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5775	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5775 Band edge

: Ant 2 5G WIFI 11AC(80) CH155


	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5721.075	9.63	34.54	38.13	51.62	57.66	113.25	-55.59 peak
2	pp 5775.000	9.81	34.57	38.12	83.21	89.47	125.20	-35.73 peak
3	5857.666	10.10	34.62	38.11	46.60	53.21	110.05	-56.84 peak



MIMO

Test plot as follows:

Test mode:	802.11n(HT20)	Frequency(MHz):	5180	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5180 Band edge

: Ant 1+2 5G WIFI 11N CH36

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5144.760	8.32	34.47	38.18	60.65	65.26	74.00	-8.74 Peak
2	5149.980	8.33	34.47	38.18	59.03	63.65	74.00	-10.35 Peak
3 pp	5180.000	8.37	34.46	38.18	91.75	96.40	68.20	28.20 Peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5180	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5180 Band edge

: Ant 1+2 5G WIFI 11N CH36

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.958	8.32	34.47	38.18	40.38	44.99	54.00	-9.01	Average
2	pp 5149.980	8.33	34.47	38.18	40.68	45.30	54.00	-8.70	Average
3	5180.000	8.37	34.46	38.18	83.73	88.38	-----	-----	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5180	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5180 Band edge

: Ant 1+2 5G WIFI 11N CH36

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5147.058	8.32	34.47	38.18	52.12	56.73	74.00	-17.27 peak
2	5149.980	8.33	34.47	38.18	52.45	57.07	74.00	-16.93 peak
3	pp 5180.000	8.37	34.46	38.18	93.13	97.78	68.20	29.58 peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5180	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5180 Band edge

: Ant 1+2 5G WIFI 11N CH36

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5149.458	8.32	34.47	38.18	40.04	44.65	54.00	-9.35	Average
2	5149.980	8.33	34.47	38.18	39.71	44.33	54.00	-9.67	Average
3	5180.000	8.37	34.46	38.18	85.58	90.23	-----	-----	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5240	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5240 Band edge

: Ant 1+2 5G WIFI 11N CH48

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5240.000	8.46	34.45	38.17	93.93	98.67	68.20	30.47 Peak
2	5350.020	8.63	34.43	38.16	46.07	50.97	74.00	-23.03 Peak
3	5366.784	8.65	34.43	38.16	46.43	51.35	74.00	-22.65 Peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5240	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5240 Band edge

: Ant 1+2 5G WIFI 11N CH48

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5240.000	8.46	34.45	38.17	86.30	91.04	-----	-----	Average
2	5350.020	8.63	34.43	38.16	36.86	41.76	54.00	-12.24	Average
3 pp	5351.341	8.63	34.43	38.16	36.88	41.78	54.00	-12.22	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5240	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5240 Band edge

: Ant 1+2 5G WIFI 11N CH48

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5240.000	8.46	34.45	38.17	95.79	100.53	68.20	32.33	peak
2	5350.020	8.63	34.43	38.16	45.63	50.53	74.00	-23.47	peak
3	5387.566	8.69	34.42	38.16	47.13	52.08	74.00	-21.92	peak




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180100021702

Page: 678 of 817

Test mode:	802.11n(HT20)	Frequency(MHz):	5240	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5240 Band edge

: Ant 1+2 5G WIFI 11N CH48

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5240.000	8.46	34.45	38.17	88.31	93.05	-----	-----	Average
2	5350.020	8.63	34.43	38.16	36.75	41.65	54.00	-12.35	Average
3	pp 5350.797	8.63	34.43	38.16	36.82	41.72	54.00	-12.28	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5260	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5260 Band edge

: Ant 1+2 5G WIFI 11N CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5133.365	8.30	34.47	38.19	46.50	51.08	74.00	-22.92 Peak
2	5149.980	8.33	34.47	38.18	45.78	50.40	74.00	-23.60 Peak
3 pp	5260.000	8.49	34.45	38.17	93.81	98.58	68.20	30.38 Peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5260	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5260 Band edge

: Ant 1+2 5G WIFI 11N CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5147.629	8.32	34.47	38.18	36.94	41.55	54.00	-12.45 Average
2	5149.980	8.33	34.47	38.18	36.83	41.45	54.00	-12.55 Average
3	5260.000	8.49	34.45	38.17	86.18	90.95	-----	----- Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5260	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5260 Band edge

: Ant 1+2 5G WIFI 11N CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5145.844	8.32	34.47	38.18	46.95	51.56	74.00	-22.44 peak
2	5149.980	8.33	34.47	38.18	45.59	50.21	74.00	-23.79 peak
3 pp	5260.000	8.49	34.45	38.17	95.87	100.64	68.20	32.44 peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5260	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5260 Band edge

: Ant 1+2 5G WIFI 11N CH52

	Cable	Ant	Preamp	Read	Limit	Over			
pp	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5145.309	8.32	34.47	38.18	36.99	41.60	54.00	-12.40	Average
2	5149.980	8.33	34.47	38.18	36.67	41.29	54.00	-12.71	Average
3	5260.000	8.49	34.45	38.17	87.84	92.61	-----	-----	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5320	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5320 Band edge

: Ant 1+2 5G WIFI 11N CH64

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5320.000	8.58	34.43	38.17	91.82	96.66	68.20	28.46	Peak
2	5350.020	8.63	34.43	38.16	47.97	52.87	74.00	-21.13	Peak
3	5357.071	8.64	34.43	38.16	49.26	54.17	74.00	-19.83	Peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5320	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5320 Band edge

: Ant 1+2 5G WIFI 11N CH64

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5320.000	8.58	34.43	38.17	83.90	88.74	-----	-----	Average
2	5350.020	8.63	34.43	38.16	39.23	44.13	54.00	-9.87	Average
3 pp	5351.267	8.63	34.43	38.16	39.27	44.17	54.00	-9.83	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5320	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5320 Band edge

: Ant 1+2 5G WIFI 11N CH64

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5320.000	8.58	34.43	38.17	92.89	97.73	68.20	29.53 peak
2	5350.020	8.63	34.43	38.16	46.35	51.25	74.00	-22.75 peak
3	5351.566	8.63	34.43	38.16	48.09	52.99	74.00	-21.01 peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5320	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5320 Band edge

: Ant 1+2 5G WIFI 11N CH64

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5320.000	8.58	34.43	38.17	84.95	89.79	-----	-----	Average
2	5350.020	8.63	34.43	38.16	38.84	43.74	54.00	-10.26	Average
3 pp	5351.367	8.63	34.43	38.16	39.09	43.99	54.00	-10.01	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5500	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5500 Band edge

: Ant 1+2 5G WIFI 11N CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5457.031	8.79	34.41	38.15	47.41	52.46	74.00	-21.54	Peak
2	5469.279	8.81	34.41	38.15	47.37	52.44	68.20	-15.76	peak
3 pp	5500.000	8.85	34.40	38.15	93.33	98.43	68.20	30.23	Peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5500	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5500 Band edge

: Ant 1+2 5G WIFI 11N CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5459.550	8.79	34.41	38.15	38.04	54.00	-10.91	Average
2	5500.000	8.85	34.40	38.15	85.95	-----	-----	Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5500	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5500 Band edge

: Ant 1+2 5G WIFI 11N CH100

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5454.513	8.78	34.41	38.15	48.29	53.33	74.00	-20.67 peak
2	5465.673	8.80	34.41	38.15	51.96	57.02	68.20	-11.18 peak
3 pp	5500.000	8.85	34.40	38.15	93.84	98.94	68.20	30.74 peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5500	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5500 Band edge

: Ant 1+2 5G WIFI 11N CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5455.952	8.79	34.41	38.15	37.86	42.91	54.00	-11.09 Average
2	5500.000	8.85	34.40	38.15	85.87	90.97	-----	----- Average



Test mode:	802.11n(HT20)	Frequency(MHz):	5700	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5700 Band edge

: Ant 1+2 5G WIFI 11N CH140

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5700.000	9.56	34.52	38.13	94.40	100.35	68.20	32.15	Peak
2	5725.000	9.64	34.54	38.13	49.56	55.61	68.20	-12.59	Peak
3	5741.293	9.70	34.55	38.12	53.14	59.27	68.20	-8.93	Peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5700	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5700 Band edge

: Ant 1+2 5G WIFI 11N CH140

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	pp 5700.000	9.56	34.52	38.13	94.68	100.63	68.20	32.43 peak
2	5725.000	9.64	34.54	38.13	54.23	60.28	68.20	-7.92 peak
3	5725.684	9.64	34.54	38.13	53.22	59.27	68.20	-8.93 peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5745	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5745 Band edge

: Ant 1+2 5G WIFI 11N CH149

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5715.000	9.61	34.53	38.13	61.57	67.58	109.40	-41.82 peak
2	5725.000	9.64	34.54	38.13	69.26	75.31	122.20	-46.89 peak
3 pp	5745.000	9.71	34.55	38.12	97.18	103.32	125.20	-21.88 peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5745	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5745 Band edge

: Ant 1+2 5G WIFI 11N CH149

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	38.13	56.99	63.00	109.40	-46.40	peak
2	5725.000	9.64	34.54	38.13	67.20	73.25	122.20	-48.95	peak
3 pp	5745.000	9.71	34.55	38.12	96.48	102.62	125.20	-22.58	peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5825	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5825 Band edge

: Ant 1+2 5G WIFI 11N CH165

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5825.000	9.98	34.60	38.12	96.18	102.64	125.20	-22.56 peak
2	5850.000	10.07	34.61	38.11	59.89	66.46	122.20	-55.74 peak
3	5860.000	10.10	34.62	38.11	55.10	61.71	109.40	-47.69 peak



Test mode:	802.11n(HT20)	Frequency(MHz):	5825	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5825 Band edge

: Ant 1+2 5G WIFI 11N CH165

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5825.000	9.98	34.60	38.12	95.65	102.11	125.20	-23.09	peak
2	5850.000	10.07	34.61	38.11	56.30	62.87	122.20	-59.33	peak
3	5860.000	10.10	34.62	38.11	54.61	61.22	109.40	-48.18	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5180	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5180 Band edge

: Ant 1+2 5G WIFI 11AC CH36

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.157	8.32	34.47	38.18	62.22	66.83	74.00	-7.17	Peak
2	5149.980	8.33	34.47	38.18	61.50	66.12	74.00	-7.88	Peak
3 pp	5180.000	8.37	34.46	38.18	91.79	96.44	68.20	28.24	Peak




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180100021702

Page: 698 of 817

Test mode:	802.11ac(HT20)	Frequency(MHz):	5180	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5180 Band edge

: Ant 1+2 5G WIFI 11AC CH36

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.757	8.32	34.47	38.18	41.30	45.91	54.00	-8.09	Average
2	pp 5149.980	8.33	34.47	38.18	42.16	46.78	54.00	-7.22	Average
3	5180.000	8.37	34.46	38.18	84.44	89.09	-----	-----	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5180	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5180 Band edge

: Ant 1+2 5G WIFI 11AC CH36

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5143.960	8.32	34.47	38.18	54.36	58.97	74.00	-15.03	peak
2	5149.980	8.33	34.47	38.18	53.96	58.58	74.00	-15.42	peak
3	pp 5180.000	8.37	34.46	38.18	92.74	97.39	68.20	29.19	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5180	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5180 Band edge

: Ant 1+2 5G WIFI 11AC CH36

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5148.958	8.32	34.47	38.18	39.93	44.54	54.00	-9.46 Average
2	5149.980	8.33	34.47	38.18	39.60	44.22	54.00	-9.78 Average
3	5180.000	8.37	34.46	38.18	85.14	89.79	-----	----- Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5240	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5240 Band edge

: Ant 1+2 5G WIFI 11AC CH48

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5240.000	8.46	34.45	38.17	94.28	99.02	68.20	30.82 Peak
2	5350.020	8.63	34.43	38.16	46.06	50.96	74.00	-23.04 Peak
3	5360.783	8.65	34.43	38.16	46.38	51.30	74.00	-22.70 Peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5240	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5240 Band edge

: Ant 1+2 5G WIFI 11AC CH48

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5240.000	8.46	34.45	38.17	87.02	91.76	-----	-----	Average
2	5350.020	8.63	34.43	38.16	36.85	41.75	54.00	-12.25	Average
3 pp	5350.797	8.63	34.43	38.16	36.86	41.76	54.00	-12.24	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5240	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5240 Band edge

: Ant 1+2 5G WIFI 11AC CH48

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5240.000	8.46	34.45	38.17	94.28	99.02	68.20	30.82 peak
2	5350.020	8.63	34.43	38.16	45.81	50.71	74.00	-23.29 peak
3	5390.306	8.69	34.42	38.16	46.70	51.65	74.00	-22.35 peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5240	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5240 Band edge

: Ant 1+2 5G WIFI 11AC CH48

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5240.000	8.46	34.45	38.17	87.04	91.78	-----	-----	Average
2	5350.020	8.63	34.43	38.16	36.69	41.59	54.00	-12.41	Average
3	pp 5350.979	8.63	34.43	38.16	36.95	41.85	54.00	-12.15	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5260	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5260 Band edge

: Ant 1+2 5G WIFI 11AC CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5144.773	8.32	34.47	38.18	47.02	51.63	74.00	-22.37	Peak
2	5149.980	8.33	34.47	38.18	45.25	49.87	74.00	-24.13	Peak
3	pp 5260.000	8.49	34.45	38.17	94.26	99.03	68.20	30.83	Peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5260	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG


Mode : 5260 Band edge

: Ant 1+2 5G WIFI 11AC CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5144.238	8.32	34.47	38.18	36.79	41.40	54.00	-12.60	Average
2	5149.980	8.33	34.47	38.18	36.62	41.24	54.00	-12.76	Average
3	5260.000	8.49	34.45	38.17	85.82	90.59	-----	-----	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5260	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG


Mode : 5260 Band edge

: Ant 1+2 5G WIFI 11AC CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5142.632	8.31	34.47	38.18	46.95	51.55	74.00	-22.45	peak
2	5149.980	8.33	34.47	38.18	45.53	50.15	74.00	-23.85	peak
3	pp 5260.000	8.49	34.45	38.17	94.41	99.18	68.20	30.98	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5260	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5260 Band edge

: Ant 1+2 5G WIFI 11AC CH52

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp 5145.130	8.32	34.47	38.18	36.84	41.45	54.00	-12.55	Average
2 5149.980	8.33	34.47	38.18	36.68	41.30	54.00	-12.70	Average
3 5260.000	8.49	34.45	38.17	86.87	91.64	-----	-----	Average