




## Appendix H

# Receiver Spurious Emission



This test was carried out in all the test modes. Here only the worst test result was shown.

### 30MHz-1GHz




#### MEASUREMENT RESULT: QP Detector

Frequency	Level	Transducer	Limit	Margin	Height	Azimuth	Polarisation
MHz	dBµV/m	dB	dBµV/m	dB	cm	deg	
31.740000	30.50	14.7	40.0	9.5	100.0	272.00	VERTICAL
39.540000	27.30	15.3	40.0	12.7	100.0	289.00	VERTICAL
69.780000	20.50	11.0	40.0	19.5	126.0	46.00	VERTICAL
197.580000	21.80	12.3	43.5	21.7	100.0	340.00	VERTICAL
356.760000	24.70	16.8	46.0	21.3	100.0	231.00	HORIZONTAL
643.740000	29.60	21.8	46.0	16.4	200.0	212.00	VERTICAL



**1GHz to 18 GHz”**



**MEASUREMENT RESULT: PK Detector**

Frequency	Level	Transducer	Limit	Margin	Height	Azimuth	Polarisation
MHz	dBµV/m	dB	dBµV/m	dB	cm	deg	
5321.800000	40.60	-1.1	74.0	33.4	148.0	0.00	VERTICAL
9615.400000	44.90	6.0	74.0	29.1	100.0	26.00	VERTICAL
14349.100000	49.40	16.6	74.0	24.6	117.0	60.00	HORIZONTAL

**MEASUREMENT RESULT: AV Detector**

Frequency	Level	Transducer	Limit	Margin	Height	Azimuth	Polarisation
MHz	dBµV/m	dB	dBµV/m	dB	cm	deg	
5413.400000	28.20	-0.8	54.0	25.8	135.0	136.00	VERTICAL
9614.900000	31.60	6.0	54.0	22.4	100.0	99.00	VERTICAL
14323.500000	36.10	16.5	54.0	17.9	148.0	176.00	VERTICAL

END