



Appendix E

Radiated Spurious Emission According to FCC Part 2.1053 & 24.238


Traffic Mode (30MHz-2GHz) for CDMA1X 1900MHz




Traffic Mode (2GHz -18GHz) for CDMA1X 1900MHz




Traffic Mode (18GHz -26.5GHz) for CDMA1X 1900MHz




Traffic Mode (30MHz-2GHz) for EVDO.0 1900MHz




Traffic Mode (2GHz -18GHz) for EVDO.0 1900MHz




Traffic Mode (18GHz -26.5GHz) for EVDO.0 1900MHz




Traffic Mode (30MHz-2GHz) for EVDO.A 1900MHz



Traffic Mode (2GHz -18GHz) for EVDO.A 1900MHz




Traffic Mode (18GHz -26.5GHz) for EVDO.A 1900MHz





Appendix F

Conducted Emission at Power Port According to FCC Part 15.107



MEASUREMENT RESULT: "QP DECTER"

Frequency (MHz)	Level (dBµV)	Transd (dB)	Limit (dBµV)	Margin (dB)	Line	PE
0.3255	41.9	10.2	60	18.1	N	FLO
0.8115	42.3	9.9	56	13.7	L3	FLO
1.752	43.2	10	56	12.8	L3	FLO
2.625	41.1	10.1	56	14.9	L3	FLO
5.253	36.4	10.2	60	23.6	L3	FLO
23.6535	39.8	15.3	60	20.2	L3	FLO


MEASUREMENT RESULT: "AV DECTER"

Frequency (MHz)	Level (dBµV)	Transd (dB)	Limit (dBµV)	Margin (dB)	Line	PE
0.312	32.4	10.2	50	17.6	L3	FLO
0.8385	31.5	9.9	46	14.5	L3	FLO
1.7475	34.6	10	46	11.4	L3	FLO
2.679	35.3	10.1	46	10.7	L3	FLO
5.244	33.6	10.2	50	16.4	L3	FLO
24.2655	29.2	15.1	50	20.8	L3	FLO

Appendix G

Radiated Emission of Enclosure in Idle Mode

According to FCC Part 15.109



MEASUREMENT RESULT: QP DECTER

Frequency (MHz)	Level (dBµV/m)	Transd (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Azimuth (deg)	Polarisation
30.18	22.7	-4.2	40	17.3	173	223	HORIZONTAL
79.2	23.4	-14.9	40	16.6	195	350	HORIZONTAL
171.78	27.8	-11.9	43.5	15.7	174	0	HORIZONTAL
212.16	29.1	-11.7	43.5	14.4	126	94	HORIZONTAL
378.78	31.3	-5.1	46	14.7	100	254	HORIZONTAL
528.06	30.8	-2.7	46	15.2	195	95	HORIZONTAL