



6.2.1.2.4.3 Test Channel = HCH

6.2.1.2.4.3.1 Test RB = RB1#0








6.2.1.2.5 Test Bandwidth = 15

6.2.1.2.5.1 Test Channel = LCH

6.2.1.2.5.1.1 Test RB = RB1#0








6.2.1.2.5.2 Test Channel = MCH

6.2.1.2.5.2.1 Test RB = RB1#0







6.2.1.2.5.3 Test Channel = HCH

6.2.1.2.5.3.1 Test RB = RB1#0








6.2.1.2.6 Test Bandwidth = 20

6.2.1.2.6.1 Test Channel = LCH

6.2.1.2.6.1.1 Test RB = RB1#0








6.2.1.2.6.2 Test Channel = MCH

6.2.1.2.6.2.1 Test RB = RB1#0








6.2.1.2.6.3 Test Channel = HCH

6.2.1.2.6.3.1 Test RB = RB1#0







7Appendix_G: Field Strength of Spurious Radiation

Note: We tested all modes, but the data presented below is the worst case.

9kHz~150kHz, RBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, RBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK

Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK

Part I - Test Plots


7.1 For LTE

7.1.1 Test Band = Band2_ANT1

7.1.1.1 Test Bandwidth = 1.4




Data: 73




Site : 03CH01-SZ
Condition : -13DBM
: RBW:9.000KHz VBW:30.000KHz


LTE FDD R SE-TX-DIRECTOR ABOVE 1.5G_L



LTE FDD R SE-TX-DIRECTOR ABOVE 1.5G_H



18G~26.5G RSE-TX-DIRECTOR ABOVE 1.5G PK




7.1.1.2 Test Bandwidth = 20



Data: 73

Date: 2018-12-12




Site : 03CH01-SZ


Condition : -13DBM

: RBW:9.000KHz VBW:30.000KHz


LTE FDD R SE-TX-DIRECTOR ABOVE 1.5G_L



LTE FDD R SE-TX-DIRECTOR ABOVE 1.5G_H



18G~26.5G R SE-T X-DIRECT OR ABOVE 1.5G PK




7.1.2 Test Band = Band2_ANT2

7.1.2.1 Test Bandwidth = 1.4




Data: 73

Date: 2018-12-12




Site : 03CH01-SZ
 Condition : -13DBM
 : RBW:9.000KHz VBW:30.000KHz


LTE FDD R SE-TX-DIRECTOR ABOVE 1.5G_L



LTE FDD R SE-TX-DIRECTOR ABOVE 1.5G_H




18G~26.5G R SE-T X-DIRECTOR ABOVE 1.5G PK



7.1.2.2 Test Bandwidth = 20




Data: 73




Site : 03CH01-SZ
Condition : -13DBM
: RBW:9.000KHz VBW:30.000KHz


LTE FDD R SE-TX-DIRECTOR ABOVE 1.5G_L



LTE FDD R SE-TX-DIRECTOR ABOVE 1.5G_H



18G~26.5G R SE-T X-DIRECTOR ABOVE 1.5G PK



8Appendix_H: Frequency Stability

8.1 For LTE

8.1.1Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
Band2	LTE/TM1	1.4	LCH	TN	VL	-9.34124	-0.00505	PASS
					VN	-6.43730	-0.00348	PASS
					VH	-1.87397	-0.00101	PASS
			MCH	TN	VL	-4.43459	-0.00236	PASS
					VN	0.27180	0.00014	PASS
					VH	3.14712	0.00167	PASS
			HCH	TN	VL	-15.59258	-0.00817	PASS
					VN	10.67162	0.00559	PASS
					VH	-8.98361	-0.00471	PASS
		3	LCH	TN	VL	3.40462	0.00184	PASS
					VN	-4.16279	-0.00225	PASS
					VH	-12.11643	-0.00654	PASS
			MCH	TN	VL	-2.67506	-0.00142	PASS
					VN	-4.94957	-0.00263	PASS
					VH	-2.93255	-0.00156	PASS
			HCH	TN	VL	-1.98841	-0.00104	PASS
					VN	-0.85831	-0.00045	PASS
					VH	-3.30448	-0.00173	PASS
		5	LCH	TN	VL	-0.34332	-0.00019	PASS
					VN	-1.90258	-0.00103	PASS
					VH	-0.58651	-0.00032	PASS
			MCH	TN	VL	-1.35899	-0.00072	PASS
					VN	-4.24862	-0.00226	PASS
					VH	-2.36034	-0.00126	PASS
			HCH	TN	VL	-2.20299	-0.00115	PASS
					VN	-2.36034	-0.00124	PASS
					VH	-2.03133	-0.00106	PASS
		10	LCH	TN	VL	0.74387	0.00040	PASS
					VN	0.57220	0.00031	PASS
					VH	0.07153	0.00004	PASS
			MCH	TN	VL	-4.64916	-0.00247	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					VN	-2.05994	-0.00110	PASS
					VH	0.32902	0.00018	PASS
			HCH	TN	VL	-2.17438	-0.00114	PASS
					VN	-0.90122	-0.00047	PASS
					VH	0.31471	0.00017	PASS
					VH	0.31471	0.00017	PASS
		15	LCH	TN	VL	-1.20163	-0.00065	PASS
					VN	-4.34875	-0.00234	PASS
					VH	0.08583	0.00005	PASS
			MCH	TN	VL	-2.05994	-0.00110	PASS
					VN	-2.24590	-0.00119	PASS
					VH	-2.76089	-0.00147	PASS
			HCH	TN	VL	-3.84808	-0.00202	PASS
					VN	-3.61919	-0.00190	PASS
					VH	-1.30177	-0.00068	PASS
		20	LCH	TN	VL	-1.07288	-0.00058	PASS
					VN	-1.63078	-0.00088	PASS
					VH	1.20163	0.00065	PASS
			MCH	TN	VL	0.78678	0.00042	PASS
					VN	-8.78334	-0.00467	PASS
					VH	-1.00136	-0.00053	PASS
			HCH	TN	VL	-0.01431	-0.00001	PASS
					VN	0.20027	0.00011	PASS
					VH	-0.57220	-0.00030	PASS
	LTE/TM2	1.4	LCH	TN	VL	30.67017	0.01657	PASS
					VN	-0.67234	-0.00036	PASS
					VH	2.18868	0.00118	PASS
			MCH	TN	VL	-7.36713	-0.00392	PASS
					VN	6.82354	0.00363	PASS
					VH	-9.84192	-0.00524	PASS
			HCH	TN	VL	-15.97881	-0.00837	PASS
					VN	-12.74586	-0.00668	PASS
					VH	6.65188	0.00348	PASS
		3	LCH	TN	VL	-0.04292	-0.00002	PASS
					VN	-5.49316	-0.00297	PASS
					VH	2.88963	0.00156	PASS
			MCH	TN	VL	-11.05785	-0.00588	PASS
					VN	-4.14848	-0.00221	PASS
					VH	0.48637	0.00026	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			HCH	TN	VL	1.25885	0.00066	PASS
					VN	-1.88827	-0.00099	PASS
					VH	0.24319	0.00013	PASS
			LCH	TN	VL	-1.27316	-0.00069	PASS
					VN	-0.34332	-0.00019	PASS
					VH	-1.71661	-0.00093	PASS
		5	MCH	TN	VL	-0.72956	-0.00039	PASS
					VN	-5.50747	-0.00293	PASS
					VH	-2.70367	-0.00144	PASS
			HCH	TN	VL	-4.23431	-0.00222	PASS
					VN	-3.87669	-0.00203	PASS
					VH	-4.90665	-0.00257	PASS
		10	LCH	TN	VL	1.63078	0.00088	PASS
					VN	2.07424	0.00112	PASS
					VH	2.80380	0.00151	PASS
			MCH	TN	VL	-2.30312	-0.00123	PASS
					VN	-4.16279	-0.00221	PASS
					VH	-1.37329	-0.00073	PASS
			HCH	TN	VL	0.18597	0.00010	PASS
					VN	-1.61648	-0.00085	PASS
					VH	0.17166	0.00009	PASS
		15	LCH	TN	VL	-0.25749	-0.00014	PASS
					VN	-1.34468	-0.00072	PASS
					VH	-0.71526	-0.00039	PASS
			MCH	TN	VL	-0.85831	-0.00046	PASS
					VN	-2.50339	-0.00133	PASS
					VH	-3.41892	-0.00182	PASS
			HCH	TN	VL	-2.05994	-0.00108	PASS
					VN	-4.36306	-0.00229	PASS
					VH	-4.06265	-0.00214	PASS
		20	LCH	TN	VL	6.10828	0.00328	PASS
					VN	-1.81675	-0.00098	PASS
					VH	4.37737	0.00235	PASS
			MCH	TN	VL	-2.60353	-0.00138	PASS
					VN	-0.81539	-0.00043	PASS
					VH	-2.23160	-0.00119	PASS
			HCH	TN	VL	-0.48637	-0.00026	PASS
					VN	0.47207	0.00025	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					VH	-0.22888	-0.00012	PASS

8.1.2 Frequency Error vs. Temperature:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
Band2	LTE/TM1	1.4	LCH	VN	-30	-24.39022	-0.01318	PASS
					-20	-3.43323	-0.00186	PASS
					-10	-3.87669	-0.00209	PASS
					0	3.27587	0.00177	PASS
					10	-7.96795	-0.00431	PASS
					20	-6.43730	-0.00348	PASS
					30	-32.98759	-0.01782	PASS
					40	3.40462	0.00184	PASS
					50	-12.70294	-0.00686	PASS
			MCH	VN	-30	4.97818	0.00265	PASS
					-20	6.40869	0.00341	PASS
					-10	3.31879	0.00177	PASS
					0	-4.92096	-0.00262	PASS
					10	17.19475	0.00915	PASS
					20	0.27180	0.00014	PASS
					30	-3.23296	-0.00172	PASS
					40	-7.39574	-0.00393	PASS
					50	-3.34740	-0.00178	PASS
			HCH	VN	-30	10.85758	0.00569	PASS
					-20	7.08103	0.00371	PASS
					-10	-10.22816	-0.00536	PASS
					0	3.86238	0.00202	PASS
					10	-7.88212	-0.00413	PASS
					20	10.67162	0.00559	PASS
					30	-12.30240	-0.00644	PASS
					40	-7.61032	-0.00399	PASS
					50	21.84391	0.01144	PASS
		3	LCH	VN	-30	-9.67026	-0.00522	PASS
					-20	-3.53336	-0.00191	PASS
					-10	-5.80788	-0.00314	PASS
					0	-6.65188	-0.00359	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-1.81675	-0.00098	PASS
					20	-4.16279	-0.00225	PASS
					30	-4.46320	-0.00241	PASS
					40	-6.38008	-0.00345	PASS
					50	-1.34468	-0.00073	PASS
			MCH	VN	-30	-7.92503	-0.00422	PASS
					-20	-10.58578	-0.00563	PASS
					-10	-6.86646	-0.00365	PASS
					0	-2.23160	-0.00119	PASS
					10	-2.67506	-0.00142	PASS
					20	-4.94957	-0.00263	PASS
					30	-8.16822	-0.00434	PASS
					40	-11.21521	-0.00597	PASS
					50	-7.95364	-0.00423	PASS
			HCH	VN	-30	-2.01702	-0.00106	PASS
					-20	-3.81947	-0.00200	PASS
					-10	-3.57628	-0.00187	PASS
					0	-1.15871	-0.00061	PASS
					10	-2.34604	-0.00123	PASS
					20	-0.85831	-0.00045	PASS
					30	-2.04563	-0.00107	PASS
					40	-1.23024	-0.00064	PASS
					50	-0.70095	-0.00037	PASS
		5	LCH	VN	-30	-4.43459	-0.00239	PASS
					-20	-5.33581	-0.00288	PASS
					-10	-4.33445	-0.00234	PASS
					0	-4.76360	-0.00257	PASS
					10	-3.80516	-0.00205	PASS
					20	-1.90258	-0.00103	PASS
					30	-4.70638	-0.00254	PASS
					40	-6.48022	-0.00350	PASS
					50	-5.27859	-0.00285	PASS
			MCH	VN	-30	-4.39167	-0.00234	PASS
					-20	-4.19140	-0.00223	PASS
					-10	-4.24862	-0.00226	PASS
					0	-3.08990	-0.00164	PASS
					10	-5.04971	-0.00269	PASS
					20	-4.24862	-0.00226	PASS
					30	-4.43459	-0.00236	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	-4.44889	-0.00237	PASS
					50	-5.14984	-0.00274	PASS
			HCH	VN	-30	-3.23296	-0.00169	PASS
					-20	-1.35899	-0.00071	PASS
					-10	-3.39031	-0.00178	PASS
					0	-3.26157	-0.00171	PASS
					10	-1.88827	-0.00099	PASS
					20	-2.36034	-0.00124	PASS
					30	-0.41485	-0.00022	PASS
					40	-0.12875	-0.00007	PASS
					50	-3.04699	-0.00160	PASS
		10	LCH	VN	-30	2.00272	0.00108	PASS
					-20	1.70231	0.00092	PASS
					-10	1.11580	0.00060	PASS
					0	0.68665	0.00037	PASS
					10	-0.25749	-0.00014	PASS
					20	0.57220	0.00031	PASS
					30	-0.65804	-0.00035	PASS
					40	-0.10014	-0.00005	PASS
					50	-1.20163	-0.00065	PASS
			MCH	VN	-30	-1.93119	-0.00103	PASS
					-20	-2.47478	-0.00132	PASS
					-10	-3.43323	-0.00183	PASS
					0	-1.47343	-0.00078	PASS
					10	-1.02997	-0.00055	PASS
					20	-2.05994	-0.00110	PASS
					30	-4.82082	-0.00256	PASS
					40	-3.49045	-0.00186	PASS
					50	-1.17302	-0.00062	PASS
			HCH	VN	-30	-1.95980	-0.00103	PASS
					-20	-2.41756	-0.00127	PASS
					-10	-2.81811	-0.00148	PASS
					0	-1.53065	-0.00080	PASS
					10	-1.90258	-0.00100	PASS
					20	-0.90122	-0.00047	PASS
					30	0.04292	0.00002	PASS
					40	-2.73228	-0.00143	PASS
					50	-1.68800	-0.00089	PASS
		15	LCH	VN	-30	-1.71661	-0.00092	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	-3.00407	-0.00162	PASS
					-10	-25.09117	-0.01351	PASS
					0	-2.04563	-0.00110	PASS
					10	-3.16143	-0.00170	PASS
					20	-4.34875	-0.00234	PASS
					30	-1.45912	-0.00079	PASS
					40	-1.70231	-0.00092	PASS
					50	-0.50068	-0.00027	PASS
			MCH	VN	-30	-2.04563	-0.00109	PASS
					-20	-3.60489	-0.00192	PASS
					-10	-4.10557	-0.00218	PASS
					0	-5.67913	-0.00302	PASS
					10	-4.99249	-0.00266	PASS
					20	-2.24590	-0.00119	PASS
					30	-1.17302	-0.00062	PASS
					40	-4.77791	-0.00254	PASS
					50	-2.70367	-0.00144	PASS
			HCH	VN	-30	-0.98705	-0.00052	PASS
					-20	-1.65939	-0.00087	PASS
					-10	-2.80380	-0.00147	PASS
					0	-3.21865	-0.00169	PASS
					10	-1.80244	-0.00095	PASS
					20	-3.61919	-0.00190	PASS
					30	-3.76225	-0.00198	PASS
					40	-3.11851	-0.00164	PASS
					50	-2.84672	-0.00150	PASS
		20	LCH	VN	-30	0.05722	0.00003	PASS
					-20	2.56062	0.00138	PASS
					-10	-198.19740	-0.10656	PASS
					0	-2.76089	-0.00148	PASS
					10	1.11580	0.00060	PASS
					20	-1.63078	-0.00088	PASS
					30	-0.15736	-0.00008	PASS
					40	-0.75817	-0.00041	PASS
					50	0.57220	0.00031	PASS
			MCH	VN	-30	-0.81539	-0.00043	PASS
					-20	-0.44346	-0.00024	PASS
					-10	-1.11580	-0.00059	PASS
					0	-6.36578	-0.00339	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-3.81947	-0.00203	PASS
					20	-8.78334	-0.00467	PASS
					30	-6.86646	-0.00365	PASS
					40	-0.91553	-0.00049	PASS
					50	-0.20027	-0.00011	PASS
			HCH	VN	-30	-0.40054	-0.00021	PASS
					-20	-1.14441	-0.00060	PASS
					-10	0.95844	0.00050	PASS
					0	-0.62943	-0.00033	PASS
					10	-2.28882	-0.00120	PASS
					20	0.20027	0.00011	PASS
					30	0.04292	0.00002	PASS
					40	0.45776	0.00024	PASS
					50	-1.43051	-0.00075	PASS
	LTE/TM2	1.4	LCH	VN	-30	-3.43323	-0.00186	PASS
					-20	-3.50475	-0.00189	PASS
					-10	1.10149	0.00060	PASS
					0	-21.20018	-0.01146	PASS
					10	-4.44889	-0.00240	PASS
					20	-0.67234	-0.00036	PASS
					30	-33.30231	-0.01799	PASS
					40	-4.53472	-0.00245	PASS
					50	-5.85079	-0.00316	PASS
			MCH	VN	-30	-4.01974	-0.00214	PASS
					-20	-5.43594	-0.00289	PASS
					-10	15.54966	0.00827	PASS
					0	-8.22544	-0.00438	PASS
					10	10.52856	0.00560	PASS
					20	6.82354	0.00363	PASS
					30	-4.63486	-0.00247	PASS
					40	-1.47343	-0.00078	PASS
					50	5.32150	0.00283	PASS
			HCH	VN	-30	-20.57076	-0.01077	PASS
					-20	-11.95908	-0.00626	PASS
					-10	5.89371	0.00309	PASS
					0	29.56867	0.01549	PASS
					10	-22.30167	-0.01168	PASS
					20	-12.74586	-0.00668	PASS
					30	-16.89434	-0.00885	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	-1.04427	-0.00055	PASS
					50	32.47261	0.01701	PASS
		3	LCH	VN	-30	2.24590	0.00121	PASS
					-20	-3.31879	-0.00179	PASS
					-10	0.22888	0.00012	PASS
					0	0.55790	0.00030	PASS
					10	0.81539	0.00044	PASS
					20	-5.49316	-0.00297	PASS
					30	-8.48293	-0.00458	PASS
					40	-0.52929	-0.00029	PASS
					50	-3.20435	-0.00173	PASS
			MCH	VN	-30	2.43187	0.00129	PASS
					-20	-7.56741	-0.00403	PASS
					-10	-15.86437	-0.00844	PASS
					0	-13.38959	-0.00712	PASS
					10	-3.76225	-0.00200	PASS
					20	-4.14848	-0.00221	PASS
					30	-4.11987	-0.00219	PASS
					40	-0.57220	-0.00030	PASS
					50	-5.92232	-0.00315	PASS
			HCH	VN	-30	-5.62191	-0.00295	PASS
					-20	-2.80380	-0.00147	PASS
					-10	-1.90258	-0.00100	PASS
					0	-3.81947	-0.00200	PASS
					10	0.24319	0.00013	PASS
					20	-1.88827	-0.00099	PASS
					30	-0.67234	-0.00035	PASS
					40	-2.41756	-0.00127	PASS
					50	-4.13418	-0.00217	PASS
		5	LCH	VN	-30	-2.38895	-0.00129	PASS
					-20	-2.38895	-0.00129	PASS
					-10	-2.36034	-0.00127	PASS
					0	-3.26157	-0.00176	PASS
					10	-6.38008	-0.00344	PASS
					20	-0.34332	-0.00019	PASS
					30	-2.87533	-0.00155	PASS
					40	-2.28882	-0.00124	PASS
					50	-4.99249	-0.00269	PASS
			MCH	VN	-30	-7.09534	-0.00377	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	-3.31879	-0.00177	PASS
					-10	-2.78950	-0.00148	PASS
					0	-3.74794	-0.00199	PASS
					10	-3.24726	-0.00173	PASS
					20	-5.50747	-0.00293	PASS
					30	-4.72069	-0.00251	PASS
					40	-3.84808	-0.00205	PASS
					50	-5.39303	-0.00287	PASS
			HCH	VN	-30	-3.61919	-0.00190	PASS
					-20	-5.23567	-0.00274	PASS
					-10	-3.67641	-0.00193	PASS
					0	-5.13554	-0.00269	PASS
					10	-4.79221	-0.00251	PASS
					20	-3.87669	-0.00203	PASS
					30	-4.09126	-0.00214	PASS
					40	-4.22001	-0.00221	PASS
					50	-2.94685	-0.00154	PASS
		10	LCH	VN	-30	0.48637	0.00026	PASS
					-20	0.40054	0.00022	PASS
					-10	0.91553	0.00049	PASS
					0	-0.57220	-0.00031	PASS
					10	-0.94414	-0.00051	PASS
					20	2.07424	0.00112	PASS
					30	-1.38760	-0.00075	PASS
					40	1.15871	0.00062	PASS
					50	-2.58923	-0.00140	PASS
			MCH	VN	-30	-2.51770	-0.00134	PASS
					-20	-4.16279	-0.00221	PASS
					-10	-1.80244	-0.00096	PASS
					0	-2.10285	-0.00112	PASS
					10	-1.63078	-0.00087	PASS
					20	-4.16279	-0.00221	PASS
					30	-1.25885	-0.00067	PASS
					40	-1.00136	-0.00053	PASS
					50	-2.28882	-0.00122	PASS
			HCH	VN	-30	-1.33038	-0.00070	PASS
					-20	-1.80244	-0.00095	PASS
					-10	-2.50339	-0.00131	PASS
					0	-0.38624	-0.00020	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-0.94414	-0.00050	PASS
					20	-1.61648	-0.00085	PASS
					30	-1.67370	-0.00088	PASS
					40	-3.39031	-0.00178	PASS
					50	-0.78678	-0.00041	PASS
		15	LCH	VN	-30	-3.21865	-0.00173	PASS
					-20	-1.81675	-0.00098	PASS
					-10	-1.48773	-0.00080	PASS
					0	-2.36034	-0.00127	PASS
					10	-1.65939	-0.00089	PASS
					20	-1.34468	-0.00072	PASS
					30	-0.58651	-0.00032	PASS
					40	-3.01838	-0.00162	PASS
					50	-1.24455	-0.00067	PASS
			MCH	VN	-30	-1.70231	-0.00091	PASS
					-20	-4.00543	-4.00543	PASS
					-10	-4.79221	-0.00255	PASS
					0	-3.16143	-0.00168	PASS
					10	-2.73228	-0.00145	PASS
					20	-2.50339	-0.00133	PASS
					30	-2.44618	-0.00130	PASS
					40	-4.09126	-0.00218	PASS
					50	-2.80380	-0.00149	PASS
			HCH	VN	-30	-3.71933	-0.00195	PASS
					-20	-4.60625	-0.00242	PASS
					-10	-5.39303	-0.00283	PASS
					0	-3.06129	-0.00161	PASS
					10	-4.80652	-0.00253	PASS
					20	-4.36306	-0.00229	PASS
					30	-2.97546	-0.00156	PASS
					40	-3.99113	-0.00210	PASS
					50	-2.66075	-0.00140	PASS
		20	LCH	VN	-30	0.42915	0.00023	PASS
					-20	0.85831	0.00046	PASS
					-10	94.39945	0.05075	PASS
					0	-1.17302	-0.00063	PASS
					10	-0.61512	-0.00033	PASS
					20	-1.81675	-0.00098	PASS
					30	0.30041	0.00016	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	-0.48637	-0.00026	PASS
					50	-0.54359	-0.00029	PASS
			MCH	VN	-30	0.11444	0.00006	PASS
					-20	-1.45912	-0.00078	PASS
					-10	-2.18868	-0.00116	PASS
					0	-1.78814	-0.00095	PASS
					10	-2.60353	-0.00138	PASS
					20	-0.81539	-0.00043	PASS
					30	0.12875	0.00007	PASS
					40	-1.64509	-0.00088	PASS
					50	-0.30041	-0.00016	PASS
			HCH	VN	-30	-0.77248	-0.00041	PASS
					-20	0.97275	0.00051	PASS
					-10	-2.40326	-0.00126	PASS
					0	0.55790	0.00029	PASS
					10	-1.98841	-0.00105	PASS
					20	0.47207	0.00025	PASS
					30	-2.17438	-0.00114	PASS
					40	-2.01702	-0.00106	PASS
					50	1.04427	0.00055	PASS

END