



6.2.1.2.4 Test Bandwidth = 10

6.2.1.2.4.1 Test Channel = LCH

6.2.1.2.4.1.1 Test RB = RB1#0








6.2.1.2.4.2 Test Channel = MCH

6.2.1.2.4.2.1 Test RB = RB1#0








6.2.1.2.4.3 Test Channel = HCH

6.2.1.2.4.3.1 Test RB = RB1#0








6.2.1.2.5 Test Bandwidth = 15

6.2.1.2.5.1 Test Channel = LCH

6.2.1.2.5.1.1 Test RB = RB1#0








6.2.1.2.5.2 Test Channel = MCH

6.2.1.2.5.2.1 Test RB = RB1#0








6.2.1.2.5.3 Test Channel = HCH

6.2.1.2.5.3.1 Test RB = RB1#0








6.2.1.2.6 Test Bandwidth = 20

6.2.1.2.6.1 Test Channel = LCH

6.2.1.2.6.1.1 Test RB = RB1#0








6.2.1.2.6.2 Test Channel = MCH

6.2.1.2.6.2.1 Test RB = RB1#0








6.2.1.2.6.3 Test Channel = HCH

6.2.1.2.6.3.1 Test RB = RB1#0







7Appendix_G: Field Strength of Spurious Radiation

Note: We tested all modes, but the data presented below is the worst case.

9kHz~150kHz, RBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, RBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK

Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK

Part I - Test Plots


7.1 For LTE

7.1.1 Test Band = Band66_ANT1

7.1.1.1 Test Bandwidth = 1.4




Data: 72




Site : 03CH01-SZ
 Condition : -13DBM
 : RBW:9.000KHz VBW:30.000KHz


LTE FDD R SE-TX-DIRECTOR ABOVE 1.5G_L



LTE FDD R SE-TX-DIRECTOR ABOVE 1.5G_H




18G~26.5G RSE-TX-DIRECTOR ABOVE 1.5G PK



7.1.1.2 Test Bandwidth = 20




Data: 72




Site : 03CH01-SZ
Condition : -13DBM
: RBW:9.000KHz VBW:30.000KHz


LTE FDD R SE-TX-DIRECTOR ABOVE 1.5G_L



LTE FDD R SE-TX-DIRECTOR ABOVE 1.5G_H



18G~26.5G RSE-TX-DIRECTOR ABOVE 1.5G PK




7.1.2 Test Band = Band66_ANT2

7.1.2.1 Test Bandwidth = 1.4




Data: 72




Site : 03CH01-SZ
Condition : -13DBM
: RBW:9.000KHz VBW:30.000KHz


LTE FDD R SE-TX-DIRECTOR ABOVE 1.5G_L



LTE FDD R SE-TX-DIRECTOR ABOVE 1.5G_H



18G~26.5G RSE-TX-DIRECTOR ABOVE 1.5G PK




7.1.2.2 Test Bandwidth = 20




Data: 72

Date: 2018-12-12




Site : 03CH01-SZ
 Condition : -13DBM
 : RBW:9.000KHz VBW:30.000KHz


LTE FDD R SE-TX-DIRECTOR ABOVE 1.5G_L



LTE FDD R SE-TX-DIRECTOR ABOVE 1.5G_H



18G-26.5G RSE-TX-DIRECTOR ABOVE 1.5G PK



8Appendix_H: Frequency Stability

8.1 For LTE

8.1.1Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
Band66	LTE/TM1	1.4	LCH	TN	VL	-1.85966	-0.00105	PASS
					VN	-0.62943	-0.00036	PASS
					VH	-1.57356	-0.00089	PASS
			MCH	TN	VL	-80.45197	-0.04610	PASS
					VN	-9.44138	-0.00541	PASS
					VH	-8.26836	-0.00474	PASS
			HCH	TN	VL	141.24870	0.08257	PASS
					VN	8.98361	0.00525	PASS
					VH	-7.13825	-0.00417	PASS
		3	LCH	TN	VL	-5.19276	-0.00292	PASS
					VN	-1.78814	-0.00101	PASS
					VH	-3.61919	-0.00203	PASS
			MCH	TN	VL	0.85831	0.00049	PASS
					VN	-4.11987	-0.00236	PASS
					VH	-4.39167	-0.00252	PASS
			HCH	TN	VL	-1.54495	-0.00090	PASS
					VN	-7.32422	-0.00428	PASS
					VH	-8.82626	-0.00516	PASS
		5	LCH	TN	VL	-2.41756	-0.00136	PASS
					VN	-3.04699	-0.00171	PASS
					VH	2.48909	0.00140	PASS
			MCH	TN	VL	1.60217	0.00092	PASS
					VN	-2.48909	-0.00143	PASS
					VH	-3.06129	-0.00175	PASS
			HCH	TN	VL	-9.91344	-0.00579	PASS
					VN	-1.45912	-0.00085	PASS
					VH	-9.65595	-0.00564	PASS
		10	LCH	TN	VL	-0.64373	-0.00036	PASS
					VN	2.38895	0.00135	PASS
					VH	1.35899	0.00077	PASS
			MCH	TN	VL	-0.55790	-0.00032	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					VN	-2.73228	-0.00157	PASS
					VH	-0.90122	-0.00052	PASS
			HCH	TN	VL	-1.83106	-0.00107	PASS
					VN	-0.57220	-0.00033	PASS
					VH	-0.35763	-0.00021	PASS
			LCH	TN	VL	-0.30041	-0.00017	PASS
					VN	0.52929	0.00030	PASS
					VH	0.58651	0.00033	PASS
			MCH	TN	VL	-0.25749	-0.00015	PASS
					VN	-1.00136	-0.00057	PASS
					VH	-1.44482	-0.00083	PASS
		15	HCH	TN	VL	0.07153	0.00004	PASS
					VN	-3.64780	-0.00212	PASS
					VH	1.65939	0.00097	PASS
			LCH	TN	VL	-1.85966	-0.00105	PASS
					VN	-0.62943	-0.00036	PASS
					VH	-1.57356	-0.00089	PASS
			MCH	TN	VL	-1.30177	-0.00075	PASS
					VN	-2.93255	-0.00168	PASS
					VH	-0.68665	-0.00039	PASS
			HCH	TN	VL	-3.84808	-0.00224	PASS
					VN	-2.63214	-0.00153	PASS
					VH	-5.16415	-0.00300	PASS
		20	LCH	TN	VL	-1.17302	-0.00067	PASS
					VN	-2.57492	-0.00148	PASS
					VH	-2.67506	-0.00156	PASS
			MCH	TN	VL	-6.56605	-0.00376	PASS
					VN	35.40516	0.02029	PASS
					VH	-10.24246	-0.00587	PASS
			HCH	TN	VL	28.79620	0.01683	PASS
					VN	-0.07153	-0.00004	PASS
					VH	-81.73943	-0.04778	PASS
			LCH	TN	VL	-9.42707	-0.00530	PASS
					VN	-3.76225	-0.00212	PASS
					VH	-5.73635	-0.00323	PASS
		3	MCH	TN	VL	-4.22001	-0.00242	PASS
					VN	-3.41892	-0.00196	PASS
					VH	-4.59194	-0.00263	PASS
					VN	-2.73228	-0.00157	PASS
					VH	-0.90122	-0.00052	PASS
					VL	-1.83106	-0.00107	PASS
		LTE/TM2	LCH	TN	VN	-0.57220	-0.00033	PASS
					VH	-0.35763	-0.00021	PASS
					VL	-0.30041	-0.00017	PASS
			MCH	TN	VN	0.52929	0.00030	PASS
					VH	0.58651	0.00033	PASS
					VL	-0.25749	-0.00015	PASS
			HCH	TN	VN	-1.00136	-0.00057	PASS
					VH	-1.44482	-0.00083	PASS
					VL	0.07153	0.00004	PASS
			LCH	TN	VN	-3.64780	-0.00212	PASS
					VH	1.65939	0.00097	PASS
					VL	-1.85966	-0.00105	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			HCH	TN	VL	-1.13010	-0.00066	PASS
					VN	-5.30720	-0.00310	PASS
					VH	-3.31879	-0.00194	PASS
		5	LCH	TN	VL	2.30312	0.00130	PASS
					VN	-3.96252	-0.00223	PASS
					VH	-0.08583	-0.00005	PASS
			MCH	TN	VL	-0.25749	-0.00015	PASS
					VN	-1.17302	-0.00067	PASS
					VH	-2.57492	-0.00148	PASS
			HCH	TN	VL	-2.67506	-0.00156	PASS
					VN	-2.23160	-0.00130	PASS
					VH	-5.93662	-0.00347	PASS
		10	LCH	TN	VL	1.67370	0.00094	PASS
					VN	1.21593	0.00069	PASS
					VH	-1.05858	-0.00060	PASS
			MCH	TN	VL	-2.33173	-0.00134	PASS
					VN	-0.94414	-0.00054	PASS
					VH	-1.33038	-0.00076	PASS
			HCH	TN	VL	-2.88963	-0.00168	PASS
					VN	-0.90122	-0.00053	PASS
					VH	-3.99113	-0.00233	PASS
		15	LCH	TN	VL	0.60081	0.00034	PASS
					VN	-0.11444	-0.00006	PASS
					VH	-0.28610	-0.00016	PASS
			MCH	TN	VL	-0.82970	-0.00048	PASS
					VN	-2.17438	-0.00125	PASS
					VH	-1.05858	-0.00061	PASS
			HCH	TN	VL	-0.72956	-0.00042	PASS
					VN	-0.05722	-0.00003	PASS
					VH	-0.50068	-0.00029	PASS
		20	LCH	TN	VL	-0.94414	-0.00053	PASS
					VN	-3.06129	-0.00173	PASS
					VH	-2.05994	-0.00116	PASS
			MCH	TN	VL	0.77248	0.00044	PASS
					VN	-0.74387	-0.00043	PASS
					VH	-1.93119	-0.00111	PASS
			HCH	TN	VL	-2.04563	-0.00119	PASS
					VN	-4.20570	-0.00245	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					VH	-2.73228	-0.00159	PASS

8.1.2 Frequency Error vs. Temperature:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
Band66	LTE/TM1	1.4	LCH	VN	-30	-0.05722	-0.00003	PASS
					-20	-0.50068	-0.00029	PASS
					-10	-0.94414	-0.00053	PASS
					0	-3.06129	-0.00173	PASS
					10	-2.05994	-0.00116	PASS
					20	-0.75817	-0.00044	PASS
					30	-5.06401	-0.00296	PASS
					40	-1.45912	-0.00085	PASS
					50	-5.23567	-0.00306	PASS
			MCH	VN	-30	-0.78678	-0.00045	PASS
					-20	-85.44445	-0.04897	PASS
					-10	-12.81738	-0.00735	PASS
					0	-9.98497	-0.00572	PASS
					10	-10.24246	-0.00587	PASS
					20	-9.44138	-0.00541	PASS
					30	64.18705	0.03678	PASS
					40	20.49923	0.01175	PASS
					50	-9.68456	-0.00555	PASS
			HCH	VN	-30	-9.04083	-0.00528	PASS
					-20	36.42082	0.02129	PASS
					-10	-9.75609	-0.00570	PASS
					0	-6.82354	-0.00399	PASS
					10	47.12105	0.02754	PASS
					20	8.98361	0.00525	PASS
					30	29.61159	0.01731	PASS
					40	2.91824	0.00171	PASS
					50	-21.34323	-0.01248	PASS
		3	LCH	VN	-30	-2.66075	-0.00150	PASS
					-20	-5.57899	-0.00314	PASS
					-10	-3.07560	-0.00173	PASS
					0	-2.05994	-0.00116	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-10.22816	-0.00575	PASS
					20	-1.78814	-0.00101	PASS
					30	-0.98705	-0.00055	PASS
					40	-9.92775	-0.00558	PASS
					50	-4.16279	-0.00234	PASS
			MCH	VN	-30	-7.33852	-0.00421	PASS
					-20	-2.04563	-0.00117	PASS
					-10	-10.24246	-0.00587	PASS
					0	-2.30312	-0.00132	PASS
					10	-3.79086	-0.00217	PASS
					20	-4.11987	-0.00236	PASS
					30	-7.71046	-0.00442	PASS
					40	-5.19276	-0.00298	PASS
					50	-6.62327	-0.00380	PASS
			HCH	VN	-30	-3.71933	-0.00217	PASS
					-20	-5.30720	-0.00310	PASS
					-10	-6.05106	-0.00354	PASS
					0	-4.92096	-0.00288	PASS
					10	-1.71661	-0.00100	PASS
					20	-7.32422	-0.00428	PASS
					30	-5.49316	-0.00321	PASS
					40	-4.36306	-0.00255	PASS
					50	-3.70503	-0.00216	PASS
		5	LCH	VN	-30	-3.84808	-0.00216	PASS
					-20	0.34332	0.00019	PASS
					-10	-0.25749	-0.00014	PASS
					0	-0.78678	-0.00044	PASS
					10	-2.03133	-0.00114	PASS
					20	-3.04699	-0.00171	PASS
					30	-2.30312	-0.00130	PASS
					40	-1.24455	-0.00070	PASS
					50	-2.44618	-0.00138	PASS
			MCH	VN	-30	-4.03404	-0.00231	PASS
					-20	-0.80109	-0.00046	PASS
					-10	-0.40054	-0.00023	PASS
					0	-4.26292	-0.00244	PASS
					10	-1.01566	-0.00058	PASS
					20	-2.48909	-0.00143	PASS
					30	-0.61512	-0.00035	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	-0.98705	-0.00057	PASS
					50	-2.66075	-0.00152	PASS
			HCH	VN	-30	-1.11580	-0.00065	PASS
					-20	-1.17302	-0.00068	PASS
					-10	-1.78814	-0.00104	PASS
					0	-0.75817	-0.00044	PASS
					10	-5.06401	-0.00296	PASS
					20	-1.45912	-0.00085	PASS
					30	-5.23567	-0.00306	PASS
					40	0.88692	0.00052	PASS
					50	-4.62055	-0.00270	PASS
			LCH	VN	-30	1.05858	0.00060	PASS
					-20	2.81811	0.00159	PASS
					-10	2.05994	0.00116	PASS
					0	0.00000	0.00000	PASS
					10	2.21729	0.00125	PASS
					20	2.38895	0.00135	PASS
					30	1.84536	0.00104	PASS
					40	0.17166	0.00010	PASS
					50	1.23024	0.00069	PASS
		10	MCH	VN	-30	-0.17166	-0.00010	PASS
					-20	0.52929	0.00030	PASS
					-10	-3.67641	-0.00211	PASS
					0	-1.41621	-0.00081	PASS
					10	-1.77383	-0.00102	PASS
					20	-2.73228	-0.00157	PASS
					30	-3.30448	-0.00189	PASS
					40	-4.07696	-0.00234	PASS
					50	0.72956	0.00042	PASS
			HCH	VN	-30	-1.51634	-0.00088	PASS
					-20	0.35763	0.00021	PASS
					-10	-1.88827	-0.00110	PASS
					0	-2.26021	-0.00132	PASS
					10	-3.26157	-0.00190	PASS
					20	-0.57220	-0.00033	PASS
					30	-1.87397	-0.00109	PASS
					40	-0.05722	-0.00003	PASS
					50	-0.47207	-0.00028	PASS
		15	LCH	VN	-30	2.11716	0.00119	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	0.34332	0.00019	PASS
					-10	-1.63078	-0.00092	PASS
					0	1.38760	0.00078	PASS
					10	-1.11580	-0.00063	PASS
					20	0.52929	0.00030	PASS
					30	0.41485	0.00023	PASS
					40	1.44482	0.00082	PASS
					50	-1.34468	-0.00076	PASS
			MCH	VN	-30	-1.81675	-0.00104	PASS
					-20	-0.47207	-0.00027	PASS
					-10	-1.63078	-0.00093	PASS
					0	-1.80244	-0.00103	PASS
					10	-2.41756	-0.00139	PASS
					20	-1.00136	-0.00057	PASS
					30	-2.28882	-0.00131	PASS
					40	-0.25749	-0.00015	PASS
					50	0.31471	0.00018	PASS
			HCH	VN	-30	-1.07288	-0.00062	PASS
					-20	-0.91553	-0.00053	PASS
					-10	-1.54495	-0.00090	PASS
					0	-0.44346	-0.00026	PASS
					10	-1.01566	-0.00059	PASS
					20	-3.64780	-0.00212	PASS
					30	-1.21593	-0.00071	PASS
					40	-0.42915	-0.00025	PASS
					50	-1.00136	-0.00058	PASS
		20	LCH	VN	-30	-2.78950	-0.00158	PASS
					-20	-1.01566	-0.00057	PASS
					-10	-0.38624	-0.00022	PASS
					0	-1.91688	-0.00108	PASS
					10	-0.32902	-0.00019	PASS
					20	-0.62943	-0.00036	PASS
					30	-1.01566	-0.00057	PASS
					40	-1.58787	-0.00090	PASS
					50	-1.30177	-0.00074	PASS
			MCH	VN	-30	-1.30177	-0.00075	PASS
					-20	-2.34604	-0.00134	PASS
					-10	-2.17438	-0.00125	PASS
					0	-2.34604	-0.00134	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-1.68800	-0.00097	PASS
					20	-2.93255	-0.00168	PASS
					30	-0.20027	-0.00011	PASS
					40	-1.11580	-0.00064	PASS
					50	-0.27180	-0.00016	PASS
			HCH	VN	-30	-4.47750	-0.00260	PASS
					-20	-3.31879	-0.00193	PASS
					-10	-3.84808	-0.00224	PASS
					0	-2.94685	-0.00171	PASS
					10	-4.16279	-0.00242	PASS
					20	-2.63214	-0.00153	PASS
					30	-2.60353	-0.00151	PASS
					40	-4.47750	-0.00260	PASS
					50	-2.21729	-0.00129	PASS
			LCH	VN	-30	1.44482	0.00082	PASS
					-20	-1.34468	-0.00076	PASS
					-10	-1.81675	-0.00104	PASS
					0	-0.47207	-0.00027	PASS
					10	-1.63078	-0.00093	PASS
					20	-1.80244	-0.00103	PASS
					30	-2.41756	-0.00139	PASS
					40	-1.00136	-0.00057	PASS
					50	-3.64780	-0.00212	PASS
			MCH	VN	-30	-95.15762	-0.05453	PASS
					-20	-53.10059	-0.03043	PASS
					-10	-4.47750	-0.00257	PASS
					0	4.06265	0.00233	PASS
					10	-5.56469	-0.00319	PASS
					20	35.40516	0.02029	PASS
					30	91.46690	0.05242	PASS
					40	-2.57492	-0.00148	PASS
					50	7.75337	0.00444	PASS
	LTE/TM2	1.4	HCH	VN	-30	1.10149	0.00064	PASS
					-20	-38.36632	-0.02243	PASS
					-10	-0.27180	-0.00016	PASS
					0	0.85831	0.00050	PASS
					10	-17.65251	-0.01032	PASS
					20	-0.07153	-0.00004	PASS
					30	-11.50131	-0.00672	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	1.20163	0.00070	PASS
					50	-2.46048	-0.00144	PASS
		3	LCH	VN	-30	-7.61032	-0.00428	PASS
					-20	0.71526	0.00040	PASS
					-10	-3.31879	-0.00187	PASS
					0	-2.71797	-0.00153	PASS
					10	-2.58923	-0.00146	PASS
					20	-3.76225	-0.00212	PASS
					30	1.78814	0.00101	PASS
					40	-4.14848	-0.00233	PASS
					50	-1.90258	-0.00107	PASS
			MCH	VN	-30	-1.01566	-0.00058	PASS
					-20	-4.66347	-0.00267	PASS
					-10	-4.49181	-0.00257	PASS
					0	-4.66347	-0.00267	PASS
					10	-1.51634	-0.00087	PASS
					20	-3.41892	-0.00196	PASS
					30	-2.80380	-0.00161	PASS
					40	-8.75473	-0.00502	PASS
					50	-1.45912	-0.00084	PASS
			HCH	VN	-30	-6.85215	-0.00400	PASS
					-20	-9.98497	-0.00583	PASS
					-10	-2.28882	-0.00134	PASS
					0	-7.75337	-0.00453	PASS
					10	-5.26428	-0.00308	PASS
					20	-5.30720	-0.00310	PASS
					30	-7.95364	-0.00465	PASS
					40	-1.50204	-0.00088	PASS
					50	-3.46184	-0.00202	PASS
		5	LCH	VN	-30	-1.57356	-0.00089	PASS
					-20	-0.92983	-0.00052	PASS
					-10	-1.08719	-0.00061	PASS
					0	-0.24319	-0.00014	PASS
					10	0.11444	0.00006	PASS
					20	-3.96252	-0.00223	PASS
					30	-5.93662	-0.00334	PASS
					40	-1.98841	-0.00112	PASS
					50	-0.61512	-0.00035	PASS
			MCH	VN	-30	-3.20435	-0.00184	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	-3.51906	-0.00202	PASS
					-10	-3.77655	-0.00216	PASS
					0	-2.73228	-0.00157	PASS
					10	-3.56197	-0.00204	PASS
					20	-1.17302	-0.00067	PASS
					30	-0.81539	-0.00047	PASS
					40	-0.38624	-0.00022	PASS
					50	-4.37737	-0.00251	PASS
			HCH	VN	-30	-1.43051	-0.00084	PASS
					-20	-4.96387	-0.00290	PASS
					-10	-3.76225	-0.00220	PASS
					0	-2.57492	-0.00150	PASS
					10	-1.05858	-0.00062	PASS
					20	-2.23160	-0.00130	PASS
					30	-5.57899	-0.00326	PASS
					40	-3.94821	-0.00231	PASS
					50	-1.94550	-0.00114	PASS
		10	LCH	VN	-30	0.32902	0.00019	PASS
					-20	1.05858	0.00060	PASS
					-10	0.94414	0.00053	PASS
					0	1.30177	0.00073	PASS
					10	-1.45912	-0.00082	PASS
					20	1.21593	0.00069	PASS
					30	0.42915	0.00024	PASS
					40	-0.31471	-0.00018	PASS
					50	-0.97275	-0.00055	PASS
			MCH	VN	-30	-0.71526	-0.00041	PASS
					-20	-1.51634	-0.00087	PASS
					-10	-3.50475	-0.00201	PASS
					0	-1.67370	-0.00096	PASS
					10	-0.27180	-0.00016	PASS
					20	-0.94414	-0.00054	PASS
					30	-2.28882	-0.00131	PASS
					40	-1.43051	-0.00082	PASS
					50	-0.24319	-0.00014	PASS
			HCH	VN	-30	-2.93255	-0.00171	PASS
					-20	0.82970	0.00048	PASS
					-10	-1.00136	-0.00058	PASS
					0	0.15736	0.00009	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-2.97546	-0.00173	PASS
					20	-0.90122	-0.00053	PASS
					30	-1.05858	-0.00062	PASS
					40	-2.63214	-0.00153	PASS
					50	-3.53336	-0.00206	PASS
		15	LCH	VN	-30	-1.77383	-0.00100	PASS
					-20	0.75817	0.00043	PASS
					-10	-0.48637	-0.00027	PASS
					0	-0.11444	-0.00006	PASS
					10	-1.53065	-0.00086	PASS
					20	-0.11444	-0.00006	PASS
					30	-1.15871	-0.00065	PASS
					40	0.94414	0.00053	PASS
					50	0.74387	0.00042	PASS
			MCH	VN	-30	-1.44482	-0.00083	PASS
					-20	-3.13282	-3.13282	PASS
					-10	-1.73092	-0.00099	PASS
					0	0.00000	0.00000	PASS
					10	0.08583	0.00005	PASS
					20	-2.17438	-0.00125	PASS
					30	-1.10149	-0.00063	PASS
					40	-1.28746	-0.00074	PASS
					50	-1.05858	-0.00061	PASS
			HCH	VN	-30	-1.74522	-0.00102	PASS
					-20	-2.36034	-0.00137	PASS
					-10	-4.16279	-0.00242	PASS
					0	-0.27180	-0.00016	PASS
					10	-0.82970	-0.00048	PASS
					20	-0.05722	-0.00003	PASS
					30	-2.53200	-0.00147	PASS
					40	-2.20299	-0.00128	PASS
					50	-0.01431	-0.00001	PASS
		20	LCH	VN	-30	-3.44753	-0.00195	PASS
					-20	-2.14577	-0.00121	PASS
					-10	-2.77519	-0.00157	PASS
					0	-2.30312	-0.00130	PASS
					10	-2.86102	-0.00162	PASS
					20	-3.06129	-0.00173	PASS
					30	-2.87533	-0.00162	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	-2.96116	-0.00167	PASS
					50	-1.84536	-0.00104	PASS
			MCH	VN	-30	-2.05994	-0.00118	PASS
					-20	-3.34740	-0.00192	PASS
					-10	-1.31607	-0.00075	PASS
					0	0.00000	0.00000	PASS
					10	-0.54359	-0.00031	PASS
					20	-0.74387	-0.00043	PASS
					30	-3.50475	-0.00201	PASS
					40	-0.75817	-0.00043	PASS
					50	-2.51770	-0.00144	PASS
			HCH	VN	-30	-1.53065	-0.00089	PASS
					-20	-3.84808	-0.00224	PASS
					-10	-4.50611	-0.00262	PASS
					0	-3.61919	-0.00210	PASS
					10	-3.08990	-0.00180	PASS
					20	-4.20570	-0.00245	PASS
					30	-3.67641	-0.00214	PASS
					40	-4.19140	-0.00244	PASS
					50	-4.77791	-0.00278	PASS

END