



4.2.1.239 11AC80_122_MIMO_ANT 1_Horizontal



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6974.19	44.79	12.67	54.00	9.21	150	312	Horizontal
2	11220.0	51.56	-3.73	74.00	22.44	150	244	Horizontal
3	11220.0	41.17	-3.73	54.00	12.83	150	356	Horizontal
4	16830.0	52.37	-2.15	74.00	21.63	150	356	Horizontal
5	16830.0	41.25	-2.15	54.00	12.75	150	159	Horizontal
6	17549.5	46.54	0.98	54.00	7.46	150	102	Horizontal
7	17797.0	58.41	-0.78	74.00	15.59	150	244	Horizontal


4.2.1.240 11AC80_155_MIMO_ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6895.89	45.06	12.38	54.00	8.94	150	340	Horizontal
2	11550.0	49.59	-4.41	74.00	24.41	150	329	Horizontal
3	11550.0	38.33	-4.41	54.00	15.67	150	301	Horizontal
4	17325.0	56.05	-1.12	74.00	17.95	150	216	Horizontal
5	17325.0	43.81	-1.12	54.00	10.19	150	103	Horizontal
6	17561.6	46.44	1.14	54.00	7.56	150	301	Horizontal
7	17564.3	58.74	1.17	74.00	15.26	150	18	Horizontal



4.2.1.241 11AC160_50_MIMO_ ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6984.99	44.40	12.71	54.00	9.60	150	141	Vertical
2	10500.0	50.27	-4.27	74.00	23.73	150	60	Vertical
3	10500.0	39.42	-4.27	54.00	14.58	150	257	Vertical
4	15750.0	51.41	-2.50	74.00	22.59	150	285	Vertical
5	15750.0	39.32	-2.50	54.00	14.68	150	257	Vertical
6	17555.5	46.43	1.06	54.00	7.57	150	172	Vertical
7	17556.1	58.66	1.07	74.00	15.34	150	88	Vertical



4.2.1.242 11AC160_114_MIMO_ ANT 1_Vertical



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6919.59	44.38	12.47	54.00	9.62	150	313	Vertical
2	11140.0	51.21	-3.41	74.00	22.79	150	171	Vertical
3	11140.0	40.46	-3.41	54.00	13.54	150	115	Vertical
4	16710.0	51.00	-3.88	74.00	23.00	150	3	Vertical
5	16710.0	39.91	-3.88	54.00	14.09	150	115	Vertical
6	17551.1	59.15	1.01	74.00	14.85	150	342	Vertical
7	17552.2	46.29	1.02	54.00	7.71	150	115	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.2.1.243 11AC160_50_MIMO_ANT 1_Horizontal



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6990.09	44.62	12.73	54.00	9.38	150	308	Horizontal
2	10500.0	51.30	-4.27	74.00	22.70	150	281	Horizontal
3	10500.0	39.00	-4.27	54.00	15.00	150	253	Horizontal
4	15750.0	49.58	-2.50	74.00	24.42	150	48	Horizontal
5	15750.0	39.20	-2.50	54.00	14.80	150	359	Horizontal
6	17540.7	46.43	0.87	54.00	7.57	150	168	Horizontal
7	17567.6	58.92	1.22	74.00	15.08	150	310	Horizontal

4.2.1.244 11AC160_114 _MIMO_ ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6920.79	44.96	12.48	54.00	9.04	150	104	Horizontal
2	11140.0	52.34	-3.41	74.00	21.66	150	217	Horizontal
3	11140.0	40.19	-3.41	54.00	13.81	150	274	Horizontal
4	16710.0	51.16	-3.88	74.00	22.84	150	217	Horizontal
5	16710.0	39.77	-3.88	54.00	14.23	150	18	Horizontal
6	17548.4	46.63	0.97	54.00	7.37	150	188	Horizontal
7	17555.5	58.55	1.06	74.00	15.45	150	274	Horizontal

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor

2) Scan from 9kHz to 40GHz, The disturbance between 9KHz to 30MHz and 18GHz to 40GHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.

3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.

4) All modes have been tested, but only the worst case data displayed in this report.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.3 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15 Section 15.407(b)		
Test Method:	ANSI C63.10: 2013		
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)		
Limit:	Frequency	Limit (dBuV/m @3m)	Remark
	30MHz-88MHz	40.0	Quasi-peak Value
	88MHz-216MHz	43.5	Quasi-peak Value
	216MHz-960MHz	46.0	Quasi-peak Value
	960MHz-1GHz	54.0	Quasi-peak Value
	Above 1GHz	54.0	Average Value
		74.0	Peak Value
Test Setup:			






Test Procedure:	a. The EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation. b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. f. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel g. Test the EUT in the outermost channels. h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. i. Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates.
Final Test Mode:	Through Pre-scan, find the 6Mbps of rate is the worst case of 802.11a; MCS0 of rate is the worst case of 802.11n(HT20); MCS0 of rate is the worst case of 802.11n(HT40); MCSAC0 of rate is the worst case of 802.11ac(HT20); MCSAC0 of rate is the worst case of 802.11ac(HT40); MCSAC0 of rate is the worst case of 802.11ac(HT80); MCSAC0 of rate is the worst case of 802.11ac(HT160) Only the worst case is recorded in the report.
Instruments Used:	Refer to section 6 for details
Test Results:	Pass





4.3.1 Test plots

4.3.1.1 11A20_36 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5119.85	48.45	7.50	74.00	25.55	150	238	Vertical
2	5127.46	34.89	7.52	54.00	19.11	150	17	Vertical
3	5147.67	49.60	7.55	74.00	24.40	150	153	Vertical
4	5148.52	34.93	7.55	54.00	19.07	150	182	Vertical
5	5180.00	80.70	7.61	68.30	-12.40	150	0	Vertical
6	5180.00	70.16	7.61	0.00	-70.16	150	198	Vertical



4.3.1.2 11A20_36 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5118.25	49.68	7.50	74.00	24.32	150	360	Horizontal
2	5120.46	35.54	7.50	54.00	18.46	150	232	Horizontal
3	5145.97	49.70	7.55	74.00	24.30	150	209	Horizontal
4	5146.47	36.23	7.55	54.00	17.77	150	236	Horizontal
5	5180.00	91.36	7.61	68.30	-23.06	150	236	Horizontal
6	5180.00	81.89	7.61	0.00	-81.89	150	236	Horizontal





4.3.1.3 11A20_48 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.00	88.05	7.68	68.30	-19.75	150	321	Vertical
2	5240.00	75.16	7.68	0.00	-75.16	150	162	Vertical
3	5357.22	34.94	7.85	54.00	19.06	150	176	Vertical
4	5368.12	49.26	7.88	74.00	24.74	150	344	Vertical
5	5384.15	35.00	7.91	54.00	19.00	150	209	Vertical
6	5388.38	48.67	7.92	74.00	25.33	150	237	Vertical



4.3.1.4 11A20_48 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.00	98.27	7.68	68.30	-29.97	150	239	Horizontal
2	5240.00	86.56	7.68	0.00	-86.56	150	234	Horizontal
3	5361.10	49.35	7.86	74.00	24.65	150	248	Horizontal
4	5366.59	35.12	7.87	54.00	18.88	150	16	Horizontal
5	5390.27	49.17	7.92	74.00	24.83	150	270	Horizontal
6	5393.24	36.37	7.93	54.00	17.63	150	234	Horizontal



4.3.1.5 11A20_52 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5119.90	34.70	7.50	54.00	19.30	150	194	Vertical
2	5123.41	48.35	7.51	74.00	25.65	150	144	Vertical
3	5141.60	48.66	7.54	74.00	25.34	150	129	Vertical
4	5143.76	34.85	7.54	54.00	19.15	150	307	Vertical
5	5260.00	87.32	7.70	68.30	-19.02	150	190	Vertical



4.3.1.6 11A20_52 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5107.74	36.25	7.48	54.00	17.75	150	235	Horizontal
2	5116.02	48.62	7.50	74.00	25.38	150	16	Horizontal
3	5138.98	48.80	7.54	74.00	25.20	150	174	Horizontal
4	5146.64	34.80	7.55	54.00	19.20	150	66	Horizontal
5	5260.00	97.41	7.70	68.30	-29.11	150	231	Horizontal





4.3.1.7 11A20_64 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.00	79.86	7.78	68.30	-11.56	150	179	Vertical
2	5320.00	69.43	7.78	0.00	-69.43	150	175	Vertical
3	5355.72	48.89	7.85	74.00	25.11	150	189	Vertical
4	5360.23	35.06	7.86	54.00	18.94	150	114	Vertical
5	5382.84	34.97	7.91	54.00	19.03	150	189	Vertical
6	5386.54	48.89	7.91	74.00	25.11	150	3	Vertical





4.3.1.8 11A20_64 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.00	90.34	7.78	68.30	-22.04	150	230	Horizontal
2	5360.18	35.43	7.86	54.00	18.57	150	230	Horizontal
3	5361.83	48.65	7.86	74.00	25.35	150	71	Horizontal
4	5389.04	48.72	7.92	74.00	25.28	150	309	Horizontal
5	5394.79	35.46	7.93	54.00	18.54	150	225	Horizontal





4.3.1.9 11A20_100 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5419.62	38.60	7.97	54.00	15.40	150	49	Vertical
2	5434.51	52.67	8.00	74.00	21.33	150	202	Vertical
3	5453.48	38.51	8.03	54.00	15.49	150	254	Vertical
4	5466.99	52.76	8.05	68.30	15.54	150	346	Vertical
5	5500.00	86.83	8.10	68.30	-18.53	150	180	Vertical
6	5500.00	74.00	8.10	0.00	-74.00	150	19	Vertical
7	5500.00	74.00	8.10	0.00	-74.00	150	19	Vertical





4.3.1.10 11A20_100 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5420.29	38.78	7.97	54.00	15.22	150	221	Horizontal
2	5432.29	51.86	7.99	74.00	22.14	150	225	Horizontal
3	5454.50	39.02	8.03	54.00	14.98	150	228	Horizontal
4	5467.05	52.48	8.05	68.30	15.82	150	100	Horizontal
5	5500.00	93.43	8.10	68.30	-25.13	150	228	Horizontal
6	5500.00	83.60	8.10	0.00	-83.60	150	225	Horizontal





4.3.1.11 11A20_140 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.00	85.66	8.51	68.30	-17.36	150	289	Vertical
2	5735.06	50.10	8.59	68.30	18.20	150	278	Vertical
3	5761.46	49.36	8.65	68.30	18.94	150	313	Vertical
4	5777.33	49.92	8.69	68.30	18.38	150	103	Vertical




4.3.1.12 11A20_140 ANT 1_ Horizontal



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.00	78.73	8.51	68.30	-10.43	150	96	Horizontal
2	5732.52	49.97	8.58	68.30	18.33	150	284	Horizontal
3	5755.48	50.10	8.64	68.30	18.20	150	353	Horizontal
4	5774.21	49.44	8.68	68.30	18.86	150	141	Horizontal


4.3.1.13 11A20_149 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5649.45	49.82	8.43	68.30	18.48	150	204	Vertical
2	5681.32	49.39	8.48	91.48	42.09	150	306	Vertical
3	5716.89	49.56	8.55	110.03	60.47	150	291	Vertical
4	5745.00	85.46	8.61	0.00	-85.46	150	344	Vertical



4.3.1.14 11A20_149 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5643.36	49.18	8.42	68.30	19.12	150	309	Horizontal
2	5697.98	49.32	8.51	103.81	54.49	150	23	Horizontal
3	5720.54	49.46	8.56	112.13	62.67	150	281	Horizontal
4	5745.00	79.43	8.61	0.00	-79.43	150	159	Horizontal





4.3.1.15 11A20_165 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.00	86.82	8.82	0.00	-86.82	150	344	Vertical
2	5857.69	50.49	8.91	110.15	59.66	150	344	Vertical
3	5907.70	49.13	9.06	81.10	31.97	150	40	Vertical
4	5937.24	50.25	9.15	68.30	18.05	150	292	Vertical



4.3.1.16 11A20_165 ANT 1_ Horizontal



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.00	81.65	8.82	0.00	-81.65	150	110	Horizontal
2	5855.52	49.69	8.91	110.75	61.06	150	351	Horizontal
3	5902.97	49.45	9.05	84.60	35.15	150	319	Horizontal
4	5934.92	49.49	9.14	68.30	18.81	150	113	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.3.1.17 11N20_36 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5105.20	34.65	7.48	54.00	19.35	150	84	Vertical
2	5106.60	48.18	7.48	74.00	25.82	150	189	Vertical
3	5144.02	48.71	7.54	74.00	25.29	150	179	Vertical
4	5144.37	34.71	7.55	54.00	19.29	150	27	Vertical
5	5180.00	78.39	7.61	68.30	-10.09	150	204	Vertical
6	5180.00	68.49	7.61	0.00	-68.49	150	204	Vertical



4.3.1.18 11N20_36 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5104.40	49.71	7.48	74.00	24.29	150	200	Horizontal
2	5104.65	35.60	7.48	54.00	18.40	150	223	Horizontal
3	5142.37	48.95	7.54	74.00	25.05	150	63	Horizontal
4	5147.87	36.09	7.55	54.00	17.91	150	219	Horizontal
5	5180.00	92.14	7.61	68.30	-23.84	150	48	Horizontal
6	5180.00	80.29	7.61	0.00	-80.29	150	219	Horizontal



4.3.1.19 11N20_48 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.00	85.37	7.68	68.30	-17.07	150	312	Vertical
2	5240.00	75.42	7.68	0.00	-75.42	150	317	Vertical
3	5364.16	34.71	7.87	54.00	19.29	150	14	Vertical
4	5369.56	48.57	7.88	74.00	25.43	150	293	Vertical
5	5396.39	48.69	7.93	74.00	25.31	150	131	Vertical
6	5397.56	34.77	7.94	54.00	19.23	150	298	Vertical



4.3.1.20 11N20_48 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.00	96.26	7.68	68.30	-27.96	150	53	Horizontal
2	5240.00	85.78	7.68	0.00	-85.78	150	225	Horizontal
3	5356.05	34.83	7.85	54.00	19.17	150	220	Horizontal
4	5367.85	48.43	7.88	74.00	25.57	150	53	Horizontal
5	5391.80	36.20	7.92	54.00	17.80	150	216	Horizontal
6	5395.13	49.16	7.93	74.00	24.84	150	197	Horizontal




4.3.1.21 11N20_52 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5114.94	48.19	7.50	74.00	25.81	150	344	Vertical
2	5115.30	34.68	7.50	54.00	19.32	150	55	Vertical
3	5137.99	48.24	7.53	74.00	25.76	150	7	Vertical
4	5143.76	34.56	7.54	54.00	19.44	150	143	Vertical
5	5260.00	83.76	7.70	68.30	-15.46	150	316	Vertical
6	5260.00	73.78	7.70	0.00	-73.78	150	312	Vertical



4.3.1.22 11N20_52 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5108.37	36.31	7.48	54.00	17.69	150	224	Horizontal
2	5115.21	48.42	7.50	74.00	25.58	150	220	Horizontal
3	5141.87	34.77	7.54	54.00	19.23	150	53	Horizontal
4	5142.14	48.29	7.54	74.00	25.71	150	266	Horizontal
5	5260.00	96.14	7.70	68.30	-27.84	150	224	Horizontal
6	5260.00	86.45	7.70	0.00	-86.45	150	220	Horizontal



4.3.1.23 11N20_64 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.00	79.87	7.78	68.30	-11.57	150	176	Vertical
2	5320.00	69.43	7.78	0.00	-69.43	150	171	Vertical
3	5353.52	34.82	7.85	54.00	19.18	150	3	Vertical
4	5357.22	48.55	7.85	74.00	25.45	150	176	Vertical
5	5384.39	34.84	7.91	54.00	19.16	150	308	Vertical
6	5388.34	48.30	7.92	74.00	25.70	150	40	Vertical



4.3.1.24 11N20_64 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.00	89.94	7.78	68.30	-21.64	150	221	Horizontal
2	5320.00	79.54	7.78	0.00	-79.54	150	217	Horizontal
3	5355.07	48.37	7.85	74.00	25.63	150	217	Horizontal
4	5360.08	35.34	7.86	54.00	18.66	150	217	Horizontal
5	5377.53	48.33	7.90	74.00	25.67	150	264	Horizontal
6	5390.89	35.51	7.92	54.00	18.49	150	217	Horizontal





4.3.1.25 11N20_100 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5436.19	52.44	8.00	74.00	21.56	150	97	Vertical
2	5436.49	38.40	8.00	54.00	15.60	150	335	Vertical
3	5454.14	38.55	8.03	54.00	15.45	150	138	Vertical
4	5459.84	52.26	8.04	74.00	21.74	150	4	Vertical
5	5500.00	83.87	8.10	68.30	-15.57	150	168	Vertical
6	5500.00	73.82	8.10	0.00	-73.82	150	172	Vertical



4.3.1.26 11N20_100 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5429.59	38.71	7.99	54.00	15.29	150	224	Horizontal
2	5442.20	52.39	8.01	74.00	21.61	150	214	Horizontal
3	5454.92	38.79	8.03	54.00	15.21	150	214	Horizontal
4	5462.55	53.21	8.04	68.30	15.09	150	161	Horizontal
5	5500.00	94.25	8.10	68.30	-25.95	150	217	Horizontal
6	5500.00	82.75	8.10	0.00	-82.75	150	221	Horizontal





4.3.1.27 11N20_140 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.00	87.91	8.51	68.30	-19.61	150	166	Vertical
2	5725.76	51.13	8.57	68.30	17.17	150	172	Vertical
3	5749.75	50.42	8.62	68.30	17.88	150	344	Vertical
4	5765.30	49.77	8.66	68.30	18.53	150	341	Vertical



4.3.1.28 11N20_140 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.00	95.46	8.51	68.30	-27.16	150	47	Horizontal
2	5725.17	55.19	8.57	68.30	13.11	150	208	Horizontal
3	5738.63	52.82	8.60	68.30	15.48	150	82	Horizontal
4	5757.04	51.10	8.64	68.30	17.20	150	57	Horizontal





4.3.1.29 11N20_149 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5641.12	49.27	8.42	68.30	19.03	150	303	Vertical
2	5669.48	49.27	8.46	82.72	33.45	150	240	Vertical
3	5722.29	49.76	8.56	116.12	66.36	150	114	Vertical
4	5745.00	86.16	8.61	0.00	-86.16	150	324	Vertical



4.3.1.30 11N20_149 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5660.94	49.38	8.45	76.40	27.02	150	33	Horizontal
2	5677.88	49.34	8.47	88.94	39.60	150	191	Horizontal
3	5714.72	49.72	8.54	109.42	59.70	150	236	Horizontal
4	5745.00	79.39	8.61	0.00	-79.39	150	149	Horizontal





4.3.1.31 11N20_165 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.00	85.50	8.82	0.00	-85.50	150	338	Vertical
2	5858.62	49.93	8.92	109.89	59.96	150	247	Vertical
3	5897.62	49.68	9.03	88.56	38.88	150	317	Vertical
4	5941.04	50.14	9.16	68.30	18.16	150	275	Vertical





4.3.1.32 11N20_165 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.00	81.27	8.82	0.00	-81.27	150	151	Horizontal
2	5854.27	49.71	8.90	112.54	62.83	150	16	Horizontal
3	5877.61	50.00	8.97	103.36	53.36	150	287	Horizontal
4	5940.96	49.64	9.16	68.30	18.66	150	151	Horizontal





4.3.1.33 11N40_38 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5116.98	34.74	7.50	54.00	19.26	150	100	Vertical
2	5123.59	49.43	7.51	74.00	24.57	150	181	Vertical
3	5141.72	48.56	7.54	74.00	25.44	150	133	Vertical
4	5144.72	34.68	7.55	54.00	19.32	150	189	Vertical
5	5190.00	72.84	7.62	68.30	-4.54	150	223	Vertical
6	5190.00	59.05	7.62	0.00	-59.05	150	223	Vertical





4.3.1.34 11N40_38 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5115.96	35.05	7.50	54.00	18.95	150	81	Horizontal
2	5128.69	48.46	7.52	74.00	25.54	150	269	Horizontal
3	5138.89	35.26	7.54	54.00	18.74	150	74	Horizontal
4	5148.02	49.59	7.55	74.00	24.41	150	100	Horizontal
5	5190.00	84.42	7.62	68.30	-16.12	150	63	Horizontal
6	5190.00	71.17	7.62	0.00	-71.17	150	208	Horizontal



4.3.1.35 11N40_46 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5230.00	79.40	7.67	68.30	-11.10	150	185	Vertical
2	5230.00	67.55	7.67	0.00	-67.55	150	218	Vertical
3	5362.68	34.82	7.87	54.00	19.18	150	344	Vertical
4	5374.68	49.39	7.89	74.00	24.61	150	209	Vertical
5	5391.49	47.98	7.92	74.00	26.02	150	106	Vertical
6	5398.49	34.83	7.94	54.00	19.17	150	157	Vertical



4.3.1.36 11N40_46 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5230.00	92.31	7.67	68.30	-24.01	150	234	Horizontal
2	5230.00	78.71	7.67	0.00	-78.71	150	229	Horizontal
3	5374.18	37.91	7.89	54.00	16.09	150	229	Horizontal
4	5374.98	50.19	7.89	74.00	23.81	150	224	Horizontal
5	5395.89	49.18	7.93	74.00	24.82	150	66	Horizontal
6	5397.29	35.08	7.93	54.00	18.92	150	57	Horizontal



4.3.1.37 11N40_54 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5119.60	49.14	7.50	74.00	24.86	150	163	Vertical
2	5123.01	34.78	7.51	54.00	19.22	150	177	Vertical
3	5139.11	47.97	7.54	74.00	26.03	150	302	Vertical
4	5140.02	34.67	7.54	54.00	19.33	150	0	Vertical
5	5270.00	80.73	7.71	68.30	-12.43	150	214	Vertical
6	5270.00	67.98	7.71	0.00	-67.98	150	326	Vertical



4.3.1.38 11N40_54 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5125.91	50.19	7.51	74.00	23.81	150	230	Horizontal
2	5126.11	38.01	7.51	54.00	15.99	150	225	Horizontal
3	5143.62	49.01	7.54	74.00	24.99	150	346	Horizontal
4	5147.22	34.72	7.55	54.00	19.28	150	225	Horizontal
5	5270.00	90.98	7.71	68.30	-22.68	150	71	Horizontal
6	5270.00	78.93	7.71	0.00	-78.93	150	225	Horizontal





4.3.1.39 11N40_62 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5310.00	81.86	7.76	68.30	-13.56	150	288	Vertical
2	5310.00	69.89	7.76	0.00	-69.89	150	293	Vertical
3	5354.37	34.88	7.85	54.00	19.12	150	302	Vertical
4	5354.49	48.53	7.85	74.00	25.47	150	345	Vertical
5	5384.09	48.25	7.91	74.00	25.75	150	255	Vertical
6	5386.25	34.87	7.91	54.00	19.13	150	274	Vertical





4.3.1.40 11N40_62 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5310.00	78.74	7.76	68.30	-10.44	150	115	Horizontal
2	5310.00	65.74	7.76	0.00	-65.74	150	115	Horizontal
3	5354.79	48.39	7.85	74.00	25.61	150	53	Horizontal
4	5357.91	34.84	7.86	54.00	19.16	150	320	Horizontal
5	5386.91	49.11	7.91	74.00	24.89	150	273	Horizontal
6	5396.15	35.01	7.93	54.00	18.99	150	161	Horizontal





4.3.1.41 11N40_102 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5422.48	38.44	7.98	54.00	15.56	150	22	Vertical
2	5438.37	52.22	8.00	74.00	21.78	150	228	Vertical
3	5449.51	38.49	8.02	54.00	15.51	150	344	Vertical
4	5464.78	52.22	8.04	68.30	16.08	150	344	Vertical
5	5510.00	80.18	8.13	68.30	-11.88	150	302	Vertical
6	5510.00	66.58	8.13	0.00	-66.58	150	279	Vertical





4.3.1.42 11N40_102 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5429.90	52.37	7.99	74.00	21.63	150	104	Horizontal
2	5433.12	38.47	7.99	54.00	15.53	150	127	Horizontal
3	5449.79	38.52	8.02	54.00	15.48	150	160	Horizontal
4	5463.87	51.67	8.04	68.30	16.63	150	179	Horizontal
5	5510.00	74.02	8.13	68.30	-5.72	150	193	Horizontal
6	5510.00	61.37	8.13	0.00	-61.37	150	85	Horizontal



4.3.1.43 11N40_134 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5670.00	79.48	8.46	68.30	-11.18	150	295	Vertical
2	5728.87	49.65	8.58	68.30	18.65	150	105	Vertical
3	5763.96	50.19	8.66	68.30	18.11	150	326	Vertical
4	5777.40	49.67	8.69	68.30	18.63	150	0	Vertical



4.3.1.44 11N40_134 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5670.00	72.45	8.46	68.30	-4.15	150	230	Horizontal
2	5734.96	50.16	8.59	68.30	18.14	150	106	Horizontal
3	5756.11	50.05	8.64	68.30	18.25	150	15	Horizontal
4	5772.15	50.24	8.68	68.30	18.06	150	64	Horizontal



4.3.1.45 11N40_151 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5653.64	50.28	8.44	71.00	20.72	150	157	Vertical
2	5688.92	49.47	8.49	97.11	47.64	150	28	Vertical
3	5713.81	49.71	8.54	109.17	59.46	150	345	Vertical
4	5755.00	81.11	8.64	0.00	-81.11	150	338	Vertical





4.3.1.46 11N40_151 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5652.17	49.14	8.43	69.91	20.77	150	55	Horizontal
2	5702.18	51.21	8.52	105.91	54.70	150	149	Horizontal
3	5721.41	49.82	8.56	114.13	64.31	150	23	Horizontal
4	5755.00	74.45	8.64	0.00	-74.45	150	90	Horizontal



4.3.1.47 11N40_159 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5795.00	80.66	8.73	0.00	-80.66	150	337	Vertical
2	5850.85	50.12	8.89	120.36	70.24	150	3	Vertical
3	5908.78	49.50	9.07	80.30	30.80	150	111	Vertical
4	5930.89	49.76	9.13	68.30	18.54	150	257	Vertical



4.3.1.48 11N40_159 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5795.00	76.14	8.73	0.00	-76.14	150	92	Horizontal
2	5855.25	50.18	8.91	110.83	60.65	150	192	Horizontal
3	5887.37	49.93	9.00	96.15	46.22	150	36	Horizontal
4	5920.98	49.85	9.10	71.27	21.42	150	53	Horizontal



4.3.1.49 11AC20_36 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5112.95	34.65	7.49	54.00	19.35	150	265	Vertical
2	5120.51	48.30	7.50	74.00	25.70	150	89	Vertical
3	5140.62	34.66	7.54	54.00	19.34	150	134	Vertical
4	5142.17	48.20	7.54	74.00	25.80	150	126	Vertical
5	5180.00	79.14	7.61	68.30	-10.84	150	193	Vertical
6	5180.00	68.94	7.61	0.00	-68.94	150	164	Vertical



4.3.1.50 11AC20_36 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5113.40	48.87	7.49	74.00	25.13	150	241	Horizontal
2	5114.85	35.66	7.50	54.00	18.34	150	92	Horizontal
3	5144.02	49.22	7.54	74.00	24.78	150	66	Horizontal
4	5145.12	35.86	7.55	54.00	18.14	150	237	Horizontal
5	5180.00	90.45	7.61	68.30	-22.15	150	51	Horizontal
6	5180.00	80.51	7.61	0.00	-80.51	150	66	Horizontal



4.3.1.51 11AC20_48 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.00	84.36	7.68	68.30	-16.06	150	326	Vertical
2	5240.00	74.28	7.68	0.00	-74.28	150	326	Vertical
3	5362.90	48.14	7.87	74.00	25.86	150	303	Vertical
4	5363.08	34.85	7.87	54.00	19.15	150	38	Vertical
5	5392.16	34.86	7.92	54.00	19.14	150	136	Vertical
6	5396.57	48.99	7.93	74.00	25.01	150	210	Vertical



4.3.1.52 11AC20_48 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.00	96.48	7.68	68.30	-28.18	150	70	Horizontal
2	5240.00	85.82	7.68	0.00	-85.82	150	233	Horizontal
3	5357.85	35.15	7.86	54.00	18.85	150	360	Horizontal
4	5360.29	48.62	7.86	74.00	25.38	150	256	Horizontal
5	5391.89	49.04	7.92	74.00	24.96	150	61	Horizontal
6	5392.43	36.33	7.92	54.00	17.67	150	233	Horizontal



4.3.1.53 11AC20_52 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5103.15	48.20	7.48	74.00	25.80	150	195	Vertical
2	5106.75	34.88	7.48	54.00	19.12	150	275	Vertical
3	5135.02	34.66	7.53	54.00	19.34	150	185	Vertical
4	5144.93	48.40	7.55	74.00	25.60	150	227	Vertical
5	5260.00	86.39	7.70	68.30	-18.09	150	330	Vertical
6	5260.00	75.36	7.70	0.00	-75.36	150	330	Vertical



4.3.1.54 11AC20_52 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5107.83	48.95	7.48	74.00	25.05	150	238	Horizontal
2	5108.55	36.38	7.48	54.00	17.62	150	229	Horizontal
3	5136.82	48.50	7.53	74.00	25.50	150	164	Horizontal
4	5138.89	34.90	7.54	54.00	19.10	150	294	Horizontal
5	5260.00	95.94	7.70	68.30	-27.64	150	229	Horizontal
6	5260.00	86.15	7.70	0.00	-86.15	150	229	Horizontal





4.3.1.55 11AC20_64 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.00	80.37	7.78	68.30	-12.07	150	186	Vertical
2	5320.00	69.46	7.78	0.00	-69.46	150	321	Vertical
3	5352.22	48.43	7.84	74.00	25.57	150	260	Vertical
4	5357.07	34.79	7.85	54.00	19.21	150	205	Vertical
5	5385.79	48.40	7.91	74.00	25.60	150	270	Vertical
6	5385.89	34.90	7.91	54.00	19.10	150	200	Vertical



4.3.1.56 11AC20_64 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.00	90.63	7.78	68.30	-22.33	150	230	Horizontal
2	5320.00	79.50	7.78	0.00	-79.50	150	230	Horizontal
3	5352.82	35.61	7.85	54.00	18.39	150	197	Horizontal
4	5353.42	48.62	7.85	74.00	25.38	150	234	Horizontal
5	5383.59	49.65	7.91	74.00	24.35	150	71	Horizontal
6	5390.44	35.55	7.92	54.00	18.45	150	234	Horizontal





4.3.1.57 11AC20_100 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5418.24	38.50	7.97	54.00	15.50	150	262	Vertical
2	5434.09	52.60	7.99	74.00	21.40	150	124	Vertical
3	5449.82	38.46	8.02	54.00	15.54	150	61	Vertical
4	5462.91	52.94	8.04	68.30	15.36	150	202	Vertical
5	5500.00	83.03	8.10	68.30	-14.73	150	6	Vertical
6	5500.00	73.32	8.10	0.00	-73.32	150	9	Vertical



4.3.1.58 11AC20_100 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5419.99	51.91	7.97	74.00	22.09	150	14	Horizontal
2	5422.93	38.54	7.98	54.00	15.46	150	227	Horizontal
3	5452.76	38.66	8.02	54.00	15.34	150	223	Horizontal
4	5467.71	53.12	8.05	68.30	15.18	150	197	Horizontal
5	5500.00	93.89	8.10	68.30	-25.59	150	231	Horizontal
6	5500.00	83.05	8.10	0.00	-83.05	150	223	Horizontal



4.3.1.59 11AC20_140 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.00	89.02	8.51	68.30	-20.72	150	177	Vertical
2	5728.75	49.76	8.58	68.30	18.54	150	330	Vertical
3	5752.16	50.08	8.63	68.30	18.22	150	139	Vertical
4	5770.96	49.58	8.67	68.30	18.72	150	264	Vertical



4.3.1.60 11AC20_140 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.00	95.61	8.51	68.30	-27.31	150	73	Horizontal
2	5726.47	59.20	8.57	68.30	9.10	150	55	Horizontal
3	5752.03	51.40	8.63	68.30	16.90	150	70	Horizontal
4	5773.17	50.97	8.68	68.30	17.33	150	70	Horizontal





4.3.1.61 11AC20_149 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5645.53	48.96	8.42	68.30	19.34	150	128	Vertical
2	5672.56	49.34	8.47	85.00	35.66	150	27	Vertical
3	5723.76	52.18	8.56	119.48	67.30	150	334	Vertical
4	5745.00	83.85	8.61	0.00	-83.85	150	296	Vertical



4.3.1.62 11AC20_149 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5658.41	49.31	8.44	74.53	25.22	150	359	Horizontal
2	5683.77	49.52	8.48	93.29	43.77	150	130	Horizontal
3	5721.17	50.20	8.56	113.57	63.37	150	137	Horizontal
4	5745.00	79.20	8.61	0.00	-79.20	150	71	Horizontal





4.3.1.63 11AC20_165 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.00	85.52	8.82	0.00	-85.52	150	344	Vertical
2	5860.94	49.85	8.92	109.23	59.38	150	42	Vertical
3	5912.51	49.12	9.08	77.54	28.42	150	66	Vertical
4	5933.29	50.30	9.14	68.30	18.00	150	330	Vertical



4.3.1.64 11AC20_165 ANT 1_ Horizontal



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.00	81.50	8.82	0.00	-81.50	150	196	Horizontal
2	5855.67	49.65	8.91	110.71	61.06	150	50	Horizontal
3	5895.45	49.38	9.03	90.16	40.78	150	82	Horizontal
4	5942.75	49.64	9.17	68.30	18.66	150	336	Horizontal




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



4.3.1.65 11AC40_38 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5122.21	48.46	7.51	74.00	25.54	150	157	Vertical
2	5127.43	34.58	7.52	54.00	19.42	150	131	Vertical
3	5147.24	34.76	7.55	54.00	19.24	150	28	Vertical
4	5148.50	49.24	7.55	74.00	24.76	150	227	Vertical
5	5190.00	70.36	7.62	68.30	-2.06	150	9	Vertical
6	5190.00	58.86	7.62	0.00	-58.86	150	212	Vertical



4.3.1.66 11AC40_38 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5120.17	34.97	7.50	54.00	19.03	150	62	Horizontal
2	5121.55	48.89	7.51	74.00	25.11	150	251	Horizontal
3	5147.12	35.39	7.55	54.00	18.61	150	226	Horizontal
4	5148.26	50.61	7.55	74.00	23.39	150	229	Horizontal
5	5190.00	83.75	7.62	68.30	-15.45	150	196	Horizontal
6	5190.00	72.03	7.62	0.00	-72.03	150	229	Horizontal



4.3.1.67 11AC40_46 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5230.00	80.69	7.67	68.30	-12.39	150	316	Vertical
2	5230.00	67.19	7.67	0.00	-67.19	150	326	Vertical
3	5354.97	48.94	7.85	74.00	25.06	150	321	Vertical
4	5356.97	34.82	7.85	54.00	19.18	150	52	Vertical
5	5383.49	48.22	7.91	74.00	25.78	150	289	Vertical
6	5384.79	34.80	7.91	54.00	19.20	150	43	Vertical



4.3.1.68 11AC40_46 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5230.00	91.33	7.67	68.30	-23.03	150	230	Horizontal
2	5230.00	78.90	7.67	0.00	-78.90	150	225	Horizontal
3	5355.87	48.66	7.85	74.00	25.34	150	314	Horizontal
4	5357.37	34.81	7.85	54.00	19.19	150	202	Horizontal
5	5373.28	37.70	7.89	54.00	16.30	150	225	Horizontal
6	5373.68	49.87	7.89	74.00	24.13	150	58	Horizontal



4.3.1.69 11AC40_54 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5119.20	47.77	7.50	74.00	26.23	150	242	Vertical
2	5124.41	34.77	7.51	54.00	19.23	150	209	Vertical
3	5139.51	48.46	7.54	74.00	25.54	150	214	Vertical
4	5142.62	34.59	7.54	54.00	19.41	150	261	Vertical
5	5270.00	79.32	7.71	68.30	-11.02	150	321	Vertical
6	5270.00	68.39	7.71	0.00	-68.39	150	326	Vertical



4.3.1.70 11AC40_54 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5123.71	50.37	7.51	74.00	23.63	150	54	Horizontal
2	5126.31	37.66	7.51	54.00	16.34	150	199	Horizontal
3	5139.11	47.93	7.54	74.00	26.07	150	270	Horizontal
4	5141.12	34.79	7.54	54.00	19.21	150	58	Horizontal
5	5270.00	90.79	7.71	68.30	-22.49	150	199	Horizontal
6	5270.00	78.14	7.71	0.00	-78.14	150	228	Horizontal





4.3.1.71 11AC40_62 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5310.00	72.82	7.76	68.30	-4.52	150	316	Vertical
2	5310.00	61.21	7.76	0.00	-61.21	150	321	Vertical
3	5358.39	48.01	7.86	74.00	25.99	150	18	Vertical
4	5359.35	34.65	7.86	54.00	19.35	150	46	Vertical
5	5380.31	48.95	7.90	74.00	25.05	150	60	Vertical
6	5385.89	34.76	7.91	54.00	19.24	150	9	Vertical





4.3.1.72 11AC40_62 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5310.00	82.81	7.76	68.30	-14.51	150	202	Horizontal
2	5310.00	70.57	7.76	0.00	-70.57	150	229	Horizontal
3	5354.49	48.55	7.85	74.00	25.45	150	34	Horizontal
4	5355.63	35.05	7.85	54.00	18.95	150	229	Horizontal
5	5380.73	48.74	7.90	74.00	25.26	150	123	Horizontal
6	5386.79	35.10	7.91	54.00	18.90	150	355	Horizontal





4.3.1.73 11AC40_102 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5428.92	38.38	7.99	54.00	15.62	150	139	Vertical
2	5435.15	52.65	8.00	74.00	21.35	150	78	Vertical
3	5453.78	38.41	8.03	54.00	15.59	150	274	Vertical
4	5464.22	51.69	8.04	68.30	16.61	150	162	Vertical
5	5510.00	75.97	8.13	68.30	-7.67	150	171	Vertical
6	5510.00	64.54	8.13	0.00	-64.54	150	176	Vertical





4.3.1.74 11AC40_102 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5420.52	38.45	7.97	54.00	15.55	150	299	Horizontal
2	5435.64	51.63	8.00	74.00	22.37	150	29	Horizontal
3	5457.00	38.57	8.03	54.00	15.43	150	210	Horizontal
4	5467.30	51.89	8.05	68.30	16.41	150	257	Horizontal
5	5510.00	85.34	8.13	68.30	-17.04	150	233	Horizontal
6	5510.00	72.75	8.13	0.00	-72.75	150	219	Horizontal





4.3.1.75 11AC40_134 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5670.00	81.29	8.46	68.30	-12.99	150	174	Vertical
2	5730.13	50.76	8.58	68.30	17.54	150	136	Vertical
3	5757.51	49.68	8.64	68.30	18.62	150	9	Vertical
4	5777.82	49.91	8.69	68.30	18.39	150	293	Vertical



4.3.1.76 11AC40_134 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5670.00	89.06	8.46	68.30	-20.76	150	71	Horizontal
2	5730.48	50.65	8.58	68.30	17.65	150	57	Horizontal
3	5749.18	50.79	8.62	68.30	17.51	150	85	Horizontal
4	5776.28	50.02	8.69	68.30	18.28	150	284	Horizontal





4.3.1.77 11AC40_151 ANT 1_ Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5646.97	49.46	8.43	68.30	18.84	150	48	Vertical
2	5688.30	49.73	8.49	96.65	46.92	150	285	Vertical
3	5716.76	49.86	8.55	109.99	60.13	150	254	Vertical
4	5755.00	80.37	8.64	0.00	-80.37	150	292	Vertical





4.3.1.78 11AC40_151 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5644.34	48.82	8.42	68.30	19.48	150	253	Horizontal
2	5689.70	49.46	8.49	97.68	48.22	150	16	Horizontal
3	5717.69	49.45	8.55	110.25	60.80	150	268	Horizontal
4	5755.00	75.30	8.64	0.00	-75.30	150	190	Horizontal



4.3.1.79 11AC40_159 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5795.00	82.81	8.73	0.00	-82.81	150	337	Vertical
2	5857.35	50.05	8.91	110.24	60.19	150	320	Vertical
3	5914.98	49.34	9.08	75.71	26.37	150	274	Vertical
4	5942.89	49.54	9.17	68.30	18.76	150	47	Vertical





4.3.1.80 11AC40_159 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5795.00	75.62	8.73	0.00	-75.62	150	151	Horizontal
2	5853.65	49.89	8.90	113.97	64.08	150	182	Horizontal
3	5903.77	49.42	9.05	84.00	34.58	150	165	Horizontal
4	5943.79	49.35	9.17	68.30	18.95	150	354	Horizontal





4.3.1.81 11AC80_42 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5134.20	34.62	7.53	54.00	19.38	150	219	Vertical
2	5143.05	48.72	7.54	74.00	25.28	150	251	Vertical
3	5210.00	69.21	7.65	68.30	-0.91	150	210	Vertical
4	5210.00	56.31	7.65	54.00	-2.31	150	330	Vertical
5	5357.26	48.05	7.85	74.00	25.95	150	340	Vertical
6	5358.17	34.44	7.86	54.00	19.56	150	61	Vertical



4.3.1.82 11AC80_42 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5137.71	35.28	7.53	54.00	18.72	150	48	Horizontal
2	5146.04	49.07	7.55	74.00	24.93	150	226	Horizontal
3	5210.00	80.64	7.65	68.30	-12.34	150	58	Horizontal
4	5210.00	68.39	7.65	54.00	-14.39	150	226	Horizontal
5	5353.49	48.05	7.85	74.00	25.95	150	76	Horizontal
6	5355.96	34.76	7.85	54.00	19.24	150	212	Horizontal





4.3.1.83 11AC80_58 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5133.01	48.25	7.53	74.00	25.75	150	176	Vertical
2	5133.31	34.74	7.53	54.00	19.26	150	125	Vertical
3	5290.00	68.14	7.73	68.30	0.16	150	181	Vertical
4	5290.00	55.92	7.73	54.00	-1.92	150	186	Vertical
5	5382.14	34.80	7.90	54.00	19.20	150	27	Vertical
6	5390.09	48.38	7.92	74.00	25.62	150	330	Vertical





4.3.1.84 11AC80_58 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5134.21	48.29	7.53	74.00	25.71	150	271	Horizontal
2	5141.42	35.06	7.54	54.00	18.94	150	207	Horizontal
3	5290.00	80.09	7.73	68.30	-11.79	150	220	Horizontal
4	5290.00	68.00	7.73	54.00	-14.00	150	225	Horizontal
5	5387.54	35.19	7.92	54.00	18.81	150	62	Horizontal
6	5394.74	48.50	7.93	74.00	25.50	150	225	Horizontal



4.3.1.85 11AC80_106 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5433.51	47.70	7.99	74.00	26.30	150	293	Vertical
2	5450.61	35.10	8.02	54.00	18.90	150	275	Vertical
3	5464.18	48.37	8.04	68.30	19.93	150	117	Vertical
4	5530.00	76.22	8.18	68.30	-7.92	150	330	Vertical
5	5530.00	63.74	8.18	0.00	-63.74	150	275	Vertical
6	5734.32	49.33	8.59	68.30	18.97	150	163	Vertical





4.3.1.86 11AC80_106 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5412.73	48.85	7.96	74.00	25.15	150	16	Horizontal
2	5435.36	34.87	8.00	54.00	19.13	150	16	Horizontal
3	5462.84	48.76	8.04	68.30	19.54	150	67	Horizontal
4	5530.00	71.03	8.18	68.30	-2.73	150	105	Horizontal
5	5530.00	58.05	8.18	0.00	-58.05	150	105	Horizontal
6	5728.63	49.80	8.58	68.30	18.50	150	179	Horizontal





4.3.1.87 11AC80_122 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5451.20	48.29	8.02	74.00	25.71	150	177	Vertical
2	5452.96	34.79	8.02	54.00	19.21	150	223	Vertical
3	5464.81	48.36	8.04	68.30	19.94	150	2	Vertical
4	5610.00	76.17	8.37	68.30	-7.87	150	298	Vertical
5	5610.00	63.08	8.37	0.00	-63.08	150	284	Vertical
6	5753.59	49.93	8.63	68.30	18.37	150	317	Vertical





4.3.1.88 11AC80_122 ANT 1_ Horizontal



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5454.24	48.49	8.03	74.00	25.51	150	253	Horizontal
2	5454.24	34.87	8.03	54.00	19.13	150	123	Horizontal
3	5460.01	48.47	8.04	68.30	19.83	150	16	Horizontal
4	5610.00	69.78	8.37	68.30	-1.48	150	220	Horizontal
5	5610.00	57.72	8.37	0.00	-57.72	150	90	Horizontal
6	5748.47	49.48	8.62	68.30	18.82	150	113	Horizontal

