








6.2.1.2.5 Test Bandwidth = 15

6.2.1.2.5.1 Test Channel = LCH

6.2.1.2.5.1.1 Test RB = RB1#0








6.2.1.2.5.2 Test Channel = MCH

6.2.1.2.5.2.1 Test RB = RB1#0








6.2.1.2.5.3 Test Channel = HCH

6.2.1.2.5.3.1 Test RB = RB1#0








6.2.1.2.6 Test Bandwidth = 20

6.2.1.2.6.1 Test Channel = LCH

6.2.1.2.6.1.1 Test RB = RB1#0








6.2.1.2.6.2 Test Channel = MCH

6.2.1.2.6.2.1 Test RB = RB1#0








6.2.1.2.6.3 Test Channel = HCH

6.2.1.2.6.3.1 Test RB = RB1#0







7Appendix_G: Field Strength of Spurious Radiation

Note:

1. We tested all modes, but the data presented below is the worst case.
2. For Wireless charging protective case we only tested the RSE of the worst case,

9kHz~150kHz, RBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, RBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK

Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK


Part I - Test Plots

7.1 For LTE


7.1.1 Test Band = Band66

7.1.1.1 Test Bandwidth = 1.4


Band66/TM1_Ant1




LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_L




LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_H




Band66/TM1_Ant2




LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_L




LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_H




7.1.1.2 Test Bandwidth = 20




LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_L




LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_H




Band66/TM1_Ant2



LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_L



LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_H




7.1.2 Test Band = Band66 (Wireless charging protective case)


7.1.2.1 Test Bandwidth = 1.4

Band66/TM1_Ant1 (adaptor + Wireless Charging Case) worst case

LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_L





LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_H



Band66/TM1_Ant1 (adaptor + Wireless charging charger+ Wireless Charging Case) worst case

LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_L







7.1.2.2 Test Bandwidth = 20

Band66/TM1_Ant1 (adaptor + Wireless Charging Case) worst case

LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_L




LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_H




Band66/TM1_Ant1 (adaptor + Wireless charging charger+ Wireless Charging Case) worst case

LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_L



LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_H



8Appendix_H: Frequency Stability

8.1 For LTE

8.1.1Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
Band66	LTE/TM1	1.4	LCH	TN	VL	-276.17450	-0.16144	PASS
					VN	-13.80444	-0.00807	PASS
					VH	-7.38144	-0.00431	PASS
			MCH	TN	VL	-122.07980	-0.06996	PASS
					VN	-101.92390	-0.05841	PASS
					VH	-226.19250	-0.12962	PASS
			HCH	TN	VL	-82.24010	-0.04622	PASS
					VN	-109.94910	-0.06179	PASS
					VH	-146.11240	-0.08212	PASS
		3	LCH	TN	VL	-25.16270	-0.01470	PASS
					VN	-14.64844	-0.00856	PASS
					VH	-27.52304	-0.01608	PASS
			MCH	TN	VL	-5.22137	-0.00299	PASS
					VN	-7.61032	-0.00436	PASS
					VH	-11.12938	-0.00638	PASS
			HCH	TN	VL	-7.20978	-0.00405	PASS
					VN	-7.22408	-0.00406	PASS
					VH	-5.23567	-0.00294	PASS
		5	LCH	TN	VL	-8.69751	-0.00508	PASS
					VN	-31.85749	-0.01860	PASS
					VH	-6.30856	-0.00368	PASS
			MCH	TN	VL	-6.85215	-0.00393	PASS
					VN	-10.47134	-0.00600	PASS
					VH	1.58787	0.00091	PASS
			HCH	TN	VL	0.32902	0.00019	PASS
					VN	-11.34396	-0.00638	PASS
					VH	-0.27180	-0.00015	PASS
		10	LCH	TN	VL	-17.82417	-0.01039	PASS
					VN	-25.47741	-0.01486	PASS
					VH	-23.68927	-0.01381	PASS
			MCH	TN	VL	-3.16143	-0.00181	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
	LTE/TM2				VN	-5.35011	-0.00307	PASS
					VH	-1.58787	-0.00091	PASS
			HCH	TN	VL	-2.83241	-0.00160	PASS
					VN	-10.97202	-0.00618	PASS
					VH	-4.00543	-0.00226	PASS
					VH	-4.00543	-0.00226	PASS
		15	LCH	TN	VL	-13.43250	-0.00782	PASS
					VN	-27.29416	-0.01589	PASS
					VH	-27.06528	-0.01576	PASS
			MCH	TN	VL	-2.56062	-0.00147	PASS
					VN	-6.48022	-0.00371	PASS
					VH	-3.80516	-0.00218	PASS
			HCH	TN	VL	0.02861	0.00002	PASS
					VN	-9.87053	-0.00557	PASS
					VH	-2.44618	-0.00138	PASS
		20	LCH	TN	VL	-15.97881	-0.00929	PASS
					VN	-11.30104	-0.00657	PASS
					VH	-29.58298	-0.01720	PASS
			MCH	TN	VL	-2.46048	-0.00141	PASS
					VN	-2.31743	-0.00133	PASS
					VH	-1.55926	-0.00089	PASS
			HCH	TN	VL	-4.32015	-0.00244	PASS
					VN	-5.40733	-0.00305	PASS
					VH	-5.43594	-0.00307	PASS
		1.4	LCH	TN	VL	136.65680	0.07988	PASS
					VN	62.31308	0.03643	PASS
					VH	-38.76686	-0.02266	PASS
			MCH	TN	VL	-179.15730	-0.10267	PASS
					VN	-128.51720	-0.07365	PASS
					VH	-140.34750	-0.08043	PASS
			HCH	TN	VL	-22.18723	-0.01247	PASS
					VN	-64.45885	-0.03623	PASS
					VH	-53.95889	-0.03033	PASS
		3	LCH	TN	VL	-14.87732	-0.00869	PASS
					VN	-8.82626	-0.00516	PASS
					VH	-14.23359	-0.00832	PASS
			MCH	TN	VL	-1.61648	-0.00093	PASS
					VN	-4.66347	-0.00267	PASS
					VH	-3.00407	-0.00172	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			HCH	TN	VL	-3.80516	-0.00214	PASS
					VN	-2.77519	-0.00156	PASS
					VH	0.98705	0.00055	PASS
		5	LCH	TN	VL	-0.51498	-0.00030	PASS
					VN	-24.57619	-0.01435	PASS
					VH	-4.84943	-0.00283	PASS
			MCH	TN	VL	1.18732	0.00068	PASS
					VN	-7.41005	-0.00425	PASS
					VH	-3.56197	-0.00204	PASS
			HCH	TN	VL	3.29018	0.00185	PASS
					VN	-6.52313	-0.00367	PASS
					VH	-0.62943	-0.00035	PASS
		10	LCH	TN	VL	-7.25269	-0.00423	PASS
					VN	-18.11028	-0.01056	PASS
					VH	-11.38687	-0.00664	PASS
			MCH	TN	VL	0.08583	0.00005	PASS
					VN	-6.62327	-0.00380	PASS
					VH	-6.62327	-0.00380	PASS
			HCH	TN	VL	1.20163	0.00068	PASS
					VN	-7.92503	-0.00446	PASS
					VH	1.83106	0.00103	PASS
		15	LCH	TN	VL	-0.12875	-0.00007	PASS
					VN	-18.28194	-0.01064	PASS
					VH	-7.06673	-0.00411	PASS
			MCH	TN	VL	1.40190	0.00080	PASS
					VN	-4.06265	-0.00233	PASS
					VH	-0.38624	-0.00022	PASS
			HCH	TN	VL	0.51498	0.00029	PASS
					VN	-7.13825	-0.00403	PASS
					VH	-1.13010	-0.00064	PASS
		20	LCH	TN	VL	-4.60625	-0.00268	PASS
					VN	-9.75609	-0.00567	PASS
					VH	-8.36849	-0.00487	PASS
			MCH	TN	VL	1.44482	0.00083	PASS
					VN	-1.38760	-0.00080	PASS
					VH	-0.75817	-0.00043	PASS
			HCH	TN	VL	0.37193	0.00021	PASS
					VN	-3.53336	-0.00200	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					VH	-3.27587	-0.00185	PASS

8.1.2 Frequency Error vs. Temperature:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
Band66	LTE/TM1	1.4	LCH	VN	-30	37.06455	0.02167	PASS
					-20	-11.04355	-0.00646	PASS
					-10	107.76040	0.06299	PASS
					0	-12.28809	-0.00718	PASS
					10	22.53056	0.01317	PASS
					20	-13.80444	-0.00807	PASS
					30	67.49153	0.03945	PASS
					40	-52.27089	-0.03056	PASS
					50	-109.50570	-0.06401	PASS
			MCH	VN	-30	23.61774	0.01353	PASS
					-20	-183.96380	-0.10542	PASS
					-10	-32.04346	-0.01836	PASS
					0	-94.59972	-0.05421	PASS
					10	-169.81600	-0.09732	PASS
					20	-101.92390	-0.05841	PASS
					30	-205.20690	-0.11760	PASS
					40	-34.77573	-0.01993	PASS
					50	-186.81050	-0.10705	PASS
			HCH	VN	-30	-49.09515	-0.02759	PASS
					-20	23.40317	0.01315	PASS
					-10	34.51824	0.01940	PASS
					0	72.77012	0.04090	PASS
					10	-136.54230	-0.07674	PASS
					20	-109.94910	-0.06179	PASS
					30	72.51263	0.04075	PASS
					40	-127.27260	-0.07153	PASS
					50	-43.87379	-0.02466	PASS
		3	LCH	VN	-30	-30.54142	-0.01784	PASS
					-20	-32.22942	-0.01883	PASS
					-10	-16.20770	-0.00947	PASS
					0	-25.42019	-0.01485	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-16.19339	-0.00946	PASS
					20	-14.64844	-0.00856	PASS
					30	-13.18932	-0.00771	PASS
					40	-14.20498	-0.00830	PASS
					50	-30.74169	-0.01796	PASS
			MCH	VN	-30	-13.01765	-0.00746	PASS
					-20	-12.70294	-0.00728	PASS
					-10	-11.40118	-0.00653	PASS
					0	-5.37872	-0.00308	PASS
					10	-5.17845	-0.00297	PASS
					20	-7.61032	-0.00436	PASS
					30	-10.52856	-0.00603	PASS
					40	-11.17229	-0.00640	PASS
					50	-9.67026	-0.00554	PASS
			HCH	VN	-30	-13.93318	-0.00783	PASS
					-20	-11.08646	-0.00623	PASS
					-10	-6.75201	-0.00380	PASS
					0	-12.81738	-0.00721	PASS
					10	-8.85487	-0.00498	PASS
					20	-7.22408	-0.00406	PASS
					30	-11.14368	-0.00627	PASS
					40	-3.74794	-0.00211	PASS
					50	-13.20362	-0.00742	PASS
		5	LCH	VN	-30	-32.08637	-0.01874	PASS
					-20	-29.12521	-0.01701	PASS
					-10	-6.49452	-0.00379	PASS
					0	-31.32820	-0.01829	PASS
					10	-7.30991	-0.00427	PASS
					20	-31.85749	-0.01860	PASS
					30	-31.61430	-0.01846	PASS
					40	-28.86772	-0.01686	PASS
					50	-13.57555	-0.00793	PASS
			MCH	VN	-30	-9.36985	-0.00537	PASS
					-20	-13.07487	-0.00749	PASS
					-10	-5.70774	-0.00327	PASS
					0	-6.80924	-0.00390	PASS
					10	-11.48701	-0.00658	PASS
					20	-10.47134	-0.00600	PASS
					30	-7.59602	-0.00435	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	-11.68728	-0.00670	PASS
					50	-6.68049	-0.00383	PASS
			HCH	VN	-30	-13.07487	-0.00736	PASS
					-20	-12.91752	-0.00727	PASS
					-10	-4.76360	-0.00268	PASS
					0	-9.01222	-0.00507	PASS
					10	-5.70774	-0.00321	PASS
					20	-11.34396	-0.00638	PASS
					30	-12.08782	-0.00680	PASS
					40	-10.77175	-0.00606	PASS
					50	-1.98841	-0.00112	PASS
		10	LCH	VN	-30	-29.85477	-0.01741	PASS
					-20	-7.53880	-0.00440	PASS
					-10	-23.54622	-0.01373	PASS
					0	-24.27578	-0.01415	PASS
					10	-6.02245	-0.00351	PASS
					20	-25.47741	-0.01486	PASS
					30	-6.26564	-0.00365	PASS
					40	-24.26147	-0.01415	PASS
					50	-23.94676	-0.01396	PASS
			MCH	VN	-30	-8.25405	-0.00473	PASS
					-20	-1.17302	-0.00067	PASS
					-10	-3.84808	-0.00221	PASS
					0	-6.88076	-0.00394	PASS
					10	-1.45912	-0.00084	PASS
					20	-5.35011	-0.00307	PASS
					30	-5.87940	-0.00337	PASS
					40	-7.48158	-0.00429	PASS
					50	-2.91824	-0.00167	PASS
			HCH	VN	-30	-10.35690	-0.00583	PASS
					-20	-5.13554	-0.00289	PASS
					-10	-10.81467	-0.00609	PASS
					0	-18.11028	-0.01020	PASS
					10	-0.64373	-0.00036	PASS
					20	-10.97202	-0.00618	PASS
					30	-2.40326	-0.00135	PASS
					40	-8.88348	-0.00500	PASS
					50	-7.73907	-0.00436	PASS
		15	LCH	VN	-30	-27.73762	-0.01615	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	-11.44409	-0.00666	PASS
					-10	-27.98080	-0.01629	PASS
					0	-28.22399	-0.01643	PASS
					10	-25.06256	-0.01459	PASS
					20	-27.29416	-0.01589	PASS
					30	-27.49443	-0.01601	PASS
					40	-7.26700	-0.00423	PASS
					50	-27.90928	-0.01625	PASS
			MCH	VN	-30	-6.09398	-0.00349	PASS
					-20	-0.84400	-0.00048	PASS
					-10	-6.63757	-0.00380	PASS
					0	-6.42300	-0.00368	PASS
					10	-3.03268	-0.00174	PASS
					20	-6.48022	-0.00371	PASS
					30	-4.93527	-0.00283	PASS
					40	-2.70367	-0.00155	PASS
					50	-5.76496	-0.00330	PASS
			HCH	VN	-30	-9.46999	-0.00534	PASS
					-20	-2.67506	-0.00151	PASS
					-10	-8.48293	-0.00479	PASS
					0	-8.18253	-0.00462	PASS
					10	-6.50883	-0.00367	PASS
					20	-9.87053	-0.00557	PASS
					30	-8.51154	-0.00480	PASS
					40	-2.14577	-0.00121	PASS
					50	-12.17365	-0.00687	PASS
		20	LCH	VN	-30	-10.24246	-0.00595	PASS
					-20	-28.58162	-0.01662	PASS
					-10	-31.57139	-0.01836	PASS
					0	-11.73019	-0.00682	PASS
					10	-28.49579	-0.01657	PASS
					20	-11.30104	-0.00657	PASS
					30	-28.69606	-0.01668	PASS
					40	-30.02644	-0.01746	PASS
					50	-31.04210	-0.01805	PASS
			MCH	VN	-30	-1.68800	-0.00097	PASS
					-20	-3.54767	-0.00203	PASS
					-10	-3.30448	-0.00189	PASS
					0	-2.44618	-0.00140	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-3.39031	-0.00194	PASS
					20	-2.31743	-0.00133	PASS
					30	-4.07696	-0.00234	PASS
					40	-4.04835	-0.00232	PASS
					50	-4.40597	-0.00252	PASS
			HCH	VN	-30	-5.45025	-0.00308	PASS
					-20	-10.75745	-0.00608	PASS
					-10	-12.23087	-0.00691	PASS
					0	-2.74658	-0.00155	PASS
					10	-14.19067	-0.00802	PASS
					20	-5.40733	-0.00305	PASS
					30	-10.60009	-0.00599	PASS
					40	-10.15663	-0.00574	PASS
					50	-10.44273	-0.00590	PASS
	LTE/TM2	1.4	LCH	VN	-30	-5.52177	-0.00323	PASS
					-20	-22.63069	-0.01323	PASS
					-10	-7.02381	-0.00411	PASS
					0	-28.75328	-0.01681	PASS
					10	-23.21720	-0.01357	PASS
					20	62.31308	0.03643	PASS
					30	-43.27297	-0.02530	PASS
					40	-34.97601	-0.02045	PASS
					50	7.42436	0.00434	PASS
			MCH	VN	-30	-24.60480	-0.01410	PASS
					-20	-81.93970	-0.04696	PASS
					-10	-143.63770	-0.08231	PASS
					0	63.54332	0.03641	PASS
					10	-9.14097	-0.00524	PASS
					20	-128.51720	-0.07365	PASS
					30	-1.74522	-0.00100	PASS
					40	-137.45780	-0.07877	PASS
					50	-152.80720	-0.08757	PASS
			HCH	VN	-30	73.21358	0.04115	PASS
					-20	-72.01195	-0.04047	PASS
					-10	-80.79529	-0.04541	PASS
					0	-6.72340	-0.00378	PASS
					10	-189.14220	-0.10630	PASS
					20	-64.45885	-0.03623	PASS
					30	144.16690	0.08102	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	-80.42336	-0.04520	PASS
					50	-247.30680	-0.13899	PASS
		3	LCH	VN	-30	-23.50330	-0.01373	PASS
					-20	-23.77510	-0.01389	PASS
					-10	-12.61711	-0.00737	PASS
					0	-22.84527	-0.01335	PASS
					10	-16.29353	-0.00952	PASS
					20	-8.82626	-0.00516	PASS
					30	-13.24654	-0.00774	PASS
					40	-14.47678	-0.00846	PASS
					50	-28.89633	-0.01688	PASS
			MCH	VN	-30	-9.94205	-0.00570	PASS
					-20	-14.04762	-0.00805	PASS
					-10	-5.76496	-0.00330	PASS
					0	-10.47134	-0.00600	PASS
					10	-5.56469	-0.00319	PASS
					20	-4.66347	-0.00267	PASS
					30	-6.98090	-0.00400	PASS
					40	-10.68592	-0.00612	PASS
					50	-9.26971	-0.00531	PASS
			HCH	VN	-30	-12.27379	-0.00690	PASS
					-20	-10.09941	-0.00568	PASS
					-10	-10.61440	-0.00597	PASS
					0	-16.66546	-0.00937	PASS
					10	-9.49860	-0.00534	PASS
					20	-2.77519	-0.00156	PASS
					30	-5.89371	-0.00331	PASS
					40	-16.80851	-0.00945	PASS
					50	-10.04219	-0.00565	PASS
		5	LCH	VN	-30	-22.43042	-0.01310	PASS
					-20	-26.37863	-0.01540	PASS
					-10	-10.05650	-0.00587	PASS
					0	-25.47741	-0.01488	PASS
					10	-9.11236	-0.00532	PASS
					20	-24.57619	-0.01435	PASS
					30	-24.81937	-0.01449	PASS
					40	-25.03395	-0.01462	PASS
					50	-13.17501	-0.00769	PASS
			MCH	VN	-30	-9.15527	-0.00525	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	-5.82218	-0.00334	PASS
					-10	-8.31127	-0.00476	PASS
					0	-9.98497	-0.00572	PASS
					10	-0.95844	-0.00055	PASS
					20	-7.41005	-0.00425	PASS
					30	-6.72340	-0.00385	PASS
					40	-7.35283	-0.00421	PASS
					50	-5.14984	-0.00295	PASS
			HCH	VN	-30	-9.05514	-0.00509	PASS
					-20	-12.27379	-0.00691	PASS
					-10	-3.70503	-0.00208	PASS
					0	-9.48429	-0.00534	PASS
					10	-3.46184	-0.00195	PASS
					20	-6.52313	-0.00367	PASS
					30	-10.68592	-0.00601	PASS
					40	-8.06808	-0.00454	PASS
					50	-1.48773	-0.00084	PASS
		10	LCH	VN	-30	-20.27035	-0.01182	PASS
					-20	-4.89235	-0.00285	PASS
					-10	-18.69678	-0.01090	PASS
					0	-21.35754	-0.01245	PASS
					10	-6.27994	-0.00366	PASS
					20	-18.11028	-0.01056	PASS
					30	-5.65052	-0.00329	PASS
					40	-21.98696	-0.01282	PASS
					50	-16.35075	-0.00953	PASS
			MCH	VN	-30	-5.04971	-0.00289	PASS
					-20	-2.05994	-0.00118	PASS
					-10	-2.24590	-0.00129	PASS
					0	-6.65188	-0.00381	PASS
					10	-4.03404	-0.00231	PASS
					20	-6.62327	-0.00380	PASS
					30	-1.30177	-0.00075	PASS
					40	-2.97546	-0.00171	PASS
					50	-1.71661	-0.00098	PASS
			HCH	VN	-30	-9.18388	-0.00517	PASS
					-20	-3.84808	-0.00217	PASS
					-10	-3.40462	-0.00192	PASS
					0	-8.94070	-0.00504	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-3.76225	-0.00212	PASS
					20	-7.92503	-0.00446	PASS
					30	-2.08855	-0.00118	PASS
					40	-8.72612	-0.00492	PASS
					50	-10.14233	-0.00571	PASS
		15	LCH	VN	-30	-18.78262	-0.01094	PASS
					-20	-7.32422	-0.00426	PASS
					-10	-17.69543	-0.01030	PASS
					0	-18.28194	-0.01064	PASS
					10	-17.52377	-0.01020	PASS
					20	-18.28194	-0.01064	PASS
					30	-17.06600	-0.00994	PASS
					40	-9.59873	-0.00559	PASS
					50	-19.65523	-0.01144	PASS
			MCH	VN	-30	-4.93527	-0.00283	PASS
					-20	-1.63078	-0.00093	PASS
					-10	-1.31607	-0.00075	PASS
					0	-3.36170	-0.00193	PASS
					10	-2.11716	-0.00121	PASS
					20	-4.06265	-0.00233	PASS
					30	-3.04699	-0.00175	PASS
					40	-5.06401	-0.00290	PASS
					50	-3.71933	-0.00213	PASS
			HCH	VN	-30	-7.29561	-0.00412	PASS
					-20	-2.43187	-0.00137	PASS
					-10	-3.43323	-0.00194	PASS
					0	-6.68049	-0.00377	PASS
					10	-4.26292	-0.00241	PASS
					20	-7.13825	-0.00403	PASS
					30	-5.42164	-0.00306	PASS
					40	-2.64645	-0.00149	PASS
					50	-4.80652	-0.00271	PASS
		20	LCH	VN	-30	-10.02789	-0.00583	PASS
					-20	-20.74242	-0.01206	PASS
					-10	-20.39909	-0.01186	PASS
					0	-8.66890	-0.00504	PASS
					10	-20.52784	-0.01193	PASS
					20	-9.75609	-0.00567	PASS
					30	-19.38343	-0.01127	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	-19.42635	-0.01129	PASS
					50	-21.17157	-0.01231	PASS
			MCH	VN	-30	-0.78678	-0.00045	PASS
					-20	-2.18868	-0.00125	PASS
					-10	-3.31879	-0.00190	PASS
					0	-1.48773	-0.00085	PASS
					10	-3.04699	-0.00175	PASS
					20	-1.38760	-0.00080	PASS
					30	-3.91960	-0.00225	PASS
					40	-3.97682	-0.00228	PASS
					50	-5.12123	-0.00293	PASS
			HCH	VN	-30	-4.04835	-0.00229	PASS
					-20	-6.98090	-0.00394	PASS
					-10	-7.45296	-0.00421	PASS
					0	-2.26021	-0.00128	PASS
					10	-6.76632	-0.00382	PASS
					20	-3.53336	-0.00200	PASS
					30	-7.46727	-0.00422	PASS
					40	-7.75337	-0.00438	PASS
					50	-6.92368	-0.00391	PASS

END