







5.1.1.1.4.2.2 Test RB = RB1#99










5.1.1.1.4.2.3 Test RB = RB50#25









5.1.1.1.4.2.4 Test RB = RB100#0







### 5.1.1.2 Test Mode = LTE/TM2

#### 5.1.1.2.1 Test Bandwidth = 5

##### 5.1.1.2.1.1 Test Channel = LCH

##### 5.1.1.2.1.1.1 Test RB = RB1#0










5.1.1.2.1.1.2 Test RB = RB1#24




























5.1.1.2.1.2.2 Test RB = RB1#24









5.1.1.2.1.2.3 Test RB = RB12#6









5.1.1.2.1.2.4 Test RB = RB25#0









5.1.1.2.2 Test Bandwidth = 10

5.1.1.2.2.1 Test Channel = LCH


5.1.1.2.2.1.1 Test RB = RB1#0















5.1.1.2.2.1.3 Test RB = RB25#13









5.1.1.2.2.1.4 Test RB = RB50#0







## 5.1.1.2.2.2 Test Channel = HCH

## 5.1.1.2.2.2.1 Test RB = RB1#0









### 5.1.1.2.2.2 Test RB = RB1#49









5.1.1.2.2.3 Test RB = RB25#13









5.1.1.2.2.4 Test RB = RB50#0







### 5.1.1.2.3 Test Bandwidth = 15

#### 5.1.1.2.3.1 Test Channel = LCH

##### 5.1.1.2.3.1.1 Test RB = RB1#0









5.1.1.2.3.1.2 Test RB = RB1#74
















5.1.1.2.3.1.4 Test RB = RB75#0









### 5.1.1.2.3.2 Test Channel = HCH

#### 5.1.1.2.3.2.1 Test RB = RB1#0







## 5.1.1.2.3.2.2 Test RB = RB1#74









5.1.1.2.3.2.3 Test RB = RB38#19









5.1.1.2.3.2.4 Test RB = RB75#0







### 5.1.1.2.4 Test Bandwidth = 20

#### 5.1.1.2.4.1 Test Channel = LCH

##### 5.1.1.2.4.1.1 Test RB = RB1#0









5.1.1.2.4.1.2 Test RB = RB1#99















5.1.1.2.4.1.4 Test RB = RB100#0








## 5.1.1.2.4.2 Test Channel = HCH

## 5.1.1.2.4.2.1 Test RB = RB1#0









5.1.1.2.4.2.2 Test RB = RB1#99









5.1.1.2.4.2.3 Test RB = RB50#25









5.1.1.2.4.2.4 Test RB = RB100#0







## 6Appendix\_F: Spurious Emission at Antenna Terminal

NOTE: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of  $< RBW/2$  so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points =  $k * (Span / RBW)$ " with  $k$  between 4 and 5, which results in an acceptable level error of less than 0.5 dB.

### Part I - Test Plots

#### 6.1 For LTE

##### 6.1.1 Test Band = Band7


##### 6.1.1.1 Test Mode = LTE/TM1

##### 6.2.1.1.1 Test Bandwidth = 5

##### 6.2.1.1.1.1 Test Channel = LCH

##### 6.2.1.1.1.1.1 Test RB = RB1#0
















### 6.2.1.1.1.3 Test Channel = HCH

#### 6.2.1.1.1.3.1 Test RB = RB1#0







### 6.2.1.1.2 Test Bandwidth = 10

#### 6.2.1.1.2.1 Test Channel = LCH

##### 6.2.1.1.2.1.1 Test RB = RB1#0









### 6.2.1.1.2.2 Test Channel = MCH

#### 6.2.1.1.2.2.1 Test RB = RB1#0







