


## Appendix F

# Conducted Emission at Power Port

According to FCC Part 15.107



MEASUREMENT RESULT: QP Detector

Frequency MHz	Level dBµV	Transd dB	Limit dBµV	Margin dB	Detector	Line	PE
0.271500	43.30	1.3	61	17.7	QP	L1	FLO
0.451500	36.30	0.6	57	20.7	QP	L2	FLO
0.906000	16.20	0.5	56	39.8	QP	L2	FLO
4.996500	15.20	0.5	56	40.8	QP	L2	FLO
12.192000	15.10	1.9	60	44.9	QP	L2	FLO
28.014000	24.20	3.8	60	35.8	QP	L1	FLO

MEASUREMENT RESULT: AV Detector

Frequency MHz	Level dBµV	Transd dB	Limit dBµV	Margin dB	Detector	Line	PE
0.226500	13.30	1.2	53	39.3	AV	L2	FLO
0.568500	12.80	0.6	46	33.2	AV	L2	FLO
1.702500	12.30	0.6	46	33.7	AV	L2	FLO
3.975000	13.60	0.5	46	32.4	AV	L2	FLO
5.446500	13.10	0.6	50	36.9	AV	L2	FLO
14.518500	23.30	1.7	50	26.7	AV	L2	FLO