


Appendix F

Conducted Emission at Power Port

According to FCC Part 15.107



MEASUREMENT RESULT: QP Detector

Frequency MHz	Level dBµV	Transd dB	Limit dBµV	Margin dB	Detector	Line	PE
0.295500	42.80	10.2	60	17.2	QP	L3	FLO
0.334500	42.50	10.2	59	16.5	QP	N	FLO
0.541500	32.60	10.0	56	23.4	QP	N	FLO
2.310000	16.80	10.1	56	39.2	QP	L3	FLO
9.780000	10.20	11.0	60	49.8	QP	N	FLO
29.337000	22.00	13.7	60	38.0	QP	N	FLO

MEASUREMENT RESULT: AV Detector

Frequency MHz	Level dBµV	Transd dB	Limit dBµV	Margin dB	Detector	Line	PE
0.348000	11.30	10.2	49	37.7	AV	L3	FLO
0.577500	12.30	10.0	46	33.7	AV	L3	FLO
0.924000	10.70	9.9	46	35.3	AV	L3	FLO
2.314500	5.90	10.1	46	40.1	AV	L3	FLO
5.316000	1.10	10.2	50	48.9	AV	L3	FLO
29.508000	9.20	13.7	50	40.8	AV	N	FLO