


Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	17.59	35.00	52.59	68.30	-15.71	peak	
2		5460.000	9.23	35.00	44.23	54.00	-9.77	AVG	
3		5470.000	25.60	35.03	60.63	68.30	-7.67	peak	
4		5470.000	14.47	35.03	49.50	54.00	-4.50	AVG	
5	X	5509.200	61.72	35.11	96.83	68.30	28.53	peak	NO LIMIT
6	*	5512.000	54.30	35.12	89.42	54.00	35.42	AVG	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11020.00	39.73	15.80	55.53	74.30	-18.77	peak	
2	*	16530.00	41.40	20.40	61.80	74.30	-12.50	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39932.50	46.07	17.43	63.50	74.30	-10.80	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	20.65	35.00	55.65	68.30	-12.65	peak	
2		5460.000	8.93	35.00	43.93	54.00	-10.07	AVG	
3		5470.000	29.17	35.03	64.20	68.30	-4.10	peak	
4		5470.000	13.69	35.03	48.72	54.00	-5.28	AVG	
5	X	5505.400	62.82	35.11	97.93	68.30	29.63	peak	NO LIMIT
6	*	5512.400	52.10	35.12	87.22	54.00	33.22	AVG	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11020.00	40.37	15.80	56.17	74.30	-18.13	peak	
2	*	16530.00	41.78	20.40	62.18	74.30	-12.12	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39932.50	45.82	17.43	63.25	74.30	-11.05	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5672.000	58.63	41.20	99.83	68.30	31.53	peak	NO LIMIT
2	*	5672.000	49.12	41.20	90.32	54.00	36.32	AVG	NO LIMIT
3		5725.000	11.97	41.27	53.24	68.30	-15.06	peak	
4		5725.000	1.41	41.27	42.68	54.00	-11.32	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11340.00	40.76	16.56	57.32	74.30	-16.98	peak	
2	*	17010.00	40.05	20.81	60.86	74.30	-13.44	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	39932.50	45.32	17.43	62.75	74.30	-11.55	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5671.400	57.48	41.19	98.67	68.30	30.37	peak	NO LIMIT
2	*	5672.200	47.27	41.20	88.47	54.00	34.47	AVG	NO LIMIT
3		5725.000	9.72	41.27	50.99	68.30	-17.31	peak	
4		5725.000	0.92	41.27	42.19	54.00	-11.81	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11340.00	40.32	16.56	56.88	74.30	-17.42	peak	
2	*	17010.00	41.06	20.81	61.87	74.30	-12.43	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	39973.00	46.72	17.54	64.26	74.30	-10.04	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz




Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	19.21	41.25	60.46	68.30	-7.84	peak	
2		5715.000	7.44	41.25	48.69	68.30	-19.61	AVG	
3		5725.000	25.39	41.27	66.66	78.30	-11.64	peak	
4		5725.000	11.55	41.27	52.82	68.30	-15.48	AVG	
5	*	5757.200	47.91	41.31	89.22	68.30	20.92	AVG	NO LIMIT
6	X	5759.600	57.15	41.32	98.47	78.30	20.17	peak	NO LIMIT


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz

Vertical



Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz




Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	19.58	41.25	60.83	68.30	-7.47	peak	
2		5715.000	5.62	41.25	46.87	68.30	-21.43	AVG	
3		5725.000	21.48	41.27	62.75	78.30	-15.55	peak	
4		5725.000	9.54	41.27	50.81	68.30	-17.49	AVG	
5	*	5757.000	45.78	41.31	87.09	68.30	18.79	AVG	NO LIMIT
6	X	5758.200	55.26	41.31	96.57	78.30	18.27	peak	NO LIMIT


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz

Horizontal



Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5796.600	56.66	41.36	98.02	78.30	19.72	peak	NO LIMIT
2	*	5797.000	47.15	41.37	88.52	68.30	20.22	AVG	NO LIMIT
3		5850.000	11.24	41.44	52.68	78.30	-25.62	peak	
4		5850.000	0.83	41.44	42.27	68.30	-26.03	AVG	
5		5860.000	9.66	41.45	51.11	68.30	-17.19	peak	
6		5860.000	0.68	41.45	42.13	68.30	-26.17	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11590.00	39.52	17.08	56.60	74.30	-17.70	peak	
2 *	17385.00	40.56	22.00	62.56	74.30	-11.74	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
---------	-----------	--------------------	-------------------	--------------------	--------------	-----------	----------	---------



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39932.50	44.94	17.43	62.37	74.30	-11.93	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5792.800	54.73	41.36	96.09	78.30	17.79	peak	NO LIMIT
2	*	5797.200	45.05	41.37	86.42	68.30	18.12	AVG	NO LIMIT
3		5850.000	11.65	41.44	53.09	78.30	-25.21	peak	
4		5850.000	0.56	41.44	42.00	68.30	-26.30	AVG	
5		5860.000	11.03	41.45	52.48	68.30	-15.82	peak	
6		5860.000	0.28	41.45	41.73	68.30	-26.57	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11590.00	40.70	17.08	57.78	74.30	-16.52	peak	
2 *	17385.00	40.62	22.00	62.62	74.30	-11.68	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
---------	-----------	--------------------	-------------------	--------------------	--------------	-----------	----------	---------



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39946.00	45.11	17.47	62.58	74.30	-11.72	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	12.98	40.22	53.20	68.30	-15.10	peak	
2		5150.000	2.34	40.22	42.56	54.00	-11.44	AVG	
3	X	5179.000	61.41	40.28	101.69	68.30	33.39	peak	NO LIMIT
4	*	5181.000	52.38	40.28	92.66	54.00	38.66	AVG	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10360.00	40.27	13.85	54.12	74.30	-20.18	peak	
2 *	15540.00	41.16	16.85	58.01	74.30	-16.29	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
---------	-----------	--------------------	-------------------	--------------------	--------------	-----------	----------	---------



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39946.00	45.11	17.47	62.58	74.30	-11.72	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz




Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	14.37	40.22	54.59	68.30	-13.71	peak	
2		5150.000	0.80	40.22	41.02	54.00	-12.98	AVG	
3	X	5179.200	59.61	40.28	99.89	68.30	31.59	peak	NO LIMIT
4	*	5181.000	50.42	40.28	90.70	54.00	36.70	AVG	NO LIMIT


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

Horizontal



Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz




Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5241.000	52.79	40.41	93.20	54.00	39.20	AVG	NO LIMIT
2	X	5242.500	61.80	40.41	102.21	68.30	33.91	peak	NO LIMIT


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

Vertical



Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5241.000	50.14	40.41	90.55	54.00	36.55	AVG	NO LIMIT
2	X	5241.200	58.80	40.41	99.21	68.30	30.91	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10480.00	39.70	13.69	53.39	74.30	-20.91	peak	
2 *	15720.00	40.55	17.78	58.33	74.30	-15.97	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
---------	-----------	--------------------	-------------------	--------------------	--------------	-----------	----------	---------



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39946.00	45.11	17.47	62.58	74.30	-11.72	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5257.200	61.36	40.45	101.81	68.30	33.51	peak	NO LIMIT
2	*	5259.100	52.32	40.45	92.77	54.00	38.77	AVG	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10520.00	39.91	13.75	53.66	74.30	-20.64	peak	
2 *	15780.00	41.88	18.10	59.98	74.30	-14.32	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
---------	-----------	--------------------	-------------------	--------------------	--------------	-----------	----------	---------



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39946.00	45.14	17.47	62.61	74.30	-11.69	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz




Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5259.100	50.23	40.45	90.68	54.00	36.68	AVG	NO LIMIT
2	X	5262.300	59.73	40.46	100.19	68.30	31.89	peak	NO LIMIT


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Horizontal



Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5321.000	51.56	40.58	92.14	54.00	38.14	AVG	NO LIMIT
2	X	5322.100	60.47	40.58	101.05	68.30	32.75	peak	NO LIMIT
3		5350.000	11.19	40.64	51.83	68.30	-16.47	peak	
4		5350.000	1.85	40.64	42.49	54.00	-11.51	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10640.00	39.68	14.25	53.93	74.30	-20.37	peak	
2 *	15960.00	42.01	19.04	61.05	74.30	-13.25	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
---------	-----------	--------------------	-------------------	--------------------	--------------	-----------	----------	---------



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	40000.00	44.73	17.60	62.33	74.30	-11.97	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5317.900	59.75	40.57	100.32	68.30	32.02	peak	NO LIMIT
2	*	5319.100	50.70	40.58	91.28	54.00	37.28	AVG	NO LIMIT
3		5350.000	11.32	40.64	51.96	68.30	-16.34	peak	
4		5350.000	1.27	40.64	41.91	54.00	-12.09	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10640.00	41.43	14.25	55.68	74.30	-18.62	peak	
2 *	15960.00	41.95	19.04	60.99	74.30	-13.31	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
---------	-----------	--------------------	-------------------	--------------------	--------------	-----------	----------	---------



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39838.00	45.05	17.21	62.26	74.30	-12.04	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	9.93	40.87	50.80	68.30	-17.50	peak	
2		5460.000	2.23	40.87	43.10	54.00	-10.90	AVG	
3		5470.000	13.77	40.90	54.67	68.30	-13.63	peak	
4		5470.000	3.76	40.90	44.66	54.00	-9.34	AVG	
5	*	5499.100	53.14	40.96	94.10	54.00	40.10	AVG	NO LIMIT
6	X	5501.100	61.79	40.96	102.75	68.30	34.45	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11000.00	38.98	15.75	54.73	74.30	-19.57	peak	
2 *	16500.00	41.74	20.37	62.11	74.30	-12.19	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
---------	-----------	--------------------	-------------------	--------------------	--------------	-----------	----------	---------



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39838.00	45.54	17.21	62.75	74.30	-11.55	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz




Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	10.42	40.87	51.29	68.30	-17.01	peak	
2		5460.000	1.25	40.87	42.12	54.00	-11.88	AVG	
3		5470.000	11.38	40.90	52.28	68.30	-16.02	peak	
4		5470.000	2.16	40.90	43.06	54.00	-10.94	AVG	
5	*	5499.100	51.13	40.96	92.09	54.00	38.09	AVG	NO LIMIT
6	X	5501.700	60.27	40.96	101.23	68.30	32.93	peak	NO LIMIT


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

Horizontal



Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5701.000	51.96	41.23	93.19	54.00	39.19	AVG	NO LIMIT
2	X	5701.600	61.22	41.23	102.45	68.30	34.15	peak	NO LIMIT
3		5725.000	12.11	41.27	53.38	68.30	-14.92	peak	
4		5725.000	2.49	41.27	43.76	54.00	-10.24	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11400.00	40.49	16.70	57.19	74.30	-17.11	peak	
2 *	17100.00	39.87	21.10	60.97	74.30	-13.33	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
---------	-----------	--------------------	-------------------	--------------------	--------------	-----------	----------	---------



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39838.00	45.95	17.21	63.16	74.30	-11.14	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5699.300	59.62	41.23	100.85	68.30	32.55	peak	NO LIMIT
2	*	5701.000	50.42	41.23	91.65	54.00	37.65	AVG	NO LIMIT
3		5725.000	11.84	41.27	53.11	68.30	-15.19	peak	
4		5725.000	1.73	41.27	43.00	54.00	-11.00	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11400.00	40.02	16.70	56.72	74.30	-17.58	peak	
2 *	17100.00	41.22	21.10	62.32	74.30	-11.98	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	17100.00	41.22	21.10	62.32	74.30	-11.98	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39932.50	45.25	17.43	62.68	74.30	-11.62	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5715.000	16.52	41.25	57.77	68.30	-10.53	peak	
2		5715.000	1.86	41.25	43.11	68.30	-25.19	AVG	
3		5725.000	21.45	41.27	62.72	78.30	-15.58	peak	
4		5725.000	8.37	41.27	49.64	68.30	-18.66	AVG	
5	X	5745.700	60.45	41.29	101.74	78.30	23.44	peak	NO LIMIT
6	*	5746.000	51.26	41.29	92.55	68.30	24.25	AVG	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11490.00	41.00	16.91	57.91	74.30	-16.39	peak	
2 *	17235.00	40.71	21.53	62.24	74.30	-12.06	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
---------	-----------	--------------------	-------------------	--------------------	--------------	-----------	----------	---------



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39946.00	45.16	17.47	62.63	74.30	-11.67	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	10.89	41.25	52.14	68.30	-16.16	peak	
2		5715.000	1.30	41.25	42.55	68.30	-25.75	AVG	
3		5725.000	18.90	41.27	60.17	78.30	-18.13	peak	
4		5725.000	6.22	41.27	47.49	68.30	-20.81	AVG	
5	X	5746.000	49.48	41.29	90.77	68.30	22.47	AVG	NO LIMIT
6	*	5747.100	59.82	41.30	101.12	78.30	22.82	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11490.00	39.72	16.91	56.63	74.30	-17.67	peak	
2 *	17235.00	41.43	21.53	62.96	74.30	-11.34	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
---------	-----------	--------------------	-------------------	--------------------	--------------	-----------	----------	---------



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39878.50	46.09	17.30	63.39	74.30	-10.91	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5823.200	56.94	41.40	98.34	78.30	20.04	peak	NO LIMIT
2	*	5824.100	48.15	41.40	89.55	68.30	21.25	AVG	NO LIMIT
3		5850.000	11.51	41.44	52.95	78.30	-25.35	peak	
4		5850.000	0.87	41.44	42.31	68.30	-25.99	AVG	
5		5860.000	9.65	41.45	51.10	68.30	-17.20	peak	
6		5860.000	0.53	41.45	41.98	68.30	-26.32	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11650.00	40.09	17.17	57.26	74.30	-17.04	peak	
2 *	17475.00	40.80	22.29	63.09	74.30	-11.21	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
---------	-----------	--------------------	-------------------	--------------------	--------------	-----------	----------	---------



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	40000.00	46.47	17.60	64.07	74.30	-10.23	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5824.100	47.12	41.40	88.52	68.30	20.22	AVG	NO LIMIT
2	*	5827.200	57.56	41.40	98.96	78.30	20.66	peak	NO LIMIT
3		5850.000	10.51	41.44	51.95	78.30	-26.35	peak	
4		5850.000	0.80	41.44	42.24	68.30	-26.06	AVG	
5		5860.000	9.53	41.45	50.98	68.30	-17.32	peak	
6		5860.000	0.36	41.45	41.81	68.30	-26.49	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11650.00	40.05	17.17	57.22	74.30	-17.08	peak	
2 *	17475.00	40.14	22.29	62.43	74.30	-11.87	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
---------	-----------	--------------------	-------------------	--------------------	--------------	-----------	----------	---------



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39973.00	45.85	17.54	63.39	74.30	-10.91	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	13.06	40.22	53.28	68.30	-15.02	peak	
2		5150.000	2.64	40.22	42.86	54.00	-11.14	AVG	
3	*	5188.000	47.93	40.30	88.23	54.00	34.23	AVG	NO LIMIT
4	X	5193.600	57.37	40.31	97.68	68.30	29.38	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10380.00	39.63	13.83	53.46	74.30	-20.84	peak	
2 *	15570.00	40.16	17.00	57.16	74.30	-17.14	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
---------	-----------	--------------------	-------------------	--------------------	--------------	-----------	----------	---------



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39973.00	45.02	17.54	62.56	74.30	-11.74	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5150.000	15.31	40.22	55.53	68.30	-12.77	peak	
2		5150.000	3.81	40.22	44.03	54.00	-9.97	AVG	
3	*	5192.000	49.18	40.31	89.49	54.00	35.49	AVG	NO LIMIT
4	X	5193.000	58.70	40.31	99.01	68.30	30.71	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		10380.00	39.66	13.83	53.49	74.30	-20.81	peak	
2	*	15570.00	40.44	17.00	57.44	74.30	-16.86	peak	




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	-----------	--------------------	-------------------	--------------------	--------------	-----------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	39838.00	46.20	17.21	63.41	74.30	-10.89	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	5228.200	58.52	40.39	98.91	68.30	30.61	peak	NO LIMIT
2	*	5232.000	49.23	40.40	89.63	54.00	35.63	AVG	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10460.00	40.12	13.71	53.83	74.30	-20.47	peak	
2 *	15690.00	41.23	17.63	58.86	74.30	-15.44	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
---------	-----------	--------------------	-------------------	--------------------	--------------	-----------	----------	---------



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39932.50	45.07	17.43	62.50	74.30	-11.80	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5231.400	57.36	40.40	97.76	68.30	29.46	peak	NO LIMIT
2	*	5232.800	48.83	40.39	89.22	54.00	35.22	AVG	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		10460.00	40.07	13.71	53.78	74.30	-20.52	peak	
2	*	15690.00	39.96	17.63	57.59	74.30	-16.71	peak	




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	-----------	--------------------	-------------------	--------------------	--------------	-----------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	39946.00	45.33	17.47	62.80	74.30	-11.50	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5272.000	48.74	40.47	89.21	54.00	35.21	AVG	NO LIMIT
2	X	5273.000	58.37	40.48	98.85	68.30	30.55	peak	NO LIMIT

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		10540.00	39.28	13.84	53.12	74.30	-21.18	peak	
2	*	15810.00	41.52	18.25	59.77	74.30	-14.53	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	39946.00	44.73	17.47	62.20	74.30	-12.10	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5272.000	48.27	40.47	88.74	54.00	34.74	AVG	NO LIMIT
2	X	5274.800	56.76	40.48	97.24	68.30	28.94	peak	NO LIMIT

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz

Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10540.00	39.54	13.84	53.38	74.30	-20.92	peak	
2 *	15810.00	40.99	18.25	59.24	74.30	-15.06	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
---------	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39973.00	44.38	17.54	61.92	74.30	-12.38	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5312.000	49.22	40.56	89.78	54.00	35.78	AVG	NO LIMIT
2	X	5316.400	59.23	40.57	99.80	68.30	31.50	peak	NO LIMIT
3		5350.000	16.76	40.64	57.40	68.30	-10.90	peak	
4		5350.000	5.34	40.64	45.98	54.00	-8.02	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		10620.00	41.02	14.17	55.19	74.30	-19.11	peak	
2	*	15930.00	42.44	18.89	61.33	74.30	-12.97	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	40000.00	45.39	17.60	62.99	74.30	-11.31	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5312.000	48.71	40.56	89.27	54.00	35.27	AVG	NO LIMIT
2	X	5312.200	58.02	40.56	98.58	68.30	30.28	peak	NO LIMIT
3		5350.000	19.14	40.64	59.78	68.30	-8.52	peak	
4		5350.000	5.04	40.64	45.68	54.00	-8.32	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		10620.00	40.71	14.17	54.88	74.30	-19.42	peak	
2	*	15930.00	42.27	18.89	61.16	74.30	-13.14	peak	




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	39946.00	45.52	17.47	62.99	74.30	-11.31	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	21.87	35.00	56.87	68.30	-11.43	peak	
2		5460.000	10.09	35.00	45.09	54.00	-8.91	AVG	
3		5470.000	28.78	35.03	63.81	68.30	-4.49	peak	
4		5470.000	15.03	35.03	50.06	54.00	-3.94	AVG	
5	X	5511.400	64.23	35.12	99.35	68.30	31.05	peak	NO LIMIT
6	*	5511.800	54.60	35.12	89.72	54.00	35.72	AVG	NO LIMIT

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11020.00	39.77	15.80	55.57	74.30	-18.73	peak	
2	*	16530.00	41.88	20.40	62.28	74.30	-12.02	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	44.80	17.54	62.34	74.30	-11.96	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	18.44	35.00	53.44	68.30	-14.86	peak	
2		5460.000	8.40	35.00	43.40	54.00	-10.60	AVG	
3		5470.000	23.92	35.03	58.95	68.30	-9.35	peak	
4		5470.000	13.24	35.03	48.27	54.00	-5.73	AVG	
5	X	5508.200	61.39	35.11	96.50	68.30	28.20	peak	NO LIMIT
6	*	5511.800	52.13	35.12	87.25	54.00	33.25	AVG	NO LIMIT

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11020.00	39.19	15.80	54.99	74.30	-19.31	peak	
2	*	16530.00	41.60	20.40	62.00	74.30	-12.30	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	39959.50	44.70	17.50	62.20	74.30	-12.10	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5667.400	57.79	41.19	98.98	68.30	30.68	peak	NO LIMIT
2	*	5672.000	48.32	41.20	89.52	54.00	35.52	AVG	NO LIMIT
3		5725.000	12.91	41.27	54.18	68.30	-14.12	peak	
4		5725.000	0.69	41.27	41.96	54.00	-12.04	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11340.00	40.30	16.56	56.86	74.30	-17.44	peak	
2	*	17010.00	40.66	20.81	61.47	74.30	-12.83	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39932.50	45.21	17.43	62.64	74.30	-11.66	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5664.200	56.63	41.18	97.81	68.30	29.51	peak	NO LIMIT
2	*	5668.200	46.70	41.19	87.89	54.00	33.89	AVG	NO LIMIT
3		5725.000	10.95	41.27	52.22	68.30	-16.08	peak	
4		5725.000	0.49	41.27	41.76	54.00	-12.24	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11340.00	39.77	16.56	56.33	74.30	-17.97	peak	
2	*	17010.00	40.89	20.81	61.70	74.30	-12.60	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	39973.00	44.71	17.54	62.25	74.30	-12.05	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	16.85	41.25	58.10	68.30	-10.20	peak	
2		5715.000	6.54	41.25	47.79	68.30	-20.51	AVG	
3		5725.000	23.39	41.27	64.66	78.30	-13.64	peak	
4		5725.000	10.61	41.27	51.88	68.30	-16.42	AVG	
5	*	5757.400	47.75	41.31	89.06	68.30	20.76	AVG	NO LIMIT
6	X	5760.400	57.67	41.32	98.99	78.30	20.69	peak	NO LIMIT

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11510.00	40.11	16.96	57.07	74.30	-17.23	peak	
2	*	17265.00	42.77	21.62	64.39	74.30	-9.91	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	40000.00	45.43	17.60	63.03	74.30	-11.27	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	16.28	41.25	57.53	68.30	-10.77	peak	
2		5715.000	4.85	41.25	46.10	68.30	-22.20	AVG	
3		5725.000	20.82	41.27	62.09	78.30	-16.21	peak	
4		5725.000	8.26	41.27	49.53	68.30	-18.77	AVG	
5	*	5753.200	45.68	41.31	86.99	68.30	18.69	AVG	NO LIMIT
6	X	5761.000	54.57	41.32	95.89	78.30	17.59	peak	NO LIMIT

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11510.00	39.80	16.96	56.76	74.30	-17.54	peak	
2	*	17265.00	41.50	21.62	63.12	74.30	-11.18	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	46.33	17.60	63.93	74.30	-10.37	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5791.600	55.83	41.36	97.19	78.30	18.89	peak	NO LIMIT
2	*	5797.000	46.15	41.37	87.52	68.30	19.22	AVG	NO LIMIT
3		5850.000	11.49	41.44	52.93	78.30	-25.37	peak	
4		5850.000	0.71	41.44	42.15	68.30	-26.15	AVG	
5		5860.000	9.78	41.45	51.23	68.30	-17.07	peak	
6		5860.000	0.42	41.45	41.87	68.30	-26.43	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11590.00	39.94	17.08	57.02	74.30	-17.28	peak	
2	*	17385.00	41.07	22.00	63.07	74.30	-11.23	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	44.91	17.60	62.51	74.30	-11.79	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5797.000	45.19	41.37	86.56	68.30	18.26	AVG	NO LIMIT
2	X	5798.400	53.38	41.37	94.75	78.30	16.45	peak	NO LIMIT
3		5850.000	9.67	41.44	51.11	78.30	-27.19	peak	
4		5850.000	0.26	41.44	41.70	68.30	-26.60	AVG	
5		5860.000	10.10	41.45	51.55	68.30	-16.75	peak	
6		5860.000	0.17	41.45	41.62	68.30	-26.68	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11590.00	39.77	17.08	56.85	74.30	-17.45	peak	
2	*	17385.00	41.29	22.00	63.29	74.30	-11.01	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	39946.00	45.28	17.47	62.75	74.30	-11.55	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	13.69	40.22	53.91	68.30	-14.39	peak	
2		5150.000	3.72	40.22	43.94	54.00	-10.06	AVG	
3	X	5215.600	54.91	40.36	95.27	68.30	26.97	peak	NO LIMIT
4	*	5217.600	44.96	40.36	85.32	54.00	31.32	AVG	NO LIMIT

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10420.00	39.93	13.77	53.70	74.30	-20.60	peak	
2	*	15630.00	41.33	17.32	58.65	74.30	-15.65	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39932.50	45.61	17.43	63.04	74.30	-11.26	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	14.62	40.22	54.84	68.30	-13.46	peak	
2		5150.000	2.86	40.22	43.08	54.00	-10.92	AVG	
3	*	5213.200	44.09	40.35	84.44	54.00	30.44	AVG	NO LIMIT
4	X	5233.200	53.92	40.39	94.31	68.30	26.01	peak	NO LIMIT

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10420.00	40.19	13.77	53.96	74.30	-20.34	peak	
2	*	15630.00	40.84	17.32	58.16	74.30	-16.14	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39932.50	45.21	17.43	62.64	74.30	-11.66	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5293.600	45.07	40.52	85.59	54.00	31.59	AVG	NO LIMIT
2	X	5294.000	54.71	40.53	95.24	68.30	26.94	peak	NO LIMIT
3		5350.000	15.04	40.64	55.68	68.30	-12.62	peak	
4		5350.000	4.52	40.64	45.16	54.00	-8.84	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10580.00	39.49	14.00	53.49	74.30	-20.81	peak	
2	*	15870.00	41.91	18.57	60.48	74.30	-13.82	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39946.00	45.02	17.47	62.49	74.30	-11.81	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5293.200	44.22	40.52	84.74	54.00	30.74	AVG	NO LIMIT
2	X	5295.200	54.57	40.53	95.10	68.30	26.80	peak	NO LIMIT
3		5350.000	15.53	40.64	56.17	68.30	-12.13	peak	
4		5350.000	4.24	40.64	44.88	54.00	-9.12	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		10580.00	40.34	14.00	54.34	74.30	-19.96	peak	
2	*	15870.00	42.14	18.57	60.71	74.30	-13.59	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	39838.00	45.15	17.21	62.36	74.30	-11.94	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	25.57	35.00	60.57	68.30	-7.73	peak	
2		5460.000	13.78	35.00	48.78	54.00	-5.22	AVG	
3		5470.000	26.90	35.03	61.93	68.30	-6.37	peak	
4		5470.000	15.27	35.03	50.30	54.00	-3.70	AVG	
5	X	5521.200	59.72	35.13	94.85	68.30	26.55	peak	NO LIMIT
6	*	5533.200	49.14	35.15	84.29	54.00	30.29	AVG	NO LIMIT

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11060.00	39.50	15.89	55.39	74.30	-18.91	peak	
2	*	16590.00	41.65	20.45	62.10	74.30	-12.20	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	39946.00	45.20	17.47	62.67	74.30	-11.63	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	25.79	35.00	60.79	68.30	-7.51	peak	
2		5460.000	13.43	35.00	48.43	54.00	-5.57	AVG	
3		5470.000	25.99	35.03	61.02	68.30	-7.28	peak	
4		5470.000	14.45	35.03	49.48	54.00	-4.52	AVG	
5	X	5514.800	57.16	35.12	92.28	68.30	23.98	peak	NO LIMIT
6	*	5533.200	46.75	35.15	81.90	54.00	27.90	AVG	NO LIMIT

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11060.00	39.08	15.89	54.97	74.30	-19.33	peak	
2	*	16590.00	41.08	20.45	61.53	74.30	-12.77	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39797.50	45.93	17.11	63.04	74.30	-11.26	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5602.800	56.40	41.10	97.50	68.30	29.20	peak	NO LIMIT
2	*	5606.800	45.15	41.10	86.25	54.00	32.25	AVG	NO LIMIT
3		5725.000	10.90	41.27	52.17	68.30	-16.13	peak	
4		5725.000	0.38	41.27	41.65	54.00	-12.35	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11220.00	40.59	16.27	56.86	74.30	-17.44	peak	
2	*	16830.00	42.03	20.63	62.66	74.30	-11.64	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	39932.50	44.70	17.43	62.13	74.30	-12.17	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5606.400	54.23	41.10	95.33	68.30	27.03	peak	NO LIMIT
2	*	5606.400	44.21	41.10	85.31	54.00	31.31	AVG	NO LIMIT
3		5725.000	8.35	41.27	49.62	68.30	-18.68	peak	
4		5725.000	0.06	41.27	41.33	54.00	-12.67	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11220.00	40.31	16.27	56.58	74.30	-17.72	peak	
2	*	16830.00	41.51	20.63	62.14	74.30	-12.16	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39946.00	44.80	17.47	62.27	74.30	-12.03	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	16.52	41.25	57.77	68.30	-10.53	peak	
2		5715.000	5.52	41.25	46.77	68.30	-21.53	AVG	
3		5725.000	17.25	41.27	58.52	78.30	-19.78	peak	
4		5725.000	6.42	41.27	47.69	68.30	-20.61	AVG	
5	*	5777.000	52.31	41.33	93.64	78.30	15.34	peak	NO LIMIT
6	X	5778.200	42.11	41.34	83.45	68.30	15.15	AVG	NO LIMIT
7		5850.000	12.52	41.44	53.96	78.30	-24.34	peak	
8		5850.000	1.47	41.44	42.91	68.30	-25.39	AVG	
9		5860.000	11.12	41.45	52.57	68.30	-15.73	peak	
10		5860.000	0.81	41.45	42.26	68.30	-26.04	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11550.00	40.76	17.02	57.78	74.30	-16.52	peak	
2	*	17325.00	41.82	21.81	63.63	74.30	-10.67	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	39797.50	45.09	17.11	62.20	74.30	-12.10	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	14.73	41.25	55.98	68.30	-12.32	peak	
2		5715.000	4.86	41.25	46.11	68.30	-22.19	AVG	
3		5725.000	15.16	41.27	56.43	78.30	-21.87	peak	
4		5725.000	5.95	41.27	47.22	68.30	-21.08	AVG	
5	*	5772.200	39.99	41.33	81.32	68.30	13.02	AVG	NO LIMIT
6	X	5781.000	49.75	41.34	91.09	78.30	12.79	peak	NO LIMIT
7		5850.000	10.85	41.44	52.29	78.30	-26.01	peak	
8		5850.000	0.88	41.44	42.32	68.30	-25.98	AVG	
9		5860.000	9.51	41.45	50.96	68.30	-17.34	peak	
10		5860.000	0.51	41.45	41.96	68.30	-26.34	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11550.00	41.90	17.02	58.92	74.30	-15.38	peak	
2	*	17325.00	41.71	21.81	63.52	74.30	-10.78	peak	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	39932.50	46.02	17.43	63.45	74.30	-10.85	peak	