





6.1.1.2.1.2 Test Channel = MCH

6.1.1.2.1.2.1 Test RB = RB1#0













6.1.1.2.2 Test Bandwidth = 3

6.1.1.2.2.1 Test Channel = LCH

6.1.1.2.2.1.1 Test RB = RB1#0










6.1.1.2.2 Test Channel = MCH

6.1.1.2.2.1 Test RB = RB1#0









6.1.1.2.3 Test Bandwidth = 5

6.1.1.2.3.1 Test Channel = LCH

6.1.1.2.3.1.1 Test RB = RB1#0










6.1.1.2.3.2 Test Channel = MCH

6.1.1.2.3.2.1 Test RB = RB1#0









6.1.1.2.3.3 Test Channel = HCH

6.1.1.2.3.3.1 Test RB = RB1#0







6.1.1.2.4 Test Bandwidth = 10

6.1.1.2.4.1 Test Channel = LCH

6.1.1.2.4.1.1 Test RB = RB1#0










6.1.1.2.4.2 Test Channel = MCH

6.1.1.2.4.2.1 Test RB = RB1#0













6.1.1.2.5 Test Bandwidth = 15


6.1.1.2.5.1 Test Channel = LCH


6.1.1.2.5.1.1 Test RB = RB1#0














6.1.1.2.6 Test Bandwidth = 20

6.1.1.2.6.1 Test Channel = LCH

6.1.1.2.6.1.1 Test RB = RB1#0





7Appendix_G: Field Strength of Spurious Radiation

Note:

9kHz~150kHz, RBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, RBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK

Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK


We tested all modes, but the data presented below is the worst case.

Part I - Test Plots


7.1 For LTE

7.1.1 Test Band = BAND4_ANT1


7.1.1.1 Test Bandwidth = 1.4




Copy of RSE-TX-DIRECTOR ABOVE 1.5G_L




Copy of RSE-TX-DIRECTOR ABOVE 1.5G_H




7.1.1.3 Test Bandwidth = 20



Copy of RSE-TX-DIRECTOR ABOVE 1.5G_L




Copy of RSE-TX-DIRECTOR ABOVE 1.5G_H




7.1.1 Test Band = BAND4_ANT2


7.1.2.1 Test Bandwidth = 1.4




Copy of RSE-TX-DIRECTOR ABOVE 1.5G_L




Copy of RSE-TX-DIRECTOR ABOVE 1.5G_H




7.1.2.2 Test Bandwidth = 20



Copy of RSE-TX-DIRECTOR ABOVE 1.5G_L



Copy of RSE-TX-DIRECTOR ABOVE 1.5G Limit -25_H





8Appendix_H: Frequency Stability

8.1 For LTE

8.1.1 Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND4	LTE/TM1	1.4	LCH	TN	VL	-0.5	-0.00029	PASS
					VN	3.96	0.00231	PASS
					VH	7.3	0.00427	PASS
			MCH	TN	VL	0.67	0.00039	PASS
					VN	1.04	0.0006	PASS
					VH	-3.82	-0.0022	PASS
			HCH	TN	VL	-2.42	-0.00138	PASS
					VN	-2.98	-0.0017	PASS
					VH	-3.29	-0.00188	PASS
		3	LCH	TN	VL	5.42	0.00317	PASS
					VN	-0.79	-0.00046	PASS
					VH	-1.26	-0.00074	PASS
			MCH	TN	VL	2.32	0.00134	PASS
					VN	1.22	0.0007	PASS
					VH	-0.77	-0.00044	PASS
			HCH	TN	VL	-0.33	-0.00019	PASS
					VN	-2.53	-0.00144	PASS
					VH	2.56	0.00146	PASS
		5	LCH	TN	VL	-0.7	-0.00041	PASS
					VN	-0.9	-0.00053	PASS
					VH	3.25	0.0019	PASS
			MCH	TN	VL	1.22	0.0007	PASS
					VN	-2.13	-0.00123	PASS
					VH	0.2	0.00012	PASS
			HCH	TN	VL	-0.92	-0.00052	PASS
					VN	-3.63	-0.00207	PASS
					VH	-6.61	-0.00377	PASS
		10	LCH	TN	VL	-2.85	-0.00166	PASS
					VN	0.67	0.00039	PASS
					VH	0.73	0.00043	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
	LTE/TM2	15	MCH	TN	VL	-3.81	-0.0022	PASS
					VN	-0.69	-0.0004	PASS
					VH	1.07	0.00062	PASS
			HCH	TN	VL	0.63	0.00036	PASS
					VN	-2.73	-0.00156	PASS
					VH	-0.73	-0.00042	PASS
			LCH	TN	VL	-1.44	-0.00084	PASS
					VN	-3.5	-0.00204	PASS
					VH	-2.06	-0.0012	PASS
		MCH	TN	VL	1.27	0.00073	PASS	
				VN	-3.82	-0.0022	PASS	
				VH	-3.45	-0.00199	PASS	
		HCH	TN	VL	12.19	0.00698	PASS	
				VN	6.58	0.00377	PASS	
				VH	-2.32	-0.00133	PASS	
		20	LCH	TN	VL	-2.57	-0.00149	PASS
					VN	-1.34	-0.00078	PASS
					VH	-2.17	-0.00126	PASS
			MCH	TN	VL	-1.79	-0.00103	PASS
					VN	1.79	0.00103	PASS
					VH	0.24	0.00014	PASS
			HCH	TN	VL	-0.7	-0.0004	PASS
					VN	-6.24	-0.00358	PASS
					VH	2.26	0.0013	PASS
		1.4	LCH	TN	VL	6.42	0.00375	PASS
					VN	-0.97	-0.00057	PASS
					VH	4.55	0.00266	PASS
			MCH	TN	VL	-9.18	-0.0053	PASS
					VN	-7.04	-0.00406	PASS
					VH	-3.16	-0.00182	PASS
			HCH	TN	VL	-1.1	-0.00063	PASS
					VN	-5.69	-0.00324	PASS
					VH	-0.31	-0.00018	PASS
		3	LCH	TN	VL	0.43	0.00025	PASS
					VN	1.59	0.00093	PASS
					VH	-0.76	-0.00044	PASS
			MCH	TN	VL	-4.12	-0.00238	PASS
		VN	-4.81	-0.00278	PASS			



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict	
		5	HCH	TN	VH	2.56	0.00148	PASS	
					VL	3.35	0.00191	PASS	
					VN	1.85	0.00106	PASS	
					VH	-3.92	-0.00224	PASS	
			LCH	TN	VL	1.09	0.00064	PASS	
					VN	-0.93	-0.00054	PASS	
					VH	-1.02	-0.0006	PASS	
				MCH	TN	VL	-1.89	-0.00109	PASS
						VN	4.11	0.00237	PASS
						VH	-2.93	-0.00169	PASS
			HCH	TN	VL	-3.25	-0.00185	PASS	
					VN	0.09	0.00005	PASS	
		VH			-3.03	-0.00173	PASS		
		10		LCH	TN	VL	-0.8	-0.00047	PASS
						VN	0.84	0.00049	PASS
						VH	0.03	0.00002	PASS
			MCH	TN	VL	-3.36	-0.00194	PASS	
					VN	-1.9	-0.0011	PASS	
					VH	-0.03	-0.00002	PASS	
		HCH	TN	VL	0.23	0.00013	PASS		
				VN	1.97	0.00113	PASS		
				VH	0.89	0.00051	PASS		
		15	LCH	TN	VL	1.79	0.00104	PASS	
					VN	-0.41	-0.00024	PASS	
					VH	3.36	0.00196	PASS	
			MCH	TN	VL	-4.94	-0.00285	PASS	
					VN	1.06	0.00061	PASS	
					VH	1.57	0.00091	PASS	
			HCH	TN	VL	-16.61	-0.00951	PASS	
					VN	-9.74	-0.00557	PASS	
					VH	-4.08	-0.00233	PASS	
			20	LCH	TN	VL	3.05	0.00177	PASS
						VN	-1.65	-0.00096	PASS
						VH	0.77	0.00045	PASS
		MCH		TN	VL	-15.64	-0.00903	PASS	
					VN	-22.42	-0.01294	PASS	
					VH	-19.07	-0.01101	PASS	
		HCH		TN	VL	18.57	0.01064	PASS	



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					VN	19.48	0.01116	PASS
					VH	22.77	0.01305	PASS

8.1.2 Frequency Error vs. Temperature:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND4	LTE/TM1	1.4	LCH	VN	-30	3.65	0.00213	PASS
					-20	-2.27	-0.00133	PASS
					-10	-10.04	-0.00587	PASS
					0	-1.07	-0.00063	PASS
					10	-5.52	-0.00323	PASS
					20	-2.52	-0.00147	PASS
					30	-3.79	-0.00222	PASS
					40	-2.88	-0.00168	PASS
			50	-1.24	-0.00072	PASS		
			MCH	VN	-30	-6.91	-0.00399	PASS
					-20	-5.48	-0.00316	PASS
					-10	-0.46	-0.00027	PASS
					0	-4.86	-0.00281	PASS
					10	4.51	0.0026	PASS
					20	6.54	0.00377	PASS
					30	-7.35	-0.00424	PASS
					40	5.71	0.0033	PASS
			50	-1.82	-0.00105	PASS		
			HCH	VN	-30	5.51	0.00314	PASS
					-20	-8.05	-0.00459	PASS
					-10	-4.22	-0.00241	PASS
					0	-10.21	-0.00582	PASS
					10	-6.97	-0.00397	PASS
					20	0.09	0.00005	PASS
		30			-1.96	-0.00112	PASS	
		40			-1.27	-0.00072	PASS	
		50	-0.74	-0.00042	PASS			
		3	LCH	VN	-30	2.83	0.00165	PASS
					-20	-2.43	-0.00142	PASS
					-10	1.22	0.00071	PASS
					0	-2.55	-0.00149	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
		5			10	-1.04	-0.00061	PASS
					20	-0.63	-0.00037	PASS
					30	0.19	0.00011	PASS
					40	1.37	0.0008	PASS
					50	0.74	0.00043	PASS
			MCH	VN	-30	2.79	0.00161	PASS
					-20	-4.42	-0.00255	PASS
					-10	3.5	0.00202	PASS
					0	-1.23	-0.00071	PASS
					10	1.3	0.00075	PASS
					20	2.07	0.00119	PASS
					30	1.32	0.00076	PASS
					40	0.8	0.00046	PASS
			HCH	VN	50	1.24	0.00072	PASS
					-30	-0.34	-0.00019	PASS
					-20	-2.26	-0.00129	PASS
					-10	-2.32	-0.00132	PASS
					0	3.73	0.00213	PASS
					10	-2.42	-0.00138	PASS
					20	1.36	0.00078	PASS
					30	-1.07	-0.00061	PASS
			LCH	VN	40	0.44	0.00025	PASS
					50	0.8	0.00046	PASS
					-30	-1.03	-0.0006	PASS
					-20	1.24	0.00072	PASS
					-10	0.92	0.00054	PASS
					0	-0.64	-0.00037	PASS
					10	-1.43	-0.00084	PASS
					20	0.41	0.00024	PASS
					30	1.44	0.00084	PASS
					40	1.07	0.00062	PASS
			MCH	VN	50	-0.9	-0.00053	PASS
					-30	-0.74	-0.00043	PASS
					-20	-2.15	-0.00124	PASS
					-10	0.27	0.00016	PASS
					0	-1.44	-0.00083	PASS
10	1.23	0.00071			PASS			
20	2.46	0.00142	PASS					



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict		
					30	-1.63	-0.00094	PASS		
					40	-1.2	-0.00069	PASS		
					50	3.1	0.00179	PASS		
			HCH	VN	-30	-2.62	-0.0015	PASS		
					-20	-0.41	-0.00023	PASS		
					-10	0.72	0.00041	PASS		
					0	-3.39	-0.00193	PASS		
					10	-4.39	-0.0025	PASS		
					20	-2.63	-0.0015	PASS		
					30	-3.33	-0.0019	PASS		
					40	-2.68	-0.00153	PASS		
					50	-3.85	-0.0022	PASS		
					LCH	VN	-30	1.2	0.0007	PASS
							-20	-0.56	-0.00033	PASS
							-10	1.19	0.00069	PASS
		0	-1.24	-0.00072			PASS			
		10	2.06	0.0012			PASS			
		20	-3.03	-0.00177			PASS			
		30	-6.04	-0.00352			PASS			
		40	-2.05	-0.0012			PASS			
		50	1.1	0.00064			PASS			
		MCH	VN	-30	0.41	0.00024	PASS			
				-20	-3.78	-0.00218	PASS			
				-10	3.3	0.0019	PASS			
				0	-1.27	-0.00073	PASS			
				10	-1.04	-0.0006	PASS			
				20	4.51	0.0026	PASS			
				30	-0.13	-0.00008	PASS			
				40	4.19	0.00242	PASS			
				50	-1.13	-0.00065	PASS			
		HCH	VN	-30	0.3	0.00017	PASS			
				-20	-0.37	-0.00021	PASS			
				-10	-6.42	-0.00367	PASS			
				0	-2.23	-0.00127	PASS			
				10	1.29	0.00074	PASS			
				20	-0.06	-0.00003	PASS			
				30	-0.69	-0.00039	PASS			
				40	-1.95	-0.00111	PASS			



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					50	-1.33	-0.00076	PASS
		15	LCH	VN	-30	-1.46	-0.00085	PASS
					-20	0.01	0.00001	PASS
					-10	0.43	0.00025	PASS
					0	-0.06	-0.00003	PASS
					10	0.77	0.00045	PASS
					20	0.83	0.00048	PASS
					30	1.53	0.00089	PASS
					40	0.06	0.00003	PASS
					50	3.96	0.00231	PASS
			MCH	VN	-30	-5.65	-0.00326	PASS
					-20	-0.89	-0.00051	PASS
					-10	-0.3	-0.00017	PASS
					0	-6.34	-0.00366	PASS
					10	0.11	0.00006	PASS
					20	-0.04	-0.00002	PASS
					30	0.89	0.00051	PASS
					40	-0.62	-0.00036	PASS
					50	-1.13	-0.00065	PASS
		HCH	VN	-30	14.48	0.00829	PASS	
				-20	4.11	0.00235	PASS	
				-10	-5.09	-0.00291	PASS	
				0	4.69	0.00268	PASS	
				10	-0.72	-0.00041	PASS	
				20	8.4	0.00481	PASS	
				30	13.23	0.00757	PASS	
				40	14.03	0.00803	PASS	
				50	28.71	0.01643	PASS	
		20	LCH	VN	-30	-1.04	-0.0006	PASS
					-20	0.67	0.00039	PASS
					-10	1.46	0.00085	PASS
					0	1.52	0.00088	PASS
					10	-1.42	-0.00083	PASS
					20	-1.1	-0.00064	PASS
					30	-0.04	-0.00002	PASS
					40	-0.44	-0.00026	PASS
					50	0.39	0.00023	PASS
			MCH	VN	-30	0.09	0.00005	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	1.2	0.00069	PASS
					-10	-0.94	-0.00054	PASS
					0	-1.36	-0.00078	PASS
					10	-17.25	-0.00996	PASS
					20	-9.14	-0.00528	PASS
					30	-9.13	-0.00527	PASS
					40	-3.5	-0.00202	PASS
					50	10.23	0.0059	PASS
			HCH	VN	-30	-1.19	-0.00068	PASS
					-20	-5.16	-0.00296	PASS
					-10	-10.56	-0.00605	PASS
					0	-8	-0.00458	PASS
					10	-4.45	-0.00255	PASS
					20	-0.17	-0.0001	PASS
					30	-1.4	-0.0008	PASS
					40	-5.31	-0.00304	PASS
			LCH	VN	-30	9.81	0.00573	PASS
					-20	0.87	0.00051	PASS
					-10	-1.17	-0.00068	PASS
					0	-4.88	-0.00285	PASS
	10	-6.59			-0.00385	PASS		
	20	2.66			0.00155	PASS		
	30	10.97			0.00641	PASS		
	40	3.1			0.00181	PASS		
	MCH	VN	-30	-1.97	-0.00114	PASS		
			-20	5.15	0.00297	PASS		
			-10	0.4	0.00023	PASS		
			0	0.69	0.0004	PASS		
			10	6.87	0.00397	PASS		
			20	-3.65	-0.00211	PASS		
			30	-1.27	-0.00073	PASS		
			40	-6.48	-0.00374	PASS		
	HCH	VN	-30	-0.31	-0.00018	PASS		
			-20	0.24	0.00014	PASS		
			-10	4.82	0.00275	PASS		
			50	-1.47	-0.00085	PASS		



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict		
					0	1.12	0.00064	PASS		
					10	6.25	0.00356	PASS		
					20	-3.96	-0.00226	PASS		
					30	9.01	0.00514	PASS		
					40	0.67	0.00038	PASS		
					50	-4.49	-0.00256	PASS		
		3	LCH	VN	-30	2.75	0.00161	PASS		
					-20	2.7	0.00158	PASS		
					-10	4.95	0.00289	PASS		
					0	-3.91	-0.00228	PASS		
					10	0.87	0.00051	PASS		
					20	1.96	0.00115	PASS		
					30	-1.63	-0.00095	PASS		
					40	-6.11	-0.00357	PASS		
					50	-2.1	-0.00123	PASS		
					MCH	VN	-30	-0.17	-0.0001	PASS
							-20	-0.43	-0.00025	PASS
							-10	-1.56	-0.0009	PASS
							0	-0.92	-0.00053	PASS
							10	2.23	0.00129	PASS
							20	-1.97	-0.00114	PASS
							30	1.75	0.00101	PASS
							40	-7.65	-0.00442	PASS
					HCH	VN	-30	-1.49	-0.00085	PASS
		-20	-1.43	-0.00082			PASS			
		-10	1.4	0.0008			PASS			
		0	-3.52	-0.00201			PASS			
		10	2.69	0.00153			PASS			
		20	-1.72	-0.00098			PASS			
		30	-2.76	-0.00157			PASS			
		40	-4.63	-0.00264			PASS			
		5	LCH	VN	50	-3.59	-0.00205	PASS		
					-30	-1.72	-0.001	PASS		
-20	-0.96				-0.00056	PASS				
-10	-3.69				-0.00215	PASS				
0	1.92				0.00112	PASS				
10	-4.39				-0.00256	PASS				



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict								
					20	-1.24	-0.00072	PASS								
					30	1.96	0.00114	PASS								
					40	-2.05	-0.0012	PASS								
					50	-0.24	-0.00014	PASS								
			MCH	VN				-30	-0.01	-0.00001	PASS					
								-20	0.77	0.00044	PASS					
								-10	1.83	0.00106	PASS					
								0	1.77	0.00102	PASS					
								10	2.69	0.00155	PASS					
								20	2.29	0.00132	PASS					
								30	1.12	0.00065	PASS					
								40	0.34	0.0002	PASS					
								50	-0.82	-0.00047	PASS					
								HCH	VN				-30	-0.43	-0.00025	PASS
													-20	-2.16	-0.00123	PASS
													-10	-3.42	-0.00195	PASS
			0	-1.03	-0.00059	PASS										
			10	0.83	0.00047	PASS										
			20	0.06	0.00003	PASS										
			30	0.2	0.00011	PASS										
			40	-6.32	-0.00361	PASS										
			50	-4.08	-0.00233	PASS										
			10			LCH	VN		-30	-0.41	-0.00024	PASS				
									-20	-1.12	-0.00065	PASS				
									-10	-0.26	-0.00015	PASS				
									0	-2.29	-0.00134	PASS				
									10	1.67	0.00097	PASS				
									20	-0.87	-0.00051	PASS				
									30	0.8	0.00047	PASS				
									40	-1.14	-0.00066	PASS				
						50	0.51	0.0003	PASS							
						MCH	VN				-30	1.62	0.00094	PASS		
-20	-0.29	-0.00017									PASS					
-10	-3.09	-0.00178									PASS					
0	0	0									PASS					
10	-0.57	-0.00033									PASS					
20	-4.68	-0.0027									PASS					
30	-9.96	-0.00575									PASS					



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict	
					40	-1.57	-0.00091	PASS	
					50	-0.41	-0.00024	PASS	
			HCH	VN	-30	-0.49	-0.00028	PASS	
					-20	3.03	0.00173	PASS	
					-10	-1.86	-0.00106	PASS	
					0	-1.42	-0.00081	PASS	
					10	-2.96	-0.00169	PASS	
					20	-0.47	-0.00027	PASS	
					30	-1.34	-0.00077	PASS	
					40	1.6	0.00091	PASS	
					50	-1.22	-0.0007	PASS	
			15	LCH	VN	-30	0.99	0.00058	PASS
						-20	1.85	0.00108	PASS
						-10	-0.51	-0.0003	PASS
						0	1.33	0.00077	PASS
		10				1.33	0.00077	PASS	
		20				1.39	0.00081	PASS	
		30				-2.33	-0.00136	PASS	
		40				0.99	0.00058	PASS	
		MCH		VN	-30	-0.09	-0.00005	PASS	
					-20	0.37	0.00021	PASS	
					-10	0.16	0.00009	PASS	
					0	-0.14	-0.00008	PASS	
					10	1.65	0.00095	PASS	
					20	-2.17	-0.00125	PASS	
					30	3.2	0.00185	PASS	
		HCH	VN	-30	11.33	0.00648	PASS		
				-20	1.27	0.00073	PASS		
				-10	2.32	0.00133	PASS		
				0	-6.21	-0.00355	PASS		
				10	0.6	0.00034	PASS		
				20	-1.26	-0.00072	PASS		
				30	-8.08	-0.00462	PASS		
				40	1.46	0.00084	PASS		
		50	2.88	0.00165	PASS				



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
		20	LCH	VN	-30	1.24	0.00072	PASS
					-20	1.93	0.00112	PASS
					-10	0.2	0.00012	PASS
					0	0.13	0.00008	PASS
					10	0.72	0.00042	PASS
					20	2.76	0.0016	PASS
					30	2.23	0.0013	PASS
					40	1.03	0.0006	PASS
					50	0.13	0.00008	PASS
			MCH	VN	-30	-3.28	-0.00189	PASS
					-20	-2.27	-0.00131	PASS
					-10	0.43	0.00025	PASS
					0	-0.1	-0.00006	PASS
					10	-1.3	-0.00075	PASS
					20	-2.2	-0.00127	PASS
					30	1.13	0.00065	PASS
					40	2.66	0.00154	PASS
					50	0.27	0.00016	PASS
			HCH	VN	-30	1.72	0.00099	PASS
					-20	-1.89	-0.00108	PASS
					-10	-4.73	-0.00271	PASS
					0	1.89	0.00108	PASS
					10	-0.76	-0.00044	PASS
					20	-1.46	-0.00084	PASS
					30	-1.16	-0.00066	PASS
					40	0.6	0.00034	PASS
					50	2.26	0.0013	PASS

END