



Engineer: Brgant	
Site: AC5	Time: 2013/03/26 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-737(1-18GHz)	Polarity: Vertical
EUT: WCDMA Digital Mobile Phone	Power: By Battery
Note: Mode 1: Transmit at Channel 2402MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	39.009	10.887	-14.991	54.000	28.122	AV
2	*	2402.053	69.853	41.682	N/A	N/A	28.171	AV

Engineer: Brgant	
Site: AC5	Time: 2013/03/26 - 20:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-737(1-18GHz)	Polarity: Horizontal
EUT: WCDMA Digital Mobile Phone	Power: By Battery
Note: Mode 1: Transmit at Channel 2480MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2480.026	87.865	59.365	N/A	N/A	28.500	PK
2		2483.500	53.119	24.605	-20.881	74.000	28.514	PK

Engineer: Brgant	
Site: AC5	Time: 2013/03/26 - 20:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-737(1-18GHz)	Polarity: Horizontal
EUT: WCDMA Digital Mobile Phone	Power: By Battery
Note: Mode 1: Transmit at Channel 2480MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2480.049	77.206	48.706	N/A	N/A	28.500	AV
2		2483.500	39.784	11.270	-14.216	54.000	28.514	AV

Engineer: Brgant	
Site: AC5	Time: 2013/03/26 - 20:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-737(1-18GHz)	Polarity: Vertical
EUT: WCDMA Digital Mobile Phone	Power: By Battery
Note: Mode 1: Transmit at Channel 2480MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2480.049	81.811	53.311	N/A	N/A	28.500	PK
2		2483.500	52.136	23.622	-21.864	74.000	28.514	PK
3		2485.951	54.892	26.368	-19.108	74.000	28.524	PK

Engineer: Brgant	
Site: AC5	Time: 2013/03/26 - 20:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-737(1-18GHz)	Polarity: Vertical
EUT: WCDMA Digital Mobile Phone	Power: By Battery
Note: Mode 1: Transmit at Channel 2480MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2480.049	72.312	43.812	N/A	N/A	28.500	AV
2		2483.500	39.778	11.264	-14.222	54.000	28.514	AV

Engineer: Brgant	
Site: AC5	Time: 2013/03/26 - 20:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-737(1-18GHz)	Polarity: Horizontal
EUT: WCDMA Digital Mobile Phone	Power: By Battery
Note: Mode 2: Transmit at Channel 2402MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	52.803	24.681	-21.197	74.000	28.122	PK
2	*	2402.053	81.241	53.070	N/A	N/A	28.171	PK

Engineer: Brgant	
Site: AC5	Time: 2013/03/26 - 20:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-737(1-18GHz)	Polarity: Horizontal
EUT: WCDMA Digital Mobile Phone	Power: By Battery
Note: Mode 2: Transmit at Channel 2402MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	38.969	10.847	-15.031	54.000	28.122	AV
2	*	2401.958	69.478	41.307	N/A	N/A	28.170	AV

Engineer: Brgant	
Site: AC5	Time: 2013/03/26 - 20:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-737(1-18GHz)	Polarity: Vertical
EUT: WCDMA Digital Mobile Phone	Power: By Battery
Note: Mode 2: Transmit at Channel 2402MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	51.976	23.854	-22.024	74.000	28.122	PK
2	*	2401.958	78.639	50.468	N/A	N/A	28.170	PK

Engineer: Brgant	
Site: AC5	Time: 2013/03/26 - 20:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-737(1-18GHz)	Polarity: Vertical
EUT: WCDMA Digital Mobile Phone	Power: By Battery
Note: Mode 2: Transmit at Channel 2402MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	39.001	10.879	-14.999	54.000	28.122	AV
2	*	2401.958	67.556	39.385	N/A	N/A	28.170	AV

Engineer: Brgant	
Site: AC5	Time: 2013/03/26 - 20:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-737(1-18GHz)	Polarity: Horizontal
EUT: WCDMA Digital Mobile Phone	Power: By Battery
Note: Mode 2: Transmit at Channel 2480MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2479.980	85.063	56.563	N/A	N/A	28.500	PK
2		2483.500	52.644	24.130	-21.356	74.000	28.514	PK

Engineer: Brgant	
Site: AC5	Time: 2013/03/26 - 21:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-737(1-18GHz)	Polarity: Horizontal
EUT: WCDMA Digital Mobile Phone	Power: By Battery
Note: Mode 2: Transmit at Channel 2480MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2480.061	73.316	44.816	N/A	N/A	28.500	AV
2		2483.500	39.792	11.278	-14.208	54.000	28.514	AV

Engineer: Brgant	
Site: AC5	Time: 2013/03/26 - 21:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-737(1-18GHz)	Polarity: Vertical
EUT: WCDMA Digital Mobile Phone	Power: By Battery
Note: Mode 2: Transmit at Channel 2480MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2480.014	82.113	53.613	N/A	N/A	28.500	PK
2		2483.500	53.654	25.140	-20.346	74.000	28.514	PK

Engineer: Brgant	
Site: AC5	Time: 2013/03/26 - 21:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-737(1-18GHz)	Polarity: Vertical
EUT: WCDMA Digital Mobile Phone	Power: By Battery
Note: Mode 2: Transmit at Channel 2480MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2480.014	70.889	42.389	N/A	N/A	28.500	AV
2		2483.500	39.790	11.276	-14.210	54.000	28.514	AV

Engineer: Brgant	
Site: AC5	Time: 2013/03/26 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-737(1-18GHz)	Polarity: Horizontal
EUT: WCDMA Digital Mobile Phone	Power: By Battery
Note: Mode 3: Transmit at Channel 2402MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	51.970	23.848	-22.030	74.000	28.122	PK
2	*	2401.958	81.273	53.102	N/A	N/A	28.170	PK

Engineer: Brgant	
Site: AC5	Time: 2013/03/26 - 21:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-737(1-18GHz)	Polarity: Horizontal
EUT: WCDMA Digital Mobile Phone	Power: By Battery
Note: Mode 3: Transmit at Channel 2402MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	39.019	10.897	-14.981	54.000	28.122	AV
2	*	2401.958	69.110	40.939	N/A	N/A	28.170	AV

Engineer: Brgant	
Site: AC5	Time: 2013/03/26 - 21:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-737(1-18GHz)	Polarity: Vertical
EUT: WCDMA Digital Mobile Phone	Power: By Battery
Note: Mode 3: Transmit at Channel 2402MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	52.170	24.048	-21.830	74.000	28.122	PK
2	*	2401.958	78.919	50.748	N/A	N/A	28.170	PK

Engineer: Brgant	
Site: AC5	Time: 2013/03/26 - 21:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-737(1-18GHz)	Polarity: Vertical
EUT: WCDMA Digital Mobile Phone	Power: By Battery
Note: Mode 3: Transmit at Channel 2402MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	39.040	10.918	-14.960	54.000	28.122	AV
2	*	2401.958	67.532	39.361	N/A	N/A	28.170	AV

Engineer: Brgant	
Site: AC5	Time: 2013/03/26 - 21:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-737(1-18GHz)	Polarity: Horizontal
EUT: WCDMA Digital Mobile Phone	Power: By Battery
Note: Mode 3: Transmit at Channel 2480MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2480.014	85.430	56.930	N/A	N/A	28.500	PK
2		2483.500	52.983	24.469	-21.017	74.000	28.514	PK
3		2484.295	54.846	26.329	-19.154	74.000	28.517	PK

Engineer: Brgant	
Site: AC5	Time: 2013/03/26 - 21:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-737(1-18GHz)	Polarity: Horizontal
EUT: WCDMA Digital Mobile Phone	Power: By Battery
Note: Mode 3: Transmit at Channel 2480MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2480.049	73.277	44.777	N/A	N/A	28.500	AV
2		2483.500	39.770	11.256	-14.230	54.000	28.514	AV

Engineer: Brgant	
Site: AC5	Time: 2013/03/26 - 21:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-737(1-18GHz)	Polarity: Vertical
EUT: WCDMA Digital Mobile Phone	Power: By Battery
Note: Mode 3: Transmit at Channel 2480MHz by 3DH5	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2479.980	82.530	54.030	N/A	N/A	28.500	PK
2		2483.500	52.356	23.842	-21.644	74.000	28.514	PK
3		2483.869	54.821	26.306	-19.179	74.000	28.516	PK

Engineer: Brgant	
Site: AC5	Time: 2013/03/26 - 21:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-737(1-18GHz)	Polarity: Vertical
EUT: WCDMA Digital Mobile Phone	Power: By Battery
Note: Mode 3: Transmit at Channel 2480MHz by 3DH5	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2480.049	70.615	42.115	N/A	N/A	28.500	AV
2		2483.500	39.749	11.235	-14.251	54.000	28.514	AV

————— The End —————