





6.1.1.2.4 Test Bandwidth = 10


6.1.1.2.4.1 Test Channel = LCH


6.1.1.2.4.1.1 Test RB = RB1#0





















6.1.1.2.5 Test Bandwidth = 15


6.1.1.2.5.1 Test Channel = LCH


6.1.1.2.5.1.1 Test RB = RB1#0



















6.1.1.2.6 Test Bandwidth = 20

6.1.1.2.6.1 Test Channel = LCH

6.1.1.2.6.1.1 Test RB = RB1#0










6.1.1.2.6.2 Test Channel = MCH

6.1.1.2.6.2.1 Test RB = RB1#0









6.1.1.2.6.3 Test Channel = HCH

6.1.1.2.6.3.1 Test RB = RB1#0







7Appendix_G: Field Strength of Spurious Radiation

Note: We tested all modes, but the data presented below is the worst case.

9kHz~150kHz, VBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, VBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK


Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK

Part I - Test Plots


7.1 For LTE

7.1.1 Test Band = BAND4


7.1.1.1 Test Bandwidth = 1.4




Copy of RSE-TX-DIRECTOR ABOVE 1.5G_L




Copy of RSE-TX-DIRECTOR ABOVE 1.5G_H




7.1.1.3 Test Bandwidth = 20



Copy of RSE-TX-DIRECTOR ABOVE 1.5G_L



Copy of RSE-TX-DIRECTOR ABOVE 1.5G_H





8Appendix_H: Frequency Stability

8.1 For LTE

8.1.1 Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND4	LTE/TM1	1.4	LCH	TN	VL	1.22	0.00071	PASS
					VN	3.22	0.00188	PASS
					VH	-2.43	-0.00142	PASS
			MCH	TN	VL	-1.69	-0.00098	PASS
					VN	0.37	0.00021	PASS
					VH	0.79	0.00046	PASS
			HCH	TN	VL	-2.47	-0.00141	PASS
					VN	0.57	0.00032	PASS
					VH	-4.21	-0.0024	PASS
		3	LCH	TN	VL	-1.89	-0.0011	PASS
					VN	0.92	0.00054	PASS
					VH	2.73	0.0016	PASS
			MCH	TN	VL	46.18	0.02666	PASS
					VN	41.01	0.02367	PASS
					VH	37.94	0.0219	PASS
			HCH	TN	VL	0.37	0.00021	PASS
					VN	-0.19	-0.00011	PASS
					VH	1.2	0.00068	PASS
		5	LCH	TN	VL	2.16	0.00126	PASS
					VN	-0.39	-0.00023	PASS
					VH	2.05	0.0012	PASS
			MCH	TN	VL	28.6	0.01651	PASS
					VN	27.47	0.01586	PASS
					VH	27.92	0.01612	PASS
			HCH	TN	VL	1.27	0.00072	PASS
					VN	-0.06	-0.00003	PASS
					VH	1.23	0.0007	PASS
		10	LCH	TN	VL	-2.17	-0.00127	PASS
					VN	-0.56	-0.00033	PASS
					VH	-1.67	-0.00097	PASS
MCH	TN		VL	12.2	0.00704	PASS		
			VN	10.39	0.006	PASS		
			VH	12.75	0.00736	PASS		
HCH	TN		VL	3.81	0.00218	PASS		

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict	
	LTE/TM2	15	LCH	TN	VN	2.06	0.00118	PASS	
					VH	2.42	0.00138	PASS	
					VL	-0.06	-0.00003	PASS	
			MCH	TN	VN	0.62	0.00036	PASS	
					VH	0.3	0.00017	PASS	
					VL	13.69	0.0079	PASS	
		HCH	TN	VN	13.55	0.00782	PASS		
				VH	12.15	0.00701	PASS		
				VL	-0.17	-0.0001	PASS		
		20	LCH	TN	VN	-0.26	-0.00015	PASS	
					VH	0.89	0.00051	PASS	
					VL	1.69	0.00098	PASS	
			MCH	TN	VN	2.13	0.00124	PASS	
					VH	1.32	0.00077	PASS	
					VL	7.97	0.0046	PASS	
		HCH	TN	VN	8.44	0.00487	PASS		
				VH	6.77	0.00391	PASS		
				VL	-2.53	-0.00145	PASS		
		1.4	LCH	TN	VN	-1.7	-0.00097	PASS	
					VH	-4.42	-0.00253	PASS	
					VL	3.55	0.00208	PASS	
			MCH	TN	VN	7.11	0.00416	PASS	
					VH	0.93	0.00054	PASS	
					VL	0.76	0.00044	PASS	
			HCH	TN	VN	2.22	0.00128	PASS	
					VH	0.31	0.00018	PASS	
					VL	-5.54	-0.00316	PASS	
			3	LCH	TN	VN	-1.92	-0.00109	PASS
						VH	-6.07	-0.00346	PASS
						VL	-3.08	-0.0018	PASS
		MCH		TN	VN	2.95	0.00172	PASS	
					VH	3.96	0.00231	PASS	
					VL	0.51	0.00029	PASS	
		HCH	TN	VN	-0.7	-0.0004	PASS		
				VH	9.18	0.0053	PASS		
				VL	1.07	0.00061	PASS		
		5	LCH	TN	VN	0.06	0.00003	PASS	
					VH	2.16	0.00123	PASS	
					VL	-1.95	-0.00114	PASS	

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict	
					VN	-3.66	-0.00214	PASS	
					VH	-3.73	-0.00218	PASS	
			MCH	TN	VL	-4.95	-0.00286	PASS	
					VN	-0.37	-0.00021	PASS	
					VH	2.47	0.00143	PASS	
					VL	-8.58	-0.0049	PASS	
			HCH	TN	VN	-7.3	-0.00417	PASS	
					VH	-6.32	-0.00361	PASS	
					VL	-4.36	-0.00254	PASS	
					VN	-2.99	-0.00174	PASS	
			10	LCH	TN	VH	-1.93	-0.00113	PASS
						VL	-1.6	-0.00092	PASS
		VN				-4.19	-0.00242	PASS	
		MCH		TN	VH	0.97	0.00056	PASS	
					VL	1.82	0.00104	PASS	
					VN	1.43	0.00082	PASS	
					VH	2.23	0.00127	PASS	
		HCH		TN	VL	0.07	0.00004	PASS	
					VN	0.16	0.00009	PASS	
					VH	1.34	0.00078	PASS	
					VL	9.48	0.00547	PASS	
		15		MCH	TN	VN	8.71	0.00503	PASS
			VH			10.29	0.00594	PASS	
			VL			0.7	0.0004	PASS	
			HCH	TN	VN	-0.14	-0.00008	PASS	
					VH	-0.41	-0.00023	PASS	
					VL	2.56	0.00149	PASS	
					VN	1.85	0.00108	PASS	
			20	LCH	TN	VH	2.89	0.00168	PASS
						VL	1.02	0.00059	PASS
						VN	0.11	0.00006	PASS
				MCH	TN	VH	2.05	0.00118	PASS
						VL	-3.88	-0.00222	PASS
		VN				-3.05	-0.00175	PASS	
		VH				-4.29	-0.00246	PASS	
		HCH		TN	VL	-3.88	-0.00222	PASS	
VN	-3.05				-0.00175	PASS			
VH	-4.29				-0.00246	PASS			
VL	-3.88				-0.00222	PASS			

8.1.2 Frequency Error vs. Temperature:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test volt	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND4	LTE/TM1	1.4	LCH	VN	-30	-4.11	-0.0024	PASS
					-20	-3.68	-0.00215	PASS
					-10	5.18	0.00303	PASS
					0	-5.28	-0.00309	PASS
					10	-5.21	-0.00305	PASS
					20	-2.46	-0.00144	PASS
					30	-3.89	-0.00227	PASS
					40	-2.52	-0.00147	PASS
					50	2.8	0.00164	PASS
			MCH	VN	-30	-4.68	-0.0027	PASS
					-20	0.2	0.00012	PASS
					-10	-4.31	-0.00249	PASS
					0	-1.29	-0.00074	PASS
					10	4.11	0.00237	PASS
					20	3.38	0.00195	PASS
					30	7.64	0.00441	PASS
					40	-1.99	-0.00115	PASS
					50	-3.89	-0.00225	PASS
			HCH	VN	-30	-3.02	-0.00172	PASS
					-20	-0.76	-0.00043	PASS
					-10	-2.96	-0.00169	PASS
					0	-2.79	-0.00159	PASS
					10	-2.25	-0.00128	PASS
					20	-3.35	-0.00191	PASS
		30			-3.49	-0.00199	PASS	
		40			-2.59	-0.00148	PASS	
		50			-2.89	-0.00165	PASS	
		3	LCH	VN	-30	-1.57	-0.00092	PASS
					-20	0.79	0.00046	PASS
					-10	0.37	0.00022	PASS
					0	0.27	0.00016	PASS
					10	0.01	0.00001	PASS
					20	-3.4	-0.00199	PASS
					30	-1.93	-0.00113	PASS
					40	-3.63	-0.00212	PASS
					50	2.72	0.00159	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test volt	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			MCH	VN	-30	-42.1	-0.0243	PASS
					-20	-47.48	-0.02741	PASS
					-10	-38.22	-0.02206	PASS
					0	-31.79	-0.01835	PASS
					10	-45.22	-0.0261	PASS
					20	-50.63	-0.02922	PASS
					30	-50.05	-0.02889	PASS
					40	-36.86	-0.02128	PASS
					50	-39.4	-0.02274	PASS
			HCH	VN	-30	0.62	0.00035	PASS
					-20	0	0	PASS
					-10	0.33	0.00019	PASS
					0	1.85	0.00106	PASS
					10	-1.62	-0.00092	PASS
					20	0.49	0.00028	PASS
					30	1.4	0.0008	PASS
					40	0.92	0.00052	PASS
					50	0.93	0.00053	PASS
		5	LCH	VN	-30	-2.19	-0.00128	PASS
					-20	2.05	0.0012	PASS
					-10	0.77	0.00045	PASS
					0	3.06	0.00179	PASS
					10	1.52	0.00089	PASS
					20	0.49	0.00029	PASS
					30	0.31	0.00018	PASS
					40	1.53	0.00089	PASS
					50	1.47	0.00086	PASS
			MCH	VN	-30	-22.23	-0.01283	PASS
					-20	-12.52	-0.00723	PASS
					-10	-18.12	-0.01046	PASS
					0	-21.39	-0.01235	PASS
					10	-20.33	-0.01173	PASS
					20	-24.52	-0.01415	PASS
					30	-26.35	-0.01521	PASS
					40	-21.63	-0.01248	PASS
					50	-17.14	-0.00989	PASS
		HCH	VN	-30	-7.62	-0.00435	PASS	
				-20	-6.77	-0.00386	PASS	
				-10	-5.76	-0.00329	PASS	

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test volt	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict		
					0	-8.7	-0.00496	PASS		
					10	-7.47	-0.00426	PASS		
					20	-7.8	-0.00445	PASS		
					30	-8.5	-0.00485	PASS		
					40	-6.91	-0.00394	PASS		
					50	-6.78	-0.00387	PASS		
		10	LCH	VN	-30	-2.25	-0.00131	PASS		
					-20	-3.3	-0.00192	PASS		
					-10	-1.56	-0.00091	PASS		
					0	-2.68	-0.00156	PASS		
					10	-0.56	-0.00033	PASS		
					20	-3.22	-0.00188	PASS		
					30	-1.66	-0.00097	PASS		
					40	-3.15	-0.00184	PASS		
					50	-2.66	-0.00155	PASS		
					MCH	VN	-30	-7.24	-0.00418	PASS
							-20	-5.44	-0.00314	PASS
							-10	-7.02	-0.00405	PASS
			0	-3			-0.00173	PASS		
			10	-5.92			-0.00342	PASS		
			20	-8.64			-0.00499	PASS		
			30	-5.58			-0.00322	PASS		
			40	-5.58			-0.00322	PASS		
			HCH	VN	-30	2.92	0.00167	PASS		
					-20	0.49	0.00028	PASS		
					-10	2.17	0.00124	PASS		
					0	1.27	0.00073	PASS		
					10	0.87	0.0005	PASS		
					20	1.67	0.00095	PASS		
					30	2.02	0.00115	PASS		
		40			2.32	0.00133	PASS			
		15	LCH	VN	50	1.73	0.00099	PASS		
					-30	0.86	0.0005	PASS		
					-20	1.32	0.00077	PASS		
					-10	1.73	0.00101	PASS		
					0	0.62	0.00036	PASS		
					10	1.62	0.00094	PASS		
					20	0.62	0.00036	PASS		

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test volt	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict		
					30	0.44	0.00026	PASS		
					40	-0.23	-0.00013	PASS		
					50	-0.09	-0.00005	PASS		
			MCH	VN	-30	10.01	0.00578	PASS		
					-20	9.27	0.00535	PASS		
					-10	10.97	0.00633	PASS		
					0	10.74	0.0062	PASS		
					10	9.77	0.00564	PASS		
					20	10.63	0.00614	PASS		
					30	11.19	0.00646	PASS		
					40	11.43	0.0066	PASS		
					50	12.57	0.00726	PASS		
					HCH	VN	-30	0.29	0.00017	PASS
			-20	1.63			0.00093	PASS		
			-10	-0.07			-0.00004	PASS		
			0	1.67			0.00096	PASS		
			10	-0.62			-0.00035	PASS		
			20	-1.12			-0.00064	PASS		
			30	-0.97			-0.00056	PASS		
			40	-0.24			-0.00014	PASS		
			20		LCH	VN	-30	3.33	0.00194	PASS
							-20	1	0.00058	PASS
							-10	2.52	0.00147	PASS
							0	3.63	0.00211	PASS
							10	4.05	0.00235	PASS
							20	5.82	0.00338	PASS
					MCH	VN	30	4.71	0.00274	PASS
							40	3.76	0.00219	PASS
							50	4.21	0.00245	PASS
							-30	-9.16	-0.00529	PASS
							-20	-5.59	-0.00323	PASS
							-10	-5.65	-0.00326	PASS
							0	-4.22	-0.00244	PASS
10	-3.66	-0.00211					PASS			
20	-1.2	-0.00069					PASS			
30	-2.5	-0.00144					PASS			
40	0.39	0.00023					PASS			
50	1.19	0.00069					PASS			

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test volt	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict			
			HCH	VN	-30	-1.26	-0.00072	PASS			
					-20	-1.96	-0.00112	PASS			
					-10	-2.76	-0.00158	PASS			
					0	-2.76	-0.00158	PASS			
					10	-2.82	-0.00162	PASS			
					20	-3.02	-0.00173	PASS			
					30	-3.56	-0.00204	PASS			
					40	-1.77	-0.00101	PASS			
					50	-2.16	-0.00124	PASS			
						LCH	VN	-30	-2.07	-0.00121	PASS
								-20	0.43	0.00025	PASS
								-10	-4.71	-0.00275	PASS
								0	-5.75	-0.00336	PASS
								10	6.02	0.00352	PASS
								20	0.82	0.00048	PASS
								30	1.89	0.0011	PASS
								40	0.92	0.00054	PASS
								50	5.05	0.00295	PASS
						MCH	VN	-30	-0.14	-0.00008	PASS
								-20	11.84	0.00683	PASS
								-10	-0.96	-0.00055	PASS
								0	2.42	0.0014	PASS
								10	0.33	0.00019	PASS
								20	-0.39	-0.00023	PASS
								30	-0.04	-0.00002	PASS
								40	0.6	0.00035	PASS
								50	1.53	0.00088	PASS
						HCH	VN	-30	-5.72	-0.00326	PASS
								-20	-1.56	-0.00089	PASS
								-10	-5.39	-0.00307	PASS
								0	-3.09	-0.00176	PASS
								10	-5.29	-0.00302	PASS
								20	-4.05	-0.00231	PASS
								30	-0.86	-0.00049	PASS
								40	-3.45	-0.00197	PASS
								50	-3.56	-0.00203	PASS
			3			LCH	VN	-30	3.69	0.00216	PASS
								-20	5.54	0.00324	PASS
								-10	-0.67	-0.00039	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test volt	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict			
					0	1.72	0.001	PASS			
					10	-1.32	-0.00077	PASS			
					20	2.66	0.00155	PASS			
					30	5.24	0.00306	PASS			
					40	2.96	0.00173	PASS			
					50	-2.35	-0.00137	PASS			
			MCH	VN	-30	-52.61	-0.03037	PASS			
					-20	-55.48	-0.03202	PASS			
					-10	-46.08	-0.0266	PASS			
					0	-57.65	-0.03328	PASS			
					10	-51.93	-0.02997	PASS			
					20	-58.31	-0.03366	PASS			
					30	-50.88	-0.02937	PASS			
					40	-52.46	-0.03028	PASS			
			HCH	VN	50	-47.38	-0.02735	PASS			
					-30	0.54	0.00031	PASS			
					-20	-0.4	-0.00023	PASS			
					-10	-1.32	-0.00075	PASS			
					0	0.9	0.00051	PASS			
					10	-1.39	-0.00079	PASS			
					20	-2.22	-0.00127	PASS			
					30	-1.13	-0.00064	PASS			
			LCH	VN	40	-0.46	-0.00026	PASS			
					50	-1.63	-0.00093	PASS			
					-30	-2.23	-0.0013	PASS			
					-20	2.46	0.00144	PASS			
					-10	0.9	0.00053	PASS			
					0	2.75	0.00161	PASS			
					10	2.03	0.00119	PASS			
					20	2.09	0.00122	PASS			
			MCH	VN	30	-2.19	-0.00128	PASS			
					40	2.27	0.00133	PASS			
					50	0.94	0.00055	PASS			
					-30	-30.6	-0.01766	PASS			
					-20	-25.95	-0.01498	PASS			
					-10	-27.29	-0.01575	PASS			
								0	-26.25	-0.01515	PASS
								10	-27.71	-0.01599	PASS
								20	-28.75	-0.01659	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test volt	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					30	-27.55	-0.0159	PASS
					40	-31.33	-0.01808	PASS
					50	-30.08	-0.01736	PASS
			HCH	VN	-30	-7.24	-0.00413	PASS
					-20	-7.52	-0.00429	PASS
					-10	-9.71	-0.00554	PASS
					0	-10.16	-0.0058	PASS
					10	-9.24	-0.00527	PASS
					20	-9.47	-0.0054	PASS
					30	-10.51	-0.006	PASS
					40	-6.97	-0.00398	PASS
					50	-9.56	-0.00546	PASS
		10	LCH	VN	-30	-2.85	-0.00166	PASS
					-20	-3.06	-0.00178	PASS
					-10	-2	-0.00117	PASS
					0	-2.65	-0.00155	PASS
					10	-2.98	-0.00174	PASS
					20	-3.65	-0.00213	PASS
					30	-2.46	-0.00143	PASS
					40	-3.03	-0.00177	PASS
					50	-2.89	-0.00169	PASS
			MCH	VN	-30	-12	-0.00693	PASS
					-20	-10.06	-0.00581	PASS
					-10	-10.79	-0.00623	PASS
					0	-12.93	-0.00746	PASS
					10	-11.82	-0.00682	PASS
					20	-12.49	-0.00721	PASS
					30	-10.77	-0.00622	PASS
					40	-11.39	-0.00657	PASS
					50	-9.6	-0.00554	PASS
		HCH	VN	-30	2.05	0.00117	PASS	
				-20	2.17	0.00124	PASS	
				-10	0.66	0.00038	PASS	
				0	1.5	0.00086	PASS	
				10	1.83	0.00105	PASS	
				20	2.7	0.00154	PASS	
30	1.69			0.00097	PASS			
40	0.57			0.00033	PASS			
50	0.5			0.00029	PASS			

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test volt	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
		15	LCH	VN	-30	0.34	0.0002	PASS
					-20	0.66	0.00038	PASS
					-10	0.29	0.00017	PASS
					0	1.57	0.00091	PASS
					10	0.73	0.00043	PASS
					20	0.2	0.00012	PASS
					30	0.16	0.00009	PASS
					40	-0.47	-0.00027	PASS
					50	-0.56	-0.00033	PASS
			MCH	VN	-30	6.42	0.00371	PASS
					-20	9.3	0.00537	PASS
					-10	8.81	0.00509	PASS
					0	10.24	0.00591	PASS
					10	8.7	0.00502	PASS
					20	10.79	0.00623	PASS
					30	9.26	0.00534	PASS
					40	9.4	0.00543	PASS
					50	11.64	0.00672	PASS
			HCH	VN	-30	1.06	0.00061	PASS
					-20	-0.21	-0.00012	PASS
					-10	0.56	0.00032	PASS
					0	-0.67	-0.00038	PASS
					10	-0.37	-0.00021	PASS
					20	1.36	0.00078	PASS
		30			0.92	0.00053	PASS	
		40			-0.13	-0.00007	PASS	
		50			1.37	0.00078	PASS	
		20	LCH	VN	-30	4.78	0.00278	PASS
					-20	5.26	0.00306	PASS
					-10	3.93	0.00228	PASS
					0	3.95	0.0023	PASS
					10	2.55	0.00148	PASS
					20	2.88	0.00167	PASS
					30	2.27	0.00132	PASS
					40	1.95	0.00113	PASS
					50	1.36	0.00079	PASS
			MCH	VN	-30	-0.43	-0.00025	PASS
					-20	1.93	0.00111	PASS
					-10	4.15	0.0024	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test volt	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict		
					0	3.52	0.00203	PASS		
					10	4.92	0.00284	PASS		
					20	5.19	0.003	PASS		
					30	6.38	0.00368	PASS		
					40	6.69	0.00386	PASS		
					50	7.18	0.00414	PASS		
			HCH	VN	-30	-3.29	-0.00189	PASS		
							-20	-4.01	-0.0023	PASS
							-10	-2.72	-0.00156	PASS
							0	-3.23	-0.00185	PASS
							10	-2.95	-0.00169	PASS
							20	-3.05	-0.00175	PASS
							30	-3.6	-0.00206	PASS
							40	-3.95	-0.00226	PASS
							50	-3.59	-0.00206	PASS

END