

10168-CAC	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	X	5.20	74.41	21.05	3.01	150.0	± 9.6 %
		Y	4.85	75.69	21.43		150.0	
		Z	5.34	76.22	22.26		150.0	
10169-CAB	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	X	3.35	70.52	19.78	3.01	150.0	± 9.6 %
		Y	2.81	68.93	19.03		150.0	
		Z	3.25	71.00	20.59		150.0	
10170-CAB	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	X	4.83	77.16	22.34	3.01	150.0	± 9.6 %
		Y	3.98	76.25	22.02		150.0	
		Z	4.79	78.72	23.66		150.0	
10171-AAB	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)	X	3.85	72.28	19.30	3.01	150.0	± 9.6 %
		Y	3.19	71.59	18.99		150.0	
		Z	3.76	73.33	20.36		150.0	
10172-CAB	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	X	8.77	88.05	26.46	6.02	65.0	± 9.6 %
		Y	5.95	86.31	26.95		65.0	
		Z	9.80	94.73	30.41		65.0	
10173-CAB	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	X	13.50	91.83	25.96	6.02	65.0	± 9.6 %
		Y	15.12	100.07	29.29		65.0	
		Z	27.66	110.23	33.12		65.0	
10174-CAB	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)	X	9.66	85.20	23.30	6.02	65.0	± 9.6 %
		Y	9.91	91.44	26.00		65.0	
		Z	19.07	101.60	29.99		65.0	
10175-CAC	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	X	3.29	70.11	19.48	3.01	150.0	± 9.6 %
		Y	2.78	68.64	18.79		150.0	
		Z	3.20	70.59	20.29		150.0	
10176-CAC	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	X	4.84	77.19	22.35	3.01	150.0	± 9.6 %
		Y	3.98	76.28	22.03		150.0	
		Z	4.80	78.75	23.67		150.0	
10177-CAE	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	X	3.33	70.33	19.61	3.01	150.0	± 9.6 %
		Y	2.80	68.79	18.88		150.0	
		Z	3.24	70.80	20.42		150.0	
10178-CAC	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM)	X	4.75	76.80	22.16	3.01	150.0	± 9.6 %
		Y	3.94	76.05	21.91		150.0	
		Z	4.71	78.34	23.48		150.0	
10179-CAC	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	X	4.28	74.49	20.64	3.01	150.0	± 9.6 %
		Y	3.55	73.82	20.38		150.0	
		Z	4.23	75.88	21.87		150.0	
10180-CAC	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM)	X	3.83	72.15	19.22	3.01	150.0	± 9.6 %
		Y	3.18	71.52	18.94		150.0	
		Z	3.75	73.20	20.28		150.0	
10181-CAB	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	X	3.32	70.30	19.60	3.01	150.0	± 9.6 %
		Y	2.80	68.77	18.87		150.0	
		Z	3.23	70.78	20.41		150.0	
10182-CAB	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	X	4.74	76.77	22.14	3.01	150.0	± 9.6 %
		Y	3.94	76.02	21.89		150.0	
		Z	4.70	78.31	23.46		150.0	
10183-AAA	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	X	3.83	72.13	19.21	3.01	150.0	± 9.6 %
		Y	3.17	71.49	18.93		150.0	
		Z	3.74	73.17	20.27		150.0	

10184-CAC	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	X	3.34	70.36	19.63	3.01	150.0	± 9.6 %
		Y	2.81	68.81	18.89		150.0	
		Z	3.24	70.83	20.44		150.0	
10185-CAC	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	X	4.77	76.85	22.19	3.01	150.0	± 9.6 %
		Y	3.96	76.11	21.94		150.0	
		Z	4.73	78.41	23.51		150.0	
10186-AAC	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM)	X	3.85	72.20	19.24	3.01	150.0	± 9.6 %
		Y	3.19	71.57	18.96		150.0	
		Z	3.76	73.25	20.31		150.0	
10187-CAC	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	X	3.34	70.38	19.67	3.01	150.0	± 9.6 %
		Y	2.82	68.87	18.96		150.0	
		Z	3.25	70.86	20.48		150.0	
10188-CAC	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	X	4.98	77.76	22.67	3.01	150.0	± 9.6 %
		Y	4.10	76.85	22.35		150.0	
		Z	4.94	79.39	24.02		150.0	
10189-AAC	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	X	3.95	72.73	19.57	3.01	150.0	± 9.6 %
		Y	3.27	72.04	19.26		150.0	
		Z	3.87	73.84	20.66		150.0	
10193-CAB	IEEE 802.11n (HT Greenfield, 6.5 Mbps, BPSK)	X	4.76	66.91	16.63	0.00	150.0	± 9.6 %
		Y	4.50	66.66	16.12		150.0	
		Z	4.74	67.10	16.87		150.0	
10194-CAB	IEEE 802.11n (HT Greenfield, 39 Mbps, 16-QAM)	X	4.96	67.30	16.74	0.00	150.0	± 9.6 %
		Y	4.67	66.96	16.25		150.0	
		Z	4.94	67.47	16.98		150.0	
10195-CAB	IEEE 802.11n (HT Greenfield, 65 Mbps, 64-QAM)	X	5.00	67.30	16.74	0.00	150.0	± 9.6 %
		Y	4.71	66.99	16.27		150.0	
		Z	4.98	67.48	16.98		150.0	
10196-CAB	IEEE 802.11n (HT Mixed, 6.5 Mbps, BPSK)	X	4.78	67.03	16.67	0.00	150.0	± 9.6 %
		Y	4.50	66.71	16.14		150.0	
		Z	4.76	67.21	16.91		150.0	
10197-CAB	IEEE 802.11n (HT Mixed, 39 Mbps, 16-QAM)	X	4.98	67.32	16.75	0.00	150.0	± 9.6 %
		Y	4.68	66.98	16.26		150.0	
		Z	4.96	67.49	16.99		150.0	
10198-CAB	IEEE 802.11n (HT Mixed, 65 Mbps, 64-QAM)	X	5.01	67.31	16.75	0.00	150.0	± 9.6 %
		Y	4.71	67.00	16.28		150.0	
		Z	4.99	67.50	17.00		150.0	
10219-CAB	IEEE 802.11n (HT Mixed, 7.2 Mbps, BPSK)	X	4.73	67.06	16.65	0.00	150.0	± 9.6 %
		Y	4.45	66.72	16.10		150.0	
		Z	4.71	67.25	16.89		150.0	
10220-CAB	IEEE 802.11n (HT Mixed, 43.3 Mbps, 16-QAM)	X	4.98	67.31	16.75	0.00	150.0	± 9.6 %
		Y	4.67	66.94	16.25		150.0	
		Z	4.96	67.48	16.99		150.0	
10221-CAB	IEEE 802.11n (HT Mixed, 72.2 Mbps, 64-QAM)	X	5.01	67.24	16.73	0.00	150.0	± 9.6 %
		Y	4.72	66.93	16.26		150.0	
		Z	4.99	67.41	16.98		150.0	
10222-CAB	IEEE 802.11n (HT Mixed, 15 Mbps, BPSK)	X	5.32	67.53	16.84	0.00	150.0	± 9.6 %
		Y	5.05	67.08	16.37		150.0	
		Z	5.31	67.66	17.07		150.0	

10223-CAB	IEEE 802.11n (HT Mixed, 90 Mbps, 16-QAM)	X	5.70	67.85	17.01	0.00	150.0	± 9.6 %
		Y	5.34	67.29	16.49		150.0	
		Z	5.67	67.94	17.22		150.0	
10224-CAB	IEEE 802.11n (HT Mixed, 150 Mbps, 64-QAM)	X	5.37	67.65	16.83	0.00	150.0	± 9.6 %
		Y	5.09	67.19	16.35		150.0	
		Z	5.36	67.75	17.04		150.0	
10225-CAB	UMTS-FDD (HSPA+)	X	3.06	66.97	16.39	0.00	150.0	± 9.6 %
		Y	2.78	66.16	15.25		150.0	
		Z	3.08	67.53	16.80		150.0	
10226-CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	X	14.37	93.03	26.44	6.02	65.0	± 9.6 %
		Y	16.57	101.85	29.92		65.0	
		Z	30.80	112.45	33.84		65.0	
10227-CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	X	12.19	88.97	24.61	6.02	65.0	± 9.6 %
		Y	15.44	98.72	28.24		65.0	
		Z	26.00	107.29	31.72		65.0	
10228-CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	X	11.68	93.76	28.45	6.02	65.0	± 9.6 %
		Y	7.52	91.07	28.67		65.0	
		Z	13.98	102.54	33.05		65.0	
10229-CAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	X	13.58	91.92	26.00	6.02	65.0	± 9.6 %
		Y	15.26	100.20	29.34		65.0	
		Z	27.85	110.33	33.16		65.0	
10230-CAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM)	X	11.58	88.05	24.23	6.02	65.0	± 9.6 %
		Y	14.16	97.14	27.68		65.0	
		Z	23.70	105.47	31.12		65.0	
10231-CAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	X	11.14	92.76	28.04	6.02	65.0	± 9.6 %
		Y	7.20	90.15	28.27		65.0	
		Z	13.17	101.19	32.54		65.0	
10232-CAB	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM)	X	13.56	91.91	25.99	6.02	65.0	± 9.6 %
		Y	15.23	100.19	29.33		65.0	
		Z	27.82	110.33	33.16		65.0	
10233-CAB	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM)	X	11.57	88.04	24.22	6.02	65.0	± 9.6 %
		Y	14.11	97.10	27.67		65.0	
		Z	23.67	105.47	31.12		65.0	
10234-CAB	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	X	10.64	91.74	27.60	6.02	65.0	± 9.6 %
		Y	6.95	89.31	27.86		65.0	
		Z	12.52	99.96	32.03		65.0	
10235-CAB	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	X	13.57	91.94	26.00	6.02	65.0	± 9.6 %
		Y	15.26	100.23	29.35		65.0	
		Z	27.91	110.41	33.18		65.0	
10236-CAB	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	X	11.66	88.15	24.26	6.02	65.0	± 9.6 %
		Y	14.35	97.35	27.74		65.0	
		Z	24.10	105.75	31.19		65.0	
10237-CAB	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	X	11.17	92.85	28.07	6.02	65.0	± 9.6 %
		Y	7.21	90.21	28.30		65.0	
		Z	13.24	101.34	32.59		65.0	
10238-CAB	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	X	13.54	91.89	25.99	6.02	65.0	± 9.6 %
		Y	15.19	100.15	29.32		65.0	
		Z	27.79	110.32	33.15		65.0	

10239-CAB	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	X	11.55	88.03	24.22	6.02	65.0	± 9.6 %
		Y	14.05	97.06	27.66		65.0	
		Z	23.62	105.45	31.12		65.0	
10240-CAB	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	X	11.13	92.80	28.05	6.02	65.0	± 9.6 %
		Y	7.19	90.16	28.28		65.0	
		Z	13.18	101.26	32.57		65.0	
10241-CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	X	8.27	79.21	24.37	6.98	65.0	± 9.6 %
		Y	7.43	80.63	25.23		65.0	
		Z	7.83	79.91	25.45		65.0	
10242-CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	X	7.28	76.46	23.11	6.98	65.0	± 9.6 %
		Y	6.72	78.53	24.26		65.0	
		Z	7.06	77.56	24.34		65.0	
10243-CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	X	6.04	73.87	22.80	6.98	65.0	± 9.6 %
		Y	5.43	74.62	23.45		65.0	
		Z	5.76	74.21	23.70		65.0	
10244-CAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	X	6.47	76.05	19.26	3.98	65.0	± 9.6 %
		Y	4.91	73.33	17.11		65.0	
		Z	7.22	80.17	21.60		65.0	
10245-CAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	X	6.42	75.68	19.06	3.98	65.0	± 9.6 %
		Y	4.79	72.70	16.78		65.0	
		Z	7.05	79.44	21.25		65.0	
10246-CAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	X	6.59	79.76	20.80	3.98	65.0	± 9.6 %
		Y	4.42	75.13	18.20		65.0	
		Z	7.75	85.16	23.55		65.0	
10247-CAB	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	X	5.76	74.85	19.51	3.98	65.0	± 9.6 %
		Y	4.38	71.91	17.49		65.0	
		Z	5.53	75.98	20.56		65.0	
10248-CAB	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	X	5.80	74.39	19.30	3.98	65.0	± 9.6 %
		Y	4.39	71.46	17.27		65.0	
		Z	5.50	75.25	20.21		65.0	
10249-CAB	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	X	7.36	81.45	22.05	3.98	65.0	± 9.6 %
		Y	5.49	78.64	20.59		65.0	
		Z	8.31	86.35	24.71		65.0	
10250-CAB	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	X	6.49	76.45	21.37	3.98	65.0	± 9.6 %
		Y	5.26	74.43	20.29		65.0	
		Z	6.06	76.90	22.26		65.0	
10251-CAB	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	X	6.20	74.33	20.16	3.98	65.0	± 9.6 %
		Y	5.10	72.68	19.17		65.0	
		Z	5.76	74.55	20.87		65.0	
10252-CAB	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	X	7.36	80.41	22.26	3.98	65.0	± 9.6 %
		Y	5.90	78.81	21.67		65.0	
		Z	7.50	83.20	24.23		65.0	
10253-CAB	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	X	6.22	73.46	20.02	3.98	65.0	± 9.6 %
		Y	5.24	72.03	19.28		65.0	
		Z	5.74	73.29	20.55		65.0	
10254-CAB	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	X	6.57	74.28	20.70	3.98	65.0	± 9.6 %
		Y	5.55	72.86	19.95		65.0	
		Z	6.06	74.08	21.21		65.0	

10255-CAB	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	X	6.79	77.09	21.15	3.98	65.0	± 9.6 %
		Y	5.68	75.95	20.77		65.0	
		Z	6.53	78.28	22.42		65.0	
10256-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM)	X	5.55	73.67	17.44	3.98	65.0	± 9.6 %
		Y	3.64	68.97	14.05		65.0	
		Z	6.24	77.66	19.68		65.0	
10257-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	X	5.51	73.17	17.15	3.98	65.0	± 9.6 %
		Y	3.55	68.28	13.63		65.0	
		Z	5.99	76.54	19.12		65.0	
10258-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	X	5.58	77.04	19.16	3.98	65.0	± 9.6 %
		Y	3.27	70.42	15.27		65.0	
		Z	6.33	81.49	21.50		65.0	
10259-CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	X	6.04	75.36	20.14	3.98	65.0	± 9.6 %
		Y	4.74	72.92	18.54		65.0	
		Z	5.74	76.24	21.13		65.0	
10260-CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	X	6.09	75.17	20.08	3.98	65.0	± 9.6 %
		Y	4.77	72.68	18.43		65.0	
		Z	5.76	75.91	20.99		65.0	
10261-CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	X	7.01	80.25	21.90	3.98	65.0	± 9.6 %
		Y	5.40	77.93	20.74		65.0	
		Z	7.35	83.67	24.06		65.0	
10262-CAB	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	X	6.48	76.41	21.33	3.98	65.0	± 9.6 %
		Y	5.25	74.38	20.25		65.0	
		Z	6.05	76.86	22.22		65.0	
10263-CAB	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	X	6.19	74.32	20.16	3.98	65.0	± 9.6 %
		Y	5.09	72.65	19.16		65.0	
		Z	5.76	74.53	20.87		65.0	
10264-CAB	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	X	7.30	80.25	22.18	3.98	65.0	± 9.6 %
		Y	5.85	78.64	21.58		65.0	
		Z	7.43	83.00	24.13		65.0	
10265-CAB	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	X	6.41	74.14	20.25	3.98	65.0	± 9.6 %
		Y	5.33	72.50	19.51		65.0	
		Z	5.92	74.04	20.85		65.0	
10266-CAB	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	X	6.76	74.94	20.97	3.98	65.0	± 9.6 %
		Y	5.67	73.38	20.25		65.0	
		Z	6.23	74.80	21.54		65.0	
10267-CAB	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	X	7.11	77.68	21.11	3.98	65.0	± 9.6 %
		Y	5.94	76.57	20.81		65.0	
		Z	6.97	79.29	22.57		65.0	
10268-CAB	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	X	6.99	73.93	20.50	3.98	65.0	± 9.6 %
		Y	5.97	72.53	19.94		65.0	
		Z	6.45	73.56	20.94		65.0	
10269-CAB	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	X	6.93	73.48	20.39	3.98	65.0	± 9.6 %
		Y	5.97	72.16	19.83		65.0	
		Z	6.39	73.04	20.77		65.0	
10270-CAB	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	X	6.95	75.32	20.30	3.98	65.0	± 9.6 %
		Y	5.95	74.29	20.01		65.0	
		Z	6.60	75.91	21.26		65.0	

10274-CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.10)	X	2.80	67.40	16.34	0.00	150.0	± 9.6 %
		Y	2.58	66.59	15.21		150.0	
		Z	2.87	68.20	16.89		150.0	
10275-CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4)	X	2.07	71.97	18.19	0.00	150.0	± 9.6 %
		Y	1.61	67.89	15.54		150.0	
		Z	2.38	75.07	19.84		150.0	
10277-CAA	PHS (QPSK)	X	2.93	63.49	9.25	9.03	50.0	± 9.6 %
		Y	2.18	61.52	7.08		50.0	
		Z	2.84	63.72	9.37		50.0	
10278-CAA	PHS (QPSK, BW 884MHz, Rolloff 0.5)	X	6.24	75.77	17.77	9.03	50.0	± 9.6 %
		Y	4.24	70.48	14.34		50.0	
		Z	9.37	83.21	20.99		50.0	
10279-CAA	PHS (QPSK, BW 884MHz, Rolloff 0.38)	X	6.44	76.08	17.93	9.03	50.0	± 9.6 %
		Y	4.37	70.79	14.53		50.0	
		Z	9.59	83.44	21.11		50.0	
10290-AAB	CDMA2000, RC1, SO55, Full Rate	X	2.81	78.04	19.42	0.00	150.0	± 9.6 %
		Y	1.40	68.51	13.76		150.0	
		Z	5.77	89.73	23.44		150.0	
10291-AAB	CDMA2000, RC3, SO55, Full Rate	X	1.61	75.45	18.51	0.00	150.0	± 9.6 %
		Y	0.82	65.73	12.35		150.0	
		Z	3.98	90.32	23.87		150.0	
10292-AAB	CDMA2000, RC3, SO32, Full Rate	X	3.84	90.63	24.55	0.00	150.0	± 9.6 %
		Y	1.08	70.34	14.96		150.0	
		Z	100.00	144.16	38.27		150.0	
10293-AAB	CDMA2000, RC3, SO3, Full Rate	X	16.69	115.79	32.38	0.00	150.0	± 9.6 %
		Y	1.79	77.54	18.39		150.0	
		Z	100.00	148.26	40.24		150.0	
10295-AAB	CDMA2000, RC1, SO3, 1/8th Rate 25 fr.	X	7.22	79.52	22.13	9.03	50.0	± 9.6 %
		Y	8.87	83.61	22.79		50.0	
		Z	10.32	87.50	25.65		50.0	
10297-AAA	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	X	3.38	72.72	18.35	0.00	150.0	± 9.6 %
		Y	2.72	69.57	16.57		150.0	
		Z	3.59	74.26	19.29		150.0	
10298-AAB	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	X	2.46	73.87	18.26	0.00	150.0	± 9.6 %
		Y	1.52	67.43	13.85		150.0	
		Z	3.15	78.73	20.23		150.0	
10299-AAB	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	X	3.66	74.10	17.60	0.00	150.0	± 9.6 %
		Y	2.65	70.17	14.26		150.0	
		Z	5.84	82.37	20.97		150.0	
10300-AAB	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	X	2.62	68.17	14.22	0.00	150.0	± 9.6 %
		Y	1.85	64.91	11.04		150.0	
		Z	2.96	70.82	15.52		150.0	
10301-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC)	X	4.91	65.12	17.67	4.17	50.0	± 9.6 %
		Y	4.67	65.46	17.44		50.0	
		Z	5.02	65.89	18.14		50.0	
10302-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC, 3 CTRL symbols)	X	5.42	65.91	18.47	4.96	50.0	± 9.6 %
		Y	5.11	65.95	18.09		50.0	
		Z	5.48	66.41	18.78		50.0	

10303-AAA	IEEE 802.16e WiMAX (31:15, 5ms, 10MHz, 64QAM, PUSC)	X	5.19	65.65	18.39	4.96	50.0	± 9.6 %
		Y	4.86	65.55	17.91		50.0	
		Z	5.24	66.12	18.69		50.0	
10304-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, 64QAM, PUSC)	X	4.98	65.49	17.87	4.17	50.0	± 9.6 %
		Y	4.67	65.42	17.38		50.0	
		Z	5.03	65.96	18.17		50.0	
10305-AAA	IEEE 802.16e WiMAX (31:15, 10ms, 10MHz, 64QAM, PUSC, 15 symbols)	X	4.63	67.32	20.19	6.02	35.0	± 9.6 %
		Y	4.29	67.22	19.38		35.0	
		Z	4.79	68.60	20.84		35.0	
10306-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 64QAM, PUSC, 18 symbols)	X	4.94	66.24	19.56	6.02	35.0	± 9.6 %
		Y	4.61	66.28	19.00		35.0	
		Z	5.03	67.17	20.09		35.0	
10307-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, PUSC, 18 symbols)	X	4.87	66.60	19.63	6.02	35.0	± 9.6 %
		Y	4.51	66.41	18.95		35.0	
		Z	4.97	67.56	20.17		35.0	
10308-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, PUSC)	X	4.82	66.72	19.73	6.02	35.0	± 9.6 %
		Y	4.48	66.62	19.10		35.0	
		Z	4.93	67.73	20.30		35.0	
10309-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, AMC 2x3, 18 symbols)	X	5.02	66.54	19.72	6.02	35.0	± 9.6 %
		Y	4.66	66.48	19.14		35.0	
		Z	5.12	67.49	20.27		35.0	
10310-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, AMC 2x3, 18 symbols)	X	4.88	66.32	19.54	6.02	35.0	± 9.6 %
		Y	4.56	66.34	18.97		35.0	
		Z	4.98	67.28	20.09		35.0	
10311-AAA	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	X	3.78	71.88	17.89	0.00	150.0	± 9.6 %
		Y	3.08	68.88	16.23		150.0	
		Z	3.99	73.14	18.69		150.0	
10313-AAA	iDEN 1:3	X	3.83	72.42	15.68	6.99	70.0	± 9.6 %
		Y	3.00	71.72	15.67		70.0	
		Z	5.39	80.62	19.84		70.0	
10314-AAA	iDEN 1:6	X	5.49	79.41	21.06	10.00	30.0	± 9.6 %
		Y	4.42	78.52	21.10		30.0	
		Z	13.65	97.45	28.02		30.0	
10315-AAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 96pc duty cycle)	X	1.18	65.63	16.96	0.17	150.0	± 9.6 %
		Y	1.08	63.56	15.00		150.0	
		Z	1.20	66.76	18.08		150.0	
10316-AAB	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 96pc duty cycle)	X	4.79	66.86	16.64	0.17	150.0	± 9.6 %
		Y	4.54	66.63	16.20		150.0	
		Z	4.79	67.11	16.96		150.0	
10317-AAB	IEEE 802.11a WiFi 5 GHz (OFDM, 6 Mbps, 96pc duty cycle)	X	4.79	66.86	16.64	0.17	150.0	± 9.6 %
		Y	4.54	66.63	16.20		150.0	
		Z	4.79	67.11	16.96		150.0	
10400-AAC	IEEE 802.11ac WiFi (20MHz, 64-QAM, 99pc duty cycle)	X	4.98	67.34	16.72	0.00	150.0	± 9.6 %
		Y	4.65	67.01	16.25		150.0	
		Z	4.95	67.53	16.97		150.0	
10401-AAC	IEEE 802.11ac WiFi (40MHz, 64-QAM, 99pc duty cycle)	X	5.57	67.29	16.71	0.00	150.0	± 9.6 %
		Y	5.35	67.15	16.40		150.0	
		Z	5.59	67.53	16.99		150.0	

10402-AAC	IEEE 802.11ac WiFi (80MHz, 64-QAM, 99pc duty cycle)	X	5.89	67.91	16.86	0.00	150.0	± 9.6 %
		Y	5.61	67.46	16.41		150.0	
		Z	5.89	68.02	17.08		150.0	
10403-AAB	CDMA2000 (1xEV-DO, Rev. 0)	X	2.81	78.04	19.42	0.00	115.0	± 9.6 %
		Y	1.40	68.51	13.76		115.0	
		Z	5.77	89.73	23.44		115.0	
10404-AAB	CDMA2000 (1xEV-DO, Rev. A)	X	2.81	78.04	19.42	0.00	115.0	± 9.6 %
		Y	1.40	68.51	13.76		115.0	
		Z	5.77	89.73	23.44		115.0	
10406-AAB	CDMA2000, RC3, SO32, SCH0, Full Rate	X	100.00	128.30	33.88	0.00	100.0	± 9.6 %
		Y	100.00	120.51	29.33		100.0	
		Z	100.00	133.52	36.07		100.0	
10410-AAA	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	0.88	60.00	4.73	2.23	80.0	± 9.6 %
		Y	24.33	65.50	3.88		80.0	
		Z	0.70	60.00	4.56		80.0	
10415-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 99pc duty cycle)	X	1.09	64.73	16.47	0.00	150.0	± 9.6 %
		Y	1.03	63.01	14.60		150.0	
		Z	1.13	65.90	17.53		150.0	
10416-AAA	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 99pc duty cycle)	X	4.76	66.94	16.66	0.00	150.0	± 9.6 %
		Y	4.50	66.69	16.19		150.0	
		Z	4.75	67.14	16.92		150.0	
10417-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 99pc duty cycle)	X	4.76	66.94	16.66	0.00	150.0	± 9.6 %
		Y	4.50	66.69	16.19		150.0	
		Z	4.75	67.14	16.92		150.0	
10418-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Long preamble)	X	4.75	67.10	16.68	0.00	150.0	± 9.6 %
		Y	4.50	66.86	16.22		150.0	
		Z	4.74	67.32	16.94		150.0	
10419-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Short preamble)	X	4.77	67.05	16.68	0.00	150.0	± 9.6 %
		Y	4.51	66.81	16.22		150.0	
		Z	4.76	67.26	16.94		150.0	
10422-AAA	IEEE 802.11n (HT Greenfield, 7.2 Mbps, BPSK)	X	4.90	67.04	16.68	0.00	150.0	± 9.6 %
		Y	4.63	66.80	16.23		150.0	
		Z	4.88	67.23	16.93		150.0	
10423-AAA	IEEE 802.11n (HT Greenfield, 43.3 Mbps, 16-QAM)	X	5.11	67.44	16.82	0.00	150.0	± 9.6 %
		Y	4.78	67.10	16.34		150.0	
		Z	5.08	67.61	17.06		150.0	
10424-AAA	IEEE 802.11n (HT Greenfield, 72.2 Mbps, 64-QAM)	X	5.02	67.38	16.79	0.00	150.0	± 9.6 %
		Y	4.71	67.05	16.31		150.0	
		Z	4.99	67.56	17.04		150.0	
10425-AAA	IEEE 802.11n (HT Greenfield, 15 Mbps, BPSK)	X	5.58	67.65	16.89	0.00	150.0	± 9.6 %
		Y	5.30	67.29	16.47		150.0	
		Z	5.59	67.85	17.16		150.0	
10426-AAA	IEEE 802.11n (HT Greenfield, 90 Mbps, 16-QAM)	X	5.59	67.70	16.91	0.00	150.0	± 9.6 %
		Y	5.31	67.35	16.49		150.0	
		Z	5.60	67.89	17.17		150.0	

10427-AAA	IEEE 802.11n (HT Greenfield, 150 Mbps, 64-QAM)	X	5.62	67.72	16.91	0.00	150.0	± 9.6 %
		Y	5.32	67.31	16.47		150.0	
		Z	5.61	67.85	17.15		150.0	
10430-AAA	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1)	X	4.68	71.57	19.20	0.00	150.0	± 9.6 %
		Y	4.21	70.87	18.07		150.0	
		Z	4.76	72.50	19.72		150.0	
10431-AAA	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1)	X	4.53	67.63	16.83	0.00	150.0	± 9.6 %
		Y	4.17	67.24	16.16		150.0	
		Z	4.51	67.94	17.11		150.0	
10432-AAA	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1)	X	4.80	67.46	16.80	0.00	150.0	± 9.6 %
		Y	4.47	67.11	16.26		150.0	
		Z	4.78	67.69	17.06		150.0	
10433-AAA	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1)	X	5.04	67.43	16.82	0.00	150.0	± 9.6 %
		Y	4.72	67.08	16.33		150.0	
		Z	5.01	67.61	17.07		150.0	
10434-AAA	W-CDMA (BS Test Model 1, 64 DPCH)	X	4.85	72.58	19.34	0.00	150.0	± 9.6 %
		Y	4.31	71.75	18.02		150.0	
		Z	5.00	73.81	19.94		150.0	
10435-AAA	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	0.88	60.00	4.72	2.23	80.0	± 9.6 %
		Y	30.43	65.59	3.83		80.0	
		Z	0.71	60.00	4.55		80.0	
10447-AAA	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	X	3.88	67.95	16.56	0.00	150.0	± 9.6 %
		Y	3.45	67.23	15.41		150.0	
		Z	3.88	68.47	16.88		150.0	
10448-AAA	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	X	4.34	67.42	16.70	0.00	150.0	± 9.6 %
		Y	4.01	67.03	16.03		150.0	
		Z	4.33	67.73	16.99		150.0	
10449-AAA	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)	X	4.58	67.31	16.72	0.00	150.0	± 9.6 %
		Y	4.29	66.94	16.15		150.0	
		Z	4.57	67.55	16.99		150.0	
10450-AAA	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	X	4.76	67.21	16.70	0.00	150.0	± 9.6 %
		Y	4.49	66.86	16.19		150.0	
		Z	4.75	67.40	16.95		150.0	
10451-AAA	W-CDMA (BS Test Model 1, 64 DPCH, Clipping 44%)	X	3.85	68.39	16.41	0.00	150.0	± 9.6 %
		Y	3.32	67.33	14.97		150.0	
		Z	3.86	68.99	16.73		150.0	
10456-AAA	IEEE 802.11ac WiFi (160MHz, 64-QAM, 99pc duty cycle)	X	6.43	68.24	17.03	0.00	150.0	± 9.6 %
		Y	6.18	67.87	16.64		150.0	
		Z	6.44	68.35	17.24		150.0	
10457-AAA	UMTS-FDD (DC-HSDPA)	X	3.91	65.58	16.43	0.00	150.0	± 9.6 %
		Y	3.79	65.36	15.90		150.0	
		Z	3.92	65.75	16.68		150.0	
10458-AAA	CDMA2000 (1xEV-DO, Rev. B, 2 carriers)	X	3.62	67.44	15.84	0.00	150.0	± 9.6 %
		Y	3.13	66.63	14.31		150.0	
		Z	3.63	68.10	16.12		150.0	
10459-AAA	CDMA2000 (1xEV-DO, Rev. B, 3 carriers)	X	4.78	65.60	16.43	0.00	150.0	± 9.6 %
		Y	4.20	64.97	15.34		150.0	
		Z	4.76	66.03	16.68		150.0	

10460-AAA	UMTS-FDD (WCDMA, AMR)	X	1.45	77.51	21.51	0.00	150.0	± 9.6 %
		Y	0.90	67.92	16.03		150.0	
		Z	2.46	88.62	26.30		150.0	
10461-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	120.91	30.41	3.29	80.0	± 9.6 %
		Y	16.51	102.96	26.83		80.0	
		Z	100.00	135.84	37.00		80.0	
10462-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	2.65	68.43	12.64	3.23	80.0	± 9.6 %
		Y	1.02	62.41	9.20		80.0	
		Z	100.00	114.11	26.80		80.0	
10463-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.83	64.10	10.38	3.23	80.0	± 9.6 %
		Y	0.80	60.00	7.42		80.0	
		Z	100.00	109.15	24.51		80.0	
10464-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	57.88	111.52	27.57	3.23	80.0	± 9.6 %
		Y	13.23	98.27	24.80		80.0	
		Z	100.00	133.57	35.75		80.0	
10465-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	2.31	66.96	11.98	3.23	80.0	± 9.6 %
		Y	0.94	61.62	8.75		80.0	
		Z	100.00	113.25	26.40		80.0	
10466-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.71	63.39	10.00	3.23	80.0	± 9.6 %
		Y	0.81	60.00	7.37		80.0	
		Z	100.00	108.37	24.16		80.0	
10467-AAA	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	75.51	115.06	28.42	3.23	80.0	± 9.6 %
		Y	15.80	100.79	25.51		80.0	
		Z	100.00	133.91	35.90		80.0	
10468-AAA	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	2.37	67.26	12.12	3.23	80.0	± 9.6 %
		Y	0.96	61.83	8.86		80.0	
		Z	100.00	113.50	26.51		80.0	
10469-AAA	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.71	63.40	10.01	3.23	80.0	± 9.6 %
		Y	0.80	60.00	7.36		80.0	
		Z	100.00	108.40	24.16		80.0	
10470-AAA	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	76.46	115.24	28.45	3.23	80.0	± 9.6 %
		Y	15.97	100.96	25.55		80.0	
		Z	100.00	133.98	35.92		80.0	
10471-AAA	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	2.36	67.20	12.08	3.23	80.0	± 9.6 %
		Y	0.95	61.77	8.82		80.0	
		Z	100.00	113.43	26.47		80.0	
10472-AAA	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.70	63.36	9.98	3.23	80.0	± 9.6 %
		Y	0.80	60.00	7.35		80.0	
		Z	100.00	108.32	24.12		80.0	
10473-AAA	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	75.75	115.09	28.41	3.23	80.0	± 9.6 %
		Y	15.91	100.89	25.52		80.0	
		Z	100.00	133.94	35.90		80.0	
10474-AAA	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	2.34	67.15	12.06	3.23	80.0	± 9.6 %
		Y	0.95	61.74	8.81		80.0	
		Z	100.00	113.44	26.47		80.0	
10475-AAA	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.69	63.34	9.97	3.23	80.0	± 9.6 %
		Y	0.80	60.00	7.35		80.0	
		Z	100.00	108.34	24.13		80.0	

10477-AAA	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	2.29	66.89	11.93	3.23	80.0	± 9.6 %
		Y	0.93	61.56	8.69		80.0	
		Z	100.00	113.20	26.36		80.0	
10478-AAA	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.69	63.28	9.93	3.23	80.0	± 9.6 %
		Y	0.80	60.00	7.34		80.0	
		Z	100.00	108.25	24.08		80.0	
10479-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	1.23	61.50	8.74	1.99	80.0	± 9.6 %
		Y	0.87	60.00	5.73		80.0	
		Z	100.00	102.81	21.24		80.0	
10480-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	1.36	60.00	7.23	1.99	80.0	± 9.6 %
		Y	1.32	60.00	4.66		80.0	
		Z	1.19	60.00	7.13		80.0	
10481-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.39	60.00	7.01	1.99	80.0	± 9.6 %
		Y	1.49	60.00	4.37		80.0	
		Z	1.23	60.00	6.86		80.0	
10482-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.05	75.66	18.22	1.99	80.0	± 9.6 %
		Y	1.82	66.37	13.23		80.0	
		Z	13.66	95.40	25.21		80.0	
10483-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.60	73.59	17.17	1.99	80.0	± 9.6 %
		Y	2.46	66.71	12.94		80.0	
		Z	21.39	97.39	25.48		80.0	
10484-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.45	72.88	16.93	1.99	80.0	± 9.6 %
		Y	2.37	66.05	12.67		80.0	
		Z	15.22	92.33	24.07		80.0	
10485-AAA	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.48	77.21	19.57	1.99	80.0	± 9.6 %
		Y	2.50	70.32	16.16		80.0	
		Z	9.48	91.36	25.16		80.0	
10486-AAA	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.62	70.81	16.93	1.99	80.0	± 9.6 %
		Y	2.40	66.33	13.93		80.0	
		Z	4.63	76.12	19.53		80.0	
10487-AAA	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.61	70.38	16.77	1.99	80.0	± 9.6 %
		Y	2.41	66.03	13.79		80.0	
		Z	4.44	75.07	19.12		80.0	
10488-AAA	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.53	75.61	19.51	1.99	80.0	± 9.6 %
		Y	3.00	70.95	17.44		80.0	
		Z	6.04	82.42	22.87		80.0	
10489-AAA	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.80	70.17	17.67	1.99	80.0	± 9.6 %
		Y	2.97	67.70	16.12		80.0	
		Z	4.05	72.63	19.31		80.0	
10490-AAA	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.87	69.84	17.57	1.99	80.0	± 9.6 %
		Y	3.06	67.59	16.10		80.0	
		Z	4.07	72.02	19.08		80.0	
10491-AAA	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.41	72.98	18.64	1.99	80.0	± 9.6 %
		Y	3.28	69.77	17.19		80.0	
		Z	5.00	76.62	20.83		80.0	
10492-AAA	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.08	69.13	17.49	1.99	80.0	± 9.6 %
		Y	3.36	67.28	16.37		80.0	
		Z	4.13	70.47	18.64		80.0	

10493-AAA	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.14	68.93	17.44	1.99	80.0	± 9.6 %
		Y	3.43	67.18	16.34		80.0	
		Z	4.17	70.14	18.51		80.0	
10494-AAA	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	5.05	75.19	19.25	1.99	80.0	± 9.6 %
		Y	3.54	71.12	17.58		80.0	
		Z	6.21	80.26	21.94		80.0	
10495-AAA	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.16	69.77	17.74	1.99	80.0	± 9.6 %
		Y	3.39	67.63	16.56		80.0	
		Z	4.24	71.24	18.96		80.0	
10496-AAA	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.21	69.35	17.61	1.99	80.0	± 9.6 %
		Y	3.47	67.41	16.52		80.0	
		Z	4.25	70.59	18.72		80.0	
10497-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.80	70.81	15.55	1.99	80.0	± 9.6 %
		Y	1.12	61.02	9.43		80.0	
		Z	8.49	87.13	21.57		80.0	
10498-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	2.12	64.40	11.96	1.99	80.0	± 9.6 %
		Y	1.22	60.00	7.90		80.0	
		Z	2.34	66.73	13.07		80.0	
10499-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	2.08	63.91	11.60	1.99	80.0	± 9.6 %
		Y	1.24	60.00	7.76		80.0	
		Z	2.18	65.53	12.38		80.0	
10500-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.29	75.80	19.32	1.99	80.0	± 9.6 %
		Y	2.69	70.50	16.68		80.0	
		Z	6.80	85.39	23.56		80.0	
10501-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.69	70.47	17.19	1.99	80.0	± 9.6 %
		Y	2.68	67.14	14.90		80.0	
		Z	4.30	74.37	19.32		80.0	
10502-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.74	70.21	17.06	1.99	80.0	± 9.6 %
		Y	2.72	66.99	14.78		80.0	
		Z	4.30	73.88	19.06		80.0	
10503-AAA	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.45	75.33	19.39	1.99	80.0	± 9.6 %
		Y	2.96	70.75	17.34		80.0	
		Z	5.89	81.99	22.70		80.0	
10504-AAA	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.78	70.07	17.61	1.99	80.0	± 9.6 %
		Y	2.95	67.61	16.07		80.0	
		Z	4.03	72.50	19.24		80.0	
10505-AAA	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.85	69.73	17.51	1.99	80.0	± 9.6 %
		Y	3.05	67.50	16.04		80.0	
		Z	4.04	71.89	19.00		80.0	
10506-AAA	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.99	74.98	19.16	1.99	80.0	± 9.6 %
		Y	3.51	70.98	17.51		80.0	
		Z	6.10	79.97	21.82		80.0	
10507-AAA	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.14	69.70	17.69	1.99	80.0	± 9.6 %
		Y	3.37	67.57	16.53		80.0	
		Z	4.22	71.16	18.92		80.0	

10508-AAA	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.19	69.27	17.57	1.99	80.0	± 9.6 %
		Y	3.46	67.35	16.48		80.0	
		Z	4.23	70.50	18.67		80.0	
10509-AAA	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	5.01	72.76	18.36	1.99	80.0	± 9.6 %
		Y	3.88	69.93	17.15		80.0	
		Z	5.50	75.60	20.16		80.0	
10510-AAA	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.60	69.25	17.58	1.99	80.0	± 9.6 %
		Y	3.87	67.44	16.63		80.0	
		Z	4.58	70.12	18.50		80.0	
10511-AAA	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.62	68.88	17.49	1.99	80.0	± 9.6 %
		Y	3.93	67.23	16.59		80.0	
		Z	4.58	69.61	18.33		80.0	
10512-AAA	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	5.53	75.04	19.02	1.99	80.0	± 9.6 %
		Y	4.01	71.29	17.52		80.0	
		Z	6.61	79.40	21.39		80.0	
10513-AAA	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.53	69.77	17.76	1.99	80.0	± 9.6 %
		Y	3.75	67.65	16.71		80.0	
		Z	4.55	70.81	18.79		80.0	
10514-AAA	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.49	69.17	17.60	1.99	80.0	± 9.6 %
		Y	3.78	67.28	16.62		80.0	
		Z	4.47	70.01	18.51		80.0	
10515-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 99pc duty cycle)	X	1.06	65.13	16.67	0.00	150.0	± 9.6 %
		Y	0.99	63.18	14.66		150.0	
		Z	1.10	66.46	17.84		150.0	
10516-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 99pc duty cycle)	X	2.53	99.73	30.26	0.00	150.0	± 9.6 %
		Y	0.60	69.53	16.99		150.0	
		Z	100.00	178.66	51.01		150.0	
10517-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 99pc duty cycle)	X	1.01	69.54	18.69	0.00	150.0	± 9.6 %
		Y	0.83	64.94	15.24		150.0	
		Z	1.16	73.22	21.01		150.0	
10518-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 99pc duty cycle)	X	4.76	67.04	16.66	0.00	150.0	± 9.6 %
		Y	4.49	66.77	16.17		150.0	
		Z	4.75	67.24	16.91		150.0	
10519-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 99pc duty cycle)	X	4.99	67.33	16.79	0.00	150.0	± 9.6 %
		Y	4.67	66.98	16.28		150.0	
		Z	4.96	67.51	17.03		150.0	
10520-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 99pc duty cycle)	X	4.84	67.34	16.74	0.00	150.0	± 9.6 %
		Y	4.52	66.93	16.20		150.0	
		Z	4.82	67.53	16.99		150.0	
10521-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 99pc duty cycle)	X	4.77	67.37	16.74	0.00	150.0	± 9.6 %
		Y	4.45	66.93	16.19		150.0	
		Z	4.75	67.56	16.99		150.0	
10522-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc duty cycle)	X	4.81	67.29	16.74	0.00	150.0	± 9.6 %
		Y	4.52	67.04	16.28		150.0	
		Z	4.80	67.54	17.03		150.0	