



Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39811.00	46.27	17.13	63.40	74.30	-10.90	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5582.400	52.28	41.07	93.35	68.30	25.05	peak	No Limit
2	*	5618.800	41.88	41.12	83.00	54.00	29.00	AVG	No Limit
3		5725.000	10.01	41.27	51.28	68.30	-17.02	peak	
4		5725.000	-0.49	41.27	40.78	54.00	-13.22	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11220.00	39.37	16.27	55.64	74.30	-18.66	peak	
2	*	16830.00	38.83	20.63	59.46	74.30	-14.84	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39770.50	46.30	17.03	63.33	74.30	-10.97	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5588.800	55.30	41.08	96.38	68.30	28.08	peak	No Limit
2	*	5598.800	44.53	41.10	85.63	54.00	31.63	AVG	No Limit
3		5725.000	10.71	41.27	51.98	68.30	-16.32	peak	
4		5725.000	0.14	41.27	41.41	54.00	-12.59	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11220.00	39.70	16.27	55.97	74.30	-18.33	peak	
2	*	16830.00	38.49	20.63	59.12	74.30	-15.18	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39892.00	47.10	17.34	64.44	74.30	-9.86	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	9.14	41.25	50.39	68.30	-17.91	peak	
2		5715.000	-0.15	41.25	41.10	68.30	-27.20	AVG	
3		5725.000	8.71	41.27	49.98	78.30	-28.32	peak	
4		5725.000	0.83	41.27	42.10	68.30	-26.20	AVG	
5	X	5741.400	47.21	41.29	88.50	68.30	20.20	AVG	No Limit
6	*	5742.600	57.97	41.29	99.26	78.30	20.96	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	38.38	16.91	55.29	74.30	-19.01	peak	
2	*	17235.00	38.07	21.53	59.60	74.30	-14.70	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39770.50	46.53	17.03	63.56	74.30	-10.74	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	9.87	41.25	51.12	68.30	-17.18	peak	
2	X	5715.000	-0.51	41.25	40.74	68.30	-27.56	AVG	
3		5725.000	10.29	41.27	51.56	78.30	-26.74	peak	
4	X	5725.000	0.20	41.27	41.47	68.30	-26.83	AVG	
5	*	5743.500	57.17	41.29	98.46	78.30	20.16	peak	No Limit
6	X	5748.800	45.54	41.30	86.84	68.30	18.54	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	38.68	16.91	55.59	74.30	-18.71	peak	
2	*	17235.00	37.63	21.53	59.16	74.30	-15.14	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39851.50	46.31	17.23	63.54	74.30	-10.76	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5817.500	46.90	41.39	88.29	68.30	19.99	AVG	No Limit
2	*	5819.200	58.27	41.39	99.66	78.30	21.36	peak	No Limit
3		5850.000	10.07	41.44	51.51	78.30	-26.79	peak	
4		5850.000	-0.26	41.44	41.18	68.30	-27.12	AVG	
5		5860.000	10.49	41.45	51.94	68.30	-16.36	peak	
6		5860.000	-0.30	41.45	41.15	68.30	-27.15	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	38.82	17.17	55.99	74.30	-18.31	peak	
2	*	17475.00	37.48	22.29	59.77	74.30	-14.53	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39838.00	46.28	17.21	63.49	74.30	-10.81	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5818.800	43.62	41.39	85.01	68.30	16.71	AVG	No Limit
2	*	5820.200	55.46	41.39	96.85	78.30	18.55	peak	No Limit
3		5850.000	9.47	41.44	50.91	78.30	-27.39	peak	
4		5850.000	-0.34	41.44	41.10	68.30	-27.20	AVG	
5		5860.000	9.47	41.45	50.92	68.30	-17.38	peak	
6		5860.000	-0.48	41.45	40.97	68.30	-27.33	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	39.57	17.17	56.74	74.30	-17.56	peak	
2	*	17475.00	38.77	22.29	61.06	74.30	-13.24	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39838.00	46.92	17.21	64.13	74.30	-10.17	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Vertical




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.000	10.38	41.25	51.63	68.30	-16.67	peak	
2	5715.000	0.14	41.25	41.39	68.30	-26.91	AVG	
3	5725.000	9.76	41.27	51.03	78.30	-27.27	peak	
4	5725.000	0.26	41.27	41.53	68.30	-26.77	AVG	
5 *	5760.600	54.51	41.32	95.83	78.30	17.53	peak	No Limit
6 X	5761.800	42.24	41.32	83.56	68.30	15.26	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11510.00	38.28	16.96	55.24	74.30	-19.06	peak	
2	*	17265.00	38.47	21.62	60.09	74.30	-14.21	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39838.00	45.86	17.21	63.07	74.30	-11.23	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	9.68	41.25	50.93	68.30	-17.37	peak	
2		5715.000	-0.21	41.25	41.04	68.30	-27.26	AVG	
3		5725.000	9.04	41.27	50.31	78.30	-27.99	peak	
4		5725.000	-0.13	41.27	41.14	68.30	-27.16	AVG	
5	*	5751.400	51.56	41.30	92.86	78.30	14.56	peak	No Limit
6	X	5761.000	39.78	41.32	81.10	68.30	12.80	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11510.00	39.35	16.96	56.31	74.30	-17.99	peak	
2	*	17265.00	40.31	21.62	61.93	74.30	-12.37	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	47.43	17.54	64.97	74.30	-9.33	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5797.800	41.67	41.37	83.04	68.30	14.74	AVG	No Limit
2	*	5800.400	53.69	41.37	95.06	78.30	16.76	peak	No Limit
3		5850.000	9.83	41.44	51.27	78.30	-27.03	peak	
4		5850.000	-0.53	41.44	40.91	68.30	-27.39	AVG	
5		5860.000	9.39	41.45	50.84	68.30	-17.46	peak	
6		5860.000	-0.60	41.45	40.85	68.30	-27.45	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11590.00	37.77	17.08	54.85	74.30	-19.45	peak	
2	*	17385.00	36.94	22.00	58.94	74.30	-15.36	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39770.50	46.08	17.03	63.11	74.30	-11.19	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5792.000	39.81	41.36	81.17	68.30	12.87	AVG	No Limit
2	*	5797.400	52.68	41.37	94.05	78.30	15.75	peak	No Limit
3		5850.000	9.82	41.44	51.26	78.30	-27.04	peak	
4		5850.000	-0.55	41.44	40.89	68.30	-27.41	AVG	
5		5860.000	9.34	41.45	50.79	68.30	-17.51	peak	
6		5860.000	-0.61	41.45	40.84	68.30	-27.46	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11590.00	39.76	17.08	56.84	74.30	-17.46	peak	
2	*	17385.00	38.19	22.00	60.19	74.30	-14.11	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	46.93	17.54	64.47	74.30	-9.83	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


Vertical




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.000	9.08	41.25	50.33	68.30	-17.97	peak	
2	5715.000	-0.33	41.25	40.92	68.30	-27.38	AVG	
3	5725.000	9.89	41.27	51.16	78.30	-27.14	peak	
4	5725.000	0.42	41.27	41.69	68.30	-26.61	AVG	
5 *	5745.600	57.30	41.29	98.59	78.30	20.29	peak	No Limit
6 X	5751.600	47.09	41.30	88.39	68.30	20.09	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	39.84	16.91	56.75	74.30	-17.55	peak	
2	*	17235.00	38.94	21.53	60.47	74.30	-13.83	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39851.50	46.69	17.23	63.92	74.30	-10.38	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	9.26	41.25	50.51	68.30	-17.79	peak	
2		5715.000	-0.40	41.25	40.85	68.30	-27.45	AVG	
3		5725.000	10.26	41.27	51.53	78.30	-26.77	peak	
4		5725.000	0.06	41.27	41.33	68.30	-26.97	AVG	
5	X	5738.500	44.12	41.28	85.40	68.30	17.10	AVG	No Limit
6	*	5742.900	54.58	41.29	95.87	78.30	17.57	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	40.33	16.91	57.24	74.30	-17.06	peak	
2	*	17235.00	39.08	21.53	60.61	74.30	-13.69	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39838.00	46.04	17.21	63.25	74.30	-11.05	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5818.300	55.88	41.39	97.27	78.30	18.97	peak	No Limit
2	*	5818.400	46.53	41.39	87.92	68.30	19.62	AVG	No Limit
3		5850.000	9.63	41.44	51.07	78.30	-27.23	peak	
4		5850.000	-0.18	41.44	41.26	68.30	-27.04	AVG	
5		5860.000	8.95	41.45	50.40	68.30	-17.90	peak	
6		5860.000	-0.45	41.45	41.00	68.30	-27.30	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	38.82	17.17	55.99	74.30	-18.31	peak	
2	*	17475.00	37.19	22.29	59.48	74.30	-14.82	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39824.50	46.54	17.17	63.71	74.30	-10.59	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5818.500	44.83	41.39	86.22	68.30	17.92	AVG	No Limit
2	*	5831.400	54.88	41.41	96.29	78.30	17.99	peak	No Limit
3		5850.000	9.05	41.44	50.49	78.30	-27.81	peak	
4		5850.000	-0.33	41.44	41.11	68.30	-27.19	AVG	
5		5860.000	8.89	41.45	50.34	68.30	-17.96	peak	
6		5860.000	-0.47	41.45	40.98	68.30	-27.32	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	39.18	17.17	56.35	74.30	-17.95	peak	
2	*	17475.00	37.39	22.29	59.68	74.30	-14.62	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	45.93	17.56	63.49	74.30	-10.81	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	9.80	41.25	51.05	68.30	-17.25	peak	
2		5715.000	0.06	41.25	41.31	68.30	-26.99	AVG	
3		5725.000	11.30	41.27	52.57	78.30	-25.73	peak	
4		5725.000	0.50	41.27	41.77	68.30	-26.53	AVG	
5	X	5746.000	44.49	41.29	85.78	68.30	17.48	AVG	No Limit
6	*	5747.200	55.57	41.30	96.87	78.30	18.57	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11510.00	37.82	16.96	54.78	74.30	-19.52	peak	
2	*	17265.00	39.06	21.62	60.68	74.30	-13.62	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	45.82	17.60	63.42	74.30	-10.88	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	9.09	41.25	50.34	68.30	-17.96	peak	
2		5715.000	-0.23	41.25	41.02	68.30	-27.28	AVG	
3		5725.000	10.34	41.27	51.61	78.30	-26.69	peak	
4		5725.000	-0.13	41.27	41.14	68.30	-27.16	AVG	
5	X	5758.200	41.66	41.31	82.97	68.30	14.67	AVG	No Limit
6	*	5763.200	52.07	41.32	93.39	78.30	15.09	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11510.00	39.65	16.96	56.61	74.30	-17.69	peak	
2	*	17265.00	39.28	21.62	60.90	74.30	-13.40	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39838.00	46.27	17.21	63.48	74.30	-10.82	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5798.200	54.83	41.37	96.20	78.30	17.90	peak	No Limit
2	X	5798.200	44.41	41.37	85.78	68.30	17.48	AVG	No Limit
3		5850.000	10.76	41.44	52.20	78.30	-26.10	peak	
4		5850.000	-0.39	41.44	41.05	68.30	-27.25	AVG	
5		5860.000	9.95	41.45	51.40	68.30	-16.90	peak	
6		5860.000	-0.54	41.45	40.91	68.30	-27.39	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11590.00	37.74	17.08	54.82	74.30	-19.48	peak	
2	*	17385.00	37.88	22.00	59.88	74.30	-14.42	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39905.50	45.82	17.37	63.19	74.30	-11.11	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5797.600	51.44	41.37	92.81	78.30	14.51	peak	No Limit
2	X	5798.200	40.72	41.37	82.09	68.30	13.79	AVG	No Limit
3		5850.000	9.51	41.44	50.95	78.30	-27.35	peak	
4		5850.000	-0.59	41.44	40.85	68.30	-27.45	AVG	
5		5860.000	8.35	41.45	49.80	68.30	-18.50	peak	
6		5860.000	-0.65	41.45	40.80	68.30	-27.50	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11590.00	38.94	17.08	56.02	74.30	-18.28	peak	
2	*	17385.00	37.62	22.00	59.62	74.30	-14.68	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39851.50	45.86	17.23	63.09	74.30	-11.21	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	9.63	41.25	50.88	68.30	-17.42	peak	
2		5715.000	-0.02	41.25	41.23	68.30	-27.07	AVG	
3		5725.000	9.69	41.27	50.96	78.30	-27.34	peak	
4		5725.000	0.23	41.27	41.50	68.30	-26.80	AVG	
5	X	5782.600	41.23	41.34	82.57	68.30	14.27	AVG	No Limit
6	*	5807.400	52.58	41.38	93.96	78.30	15.66	peak	No Limit
7		5850.000	10.46	41.44	51.90	78.30	-26.40	peak	
8		5850.000	0.64	41.44	42.08	68.30	-26.22	AVG	
9		5860.000	10.26	41.45	51.71	68.30	-16.59	peak	
10		5860.000	0.54	41.45	41.99	68.30	-26.31	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11550.00	37.82	17.02	54.84	74.30	-19.46	peak	
2	*	17325.00	37.88	21.81	59.69	74.30	-14.61	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39838.00	46.30	17.21	63.51	74.30	-10.79	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	9.99	41.25	51.24	68.30	-17.06	peak	
2		5715.000	-0.12	41.25	41.13	68.30	-27.17	AVG	
3		5725.000	9.44	41.27	50.71	78.30	-27.59	peak	
4		5725.000	-0.11	41.27	41.16	68.30	-27.14	AVG	
5	*	5762.200	49.76	41.32	91.08	78.30	12.78	peak	No Limit
6	X	5762.200	38.11	41.32	79.43	68.30	11.13	AVG	No Limit
7		5850.000	9.75	41.44	51.19	78.30	-27.11	peak	
8		5850.000	-0.09	41.44	41.35	68.30	-26.95	AVG	
9		5860.000	8.84	41.45	50.29	68.30	-18.01	peak	
10		5860.000	-0.17	41.45	41.28	68.30	-27.02	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11550.00	38.36	17.02	55.38	74.30	-18.92	peak	
2	*	17325.00	38.98	21.81	60.79	74.30	-13.51	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	47.56	17.60	65.16	74.30	-9.14	peak	