



Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10520.00	39.36	13.75	53.11	74.30	-21.19	peak	
2	*	15780.00	39.53	18.10	57.63	74.30	-16.67	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	41.16	17.54	58.70	74.30	-15.60	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5315.800	44.03	40.57	84.60	54.00	30.60	AVG	No Limit
2	X	5327.500	52.72	40.60	93.32	68.30	25.02	peak	No Limit
3		5350.000	8.44	40.64	49.08	68.30	-19.22	peak	
4		5350.000	-0.10	40.64	40.54	54.00	-13.46	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10640.00	39.16	14.25	53.41	74.30	-20.89	peak	
2	*	15960.00	39.56	19.04	58.60	74.30	-15.70	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39946.00	40.47	17.47	57.94	74.30	-16.36	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5323.100	44.50	40.59	85.09	54.00	31.09	AVG	No Limit
2	X	5325.400	52.35	40.59	92.94	68.30	24.64	peak	No Limit
3		5350.000	7.02	40.64	47.66	68.30	-20.64	peak	
4		5350.000	-0.06	40.64	40.58	54.00	-13.42	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10640.00	39.36	14.25	53.61	74.30	-20.69	peak	
2	*	15960.00	39.09	19.04	58.13	74.30	-16.17	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	41.66	17.54	59.20	74.30	-15.10	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5263.800	42.53	40.46	82.99	54.00	28.99	AVG	No Limit
2	X	5265.400	50.95	40.47	91.42	68.30	23.12	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10540.00	37.37	13.84	51.21	74.30	-23.09	peak	
2	*	15810.00	37.51	18.25	55.76	74.30	-18.54	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	40.98	17.60	58.58	74.30	-15.72	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5256.400	42.17	40.45	82.62	54.00	28.62	AVG	No Limit
2	X	5259.400	51.96	40.45	92.41	68.30	24.11	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10540.00	38.75	13.84	52.59	74.30	-21.71	peak	
2	*	15810.00	38.44	18.25	56.69	74.30	-17.61	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.63	17.60	59.23	74.30	-15.07	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5300.200	51.92	40.54	92.46	68.30	24.16	peak	No Limit
2	*	5303.800	42.57	40.54	83.11	54.00	29.11	AVG	No Limit
3		5350.000	7.48	40.64	48.12	68.30	-20.18	peak	
4		5350.000	0.50	40.64	41.14	54.00	-12.86	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10620.00	39.22	14.17	53.39	74.30	-20.91	peak	
2	*	15930.00	39.38	18.89	58.27	74.30	-16.03	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	40.93	17.56	58.49	74.30	-15.81	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5316.200	41.71	40.57	82.28	54.00	28.28	AVG	No Limit
2	X	5319.600	50.20	40.58	90.78	68.30	22.48	peak	No Limit
3		5350.000	10.94	40.64	51.58	68.30	-16.72	peak	
4		5350.000	0.51	40.64	41.15	54.00	-12.85	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10620.00	40.10	14.17	54.27	74.30	-20.03	peak	
2	*	15930.00	38.97	18.89	57.86	74.30	-16.44	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	40.91	17.56	58.47	74.30	-15.83	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5260MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5254.100	46.27	40.44	86.71	54.00	32.71	AVG	No Limit
2	X	5261.600	54.88	40.46	95.34	68.30	27.04	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5260MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10520.00	38.56	13.75	52.31	74.30	-21.99	peak	
2	*	15780.00	38.74	18.10	56.84	74.30	-17.46	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5260MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	41.93	17.54	59.47	74.30	-14.83	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5260MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5254.100	46.18	40.44	86.62	54.00	32.62	AVG	No Limit
2	X	5263.400	54.38	40.46	94.84	68.30	26.54	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5260MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10520.00	38.72	13.75	52.47	74.30	-21.83	peak	
2	*	15780.00	38.55	18.10	56.65	74.30	-17.65	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5260MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39946.00	40.98	17.47	58.45	74.30	-15.85	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5320MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5318.300	53.13	40.57	93.70	68.30	25.40	peak	No Limit
2	*	5321.700	43.98	40.58	84.56	54.00	30.56	AVG	No Limit
3		5350.000	8.71	40.64	49.35	68.30	-18.95	peak	
4		5350.000	-0.14	40.64	40.50	54.00	-13.50	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5320MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10640.00	39.61	14.25	53.86	74.30	-20.44	peak	
2	*	15960.00	38.98	19.04	58.02	74.30	-16.28	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5320MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	40.53	17.60	58.13	74.30	-16.17	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5320MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5316.200	44.81	40.57	85.38	54.00	31.38	AVG	No Limit
2	X	5326.500	52.56	40.59	93.15	68.30	24.85	peak	No Limit
3		5350.000	8.37	40.64	49.01	68.30	-19.29	peak	
4		5350.000	-0.14	40.64	40.50	54.00	-13.50	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5320MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10640.00	39.46	14.25	53.71	74.30	-20.59	peak	
2	*	15780.00	38.63	18.10	56.73	74.30	-17.57	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5320MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	43.10	17.60	60.70	74.30	-13.60	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5270MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5262.600	50.84	40.46	91.30	68.30	23.00	peak	No Limit
2	*	5264.600	42.34	40.47	82.81	54.00	28.81	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5270MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10540.00	38.75	13.84	52.59	74.30	-21.71	peak	
2	*	15810.00	37.66	18.25	55.91	74.30	-18.39	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5270MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	41.32	17.54	58.86	74.30	-15.44	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5270MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5254.800	53.17	40.44	93.61	68.30	25.31	peak	No Limit
2	*	5256.400	42.52	40.45	82.97	54.00	28.97	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5270MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10540.00	38.88	13.84	52.72	74.30	-21.58	peak	
2	*	15810.00	38.25	18.25	56.50	74.30	-17.80	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5270MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	41.01	17.54	58.55	74.30	-15.75	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5310MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5300.000	48.85	40.54	89.39	68.30	21.09	peak	No Limit
2	*	5316.000	40.69	40.57	81.26	54.00	27.26	AVG	No Limit
3		5350.000	8.57	40.64	49.21	68.30	-19.09	peak	
4		5350.000	0.06	40.64	40.70	54.00	-13.30	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5310MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10620.00	39.40	14.17	53.57	74.30	-20.73	peak	
2	*	15930.00	38.50	18.89	57.39	74.30	-16.91	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5310MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39959.50	40.49	17.50	57.99	74.30	-16.31	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5310MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5299.200	49.24	40.54	89.78	68.30	21.48	peak	No Limit
2	*	5317.400	41.11	40.57	81.68	54.00	27.68	AVG	No Limit
3		5350.000	0.28	40.64	40.92	54.00	-13.08	AVG	
4		5353.000	10.23	40.65	50.88	68.30	-17.42	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5310MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10620.00	39.73	14.17	53.90	74.30	-20.40	peak	
2	*	15930.00	40.59	18.89	59.48	74.30	-14.82	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5310MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.21	17.60	58.81	74.30	-15.49	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT80) Mode 5290MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5256.800	47.93	40.45	88.38	68.30	20.08	peak	No Limit
2	*	5285.600	39.10	40.51	79.61	54.00	25.61	AVG	No Limit
3		5350.000	7.72	40.64	48.36	68.30	-19.94	peak	
4		5350.000	-0.12	40.64	40.52	54.00	-13.48	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT80) Mode 5290MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10580.00	38.75	14.00	52.75	74.30	-21.55	peak	
2	*	15870.00	37.93	18.57	56.50	74.30	-17.80	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT80) Mode 5290MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39959.50	41.68	17.50	59.18	74.30	-15.12	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT80) Mode 5290MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5261.200	38.92	40.46	79.38	54.00	25.38	AVG	No Limit
2	X	5281.200	47.19	40.49	87.68	68.30	19.38	peak	No Limit
3		5350.000	8.60	40.64	49.24	68.30	-19.06	peak	
4		5350.000	-0.17	40.64	40.47	54.00	-13.53	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT80) Mode 5290MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10580.00	39.90	14.00	53.90	74.30	-20.40	peak	
2	*	15870.00	39.62	18.57	58.19	74.30	-16.11	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT80) Mode 5290MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	41.44	17.54	58.98	74.30	-15.32	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz


Vertical




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1		5460.000	9.12	40.87	49.99	68.30	-18.31	peak	
2		5460.000	-0.32	40.87	40.55	54.00	-13.45	AVG	
3		5470.000	9.37	40.90	50.27	68.30	-18.03	peak	
4		5470.000	-0.29	40.90	40.61	54.00	-13.39	AVG	
5	*	5493.000	40.24	40.94	81.18	54.00	27.18	AVG	No Limit
6	X	5498.200	49.10	40.96	90.06	68.30	21.76	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11000.00	39.20	15.75	54.95	74.30	-19.35	peak	
2	*	16500.00	40.17	20.37	60.54	74.30	-13.76	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39905.50	41.26	17.37	58.63	74.30	-15.67	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5460.000	7.01	40.87	47.88	68.30	-20.42	peak	
2		5460.000	-0.20	40.87	40.67	54.00	-13.33	AVG	
3		5470.000	7.30	40.90	48.20	68.30	-20.10	peak	
4		5470.000	-0.14	40.90	40.76	54.00	-13.24	AVG	
5	X	5495.600	52.69	40.95	93.64	68.30	25.34	peak	No Limit
6	*	5506.100	44.15	40.97	85.12	54.00	31.12	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11000.00	38.33	15.75	54.08	74.30	-20.22	peak	
2	*	16500.00	38.72	20.37	59.09	74.30	-15.21	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39946.00	42.01	17.47	59.48	74.30	-14.82	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5703.600	41.32	41.24	82.56	54.00	28.56	AVG	No Limit
2	X	5706.700	49.99	41.24	91.23	68.30	22.93	peak	No Limit
3		5725.000	11.14	41.27	52.41	68.30	-15.89	peak	
4		5725.000	-0.54	41.27	40.73	54.00	-13.27	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11400.00	39.18	16.70	55.88	74.30	-18.42	peak	
2	*	17100.00	38.42	21.10	59.52	74.30	-14.78	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	40.33	17.60	57.93	74.30	-16.37	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5701.600	44.64	41.23	85.87	54.00	31.87	AVG	No Limit
2	X	5706.300	52.82	41.24	94.06	68.30	25.76	peak	No Limit
3		5725.000	7.99	41.27	49.26	68.30	-19.04	peak	
4		5725.000	-0.36	41.27	40.91	54.00	-13.09	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11400.00	39.46	16.70	56.16	74.30	-18.14	peak	
2	*	17100.00	38.62	21.10	59.72	74.30	-14.58	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.44	17.60	59.04	74.30	-15.26	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5460.000	7.52	40.87	48.39	68.30	-19.91	peak	
2		5460.000	-0.16	40.87	40.71	54.00	-13.29	AVG	
3		5470.000	8.79	40.90	49.69	68.30	-18.61	peak	
4		5470.000	-0.01	40.90	40.89	54.00	-13.11	AVG	
5	*	5498.200	44.29	40.96	85.25	54.00	31.25	AVG	No Limit
6	X	5503.500	52.29	40.97	93.26	68.30	24.96	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11000.00	38.65	15.75	54.40	74.30	-19.90	peak	
2	*	16500.00	39.50	20.37	59.87	74.30	-14.43	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	40.95	17.60	58.55	74.30	-15.75	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5460.000	7.59	40.87	48.46	68.30	-19.84	peak	
2		5460.000	-0.12	40.87	40.75	54.00	-13.25	AVG	
3		5470.000	8.67	40.90	49.57	68.30	-18.73	peak	
4		5470.000	-0.01	40.90	40.89	54.00	-13.11	AVG	
5	X	5504.000	54.82	40.97	95.79	68.30	27.49	peak	No Limit
6	*	5504.700	45.16	40.97	86.13	54.00	32.13	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11000.00	38.05	15.75	53.80	74.30	-20.50	peak	
2	*	16500.00	39.30	20.37	59.67	74.30	-14.63	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39959.50	41.50	17.50	59.00	74.30	-15.30	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5693.700	50.01	41.22	91.23	68.30	22.93	peak	No Limit
2	*	5705.300	41.69	41.24	82.93	54.00	28.93	AVG	No Limit
3		5725.000	8.58	41.27	49.85	68.30	-18.45	peak	
4		5725.000	-0.47	41.27	40.80	54.00	-13.20	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11400.00	39.03	16.70	55.73	74.30	-18.57	peak	
2	*	17100.00	38.29	21.10	59.39	74.30	-14.91	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39959.50	40.89	17.50	58.39	74.30	-15.91	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5705.300	44.85	41.24	86.09	54.00	32.09	AVG	No Limit
2	X	5706.900	52.60	41.24	93.84	68.30	25.54	peak	No Limit
3		5725.000	8.06	41.27	49.33	68.30	-18.97	peak	
4		5725.000	-0.22	41.27	41.05	54.00	-12.95	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11400.00	40.36	16.70	57.06	74.30	-17.24	peak	
2	*	17100.00	39.44	21.10	60.54	74.30	-13.76	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	42.53	17.54	60.07	74.30	-14.23	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5460.000	7.73	40.87	48.60	68.30	-19.70	peak	
2		5460.000	0.37	40.87	41.24	54.00	-12.76	AVG	
3		5470.000	9.12	40.90	50.02	68.30	-18.28	peak	
4		5470.000	1.64	40.90	42.54	54.00	-11.46	AVG	
5	X	5504.000	50.33	40.97	91.30	68.30	23.00	peak	No Limit
6	*	5505.000	40.86	40.97	81.83	54.00	27.83	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11020.00	37.97	15.80	53.77	74.30	-20.53	peak	
2	*	16530.00	39.01	20.40	59.41	74.30	-14.89	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39959.50	40.53	17.50	58.03	74.30	-16.27	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5460.000	7.15	40.87	48.02	68.30	-20.28	peak	
2		5460.000	0.56	40.87	41.43	54.00	-12.57	AVG	
3		5470.000	8.98	40.90	49.88	68.30	-18.42	peak	
4		5470.000	1.81	40.90	42.71	54.00	-11.29	AVG	
5	X	5503.200	50.79	40.97	91.76	68.30	23.46	peak	No Limit
6	*	5505.000	41.50	40.97	82.47	54.00	28.47	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11020.00	37.80	15.80	53.60	74.30	-20.70	peak	
2	*	16530.00	38.24	20.40	58.64	74.30	-15.66	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.96	17.60	59.56	74.30	-14.74	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5673.800	37.49	41.20	78.69	54.00	24.69	AVG	No Limit
2	X	5679.200	46.08	41.21	87.29	68.30	18.99	peak	No Limit
3		5725.000	8.43	41.27	49.70	68.30	-18.60	peak	
4		5725.000	-0.58	41.27	40.69	54.00	-13.31	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11340.00	38.73	16.56	55.29	74.30	-19.01	peak	
2	*	17010.00	36.77	20.81	57.58	74.30	-16.72	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.53	17.60	59.13	74.30	-15.17	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	5661.000	48.58	41.18	89.76	68.30	21.46	peak	No Limit
2	*	5662.400	40.59	41.18	81.77	54.00	27.77	AVG	No Limit
3		5725.000	8.31	41.27	49.58	68.30	-18.72	peak	
4		5725.000	-0.47	41.27	40.80	54.00	-13.20	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11340.00	39.74	16.56	56.30	74.30	-18.00	peak	
2	*	17010.00	37.59	20.81	58.40	74.30	-15.90	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	41.68	17.56	59.24	74.30	-15.06	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5500MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	6.83	40.87	47.70	68.30	-20.60	peak	
2		5460.000	-0.13	40.87	40.74	54.00	-13.26	AVG	
3		5470.000	7.00	40.90	47.90	68.30	-20.40	peak	
4		5470.000	-0.08	40.90	40.82	54.00	-13.18	AVG	
5	X	5501.100	52.57	40.96	93.53	68.30	25.23	peak	No Limit
6	*	5501.600	44.58	40.96	85.54	54.00	31.54	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5500MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11000.00	38.74	15.75	54.49	74.30	-19.81	peak	
2	*	16500.00	39.90	20.37	60.27	74.30	-14.03	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5500MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	40.95	17.60	58.55	74.30	-15.75	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5500MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5460.000	7.63	40.87	48.50	68.30	-19.80	peak	
2		5460.000	-0.21	40.87	40.66	54.00	-13.34	AVG	
3		5470.000	8.01	40.90	48.91	68.30	-19.39	peak	
4		5470.000	-0.11	40.90	40.79	54.00	-13.21	AVG	
5	X	5497.700	51.32	40.95	92.27	68.30	23.97	peak	No Limit
6	*	5498.200	43.58	40.96	84.54	54.00	30.54	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5500MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11000.00	37.27	15.75	53.02	74.30	-21.28	peak	
2	*	16500.00	37.36	20.37	57.73	74.30	-16.57	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5500MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39959.50	40.90	17.50	58.40	74.30	-15.90	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5700MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5704.500	41.20	41.24	82.44	54.00	28.44	AVG	No Limit
2	X	5705.700	49.12	41.24	90.36	68.30	22.06	peak	No Limit
3		5725.000	8.85	41.27	50.12	68.30	-18.18	peak	
4		5725.000	-0.48	41.27	40.79	54.00	-13.21	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5700MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11400.00	38.59	16.70	55.29	74.30	-19.01	peak	
2	*	17100.00	37.91	21.10	59.01	74.30	-15.29	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5700MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39932.50	42.00	17.43	59.43	74.30	-14.87	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5700MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	5702.100	52.52	41.23	93.75	68.30	25.45	peak	No Limit
2	*	5703.700	44.54	41.24	85.78	54.00	31.78	AVG	No Limit
3		5725.000	8.17	41.27	49.44	68.30	-18.86	peak	
4		5725.000	-0.25	41.27	41.02	54.00	-12.98	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5700MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11400.00	39.16	16.70	55.86	74.30	-18.44	peak	
2	*	17100.00	38.54	21.10	59.64	74.30	-14.66	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5700MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	42.59	17.54	60.13	74.30	-14.17	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5510MHz


Vertical




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.000	9.13	40.87	50.00	68.30	-18.30	peak	
2	5460.000	0.42	40.87	41.29	54.00	-12.71	AVG	
3	5470.000	11.82	40.90	52.72	68.30	-15.58	peak	
4	5470.000	1.70	40.90	42.60	54.00	-11.40	AVG	
5 X	5502.800	48.54	40.96	89.50	68.30	21.20	peak	No Limit
6 *	5504.000	40.93	40.97	81.90	54.00	27.90	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5510MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11020.00	37.48	15.80	53.28	74.30	-21.02	peak	
2	*	16530.00	38.81	20.40	59.21	74.30	-15.09	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5510MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39892.00	39.39	17.34	56.73	74.30	-17.57	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5510MHz


Horizontal




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.000	8.86	40.87	49.73	68.30	-18.57	peak	
2	5460.000	0.76	40.87	41.63	54.00	-12.37	AVG	
3	5470.000	10.73	40.90	51.63	68.30	-16.67	peak	
4	5470.000	1.99	40.90	42.89	54.00	-11.11	AVG	
5 X	5503.200	50.26	40.97	91.23	68.30	22.93	peak	No Limit
6 *	5505.000	42.10	40.97	83.07	54.00	29.07	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5510MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11020.00	40.04	15.80	55.84	74.30	-18.46	peak	
2	*	16530.00	39.12	20.40	59.52	74.30	-14.78	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5510MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	42.02	17.54	59.56	74.30	-14.74	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5670MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5662.400	46.67	41.18	87.85	68.30	19.55	peak	No Limit
2	*	5676.200	38.11	41.20	79.31	54.00	25.31	AVG	No Limit
3		5725.000	9.40	41.27	50.67	68.30	-17.63	peak	
4		5725.000	-0.57	41.27	40.70	54.00	-13.30	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5670MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11340.00	38.19	16.56	54.75	74.30	-19.55	peak	
2	*	17010.00	37.23	20.81	58.04	74.30	-16.26	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5670MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	40.79	17.54	58.33	74.30	-15.97	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5670MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5662.400	41.22	41.18	82.40	54.00	28.40	AVG	No Limit
2	X	5683.200	50.22	41.21	91.43	68.30	23.13	peak	No Limit
3		5725.000	9.91	41.27	51.18	68.30	-17.12	peak	
4		5725.000	-0.46	41.27	40.81	54.00	-13.19	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5670MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11340.00	40.03	16.56	56.59	74.30	-17.71	peak	
2	*	17010.00	37.38	20.81	58.19	74.30	-16.11	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5670MHz

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1 *	39946.00	40.67	17.47	58.14	74.30	-16.16	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5530MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5460.000	11.02	40.87	51.89	68.30	-16.41	peak	
2		5460.000	1.15	40.87	42.02	54.00	-11.98	AVG	
3		5470.000	11.28	40.90	52.18	68.30	-16.12	peak	
4		5470.000	1.48	40.90	42.38	54.00	-11.62	AVG	
5	*	5516.400	36.98	40.99	77.97	54.00	23.97	AVG	No Limit
6	X	5522.000	46.08	40.99	87.07	68.30	18.77	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5530MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11060.00	37.28	15.89	53.17	74.30	-21.13	peak	
2	*	16590.00	37.77	20.45	58.22	74.30	-16.08	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5530MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	40.60	17.54	58.14	74.30	-16.16	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5530MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5460.000	11.87	40.87	52.74	68.30	-15.56	peak	
2		5460.000	2.09	40.87	42.96	54.00	-11.04	AVG	
3		5470.000	11.76	40.90	52.66	68.30	-15.64	peak	
4		5470.000	2.02	40.90	42.92	54.00	-11.08	AVG	
5	*	5518.800	38.37	40.99	79.36	54.00	25.36	AVG	No Limit
6	X	5541.600	46.78	41.02	87.80	68.30	19.50	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5530MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11060.00	38.62	15.89	54.51	74.30	-19.79	peak	
2	*	16590.00	39.03	20.45	59.48	74.30	-14.82	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5530MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39959.50	42.04	17.50	59.54	74.30	-14.76	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5610MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5619.600	48.17	41.12	89.29	68.30	20.99	peak	No Limit
2	*	5620.000	37.33	41.12	78.45	54.00	24.45	AVG	No Limit
3		5725.000	8.28	41.27	49.55	68.30	-18.75	peak	
4		5725.000	-0.73	41.27	40.54	54.00	-13.46	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5610MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11220.00	40.05	16.27	56.32	74.30	-17.98	peak	
2	*	16830.00	39.22	20.63	59.85	74.30	-14.45	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5610MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	42.24	17.60	59.84	74.30	-14.46	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5610MHz


Horizontal




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5598.800	38.64	41.10	79.74	54.00	25.74	AVG	No Limit
2	X	5599.200	48.50	41.10	89.60	68.30	21.30	peak	No Limit
3		5725.000	8.26	41.27	49.53	68.30	-18.77	peak	
4		5725.000	-0.61	41.27	40.66	54.00	-13.34	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5610MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11220.00	39.62	16.27	55.89	74.30	-18.41	peak	
2	*	16830.00	38.69	20.63	59.32	74.30	-14.98	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5610MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39946.00	41.61	17.47	59.08	74.30	-15.22	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	8.57	41.25	49.82	68.30	-18.48	peak	
2		5715.000	-0.56	41.25	40.69	68.30	-27.61	AVG	
3		5725.000	9.19	41.27	50.46	78.30	-27.84	peak	
4		5725.000	-0.51	41.27	40.76	68.30	-27.54	AVG	
5	*	5738.900	39.97	41.28	81.25	68.30	12.95	AVG	No Limit
6	X	5739.700	48.06	41.28	89.34	78.30	11.04	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	38.12	16.91	55.03	74.30	-19.27	peak	
2	*	17235.00	39.42	21.53	60.95	74.30	-13.35	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	40.99	17.56	58.55	74.30	-15.75	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	7.91	41.25	49.16	68.30	-19.14	peak	
2		5715.000	-0.42	41.25	40.83	68.30	-27.47	AVG	
3		5725.000	5.61	41.27	46.88	78.30	-31.42	peak	
4		5725.000	-0.35	41.27	40.92	68.30	-27.38	AVG	
5	*	5747.700	43.01	41.30	84.31	68.30	16.01	AVG	No Limit
6	X	5751.400	51.79	41.30	93.09	78.30	14.79	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	39.78	16.91	56.69	74.30	-17.61	peak	
2	*	17235.00	39.51	21.53	61.04	74.30	-13.26	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	41.60	17.54	59.14	74.30	-15.16	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5820.600	47.55	41.39	88.94	78.30	10.64	peak	No Limit
2	*	5821.900	39.57	41.40	80.97	68.30	12.67	AVG	No Limit
3		5850.000	8.56	41.44	50.00	78.30	-28.30	peak	
4		5850.000	-0.45	41.44	40.99	68.30	-27.31	AVG	
5		5860.000	7.91	41.45	49.36	68.30	-18.94	peak	
6		5860.000	-0.44	41.45	41.01	68.30	-27.29	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	39.23	17.17	56.40	74.30	-17.90	peak	
2	*	17475.00	36.73	22.29	59.02	74.30	-15.28	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.46	17.60	59.06	74.30	-15.24	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5819.600	42.35	41.39	83.74	68.30	15.44	AVG	No Limit
2	X	5820.600	51.01	41.39	92.40	78.30	14.10	peak	No Limit
3		5850.000	7.44	41.44	48.88	78.30	-29.42	peak	
4		5850.000	-0.35	41.44	41.09	68.30	-27.21	AVG	
5		5860.000	9.61	41.45	51.06	68.30	-17.24	peak	
6		5860.000	-0.36	41.45	41.09	68.30	-27.21	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	39.11	17.17	56.28	74.30	-18.02	peak	
2	*	17475.00	37.70	22.29	59.99	74.30	-14.31	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	41.11	17.54	58.65	74.30	-15.65	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	8.29	41.25	49.54	68.30	-18.76	peak	
2		5715.000	-0.55	41.25	40.70	68.30	-27.60	AVG	
3		5725.000	7.88	41.27	49.15	78.30	-29.15	peak	
4		5725.000	-0.54	41.27	40.73	68.30	-27.57	AVG	
5	X	5749.700	48.27	41.30	89.57	78.30	11.27	peak	No Limit
6	*	5750.800	40.02	41.30	81.32	68.30	13.02	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	38.29	16.91	55.20	74.30	-19.10	peak	
2	*	17235.00	38.10	21.53	59.63	74.30	-14.67	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	41.47	17.54	59.01	74.30	-15.29	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	7.62	41.25	48.87	68.30	-19.43	peak	
2		5715.000	-0.49	41.25	40.76	68.30	-27.54	AVG	
3		5725.000	5.81	41.27	47.08	78.30	-31.22	peak	
4		5725.000	-0.46	41.27	40.81	68.30	-27.49	AVG	
5	*	5747.100	42.39	41.30	83.69	68.30	15.39	AVG	No Limit
6	X	5750.100	51.04	41.30	92.34	78.30	14.04	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	38.93	16.91	55.84	74.30	-18.46	peak	
2	*	17235.00	38.99	21.53	60.52	74.30	-13.78	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39946.00	41.50	17.47	58.97	74.30	-15.33	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5817.500	38.46	41.39	79.85	68.30	11.55	AVG	No Limit
2	X	5818.700	46.34	41.39	87.73	78.30	9.43	peak	No Limit
3		5850.000	8.10	41.44	49.54	78.30	-28.76	peak	
4		5850.000	-0.41	41.44	41.03	68.30	-27.27	AVG	
5		5860.000	8.14	41.45	49.59	68.30	-18.71	peak	
6		5860.000	-0.43	41.45	41.02	68.30	-27.28	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	39.98	17.17	57.15	74.30	-17.15	peak	
2	*	17475.00	37.42	22.29	59.71	74.30	-14.59	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.13	17.60	58.73	74.30	-15.57	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5818.100	42.16	41.39	83.55	68.30	15.25	AVG	No Limit
2	X	5821.800	49.73	41.39	91.12	78.30	12.82	peak	No Limit
3		5850.000	7.64	41.44	49.08	78.30	-29.22	peak	
4		5850.000	-0.30	41.44	41.14	68.30	-27.16	AVG	
5		5860.000	8.19	41.45	49.64	68.30	-18.66	peak	
6		5860.000	-0.34	41.45	41.11	68.30	-27.19	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	39.62	17.17	56.79	74.30	-17.51	peak	
2	*	17475.00	39.14	22.29	61.43	74.30	-12.87	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.57	17.60	59.17	74.30	-15.13	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	8.97	41.25	50.22	68.30	-18.08	peak	
2		5715.000	-0.50	41.25	40.75	68.30	-27.55	AVG	
3		5725.000	7.27	41.27	48.54	78.30	-29.76	peak	
4		5725.000	-0.54	41.27	40.73	68.30	-27.57	AVG	
5	*	5748.600	36.26	41.30	77.56	68.30	9.26	AVG	No Limit
6	X	5763.000	44.92	41.32	86.24	78.30	7.94	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11510.00	37.21	16.96	54.17	74.30	-20.13	peak	
2	*	17265.00	37.65	21.62	59.27	74.30	-15.03	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.18	17.60	58.78	74.30	-15.52	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	6.44	41.25	47.69	68.30	-20.61	peak	
2		5715.000	-0.28	41.25	40.97	68.30	-27.33	AVG	
3		5725.000	9.12	41.27	50.39	78.30	-27.91	peak	
4		5725.000	-0.37	41.27	40.90	68.30	-27.40	AVG	
5	*	5759.200	39.50	41.31	80.81	68.30	12.51	AVG	No Limit
6	X	5768.000	48.69	41.33	90.02	78.30	11.72	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11510.00	39.10	16.96	56.06	74.30	-18.24	peak	
2	*	17265.00	39.37	21.62	60.99	74.30	-13.31	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39932.50	40.97	17.43	58.40	74.30	-15.90	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5784.800	44.73	41.35	86.08	78.30	7.78	peak	No Limit
2	*	5792.000	35.82	41.36	77.18	68.30	8.88	AVG	No Limit
3		5850.000	7.51	41.44	48.95	78.30	-29.35	peak	
4		5850.000	-0.50	41.44	40.94	68.30	-27.36	AVG	
5		5860.000	10.10	41.45	51.55	68.30	-16.75	peak	
6		5860.000	-0.49	41.45	40.96	68.30	-27.34	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11590.00	38.17	17.08	55.25	74.30	-19.05	peak	
2	*	17385.00	36.71	22.00	58.71	74.30	-15.59	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	40.93	17.60	58.53	74.30	-15.77	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5791.400	38.19	41.36	79.55	68.30	11.25	AVG	No Limit
2	X	5800.600	48.16	41.37	89.53	78.30	11.23	peak	No Limit
3		5850.000	6.79	41.44	48.23	78.30	-30.07	peak	
4		5850.000	-0.46	41.44	40.98	68.30	-27.32	AVG	
5		5860.000	6.87	41.45	48.32	68.30	-19.98	peak	
6		5860.000	-0.46	41.45	40.99	68.30	-27.31	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11590.00	39.32	17.08	56.40	74.30	-17.90	peak	
2	*	17385.00	37.47	22.00	59.47	74.30	-14.83	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	41.50	17.56	59.06	74.30	-15.24	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5745MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	8.25	41.25	49.50	68.30	-18.80	peak	
2		5715.000	-0.52	41.25	40.73	68.30	-27.57	AVG	
3		5725.000	7.05	41.27	48.32	78.30	-29.98	peak	
4		5725.000	-0.54	41.27	40.73	68.30	-27.57	AVG	
5	X	5748.700	48.76	41.30	90.06	78.30	11.76	peak	No Limit
6	*	5750.900	40.40	41.30	81.70	68.30	13.40	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5745MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	38.58	16.91	55.49	74.30	-18.81	peak	
2	*	17235.00	38.26	21.53	59.79	74.30	-14.51	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5745MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39959.50	40.19	17.50	57.69	74.30	-16.61	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5745MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	7.79	41.25	49.04	68.30	-19.26	peak	
2		5715.000	-0.43	41.25	40.82	68.30	-27.48	AVG	
3		5725.000	8.45	41.27	49.72	78.30	-28.58	peak	
4		5725.000	-0.41	41.27	40.86	68.30	-27.44	AVG	
5	*	5746.700	42.91	41.29	84.20	68.30	15.90	AVG	No Limit
6	X	5747.000	51.48	41.30	92.78	78.30	14.48	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5745MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	39.25	16.91	56.16	74.30	-18.14	peak	
2	*	17235.00	39.64	21.53	61.17	74.30	-13.13	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5745MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.92	17.60	59.52	74.30	-14.78	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5825MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5817.500	38.89	41.39	80.28	68.30	11.98	AVG	No Limit
2	X	5827.200	46.73	41.40	88.13	78.30	9.83	peak	No Limit
3		5850.000	9.45	41.44	50.89	78.30	-27.41	peak	
4		5850.000	-0.42	41.44	41.02	68.30	-27.28	AVG	
5		5860.000	9.53	41.45	50.98	68.30	-17.32	peak	
6		5860.000	-0.41	41.45	41.04	68.30	-27.26	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5825MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	38.51	17.17	55.68	74.30	-18.62	peak	
2	*	17475.00	36.09	22.29	58.38	74.30	-15.92	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5825MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	40.71	17.56	58.27	74.30	-16.03	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5825MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5818.000	50.44	41.39	91.83	78.30	13.53	peak	No Limit
2	*	5819.300	42.58	41.39	83.97	68.30	15.67	AVG	No Limit
3		5850.000	7.77	41.44	49.21	78.30	-29.09	peak	
4		5850.000	-0.30	41.44	41.14	68.30	-27.16	AVG	
5		5860.000	7.38	41.45	48.83	68.30	-19.47	peak	
6		5860.000	-0.34	41.45	41.11	68.30	-27.19	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5825MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	40.03	17.17	57.20	74.30	-17.10	peak	
2	*	17475.00	38.63	22.29	60.92	74.30	-13.38	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5825MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39919.00	41.63	17.40	59.03	74.30	-15.27	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5755MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	8.23	41.25	49.48	68.30	-18.82	peak	
2		5715.000	-0.40	41.25	40.85	68.30	-27.45	AVG	
3		5725.000	6.99	41.27	48.26	78.30	-30.04	peak	
4		5725.000	-0.44	41.27	40.83	68.30	-27.47	AVG	
5	X	5758.600	46.47	41.31	87.78	78.30	9.48	peak	No Limit
6	*	5760.000	37.66	41.32	78.98	68.30	10.68	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5755MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11510.00	39.44	16.96	56.40	74.30	-17.90	peak	
2	*	17265.00	39.55	21.62	61.17	74.30	-13.13	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5755MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39959.50	41.34	17.50	58.84	74.30	-15.46	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5755MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	9.99	41.25	51.24	68.30	-17.06	peak	
2		5715.000	-0.22	41.25	41.03	68.30	-27.27	AVG	
3		5725.000	7.53	41.27	48.80	78.30	-29.50	peak	
4		5725.000	-0.30	41.27	40.97	68.30	-27.33	AVG	
5	*	5748.800	40.23	41.30	81.53	68.30	13.23	AVG	No Limit
6	X	5761.000	48.52	41.32	89.84	78.30	11.54	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5755MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11510.00	38.67	16.96	55.63	74.30	-18.67	peak	
2	*	17265.00	40.84	21.62	62.46	74.30	-11.84	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5755MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.50	17.60	59.10	74.30	-15.20	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5795MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5791.200	36.98	41.36	78.34	68.30	10.04	AVG	No Limit
2	X	5793.800	44.99	41.36	86.35	78.30	8.05	peak	No Limit
3		5850.000	9.37	41.44	50.81	78.30	-27.49	peak	
4		5850.000	-0.51	41.44	40.93	68.30	-27.37	AVG	
5		5860.000	7.15	41.45	48.60	68.30	-19.70	peak	
6		5860.000	-0.47	41.45	40.98	68.30	-27.32	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5795MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11590.00	37.74	17.08	54.82	74.30	-19.48	peak	
2	*	17385.00	37.31	22.00	59.31	74.30	-14.99	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5795MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	40.93	17.54	58.47	74.30	-15.83	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5795MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5790.200	48.52	41.35	89.87	78.30	11.57	peak	No Limit
2	*	5802.400	39.65	41.37	81.02	68.30	12.72	AVG	No Limit
3		5850.000	8.46	41.44	49.90	78.30	-28.40	peak	
4		5850.000	-0.45	41.44	40.99	68.30	-27.31	AVG	
5		5860.000	6.73	41.45	48.18	68.30	-20.12	peak	
6		5860.000	-0.45	41.45	41.00	68.30	-27.30	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5795MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11590.00	39.05	17.08	56.13	74.30	-18.17	peak	
2	*	17385.00	37.56	22.00	59.56	74.30	-14.74	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5795MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.01	17.60	58.61	74.30	-15.69	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT80) Mode 5775MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		5715.000	9.04	41.25	50.29	68.30	-18.01	peak	
2		5715.000	-0.51	41.25	40.74	68.30	-27.56	AVG	
3		5725.000	10.49	41.27	51.76	78.30	-26.54	peak	
4		5725.000	-0.54	41.27	40.73	68.30	-27.57	AVG	
5	*	5760.200	35.57	41.32	76.89	68.30	8.59	AVG	No Limit
6	X	5788.600	44.21	41.35	85.56	78.30	7.26	peak	No Limit
7		5850.000	7.04	41.44	48.48	78.30	-29.82	peak	
8		5850.000	-0.49	41.44	40.95	68.30	-27.35	AVG	
9		5860.000	7.60	41.45	49.05	68.30	-19.25	peak	
10		5860.000	-0.48	41.45	40.97	68.30	-27.33	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT80) Mode 5775MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11550.00	37.72	17.02	54.74	74.30	-19.56	peak	
2	*	17325.00	38.28	21.81	60.09	74.30	-14.21	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT80) Mode 5775MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	40.47	17.56	58.03	74.30	-16.27	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT80) Mode 5775MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	8.48	41.25	49.73	68.30	-18.57	peak	
2		5715.000	-0.45	41.25	40.80	68.30	-27.50	AVG	
3		5725.000	7.32	41.27	48.59	78.30	-29.71	peak	
4		5725.000	-0.45	41.27	40.82	68.30	-27.48	AVG	
5	*	5761.400	37.10	41.32	78.42	68.30	10.12	AVG	No Limit
6	X	5764.600	45.49	41.32	86.81	78.30	8.51	peak	No Limit
7		5850.000	6.88	41.44	48.32	78.30	-29.98	peak	
8		5850.000	-0.43	41.44	41.01	68.30	-27.29	AVG	
9		5860.000	7.58	41.45	49.03	68.30	-19.27	peak	
10		5860.000	-0.43	41.45	41.02	68.30	-27.28	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT80) Mode 5775MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11550.00	39.21	17.02	56.23	74.30	-18.07	peak	
2	*	17325.00	38.89	21.81	60.70	74.30	-13.60	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT80) Mode 5775MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	41.29	17.56	58.85	74.30	-15.45	peak	

ANT 2

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX A Mode 5180MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5150.000	6.86	40.22	47.08	68.30	-21.22	peak	
2		5150.000	-0.74	40.22	39.48	54.00	-14.52	AVG	
3	*	5173.000	42.30	40.27	82.57	54.00	28.57	AVG	No Limit
4	X	5186.400	51.35	40.30	91.65	68.30	23.35	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX A Mode 5180MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10360.00	38.63	13.85	52.48	74.30	-21.82	peak	
2	*	15540.00	38.29	16.85	55.14	74.30	-19.16	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX A Mode 5180MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.27	17.60	58.87	74.30	-15.43	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX A Mode 5180MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5150.000	7.85	40.22	48.07	68.30	-20.23	peak	
2		5150.000	-0.78	40.22	39.44	54.00	-14.56	AVG	
3	X	5175.500	51.89	40.27	92.16	68.30	23.86	peak	No Limit
4	*	5177.100	42.86	40.28	83.14	54.00	29.14	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX A Mode 5180MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10360.00	39.06	13.85	52.91	74.30	-21.39	peak	
2	*	15540.00	37.88	16.85	54.73	74.30	-19.57	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX A Mode 5180MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	41.92	17.56	59.48	74.30	-14.82	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX A Mode 5240MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	5235.800	51.19	40.40	91.59	68.30	23.29	peak	No Limit
2	*	5236.900	42.37	40.40	82.77	54.00	28.77	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX A Mode 5240MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10480.00	38.25	13.69	51.94	74.30	-22.36	peak	
2	*	15720.00	38.24	17.78	56.02	74.30	-18.28	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX A Mode 5240MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39959.50	40.52	17.50	58.02	74.30	-16.28	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX A Mode 5240MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5234.300	42.59	40.39	82.98	54.00	28.98	AVG	No Limit
2	X	5238.300	51.86	40.40	92.26	68.30	23.96	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX A Mode 5240MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10480.00	38.79	13.69	52.48	74.30	-21.82	peak	
2	*	15720.00	38.31	17.78	56.09	74.30	-18.21	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX A Mode 5240MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	40.68	17.60	58.28	74.30	-16.02	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5180MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	9.63	40.22	49.85	68.30	-18.45	peak	
2		5150.000	0.80	40.22	41.02	54.00	-12.98	AVG	
3	*	5174.200	50.53	40.27	90.80	54.00	36.80	AVG	No Limit
4	X	5175.700	60.54	40.27	100.81	68.30	32.51	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5180MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10360.00	38.65	13.85	52.50	74.30	-21.80	peak	
2	*	15540.00	38.17	16.85	55.02	74.30	-19.28	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5180MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	39.18	17.54	56.72	74.30	-17.58	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5180MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5150.000	7.51	40.22	47.73	68.30	-20.57	peak	
2		5150.000	-0.43	40.22	39.79	54.00	-14.21	AVG	
3	X	5173.800	55.21	40.27	95.48	68.30	27.18	peak	No Limit
4	*	5177.100	45.68	40.28	85.96	54.00	31.96	AVG	No Limit