



Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5180MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10360.00	39.07	13.85	52.92	74.30	-21.38	peak	
2	*	15540.00	39.02	16.85	55.87	74.30	-18.43	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5180MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	41.34	17.54	58.88	74.30	-15.42	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5240MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5235.500	59.54	40.40	99.94	68.30	31.64	peak	No Limit
2	*	5245.800	49.76	40.42	90.18	54.00	36.18	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5240MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10480.00	38.54	13.69	52.23	74.30	-22.07	peak	
2	*	15720.00	36.49	17.78	54.27	74.30	-20.03	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5240MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.74	17.60	59.34	74.30	-14.96	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5240MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5237.800	53.83	40.40	94.23	68.30	25.93	peak	No Limit
2	*	5245.500	45.06	40.42	85.48	54.00	31.48	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5240MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10480.00	39.92	13.69	53.61	74.30	-20.69	peak	
2	*	15720.00	38.49	17.78	56.27	74.30	-18.03	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5240MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39946.00	42.03	17.47	59.50	74.30	-14.80	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5190MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	14.58	40.22	54.80	68.30	-13.50	peak	
2		5150.000	5.52	40.22	45.74	54.00	-8.26	AVG	
3	X	5182.000	57.66	40.29	97.95	68.30	29.65	peak	No Limit
4	*	5185.600	48.13	40.30	88.43	54.00	34.43	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5190MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10380.00	38.49	13.83	52.32	74.30	-21.98	peak	
2	*	15570.00	38.36	17.00	55.36	74.30	-18.94	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5190MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.06	17.60	58.66	74.30	-15.64	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5190MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	15.81	40.22	56.03	68.30	-12.27	peak	
2		5150.000	5.39	40.22	45.61	54.00	-8.39	AVG	
3	*	5176.800	44.86	40.27	85.13	54.00	31.13	AVG	No Limit
4	X	5183.400	54.42	40.29	94.71	68.30	26.41	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5190MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10380.00	39.39	13.83	53.22	74.30	-21.08	peak	
2	*	15570.00	39.28	17.00	56.28	74.30	-18.02	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5190MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.74	17.60	59.34	74.30	-14.96	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5230MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5221.200	58.73	40.37	99.10	68.30	30.80	peak	No Limit
2	*	5226.200	49.87	40.38	90.25	54.00	36.25	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5230MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10460.00	40.32	13.71	54.03	74.30	-20.27	peak	
2	*	15690.00	37.24	17.63	54.87	74.30	-19.43	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5230MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	41.34	17.56	58.90	74.30	-15.40	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5230MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5223.400	53.76	40.38	94.14	68.30	25.84	peak	No Limit
2	*	5234.000	44.65	40.39	85.04	54.00	31.04	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5230MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10460.00	40.55	13.71	54.26	74.30	-20.04	peak	
2	*	15690.00	38.34	17.63	55.97	74.30	-18.33	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5230MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39932.50	40.98	17.43	58.41	74.30	-15.89	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT20) Mode 5180MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	9.12	40.22	49.34	68.30	-18.96	peak	
2		5150.000	1.63	40.22	41.85	54.00	-12.15	AVG	
3	X	5174.200	60.67	40.27	100.94	68.30	32.64	peak	No Limit
4	*	5187.300	52.64	40.30	92.94	54.00	38.94	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT20) Mode 5180MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10360.00	39.35	13.85	53.20	74.30	-21.10	peak	
2	*	15540.00	38.78	16.85	55.63	74.30	-18.67	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT20) Mode 5180MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	41.11	17.56	58.67	74.30	-15.63	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT20) Mode 5180MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	10.28	40.22	50.50	68.30	-17.80	peak	
2		5150.000	1.24	40.22	41.46	54.00	-12.54	AVG	
3	*	5174.500	50.56	40.27	90.83	54.00	36.83	AVG	No Limit
4	X	5183.000	59.68	40.29	99.97	68.30	31.67	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT20) Mode 5180MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10360.00	39.43	13.85	53.28	74.30	-21.02	peak	
2	*	15540.00	39.14	16.85	55.99	74.30	-18.31	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT20) Mode 5180MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.00	17.60	58.60	74.30	-15.70	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT20) Mode 5240MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5234.900	60.29	40.39	100.68	68.30	32.38	peak	No Limit
2	*	5243.100	51.18	40.41	91.59	54.00	37.59	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT20) Mode 5240MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10480.00	39.36	13.69	53.05	74.30	-21.25	peak	
2	*	15720.00	38.61	17.78	56.39	74.30	-17.91	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT20) Mode 5240MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	40.81	17.56	58.37	74.30	-15.93	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT20) Mode 5240MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5243.100	49.31	40.41	89.72	54.00	35.72	AVG	No Limit
2	X	5244.000	57.44	40.42	97.86	68.30	29.56	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT20) Mode 5240MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10480.00	39.32	13.69	53.01	74.30	-21.29	peak	
2	*	15720.00	38.68	17.78	56.46	74.30	-17.84	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT20) Mode 5240MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39946.00	41.30	17.47	58.77	74.30	-15.53	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT40) Mode 5190MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	15.74	40.22	55.96	68.30	-12.34	peak	
2		5150.000	6.74	40.22	46.96	54.00	-7.04	AVG	
3	*	5184.000	48.03	40.29	88.32	54.00	34.32	AVG	No Limit
4	X	5200.800	57.38	40.32	97.70	68.30	29.40	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT40) Mode 5190MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10380.00	39.15	13.83	52.98	74.30	-21.32	peak	
2	*	15570.00	38.27	17.00	55.27	74.30	-19.03	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT40) Mode 5190MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	41.14	17.54	58.68	74.30	-15.62	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT40) Mode 5190MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	13.57	40.22	53.79	68.30	-14.51	peak	
2		5150.000	3.34	40.22	43.56	54.00	-10.44	AVG	
3	*	5176.000	43.97	40.27	84.24	54.00	30.24	AVG	No Limit
4	X	5188.000	52.69	40.30	92.99	68.30	24.69	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT40) Mode 5190MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10380.00	40.02	13.83	53.85	74.30	-20.45	peak	
2	*	15570.00	39.34	17.00	56.34	74.30	-17.96	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT40) Mode 5190MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39959.50	40.96	17.50	58.46	74.30	-15.84	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT40) Mode 5230MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5225.000	47.62	40.38	88.00	54.00	34.00	AVG	No Limit
2	X	5225.200	56.55	40.38	96.93	68.30	28.63	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT40) Mode 5230MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10460.00	38.84	13.71	52.55	74.30	-21.75	peak	
2	*	15690.00	37.41	17.63	55.04	74.30	-19.26	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT40) Mode 5230MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	40.28	17.54	57.82	74.30	-16.48	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT40) Mode 5230MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5220.200	52.72	40.37	93.09	68.30	24.79	peak	No Limit
2	*	5225.000	44.37	40.38	84.75	54.00	30.75	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT40) Mode 5230MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10460.00	39.48	13.71	53.19	74.30	-21.11	peak	
2	*	15690.00	38.33	17.63	55.96	74.30	-18.34	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT40) Mode 5230MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	40.81	17.60	58.41	74.30	-15.89	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT80) Mode 5210MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	15.15	40.22	55.37	68.30	-12.93	peak	
2		5150.000	6.48	40.22	46.70	54.00	-7.30	AVG	
3	*	5183.600	44.41	40.29	84.70	54.00	30.70	AVG	No Limit
4	X	5220.400	53.72	40.37	94.09	68.30	25.79	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT80) Mode 5210MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10420.00	39.18	13.77	52.95	74.30	-21.35	peak	
2	*	15630.00	37.73	17.32	55.05	74.30	-19.25	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT80) Mode 5210MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	42.19	17.60	59.79	74.30	-14.51	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT80) Mode 5210MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	12.69	40.22	52.91	68.30	-15.39	peak	
2		5150.000	4.12	40.22	44.34	54.00	-9.66	AVG	
3	*	5196.400	40.86	40.32	81.18	54.00	27.18	AVG	No Limit
4	X	5202.000	49.17	40.32	89.49	68.30	21.19	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT80) Mode 5210MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10420.00	39.65	13.77	53.42	74.30	-20.88	peak	
2	*	15630.00	38.84	17.32	56.16	74.30	-18.14	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT80) Mode 5210MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39959.50	41.70	17.50	59.20	74.30	-15.10	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5260MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5266.300	44.44	40.47	84.91	54.00	30.91	AVG	No Limit
2	X	5266.800	53.38	40.47	93.85	68.30	25.55	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5260MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10520.00	39.56	13.75	53.31	74.30	-20.99	peak	
2	*	15780.00	39.41	18.10	57.51	74.30	-16.79	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5260MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39946.00	41.83	17.47	59.30	74.30	-15.00	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5260MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5253.700	44.86	40.44	85.30	54.00	31.30	AVG	No Limit
2	X	5255.400	53.39	40.44	93.83	68.30	25.53	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5260MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10520.00	40.72	13.75	54.47	74.30	-19.83	peak	
2	*	15780.00	38.59	18.10	56.69	74.30	-17.61	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5260MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	42.16	17.60	59.76	74.30	-14.54	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5320MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5315.700	54.39	40.57	94.96	68.30	26.66	peak	No Limit
2	*	5316.900	45.39	40.57	85.96	54.00	31.96	AVG	No Limit
3		5350.000	8.38	40.64	49.02	68.30	-19.28	peak	
4		5350.000	-0.20	40.64	40.44	54.00	-13.56	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5320MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10640.00	38.62	14.25	52.87	74.30	-21.43	peak	
2	*	15960.00	39.55	19.04	58.59	74.30	-15.71	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5320MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	40.81	17.56	58.37	74.30	-15.93	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5320MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5317.000	44.88	40.57	85.45	54.00	31.45	AVG	No Limit
2	X	5318.400	54.21	40.57	94.78	68.30	26.48	peak	No Limit
3		5350.000	9.14	40.64	49.78	68.30	-18.52	peak	
4		5350.000	-0.27	40.64	40.37	54.00	-13.63	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5320MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10640.00	40.12	14.25	54.37	74.30	-19.93	peak	
2	*	15960.00	39.49	19.04	58.53	74.30	-15.77	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5320MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39946.00	41.73	17.47	59.20	74.30	-15.10	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5265.800	58.66	40.47	99.13	68.30	30.83	peak	No Limit
2	*	5265.900	48.98	40.47	89.45	54.00	35.45	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10520.00	38.33	13.75	52.08	74.30	-22.22	peak	
2	*	15780.00	37.19	18.10	55.29	74.30	-19.01	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.20	17.60	58.80	74.30	-15.50	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	5252.900	53.33	40.44	93.77	68.30	25.47	peak	No Limit
2	*	5253.600	44.45	40.44	84.89	54.00	30.89	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10520.00	39.22	13.75	52.97	74.30	-21.33	peak	
2	*	15780.00	38.02	18.10	56.12	74.30	-18.18	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39932.50	41.75	17.43	59.18	74.30	-15.12	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5313.600	55.62	40.56	96.18	68.30	27.88	peak	No Limit
2	*	5316.700	47.08	40.57	87.65	54.00	33.65	AVG	No Limit
3		5350.000	8.70	40.64	49.34	68.30	-18.96	peak	
4		5350.000	0.10	40.64	40.74	54.00	-13.26	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10640.00	39.10	14.25	53.35	74.30	-20.95	peak	
2	*	15960.00	39.93	19.04	58.97	74.30	-15.33	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39932.50	40.73	17.43	58.16	74.30	-16.14	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5317.900	51.20	40.57	91.77	68.30	23.47	peak	No Limit
2	*	5321.800	41.90	40.58	82.48	54.00	28.48	AVG	No Limit
3		5350.000	9.31	40.64	49.95	68.30	-18.35	peak	
4		5350.000	-0.44	40.64	40.20	54.00	-13.80	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10640.00	40.62	14.25	54.87	74.30	-19.43	peak	
2	*	15960.00	40.60	19.04	59.64	74.30	-14.66	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.54	17.60	59.14	74.30	-15.16	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5264.200	45.13	40.46	85.59	54.00	31.59	AVG	No Limit
2	X	5265.600	53.91	40.47	94.38	68.30	26.08	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10540.00	39.10	13.84	52.94	74.30	-21.36	peak	
2	*	15810.00	38.77	18.25	57.02	74.30	-17.28	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.27	17.60	58.87	74.30	-15.43	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5259.800	49.10	40.45	89.55	68.30	21.25	peak	No Limit
2	*	5282.600	40.49	40.50	80.99	54.00	26.99	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10540.00	38.79	13.84	52.63	74.30	-21.67	peak	
2	*	15810.00	38.08	18.25	56.33	74.30	-17.97	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	40.57	17.54	58.11	74.30	-16.19	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5314.000	52.61	40.56	93.17	68.30	24.87	peak	No Limit
2	*	5315.400	42.73	40.57	83.30	54.00	29.30	AVG	No Limit
3		5350.000	10.68	40.64	51.32	68.30	-16.98	peak	
4		5350.000	0.62	40.64	41.26	54.00	-12.74	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10620.00	39.30	14.17	53.47	74.30	-20.83	peak	
2	*	15930.00	39.12	18.89	58.01	74.30	-16.29	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.44	17.60	59.04	74.30	-15.26	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5316.600	37.66	40.57	78.23	54.00	24.23	AVG	No Limit
2	X	5320.000	46.25	40.58	86.83	68.30	18.53	peak	No Limit
3		5350.000	8.83	40.64	49.47	68.30	-18.83	peak	
4		5350.000	-0.02	40.64	40.62	54.00	-13.38	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10620.00	40.32	14.17	54.49	74.30	-19.81	peak	
2	*	15930.00	40.70	18.89	59.59	74.30	-14.71	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	41.09	17.56	58.65	74.30	-15.65	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5260MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5257.300	56.13	40.45	96.58	68.30	28.28	peak	No Limit
2	*	5262.500	48.66	40.46	89.12	54.00	35.12	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5260MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10520.00	38.72	13.75	52.47	74.30	-21.83	peak	
2	*	15780.00	39.26	18.10	57.36	74.30	-16.94	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5260MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39919.00	40.92	17.40	58.32	74.30	-15.98	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5260MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5254.500	56.32	40.44	96.76	68.30	28.46	peak	No Limit
2	*	5258.100	47.74	40.45	88.19	54.00	34.19	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5260MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10520.00	38.76	13.75	52.51	74.30	-21.79	peak	
2	*	15780.00	38.16	18.10	56.26	74.30	-18.04	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5260MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.23	17.60	58.83	74.30	-15.47	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5320MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5321.200	55.65	40.58	96.23	68.30	27.93	peak	No Limit
2	*	5322.500	47.80	40.58	88.38	54.00	34.38	AVG	No Limit
3		5350.000	8.99	40.64	49.63	68.30	-18.67	peak	
4		5350.000	0.28	40.64	40.92	54.00	-13.08	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5320MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10640.00	39.74	14.25	53.99	74.30	-20.31	peak	
2	*	15960.00	39.05	19.04	58.09	74.30	-16.21	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5320MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39946.00	40.51	17.47	57.98	74.30	-16.32	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5320MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5312.800	53.03	40.56	93.59	68.30	25.29	peak	No Limit
2	*	5323.000	44.35	40.59	84.94	54.00	30.94	AVG	No Limit
3		5350.000	8.34	40.64	48.98	68.30	-19.32	peak	
4		5350.000	-0.14	40.64	40.50	54.00	-13.50	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5320MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10640.00	39.03	14.25	53.28	74.30	-21.02	peak	
2	*	15960.00	39.45	19.04	58.49	74.30	-15.81	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5320MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.62	17.60	59.22	74.30	-15.08	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5270MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5273.600	45.51	40.48	85.99	54.00	31.99	AVG	No Limit
2	X	5282.800	53.31	40.50	93.81	68.30	25.51	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5270MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10540.00	38.55	13.84	52.39	74.30	-21.91	peak	
2	*	15810.00	38.22	18.25	56.47	74.30	-17.83	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5270MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39959.50	40.34	17.50	57.84	74.30	-16.46	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5270MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5271.800	49.58	40.47	90.05	68.30	21.75	peak	No Limit
2	*	5276.200	41.74	40.48	82.22	54.00	28.22	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5270MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10540.00	39.05	13.84	52.89	74.30	-21.41	peak	
2	*	15810.00	38.54	18.25	56.79	74.30	-17.51	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5270MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	40.97	17.60	58.57	74.30	-15.73	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5310MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5304.000	53.81	40.54	94.35	68.30	26.05	peak	No Limit
2	*	5304.000	45.10	40.54	85.64	54.00	31.64	AVG	No Limit
3		5350.000	9.64	40.64	50.28	68.30	-18.02	peak	
4		5350.000	1.52	40.64	42.16	54.00	-11.84	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5310MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10620.00	39.42	14.17	53.59	74.30	-20.71	peak	
2	*	15930.00	39.14	18.89	58.03	74.30	-16.27	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5310MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.17	17.60	58.77	74.30	-15.53	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5310MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5305.000	40.84	40.54	81.38	54.00	27.38	AVG	No Limit
2	X	5307.000	49.94	40.55	90.49	68.30	22.19	peak	No Limit
3		5350.000	8.96	40.64	49.60	68.30	-18.70	peak	
4		5350.000	0.41	40.64	41.05	54.00	-12.95	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5310MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10620.00	39.66	14.17	53.83	74.30	-20.47	peak	
2	*	15930.00	39.75	18.89	58.64	74.30	-15.66	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5310MHz

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1 *	39959.50	41.21	17.50	58.71	74.30	-15.59	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT80) Mode 5290MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5276.400	50.42	40.48	90.90	68.30	22.60	peak	No Limit
2	*	5302.800	41.66	40.55	82.21	54.00	28.21	AVG	No Limit
3		5350.000	11.20	40.64	51.84	68.30	-16.46	peak	
4		5350.000	1.67	40.64	42.31	54.00	-11.69	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT80) Mode 5290MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10580.00	36.83	14.00	50.83	74.30	-23.47	peak	
2	*	15870.00	37.86	18.57	56.43	74.30	-17.87	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT80) Mode 5290MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39959.50	40.66	17.50	58.16	74.30	-16.14	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT80) Mode 5290MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5281.200	48.21	40.49	88.70	68.30	20.40	peak	No Limit
2	*	5300.400	39.66	40.54	80.20	54.00	26.20	AVG	No Limit
3		5350.000	8.22	40.64	48.86	68.30	-19.44	peak	
4		5350.000	0.40	40.64	41.04	54.00	-12.96	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT80) Mode 5290MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10580.00	39.22	14.00	53.22	74.30	-21.08	peak	
2	*	15870.00	39.45	18.57	58.02	74.30	-16.28	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT80) Mode 5290MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39919.00	42.00	17.40	59.40	74.30	-14.90	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	7.34	40.87	48.21	68.30	-20.09	peak	
2		5460.000	-0.28	40.87	40.59	54.00	-13.41	AVG	
3		5470.000	9.86	40.90	50.76	68.30	-17.54	peak	
4		5470.000	-0.26	40.90	40.64	54.00	-13.36	AVG	
5	X	5495.300	52.36	40.95	93.31	68.30	25.01	peak	No Limit
6	*	5496.900	43.44	40.95	84.39	54.00	30.39	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11000.00	38.02	15.75	53.77	74.30	-20.53	peak	
2	*	16500.00	37.64	20.37	58.01	74.30	-16.29	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	40.48	17.60	58.08	74.30	-16.22	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	9.39	40.87	50.26	68.30	-18.04	peak	
2		5460.000	-0.33	40.87	40.54	54.00	-13.46	AVG	
3		5470.000	7.67	40.90	48.57	68.30	-19.73	peak	
4		5470.000	-0.25	40.90	40.65	54.00	-13.35	AVG	
5	*	5503.200	42.72	40.97	83.69	54.00	29.69	AVG	No Limit
6	X	5503.500	50.84	40.97	91.81	68.30	23.51	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11000.00	38.99	15.75	54.74	74.30	-19.56	peak	
2	*	16500.00	39.20	20.37	59.57	74.30	-14.73	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	40.94	17.60	58.54	74.30	-15.76	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	5695.800	54.92	41.22	96.14	68.30	27.84	peak	No Limit
2	*	5696.900	46.72	41.23	87.95	54.00	33.95	AVG	No Limit
3		5725.000	9.70	41.27	50.97	68.30	-17.33	peak	
4		5725.000	-0.07	41.27	41.20	54.00	-12.80	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11400.00	39.40	16.70	56.10	74.30	-18.20	peak	
2	*	17100.00	38.05	21.10	59.15	74.30	-15.15	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	41.48	17.54	59.02	74.30	-15.28	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	5698.000	49.56	41.23	90.79	68.30	22.49	peak	No Limit
2	*	5701.700	40.84	41.23	82.07	54.00	28.07	AVG	No Limit
3		5725.000	8.54	41.27	49.81	68.30	-18.49	peak	
4		5725.000	-0.76	41.27	40.51	54.00	-13.49	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	39.65	16.91	56.56	74.30	-17.74	peak	
2	*	17235.00	39.60	21.53	61.13	74.30	-13.17	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.28	17.60	58.88	74.30	-15.42	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz


Vertical




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.000	9.01	40.87	49.88	68.30	-18.42	peak	
2	5460.000	-0.19	40.87	40.68	54.00	-13.32	AVG	
3	5470.000	8.46	40.90	49.36	68.30	-18.94	peak	
4	5470.000	-0.14	40.90	40.76	54.00	-13.24	AVG	
5 X	5493.100	53.47	40.94	94.41	68.30	26.11	peak	No Limit
6 *	5495.700	43.96	40.95	84.91	54.00	30.91	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11000.00	37.14	15.75	52.89	74.30	-21.41	peak	
2	*	16500.00	38.24	20.37	58.61	74.30	-15.69	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	40.61	17.56	58.17	74.30	-16.13	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz


Horizontal




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.000	8.00	40.87	48.87	68.30	-19.43	peak	
2	5460.000	-0.42	40.87	40.45	54.00	-13.55	AVG	
3	5470.000	9.70	40.90	50.60	68.30	-17.70	peak	
4	5470.000	-0.38	40.90	40.52	54.00	-13.48	AVG	
5 *	5494.000	38.58	40.95	79.53	54.00	25.53	AVG	No Limit
6 X	5502.300	47.52	40.96	88.48	68.30	20.18	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11000.00	38.84	15.75	54.59	74.30	-19.71	peak	
2	*	16500.00	38.67	20.37	59.04	74.30	-15.26	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	41.83	17.56	59.39	74.30	-14.91	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5693.500	50.39	41.22	91.61	68.30	23.31	peak	No Limit
2	*	5694.500	41.88	41.22	83.10	54.00	29.10	AVG	No Limit
3		5725.000	8.87	41.27	50.14	68.30	-18.16	peak	
4		5725.000	-0.70	41.27	40.57	54.00	-13.43	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11400.00	39.08	16.70	55.78	74.30	-18.52	peak	
2	*	17100.00	37.83	21.10	58.93	74.30	-15.37	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39932.50	40.39	17.43	57.82	74.30	-16.48	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5695.500	37.83	41.22	79.05	54.00	25.05	AVG	No Limit
2	X	5698.600	47.67	41.23	88.90	68.30	20.60	peak	No Limit
3		5725.000	9.91	41.27	51.18	68.30	-17.12	peak	
4		5725.000	-0.85	41.27	40.42	54.00	-13.58	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11400.00	40.09	16.70	56.79	74.30	-17.51	peak	
2	*	17100.00	38.42	21.10	59.52	74.30	-14.78	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.83	17.60	59.43	74.30	-14.87	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5460.000	8.33	40.87	49.20	68.30	-19.10	peak	
2		5460.000	0.24	40.87	41.11	54.00	-12.89	AVG	
3		5470.000	9.61	40.90	50.51	68.30	-17.79	peak	
4		5470.000	0.88	40.90	41.78	54.00	-12.22	AVG	
5	*	5497.400	42.30	40.95	83.25	54.00	29.25	AVG	No Limit
6	X	5499.800	51.93	40.96	92.89	68.30	24.59	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11020.00	38.28	15.80	54.08	74.30	-20.22	peak	
2	*	16530.00	38.80	20.40	59.20	74.30	-15.10	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	40.96	17.56	58.52	74.30	-15.78	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz


Horizontal




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.000	8.84	40.87	49.71	68.30	-18.59	peak	
2	5460.000	-0.40	40.87	40.47	54.00	-13.53	AVG	
3	5470.000	9.52	40.90	50.42	68.30	-17.88	peak	
4	5470.000	-0.33	40.90	40.57	54.00	-13.43	AVG	
5 *	5495.400	34.23	40.95	75.18	54.00	21.18	AVG	No Limit
6 X	5512.600	44.18	40.98	85.16	68.30	16.86	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11020.00	38.06	15.80	53.86	74.30	-20.44	peak	
2	*	16530.00	39.43	20.40	59.83	74.30	-14.47	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	40.25	17.60	57.85	74.30	-16.45	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5662.400	38.20	41.18	79.38	54.00	25.38	AVG	No Limit
2	X	5663.600	48.08	41.18	89.26	68.30	20.96	peak	No Limit
3		5725.000	7.75	41.27	49.02	68.30	-19.28	peak	
4		5725.000	-0.80	41.27	40.47	54.00	-13.53	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11340.00	38.74	16.56	55.30	74.30	-19.00	peak	
2	*	17010.00	39.08	20.81	59.89	74.30	-14.41	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	40.80	17.60	58.40	74.30	-15.90	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5656.200	34.67	41.17	75.84	54.00	21.84	AVG	No Limit
2	X	5658.600	45.72	41.17	86.89	68.30	18.59	peak	No Limit
3		5725.000	8.14	41.27	49.41	68.30	-18.89	peak	
4		5725.000	-0.83	41.27	40.44	54.00	-13.56	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11340.00	39.23	16.56	55.79	74.30	-18.51	peak	
2	*	17010.00	38.60	20.81	59.41	74.30	-14.89	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39919.00	41.12	17.40	58.52	74.30	-15.78	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5500MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5460.000	9.48	40.87	50.35	68.30	-17.95	peak	
2		5460.000	-0.24	40.87	40.63	54.00	-13.37	AVG	
3		5470.000	9.56	40.90	50.46	68.30	-17.84	peak	
4		5470.000	-0.21	40.90	40.69	54.00	-13.31	AVG	
5	*	5493.100	42.85	40.94	83.79	54.00	29.79	AVG	No Limit
6	X	5495.400	51.26	40.95	92.21	68.30	23.91	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5500MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11000.00	38.98	15.75	54.73	74.30	-19.57	peak	
2	*	16500.00	38.18	20.37	58.55	74.30	-15.75	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5500MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	42.02	17.56	59.58	74.30	-14.72	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5500MHz


Horizontal




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.000	8.69	40.87	49.56	68.30	-18.74	peak	
2	5460.000	-0.34	40.87	40.53	54.00	-13.47	AVG	
3	5470.000	8.57	40.90	49.47	68.30	-18.83	peak	
4	5470.000	-0.27	40.90	40.63	54.00	-13.37	AVG	
5 X	5495.000	48.95	40.95	89.90	68.30	21.60	peak	No Limit
6 *	5496.800	39.87	40.95	80.82	54.00	26.82	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5500MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11000.00	39.24	15.75	54.99	74.30	-19.31	peak	
2	*	16500.00	38.35	20.37	58.72	74.30	-15.58	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5500MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	41.18	17.56	58.74	74.30	-15.56	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5700MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5692.600	47.09	41.22	88.31	54.00	34.31	AVG	No Limit
2	X	5694.600	54.44	41.22	95.66	68.30	27.36	peak	No Limit
3		5725.000	9.11	41.27	50.38	68.30	-17.92	peak	
4		5725.000	0.79	41.27	42.06	54.00	-11.94	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5700MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11400.00	37.95	16.70	54.65	74.30	-19.65	peak	
2	*	17100.00	38.69	21.10	59.79	74.30	-14.51	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5700MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39932.50	40.45	17.43	57.88	74.30	-16.42	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5700MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5694.900	46.76	41.22	87.98	68.30	19.68	peak	No Limit
2	*	5696.900	38.58	41.23	79.81	54.00	25.81	AVG	No Limit
3		5725.000	7.11	41.27	48.38	68.30	-19.92	peak	
4		5725.000	-0.83	41.27	40.44	54.00	-13.56	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5700MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11400.00	39.18	16.70	55.88	74.30	-18.42	peak	
2	*	17100.00	39.39	21.10	60.49	74.30	-13.81	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5700MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39959.50	40.46	17.50	57.96	74.30	-16.34	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5510MHz


Vertical




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1		5460.000	8.96	40.87	49.83	68.30	-18.47	peak	
2		5460.000	-0.32	40.87	40.55	54.00	-13.45	AVG	
3		5470.000	8.12	40.90	49.02	68.30	-19.28	peak	
4		5470.000	-0.25	40.90	40.65	54.00	-13.35	AVG	
5	X	5503.200	44.89	40.97	85.86	68.30	17.56	peak	No Limit
6	*	5504.800	35.75	40.97	76.72	54.00	22.72	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5510MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11020.00	38.36	15.80	54.16	74.30	-20.14	peak	
2	*	16530.00	38.20	20.40	58.60	74.30	-15.70	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5510MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.19	17.60	58.79	74.30	-15.51	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5510MHz


Horizontal




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.000	7.85	40.87	48.72	68.30	-19.58	peak	
2	5460.000	-0.41	40.87	40.46	54.00	-13.54	AVG	
3	5470.000	8.76	40.90	49.66	68.30	-18.64	peak	
4	5470.000	-0.34	40.90	40.56	54.00	-13.44	AVG	
5 *	5496.000	34.35	40.95	75.30	54.00	21.30	AVG	No Limit
6 X	5497.200	42.26	40.95	83.21	68.30	14.91	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5510MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11020.00	38.97	15.80	54.77	74.30	-19.53	peak	
2	*	16530.00	39.06	20.40	59.46	74.30	-14.84	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5510MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	40.68	17.54	58.22	74.30	-16.08	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5670MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5664.400	50.23	41.18	91.41	68.30	23.11	peak	No Limit
2	*	5684.800	40.97	41.22	82.19	54.00	28.19	AVG	No Limit
3		5725.000	7.97	41.27	49.24	68.30	-19.06	peak	
4		5725.000	-0.60	41.27	40.67	54.00	-13.33	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5670MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11340.00	39.62	16.56	56.18	74.30	-18.12	peak	
2	*	17010.00	37.82	20.81	58.63	74.30	-15.67	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5670MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39959.50	40.54	17.50	58.04	74.30	-16.26	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5670MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5673.400	33.40	41.20	74.60	54.00	20.60	AVG	No Limit
2	X	5675.800	42.11	41.20	83.31	68.30	15.01	peak	No Limit
3		5725.000	8.17	41.27	49.44	68.30	-18.86	peak	
4		5725.000	-0.85	41.27	40.42	54.00	-13.58	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5670MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11340.00	40.45	16.56	57.01	74.30	-17.29	peak	
2	*	17010.00	38.21	20.81	59.02	74.30	-15.28	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5670MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39932.50	40.59	17.43	58.02	74.30	-16.28	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5530MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5460.000	8.31	40.87	49.18	68.30	-19.12	peak	
2		5460.000	-0.04	40.87	40.83	54.00	-13.17	AVG	
3		5470.000	10.08	40.90	50.98	68.30	-17.32	peak	
4		5470.000	-0.14	40.90	40.76	54.00	-13.24	AVG	
5	*	5516.400	37.66	40.99	78.65	54.00	24.65	AVG	No Limit
6	X	5540.400	47.00	41.01	88.01	68.30	19.71	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5530MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11060.00	36.74	15.89	52.63	74.30	-21.67	peak	
2	*	16590.00	37.82	20.45	58.27	74.30	-16.03	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5530MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.28	17.60	58.88	74.30	-15.42	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5530MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5460.000	8.67	40.87	49.54	68.30	-18.76	peak	
2		5460.000	-0.30	40.87	40.57	54.00	-13.43	AVG	
3		5470.000	9.34	40.90	50.24	68.30	-18.06	peak	
4		5470.000	-0.31	40.90	40.59	54.00	-13.41	AVG	
5	X	5497.600	41.67	40.95	82.62	68.30	14.32	peak	No Limit
6	*	5515.200	32.54	40.98	73.52	54.00	19.52	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5530MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11060.00	38.29	15.89	54.18	74.30	-20.12	peak	
2	*	16590.00	39.05	20.45	59.50	74.30	-14.80	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5530MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	40.86	17.54	58.40	74.30	-15.90	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5610MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5577.600	47.35	41.06	88.41	68.30	20.11	peak	No Limit
2	*	5580.000	38.33	41.07	79.40	54.00	25.40	AVG	No Limit
3		5725.000	7.09	41.27	48.36	68.30	-19.94	peak	
4		5725.000	-0.85	41.27	40.42	54.00	-13.58	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5610MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11220.00	39.57	16.27	55.84	74.30	-18.46	peak	
2	*	16830.00	39.26	20.63	59.89	74.30	-14.41	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5610MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	41.75	17.54	59.29	74.30	-15.01	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5610MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5580.400	41.31	41.07	82.38	68.30	14.08	peak	No Limit
2	*	5595.200	32.44	41.09	73.53	54.00	19.53	AVG	No Limit
3		5725.000	7.04	41.27	48.31	68.30	-19.99	peak	
4		5725.000	-0.86	41.27	40.41	54.00	-13.59	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5610MHz

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	11220.00	38.74	16.27	55.01	74.30	-19.29	peak	
2 *	16830.00	38.11	20.63	58.74	74.30	-15.56	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5610MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	41.28	17.56	58.84	74.30	-15.46	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	7.62	41.25	48.87	68.30	-19.43	peak	
2		5715.000	-0.67	41.25	40.58	68.30	-27.72	AVG	
3		5725.000	8.89	41.27	50.16	78.30	-28.14	peak	
4		5725.000	0.61	41.27	41.88	68.30	-26.42	AVG	
5	X	5742.100	52.75	41.29	94.04	78.30	15.74	peak	No Limit
6	*	5743.200	43.91	41.29	85.20	68.30	16.90	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	38.89	16.91	55.80	74.30	-18.50	peak	
2	*	17235.00	38.28	21.53	59.81	74.30	-14.49	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.08	17.60	58.68	74.30	-15.62	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	8.96	41.25	50.21	68.30	-18.09	peak	
2		5715.000	-0.69	41.25	40.56	68.30	-27.74	AVG	
3		5725.000	9.73	41.27	51.00	78.30	-27.30	peak	
4		5725.000	0.82	41.27	42.09	68.30	-26.21	AVG	
5	X	5738.700	51.41	41.28	92.69	78.30	14.39	peak	No Limit
6	*	5742.000	42.25	41.29	83.54	68.30	15.24	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	38.74	16.91	55.65	74.30	-18.65	peak	
2	*	17235.00	38.73	21.53	60.26	74.30	-14.04	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.84	17.60	59.44	74.30	-14.86	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5820.300	49.99	41.39	91.38	78.30	13.08	peak	No Limit
2	*	5822.800	41.31	41.40	82.71	68.30	14.41	AVG	No Limit
3		5850.000	10.26	41.44	51.70	78.30	-26.60	peak	
4		5850.000	-0.36	41.44	41.08	68.30	-27.22	AVG	
5		5860.000	8.61	41.45	50.06	68.30	-18.24	peak	
6		5860.000	-0.48	41.45	40.97	68.30	-27.33	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	38.03	17.17	55.20	74.30	-19.10	peak	
2	*	17475.00	38.25	22.29	60.54	74.30	-13.76	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	40.75	17.54	58.29	74.30	-16.01	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5830.900	51.34	41.41	92.75	78.30	14.45	peak	
2	*	5832.100	42.20	41.41	83.61	68.30	15.31	AVG	
3		5850.000	9.09	41.44	50.53	78.30	-27.77	peak	
4		5850.000	-0.24	41.44	41.20	68.30	-27.10	AVG	
5		5860.000	9.81	41.45	51.26	68.30	-17.04	peak	No Limit
6		5860.000	-0.39	41.45	41.06	68.30	-27.24	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	39.31	17.17	56.48	74.30	-17.82	peak	
2	*	17475.00	37.43	22.29	59.72	74.30	-14.58	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39946.00	41.29	17.47	58.76	74.30	-15.54	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	8.29	41.25	49.54	68.30	-18.76	peak	
2		5715.000	-0.71	41.25	40.54	68.30	-27.76	AVG	
3		5725.000	10.64	41.27	51.91	78.30	-26.39	peak	
4		5725.000	0.32	41.27	41.59	68.30	-26.71	AVG	
5	X	5741.800	50.77	41.29	92.06	78.30	13.76	peak	No Limit
6	*	5746.700	42.05	41.29	83.34	68.30	15.04	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	38.87	16.91	55.78	74.30	-18.52	peak	
2	*	17235.00	38.16	21.53	59.69	74.30	-14.61	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39946.00	40.34	17.47	57.81	74.30	-16.49	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	8.90	41.25	50.15	68.30	-18.15	peak	
2		5715.000	-0.86	41.25	40.39	68.30	-27.91	AVG	
3		5725.000	9.46	41.27	50.73	78.30	-27.57	peak	
4		5725.000	-0.24	41.27	41.03	68.30	-27.27	AVG	
5	*	5738.000	49.79	41.28	91.07	78.30	12.77	peak	No Limit
6	X	5739.100	39.60	41.28	80.88	68.30	12.58	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	38.08	16.91	54.99	74.30	-19.31	peak	
2	*	17235.00	38.71	21.53	60.24	74.30	-14.06	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	41.49	17.56	59.05	74.30	-15.25	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5821.900	42.93	41.40	84.33	68.30	16.03	AVG	No Limit
2	X	5822.500	51.69	41.40	93.09	78.30	14.79	peak	No Limit
3		5850.000	8.11	41.44	49.55	78.30	-28.75	peak	
4		5850.000	-0.14	41.44	41.30	68.30	-27.00	AVG	
5		5860.000	8.63	41.45	50.08	68.30	-18.22	peak	
6		5860.000	-0.46	41.45	40.99	68.30	-27.31	AVG	