



Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	38.31	17.17	55.48	74.30	-18.82	peak	
2	*	17475.00	37.30	22.29	59.59	74.30	-14.71	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	40.65	17.60	58.25	74.30	-16.05	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5829.300	50.75	41.41	92.16	78.30	13.86	peak	No Limit
2	*	5832.500	41.08	41.41	82.49	68.30	14.19	AVG	No Limit
3		5850.000	8.82	41.44	50.26	78.30	-28.04	peak	
4		5850.000	-0.39	41.44	41.05	68.30	-27.25	AVG	
5		5860.000	8.69	41.45	50.14	68.30	-18.16	peak	
6		5860.000	-0.49	41.45	40.96	68.30	-27.34	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	38.90	17.17	56.07	74.30	-18.23	peak	
2	*	17475.00	37.93	22.29	60.22	74.30	-14.08	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.07	17.60	58.67	74.30	-15.63	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	9.30	41.25	50.55	68.30	-17.75	peak	
2		5715.000	0.66	41.25	41.91	68.30	-26.39	AVG	
3		5725.000	10.50	41.27	51.77	78.30	-26.53	peak	
4		5725.000	0.52	41.27	41.79	68.30	-26.51	AVG	
5	X	5749.000	39.16	41.30	80.46	68.30	12.16	AVG	No Limit
6	*	5750.200	49.37	41.30	90.67	78.30	12.37	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11510.00	37.83	16.96	54.79	74.30	-19.51	peak	
2	*	17265.00	38.82	21.62	60.44	74.30	-13.86	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.45	17.60	59.05	74.30	-15.25	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	10.47	41.25	51.72	68.30	-16.58	peak	
2		5715.000	-0.19	41.25	41.06	68.30	-27.24	AVG	
3		5725.000	10.06	41.27	51.33	78.30	-26.97	peak	
4		5725.000	0.16	41.27	41.43	68.30	-26.87	AVG	
5	*	5751.200	38.32	41.30	79.62	68.30	11.32	AVG	No Limit
6	X	5762.800	48.26	41.32	89.58	78.30	11.28	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11510.00	38.95	16.96	55.91	74.30	-18.39	peak	
2	*	17265.00	39.79	21.62	61.41	74.30	-12.89	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.59	17.60	59.19	74.30	-15.11	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5807.600	40.27	41.38	81.65	68.30	13.35	AVG	No Limit
2	*	5808.000	50.93	41.38	92.31	78.30	14.01	peak	No Limit
3		5850.000	9.46	41.44	50.90	78.30	-27.40	peak	
4		5850.000	-0.23	41.44	41.21	68.30	-27.09	AVG	
5		5860.000	8.69	41.45	50.14	68.30	-18.16	peak	
6		5860.000	-0.33	41.45	41.12	68.30	-27.18	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11590.00	38.52	17.08	55.60	74.30	-18.70	peak	
2	*	17385.00	37.43	22.00	59.43	74.30	-14.87	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.62	17.60	59.22	74.30	-15.08	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5790.600	47.76	41.35	89.11	78.30	10.81	peak	No Limit
2	*	5801.200	38.15	41.37	79.52	68.30	11.22	AVG	No Limit
3		5850.000	11.14	41.44	52.58	78.30	-25.72	peak	
4		5850.000	-0.43	41.44	41.01	68.30	-27.29	AVG	
5		5860.000	9.27	41.45	50.72	68.30	-17.58	peak	
6		5860.000	-0.49	41.45	40.96	68.30	-27.34	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11590.00	38.55	17.08	55.63	74.30	-18.67	peak	
2	*	17385.00	38.05	22.00	60.05	74.30	-14.25	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	40.81	17.56	58.37	74.30	-15.93	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5745MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	10.42	41.25	51.67	68.30	-16.63	peak	
2		5715.000	-0.66	41.25	40.59	68.30	-27.71	AVG	
3		5725.000	10.40	41.27	51.67	78.30	-26.63	peak	
4		5725.000	1.28	41.27	42.55	68.30	-25.75	AVG	
5	X	5750.100	52.54	41.30	93.84	78.30	15.54	peak	No Limit
6	*	5752.300	44.94	41.30	86.24	68.30	17.94	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5745MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	38.65	16.91	55.56	74.30	-18.74	peak	
2	*	17235.00	39.25	21.53	60.78	74.30	-13.52	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5745MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	40.69	17.54	58.23	74.30	-16.07	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5745MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	10.55	41.25	51.80	68.30	-16.50	peak	
2	X	5715.000	-0.56	41.25	40.69	68.30	-27.61	AVG	
3	X	5725.000	11.42	41.27	52.69	78.30	-25.61	peak	
4	X	5725.000	1.39	41.27	42.66	68.30	-25.64	AVG	
5	*	5751.900	43.58	41.30	84.88	68.30	16.58	AVG	No Limit
6	X	5752.100	52.36	41.30	93.66	78.30	15.36	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5745MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	38.96	16.91	55.87	74.30	-18.43	peak	
2	*	17235.00	39.66	21.53	61.19	74.30	-13.11	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5745MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	41.11	17.56	58.67	74.30	-15.63	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5825MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5817.600	46.84	41.39	88.23	68.30	19.93	AVG	No Limit
2	X	5821.400	54.75	41.39	96.14	78.30	17.84	peak	No Limit
3		5850.000	9.62	41.44	51.06	78.30	-27.24	peak	
4		5850.000	1.17	41.44	42.61	68.30	-25.69	AVG	
5		5860.000	9.86	41.45	51.31	68.30	-16.99	peak	
6		5860.000	0.79	41.45	42.24	68.30	-26.06	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5825MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	38.32	17.17	55.49	74.30	-18.81	peak	
2	*	17475.00	36.05	22.29	58.34	74.30	-15.96	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5825MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39932.50	41.01	17.43	58.44	74.30	-15.86	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5825MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5829.200	41.40	41.41	82.81	68.30	14.51	AVG	No Limit
2	X	5830.100	49.77	41.41	91.18	78.30	12.88	peak	No Limit
3		5850.000	8.00	41.44	49.44	78.30	-28.86	peak	
4		5850.000	-0.20	41.44	41.24	68.30	-27.06	AVG	
5		5860.000	9.13	41.45	50.58	68.30	-17.72	peak	
6		5860.000	-0.38	41.45	41.07	68.30	-27.23	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5825MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	38.91	17.17	56.08	74.30	-18.22	peak	
2	*	17475.00	38.94	22.29	61.23	74.30	-13.07	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5825MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.40	17.60	59.00	74.30	-15.30	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5755MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	11.54	41.25	52.79	68.30	-15.51	peak	
2		5715.000	0.73	41.25	41.98	68.30	-26.32	AVG	
3		5725.000	12.54	41.27	53.81	78.30	-24.49	peak	
4		5725.000	1.68	41.27	42.95	68.30	-25.35	AVG	
5	X	5750.400	49.50	41.30	90.80	78.30	12.50	peak	No Limit
6	*	5761.400	40.58	41.32	81.90	68.30	13.60	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5755MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11510.00	38.37	16.96	55.33	74.30	-18.97	peak	
2	*	17265.00	39.94	21.62	61.56	74.30	-12.74	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5755MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	40.76	17.54	58.30	74.30	-16.00	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5755MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5715.000	9.23	41.25	50.48	68.30	-17.82	peak	
2		5715.000	-0.29	41.25	40.96	68.30	-27.34	AVG	
3		5725.000	11.62	41.27	52.89	78.30	-25.41	peak	
4		5725.000	-0.08	41.27	41.19	68.30	-27.11	AVG	
5	X	5743.800	43.99	41.29	85.28	78.30	6.98	peak	No Limit
6	*	5761.400	34.55	41.32	75.87	68.30	7.57	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5755MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11510.00	38.85	16.96	55.81	74.30	-18.49	peak	
2	*	17265.00	39.12	21.62	60.74	74.30	-13.56	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5755MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.40	17.60	59.00	74.30	-15.30	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5795MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5786.600	48.17	41.35	89.52	78.30	11.22	peak	No Limit
2	*	5808.800	39.47	41.38	80.85	68.30	12.55	AVG	No Limit
3		5850.000	8.97	41.44	50.41	78.30	-27.89	peak	
4		5850.000	-0.38	41.44	41.06	68.30	-27.24	AVG	
5		5860.000	8.29	41.45	49.74	68.30	-18.56	peak	
6		5860.000	-0.44	41.45	41.01	68.30	-27.29	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5795MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11590.00	37.97	17.08	55.05	74.30	-19.25	peak	
2	*	17385.00	39.02	22.00	61.02	74.30	-13.28	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5795MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	40.85	17.56	58.41	74.30	-15.89	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5795MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5799.000	43.41	41.37	84.78	78.30	6.48	peak	No Limit
2	*	5800.200	35.03	41.37	76.40	68.30	8.10	AVG	No Limit
3		5850.000	8.55	41.44	49.99	78.30	-28.31	peak	
4		5850.000	-0.50	41.44	40.94	68.30	-27.36	AVG	
5		5860.000	7.86	41.45	49.31	68.30	-18.99	peak	
6		5860.000	-0.54	41.45	40.91	68.30	-27.39	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5795MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11590.00	40.35	17.08	57.43	74.30	-16.87	peak	
2	*	17385.00	37.68	22.00	59.68	74.30	-14.62	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5795MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	41.16	17.54	58.70	74.30	-15.60	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT80) Mode 5775MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5715.000	11.34	41.25	52.59	68.30	-15.71	peak	
2	X	5715.000	0.95	41.25	42.20	68.30	-26.10	AVG	
3	X	5725.000	11.00	41.27	52.27	78.30	-26.03	peak	
4	X	5725.000	0.92	41.27	42.19	68.30	-26.11	AVG	
5	X	5790.200	46.59	41.35	87.94	78.30	9.64	peak	No Limit
6	*	5790.200	37.31	41.35	78.66	68.30	10.36	AVG	No Limit
7	X	5850.000	10.23	41.44	51.67	78.30	-26.63	peak	
8	X	5850.000	0.57	41.44	42.01	68.30	-26.29	AVG	
9	X	5860.000	9.33	41.45	50.78	68.30	-17.52	peak	
10	X	5860.000	0.10	41.45	41.55	68.30	-26.75	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT80) Mode 5775MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11550.00	39.23	17.02	56.25	74.30	-18.05	peak	
2	*	17325.00	39.08	21.81	60.89	74.30	-13.41	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT80) Mode 5775MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	40.33	17.60	57.93	74.30	-16.37	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT80) Mode 5775MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	8.97	41.25	50.22	68.30	-18.08	peak	
2		5715.000	-0.39	41.25	40.86	68.30	-27.44	AVG	
3		5725.000	9.19	41.27	50.46	78.30	-27.84	peak	
4		5725.000	-0.34	41.27	40.93	68.30	-27.37	AVG	
5	*	5761.800	31.03	41.32	72.35	68.30	4.05	AVG	No Limit
6	X	5763.000	40.05	41.32	81.37	78.30	3.07	peak	No Limit
7		5850.000	8.16	41.44	49.60	78.30	-28.70	peak	
8		5850.000	-0.43	41.44	41.01	68.30	-27.29	AVG	
9		5860.000	8.45	41.45	49.90	68.30	-18.40	peak	
10		5860.000	-0.49	41.45	40.96	68.30	-27.34	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT80) Mode 5775MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11550.00	39.12	17.02	56.14	74.30	-18.16	peak	
2	*	17325.00	38.57	21.81	60.38	74.30	-13.92	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT80) Mode 5775MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.07	17.60	58.67	74.30	-15.63	peak	

ANT 1+ANT 2

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5180MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5150.000	8.94	40.22	49.16	68.30	-19.14	peak	
2		5150.000	-0.93	40.22	39.29	54.00	-14.71	AVG	
3	X	5175.500	49.78	40.27	90.05	68.30	21.75	peak	No Limit
4	*	5177.800	40.33	40.28	80.61	54.00	26.61	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5180MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10360.00	39.83	13.85	53.68	74.30	-20.62	peak	
2	*	15540.00	38.04	16.85	54.89	74.30	-19.41	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5180MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39946.00	41.32	17.47	58.79	74.30	-15.51	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5180MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	8.59	40.22	48.81	68.30	-19.49	peak	
2		5150.000	-0.01	40.22	40.21	54.00	-13.79	AVG	
3	X	5175.400	59.03	40.27	99.30	68.30	31.00	peak	No Limit
4	*	5175.600	49.66	40.27	89.93	54.00	35.93	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5180MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10360.00	39.33	13.85	53.18	74.30	-21.12	peak	
2	*	15540.00	39.83	16.85	56.68	74.30	-17.62	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5180MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	40.66	17.60	58.26	74.30	-16.04	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5240MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5237.700	42.23	40.40	82.63	54.00	28.63	AVG	No Limit
2	X	5245.000	52.55	40.42	92.97	68.30	24.67	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5240MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10480.00	39.02	13.69	52.71	74.30	-21.59	peak	
2	*	15720.00	38.36	17.78	56.14	74.30	-18.16	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5240MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	40.76	17.54	58.30	74.30	-16.00	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5240MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5235.500	49.43	40.40	89.83	54.00	35.83	AVG	No Limit
2	X	5238.100	58.57	40.40	98.97	68.30	30.67	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5240MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10480.00	40.25	13.69	53.94	74.30	-20.36	peak	
2	*	15720.00	39.49	17.78	57.27	74.30	-17.03	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5240MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39932.50	41.05	17.43	58.48	74.30	-15.82	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5190MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5150.000	8.17	40.22	48.39	68.30	-19.91	peak	
2		5150.000	-0.55	40.22	39.67	54.00	-14.33	AVG	
3	X	5193.000	48.35	40.31	88.66	68.30	20.36	peak	No Limit
4	*	5194.000	37.12	40.32	77.44	54.00	23.44	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5190MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10380.00	39.94	13.83	53.77	74.30	-20.53	peak	
2	*	15570.00	39.35	17.00	56.35	74.30	-17.95	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5190MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39959.50	40.95	17.50	58.45	74.30	-15.85	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5190MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	12.72	40.22	52.94	68.30	-15.36	peak	
2		5150.000	2.89	40.22	43.11	54.00	-10.89	AVG	
3	X	5178.200	56.39	40.28	96.67	68.30	28.37	peak	No Limit
4	*	5181.800	45.13	40.29	85.42	54.00	31.42	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5190MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10380.00	40.48	13.83	54.31	74.30	-19.99	peak	
2	*	15570.00	38.70	17.00	55.70	74.30	-18.60	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5190MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39932.50	41.33	17.43	58.76	74.30	-15.54	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5230MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5236.200	37.51	40.40	77.91	54.00	23.91	AVG	No Limit
2	X	5237.600	49.01	40.40	89.41	68.30	21.11	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5230MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10460.00	40.04	13.71	53.75	74.30	-20.55	peak	
2	*	15690.00	38.52	17.63	56.15	74.30	-18.15	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5230MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39959.50	40.42	17.50	57.92	74.30	-16.38	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5230MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5225.200	55.62	40.38	96.00	68.30	27.70	peak	No Limit
2	*	5236.600	44.92	40.40	85.32	54.00	31.32	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5230MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10460.00	39.56	13.71	53.27	74.30	-21.03	peak	
2	*	15690.00	39.08	17.63	56.71	74.30	-17.59	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5230MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	40.36	17.56	57.92	74.30	-16.38	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT20) Mode 5180MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	7.55	40.22	47.77	68.30	-20.53	peak	
2		5150.000	-0.90	40.22	39.32	54.00	-14.68	AVG	
3	*	5177.800	42.90	40.28	83.18	54.00	29.18	AVG	No Limit
4	X	5178.200	52.23	40.28	92.51	68.30	24.21	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT20) Mode 5180MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10360.00	39.65	13.85	53.50	74.30	-20.80	peak	
2	*	15540.00	39.30	16.85	56.15	74.30	-18.15	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT20) Mode 5180MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39932.50	41.03	17.43	58.46	74.30	-15.84	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT20) Mode 5180MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	8.06	40.22	48.28	68.30	-20.02	peak	
2		5150.000	0.13	40.22	40.35	54.00	-13.65	AVG	
3	X	5177.500	59.47	40.28	99.75	68.30	31.45	peak	No Limit
4	*	5177.600	50.13	40.28	90.41	54.00	36.41	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT20) Mode 5180MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10360.00	40.03	13.85	53.88	74.30	-20.42	peak	
2	*	15540.00	39.01	16.85	55.86	74.30	-18.44	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT20) Mode 5180MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	40.80	17.60	58.40	74.30	-15.90	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT20) Mode 5240MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5244.800	52.50	40.42	92.92	68.30	24.62	peak	No Limit
2	*	5247.600	43.59	40.42	84.01	54.00	30.01	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT20) Mode 5240MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10480.00	38.57	13.69	52.26	74.30	-22.04	peak	
2	*	15720.00	37.86	17.78	55.64	74.30	-18.66	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT20) Mode 5240MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39959.50	41.20	17.50	58.70	74.30	-15.60	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT20) Mode 5240MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5244.500	58.09	40.42	98.51	68.30	30.21	peak	No Limit
2	*	5245.100	49.26	40.42	89.68	54.00	35.68	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT20) Mode 5240MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10480.00	39.54	13.69	53.23	74.30	-21.07	peak	
2	*	15720.00	38.72	17.78	56.50	74.30	-17.80	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT20) Mode 5240MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	42.23	17.60	59.83	74.30	-14.47	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT40) Mode 5190MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	13.34	40.22	53.56	68.30	-14.74	peak	
2		5150.000	2.03	40.22	42.25	54.00	-11.75	AVG	
3	X	5183.400	55.21	40.29	95.50	68.30	27.20	peak	No Limit
4	*	5194.800	43.96	40.32	84.28	54.00	30.28	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT40) Mode 5190MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10380.00	40.65	13.83	54.48	74.30	-19.82	peak	
2	*	15570.00	39.15	17.00	56.15	74.30	-18.15	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT40) Mode 5190MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	40.58	17.56	58.14	74.30	-16.16	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT40) Mode 5190MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	13.19	40.22	53.41	68.30	-14.89	peak	
2		5150.000	3.43	40.22	43.65	54.00	-10.35	AVG	
3	*	5184.000	46.02	40.29	86.31	54.00	32.31	AVG	No Limit
4	X	5184.800	56.41	40.29	96.70	68.30	28.40	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT40) Mode 5190MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10380.00	41.24	13.83	55.07	74.30	-19.23	peak	
2	*	15570.00	39.10	17.00	56.10	74.30	-18.20	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT40) Mode 5190MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	40.99	17.60	58.59	74.30	-15.71	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT40) Mode 5230MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5235.400	54.68	40.39	95.07	68.30	26.77	peak	No Limit
2	*	5237.200	44.26	40.40	84.66	54.00	30.66	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT40) Mode 5230MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10460.00	40.22	13.71	53.93	74.30	-20.37	peak	
2	*	15690.00	39.38	17.63	57.01	74.30	-17.29	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT40) Mode 5230MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39946.00	39.90	17.47	57.37	74.30	-16.93	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT40) Mode 5230MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5224.000	45.56	40.38	85.94	54.00	31.94	AVG	No Limit
2	X	5233.200	55.86	40.39	96.25	68.30	27.95	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT40) Mode 5230MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10460.00	39.63	13.71	53.34	74.30	-20.96	peak	
2	*	15690.00	38.87	17.63	56.50	74.30	-17.80	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT40) Mode 5230MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.59	17.60	59.19	74.30	-15.11	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT80) Mode 5210MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	13.87	40.22	54.09	68.30	-14.21	peak	
2		5150.000	2.56	40.22	42.78	54.00	-11.22	AVG	
3	X	5173.600	51.92	40.27	92.19	68.30	23.89	peak	No Limit
4	*	5198.800	41.47	40.32	81.79	54.00	27.79	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT80) Mode 5210MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10420.00	38.87	13.77	52.64	74.30	-21.66	peak	
2	*	15630.00	39.03	17.32	56.35	74.30	-17.95	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT80) Mode 5210MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	42.19	17.54	59.73	74.30	-14.57	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT80) Mode 5210MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	13.34	40.22	53.56	68.30	-14.74	peak	
2		5150.000	3.41	40.22	43.63	54.00	-10.37	AVG	
3	X	5182.400	52.74	40.29	93.03	68.30	24.73	peak	No Limit
4	*	5216.000	41.87	40.36	82.23	54.00	28.23	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT80) Mode 5210MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10420.00	39.66	13.77	53.43	74.30	-20.87	peak	
2	*	15630.00	39.04	17.32	56.36	74.30	-17.94	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC(VHT80) Mode 5210MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	40.21	17.60	57.81	74.30	-16.49	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5265.000	51.06	40.47	91.53	68.30	23.23	peak	No Limit
2	*	5265.200	41.09	40.47	81.56	54.00	27.56	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10520.00	38.86	13.75	52.61	74.30	-21.69	peak	
2	*	15780.00	38.81	18.10	56.91	74.30	-17.39	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39946.00	41.06	17.47	58.53	74.30	-15.77	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5255.500	48.62	40.44	89.06	54.00	35.06	AVG	No Limit
2	X	5265.600	58.68	40.47	99.15	68.30	30.85	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10520.00	39.78	13.75	53.53	74.30	-20.77	peak	
2	*	15780.00	39.38	18.10	57.48	74.30	-16.82	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39946.00	41.50	17.47	58.97	74.30	-15.33	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5315.300	40.55	40.57	81.12	54.00	27.12	AVG	No Limit
2	X	5328.000	50.04	40.60	90.64	68.30	22.34	peak	No Limit
3		5350.000	10.05	40.64	50.69	68.30	-17.61	peak	
4		5350.000	-0.45	40.64	40.19	54.00	-13.81	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10640.00	39.34	14.25	53.59	74.30	-20.71	peak	
2	*	15960.00	40.80	19.04	59.84	74.30	-14.46	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	40.99	17.60	58.59	74.30	-15.71	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5325.500	46.20	40.59	86.79	54.00	32.79	AVG	No Limit
2	X	5325.600	55.72	40.59	96.31	68.30	28.01	peak	No Limit
3		5350.000	7.72	40.64	48.36	68.30	-19.94	peak	
4		5350.000	-0.15	40.64	40.49	54.00	-13.51	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10640.00	39.45	14.25	53.70	74.30	-20.60	peak	
2	*	15960.00	40.22	19.04	59.26	74.30	-15.04	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39946.00	41.34	17.47	58.81	74.30	-15.49	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5264.800	48.00	40.47	88.47	68.30	20.17	peak	No Limit
2	*	5274.000	36.91	40.48	77.39	54.00	23.39	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10540.00	39.25	13.84	53.09	74.30	-21.21	peak	
2	*	15810.00	38.81	18.25	57.06	74.30	-17.24	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39919.00	41.42	17.40	58.82	74.30	-15.48	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5263.000	54.75	40.46	95.21	68.30	26.91	peak	No Limit
2	*	5274.200	43.35	40.48	83.83	54.00	29.83	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10540.00	40.96	13.84	54.80	74.30	-19.50	peak	
2	*	15810.00	39.29	18.25	57.54	74.30	-16.76	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	41.73	17.54	59.27	74.30	-15.03	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5305.000	47.54	40.54	88.08	68.30	19.78	peak	No Limit
2	*	5316.200	35.92	40.57	76.49	54.00	22.49	AVG	No Limit
3		5350.000	8.91	40.64	49.55	68.30	-18.75	peak	
4		5350.000	-0.37	40.64	40.27	54.00	-13.73	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10620.00	40.22	14.17	54.39	74.30	-19.91	peak	
2	*	15930.00	41.21	18.89	60.10	74.30	-14.20	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	40.58	17.56	58.14	74.30	-16.16	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5305.200	53.60	40.54	94.14	68.30	25.84	peak	No Limit
2	*	5316.600	42.09	40.57	82.66	54.00	28.66	AVG	No Limit
3		5350.000	10.41	40.64	51.05	68.30	-17.25	peak	
4		5350.000	0.17	40.64	40.81	54.00	-13.19	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10620.00	39.17	14.17	53.34	74.30	-20.96	peak	
2	*	15930.00	39.85	18.89	58.74	74.30	-15.56	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	40.60	17.56	58.16	74.30	-16.14	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5260MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5255.200	42.06	40.44	82.50	54.00	28.50	AVG	No Limit
2	X	5258.000	50.58	40.45	91.03	68.30	22.73	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5260MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10520.00	39.55	13.75	53.30	74.30	-21.00	peak	
2	*	15780.00	38.47	18.10	56.57	74.30	-17.73	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5260MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39946.00	40.12	17.47	57.59	74.30	-16.71	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5260MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5252.400	57.71	40.44	98.15	68.30	29.85	peak	No Limit
2	*	5255.000	48.53	40.44	88.97	54.00	34.97	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5260MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10520.00	40.10	13.75	53.85	74.30	-20.45	peak	
2	*	15780.00	39.05	18.10	57.15	74.30	-17.15	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5260MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	40.72	17.60	58.32	74.30	-15.98	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5320MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5325.300	41.02	40.59	81.61	54.00	27.61	AVG	No Limit
2	X	5325.500	50.38	40.59	90.97	68.30	22.67	peak	No Limit
3		5350.000	7.43	40.64	48.07	68.30	-20.23	peak	
4		5350.000	-0.45	40.64	40.19	54.00	-13.81	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5320MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10640.00	39.17	14.25	53.42	74.30	-20.88	peak	
2	*	15960.00	40.10	19.04	59.14	74.30	-15.16	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5320MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	40.60	17.60	58.20	74.30	-16.10	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5320MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5312.400	56.55	40.56	97.11	68.30	28.81	peak	No Limit
2	*	5315.000	46.82	40.57	87.39	54.00	33.39	AVG	No Limit
3		5350.000	7.02	40.64	47.66	68.30	-20.64	peak	
4		5350.000	-0.14	40.64	40.50	54.00	-13.50	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5320MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10640.00	40.26	14.25	54.51	74.30	-19.79	peak	
2	*	15960.00	40.62	19.04	59.66	74.30	-14.64	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT20) Mode 5320MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	40.81	17.56	58.37	74.30	-15.93	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5270MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	5258.600	53.12	40.45	93.57	68.30	25.27	peak	No Limit
2	*	5265.000	42.31	40.47	82.78	54.00	28.78	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5270MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10540.00	38.44	13.84	52.28	74.30	-22.02	peak	
2	*	15810.00	38.65	18.25	56.90	74.30	-17.40	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5270MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	40.78	17.60	58.38	74.30	-15.92	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5270MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5255.000	54.72	40.44	95.16	68.30	26.86	peak	No Limit
2	*	5284.000	43.45	40.50	83.95	54.00	29.95	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5270MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10540.00	40.48	13.84	54.32	74.30	-19.98	peak	
2	*	15810.00	38.87	18.25	57.12	74.30	-17.18	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5270MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	41.68	17.54	59.22	74.30	-15.08	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5310MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5303.600	52.22	40.54	92.76	68.30	24.46	peak	No Limit
2	*	5307.400	41.58	40.55	82.13	54.00	28.13	AVG	No Limit
3		5350.000	8.06	40.64	48.70	68.30	-19.60	peak	
4		5350.000	0.12	40.64	40.76	54.00	-13.24	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5310MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10620.00	37.85	14.17	52.02	74.30	-22.28	peak	
2	*	15930.00	37.50	18.89	56.39	74.30	-17.91	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5310MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.88	17.60	59.48	74.30	-14.82	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5310MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5307.600	53.17	40.55	93.72	68.30	25.42	peak	No Limit
2	*	5316.400	42.27	40.57	82.84	54.00	28.84	AVG	No Limit
3		5350.000	9.51	40.64	50.15	68.30	-18.15	peak	
4		5350.000	0.16	40.64	40.80	54.00	-13.20	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5310MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10620.00	39.60	14.17	53.77	74.30	-20.53	peak	
2	*	15930.00	39.76	18.89	58.65	74.30	-15.65	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT40) Mode 5310MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.14	17.60	58.74	74.30	-15.56	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT80) Mode 5290MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5278.800	49.40	40.49	89.89	68.30	21.59	peak	No Limit
2	*	5303.600	38.77	40.54	79.31	54.00	25.31	AVG	No Limit
3		5350.000	7.37	40.64	48.01	68.30	-20.29	peak	
4		5350.000	-0.08	40.64	40.56	54.00	-13.44	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT80) Mode 5290MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10580.00	39.66	14.00	53.66	74.30	-20.64	peak	
2	*	15870.00	40.87	18.57	59.44	74.30	-14.86	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT80) Mode 5290MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	40.87	17.56	58.43	74.30	-15.87	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT80) Mode 5290MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5278.400	39.38	40.49	79.87	54.00	25.87	AVG	No Limit
2	X	5286.400	50.53	40.51	91.04	68.30	22.74	peak	No Limit
3		5350.000	6.61	40.64	47.25	68.30	-21.05	peak	
4		5350.000	0.04	40.64	40.68	54.00	-13.32	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT80) Mode 5290MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10580.00	39.86	14.00	53.86	74.30	-20.44	peak	
2	*	15870.00	39.43	18.57	58.00	74.30	-16.30	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC(VHT80) Mode 5290MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39946.00	40.12	17.47	57.59	74.30	-16.71	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz


Vertical




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.000	9.03	40.87	49.90	68.30	-18.40	peak	
2	5460.000	-0.48	40.87	40.39	54.00	-13.61	AVG	
3	5470.000	8.88	40.90	49.78	68.30	-18.52	peak	
4	5470.000	-0.45	40.90	40.45	54.00	-13.55	AVG	
5 X	5500.700	51.07	40.96	92.03	68.30	23.73	peak	No Limit
6 *	5503.200	41.83	40.97	82.80	54.00	28.80	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11000.00	37.92	15.75	53.67	74.30	-20.63	peak	
2	*	16500.00	38.91	20.37	59.28	74.30	-15.02	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	40.78	17.56	58.34	74.30	-15.96	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5460.000	9.55	40.87	50.42	68.30	-17.88	peak	
2		5460.000	-0.33	40.87	40.54	54.00	-13.46	AVG	
3		5470.000	10.07	40.90	50.97	68.30	-17.33	peak	
4		5470.000	-0.27	40.90	40.63	54.00	-13.37	AVG	
5	X	5500.700	53.51	40.96	94.47	68.30	26.17	peak	No Limit
6	*	5503.400	44.26	40.97	85.23	54.00	31.23	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11000.00	38.16	15.75	53.91	74.30	-20.39	peak	
2	*	16500.00	40.54	20.37	60.91	74.30	-13.39	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1 *	39973.00	40.80	17.54	58.34	74.30	-15.96	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5698.000	53.96	41.23	95.19	68.30	26.89	peak	No Limit
2	*	5698.100	43.77	41.23	85.00	54.00	31.00	AVG	No Limit
3		5725.000	8.82	41.27	50.09	68.30	-18.21	peak	
4		5725.000	-0.58	41.27	40.69	54.00	-13.31	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11400.00	39.65	16.70	56.35	74.30	-17.95	peak	
2	*	17100.00	38.84	21.10	59.94	74.30	-14.36	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.18	17.60	58.78	74.30	-15.52	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	5705.700	54.55	41.24	95.79	68.30	27.49	peak	No Limit
2	*	5705.900	44.97	41.24	86.21	54.00	32.21	AVG	No Limit
3		5725.000	7.73	41.27	49.00	68.30	-19.30	peak	
4		5725.000	-0.46	41.27	40.81	54.00	-13.19	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11400.00	40.00	16.70	56.70	74.30	-17.60	peak	
2	*	17100.00	38.77	21.10	59.87	74.30	-14.43	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	42.07	17.60	59.67	74.30	-14.63	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5460.000	7.96	40.87	48.83	68.30	-19.47	peak	
2		5460.000	-0.49	40.87	40.38	54.00	-13.62	AVG	
3		5470.000	9.84	40.90	50.74	68.30	-17.56	peak	
4		5470.000	-0.36	40.90	40.54	54.00	-13.46	AVG	
5	X	5505.600	47.86	40.97	88.83	68.30	20.53	peak	No Limit
6	*	5506.800	36.57	40.97	77.54	54.00	23.54	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11020.00	38.90	15.80	54.70	74.30	-19.60	peak	
2	*	16530.00	39.16	20.40	59.56	74.30	-14.74	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39932.50	41.17	17.43	58.60	74.30	-15.70	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5460.000	9.61	40.87	50.48	68.30	-17.82	peak	
2		5460.000	-0.35	40.87	40.52	54.00	-13.48	AVG	
3		5470.000	9.67	40.90	50.57	68.30	-17.73	peak	
4		5470.000	-0.14	40.90	40.76	54.00	-13.24	AVG	
5	X	5515.600	49.78	40.98	90.76	68.30	22.46	peak	No Limit
6	*	5517.000	38.51	40.99	79.50	54.00	25.50	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11020.00	38.37	15.80	54.17	74.30	-20.13	peak	
2	*	16530.00	39.27	20.40	59.67	74.30	-14.63	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39959.50	40.92	17.50	58.42	74.30	-15.88	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5673.000	49.74	41.20	90.94	68.30	22.64	peak	No Limit
2	*	5676.800	38.35	41.20	79.55	54.00	25.55	AVG	No Limit
3		5725.000	7.17	41.27	48.44	68.30	-19.86	peak	
4		5725.000	-0.71	41.27	40.56	54.00	-13.44	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11340.00	39.01	16.56	55.57	74.30	-18.73	peak	
2	*	17010.00	38.76	20.81	59.57	74.30	-14.73	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	40.38	17.56	57.94	74.30	-16.36	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5666.600	50.29	41.19	91.48	68.30	23.18	peak	No Limit
2	*	5682.200	39.28	41.21	80.49	54.00	26.49	AVG	No Limit
3		5725.000	9.00	41.27	50.27	68.30	-18.03	peak	
4		5725.000	-0.67	41.27	40.60	54.00	-13.40	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11340.00	40.64	16.56	57.20	74.30	-17.10	peak	
2	*	17010.00	38.22	20.81	59.03	74.30	-15.27	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.26	17.60	58.86	74.30	-15.44	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5500MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5460.000	10.06	40.87	50.93	68.30	-17.37	peak	
2		5460.000	-0.51	40.87	40.36	54.00	-13.64	AVG	
3		5470.000	10.25	40.90	51.15	68.30	-17.15	peak	
4		5470.000	-0.44	40.90	40.46	54.00	-13.54	AVG	
5	*	5498.100	42.06	40.96	83.02	54.00	29.02	AVG	No Limit
6	X	5506.100	50.97	40.97	91.94	68.30	23.64	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5500MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11000.00	38.88	15.75	54.63	74.30	-19.67	peak	
2	*	16500.00	38.62	20.37	58.99	74.30	-15.31	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5500MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	40.65	17.56	58.21	74.30	-16.09	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5500MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5460.000	8.75	40.87	49.62	68.30	-18.68	peak	
2		5460.000	-0.38	40.87	40.49	54.00	-13.51	AVG	
3		5470.000	8.04	40.90	48.94	68.30	-19.36	peak	
4		5470.000	-0.33	40.90	40.57	54.00	-13.43	AVG	
5	X	5495.400	52.62	40.95	93.57	68.30	25.27	peak	No Limit
6	*	5495.400	43.78	40.95	84.73	54.00	30.73	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5500MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11000.00	39.10	15.75	54.85	74.30	-19.45	peak	
2	*	16500.00	40.30	20.37	60.67	74.30	-13.63	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5500MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.20	17.60	58.80	74.30	-15.50	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5700MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5695.600	52.44	41.22	93.66	68.30	25.36	peak	No Limit
2	*	5698.100	43.35	41.23	84.58	54.00	30.58	AVG	No Limit
3		5725.000	8.18	41.27	49.45	68.30	-18.85	peak	
4		5725.000	-0.60	41.27	40.67	54.00	-13.33	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5700MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11400.00	39.58	16.70	56.28	74.30	-18.02	peak	
2	*	17100.00	39.14	21.10	60.24	74.30	-14.06	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5700MHz

Vertical




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1 *	40000.00	41.57	17.60	59.17	74.30	-15.13	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5700MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5697.900	52.75	41.23	93.98	68.30	25.68	peak	No Limit
2	*	5705.400	44.04	41.24	85.28	54.00	31.28	AVG	No Limit
3		5725.000	8.13	41.27	49.40	68.30	-18.90	peak	
4		5725.000	-0.56	41.27	40.71	54.00	-13.29	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5700MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11400.00	39.27	16.70	55.97	74.30	-18.33	peak	
2	*	17100.00	38.91	21.10	60.01	74.30	-14.29	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT20) Mode 5700MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.34	17.60	58.94	74.30	-15.36	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5510MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	8.68	40.87	49.55	68.30	-18.75	peak	
2		5460.000	-0.40	40.87	40.47	54.00	-13.53	AVG	
3		5470.000	9.41	40.90	50.31	68.30	-17.99	peak	
4		5470.000	-0.24	40.90	40.66	54.00	-13.34	AVG	
5	X	5496.400	49.01	40.95	89.96	68.30	21.66	peak	No Limit
6	*	5503.000	37.95	40.96	78.91	54.00	24.91	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5510MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11020.00	38.33	15.80	54.13	74.30	-20.17	peak	
2	*	16530.00	38.65	20.40	59.05	74.30	-15.25	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5510MHz

Vertical




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1 *	40000.00	41.63	17.60	59.23	74.30	-15.07	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5510MHz


Horizontal




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.000	8.78	40.87	49.65	68.30	-18.65	peak	
2	5460.000	-0.33	40.87	40.54	54.00	-13.46	AVG	
3	5470.000	10.44	40.90	51.34	68.30	-16.96	peak	
4	5470.000	-0.16	40.90	40.74	54.00	-13.26	AVG	
5 X	5506.000	50.16	40.97	91.13	68.30	22.83	peak	No Limit
6 *	5507.000	39.07	40.97	80.04	54.00	26.04	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5510MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11020.00	37.96	15.80	53.76	74.30	-20.54	peak	
2	*	16530.00	38.46	20.40	58.86	74.30	-15.44	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5510MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	41.27	17.56	58.83	74.30	-15.47	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5670MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5676.600	39.15	41.20	80.35	54.00	26.35	AVG	No Limit
2	X	5685.400	50.16	41.22	91.38	68.30	23.08	peak	No Limit
3		5725.000	7.57	41.27	48.84	68.30	-19.46	peak	
4		5725.000	-0.71	41.27	40.56	54.00	-13.44	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5670MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11340.00	39.45	16.56	56.01	74.30	-18.29	peak	
2	*	17010.00	37.26	20.81	58.07	74.30	-16.23	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5670MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39986.50	40.56	17.56	58.12	74.30	-16.18	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5670MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5665.600	50.61	41.18	91.79	68.30	23.49	peak	No Limit
2	*	5674.600	39.98	41.20	81.18	54.00	27.18	AVG	No Limit
3		5725.000	8.55	41.27	49.82	68.30	-18.48	peak	
4		5725.000	-0.66	41.27	40.61	54.00	-13.39	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5670MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11340.00	39.52	16.56	56.08	74.30	-18.22	peak	
2	*	17010.00	37.43	20.81	58.24	74.30	-16.06	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT40) Mode 5670MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	41.28	17.54	58.82	74.30	-15.48	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5530MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5460.000	8.45	40.87	49.32	68.30	-18.98	peak	
2		5460.000	-0.13	40.87	40.74	54.00	-13.26	AVG	
3		5470.000	6.29	40.90	47.19	68.30	-21.11	peak	
4		5470.000	-0.10	40.90	40.80	54.00	-13.20	AVG	
5	X	5515.600	46.24	40.98	87.22	68.30	18.92	peak	No Limit
6	*	5515.600	35.94	40.98	76.92	54.00	22.92	AVG	No Limit