


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5530MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11060.00	38.93	15.89	54.82	74.30	-19.48	peak	
2	*	16590.00	39.24	20.45	59.69	74.30	-14.61	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5530MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39905.50	41.18	17.37	58.55	74.30	-15.75	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5530MHz


### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5460.000	9.08	40.87	49.95	68.30	-18.35	peak	
2		5460.000	0.17	40.87	41.04	54.00	-12.96	AVG	
3		5470.000	9.98	40.90	50.88	68.30	-17.42	peak	
4		5470.000	0.25	40.90	41.15	54.00	-12.85	AVG	
5	X	5518.800	48.72	40.99	89.71	68.30	21.41	peak	No Limit
6	*	5518.800	37.73	40.99	78.72	54.00	24.72	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5530MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11060.00	39.18	15.89	55.07	74.30	-19.23	peak	
2	*	16590.00	39.23	20.45	59.68	74.30	-14.62	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5530MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	41.12	17.54	58.66	74.30	-15.64	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5610MHz


### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5606.800	47.30	41.10	88.40	68.30	20.10	peak	No Limit
2	*	5618.400	36.32	41.12	77.44	54.00	23.44	AVG	No Limit
3		5725.000	7.07	41.27	48.34	68.30	-19.96	peak	
4		5725.000	-0.76	41.27	40.51	54.00	-13.49	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5610MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11220.00	39.64	16.27	55.91	74.30	-18.39	peak	
2	*	16830.00	38.95	20.63	59.58	74.30	-14.72	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5610MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39973.00	41.10	17.54	58.64	74.30	-15.66	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5610MHz


### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	5622.800	48.56	41.13	89.69	68.30	21.39	peak	No Limit
2	*	5624.000	37.58	41.13	78.71	54.00	24.71	AVG	No Limit
3		5725.000	7.40	41.27	48.67	68.30	-19.63	peak	
4		5725.000	-0.69	41.27	40.58	54.00	-13.42	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5610MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11220.00	39.94	16.27	56.21	74.30	-18.09	peak	
2	*	16830.00	37.97	20.63	58.60	74.30	-15.70	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC(VHT80) Mode 5610MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.28	17.60	58.88	74.30	-15.42	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	7.65	41.25	48.90	68.30	-19.40	peak	
2		5715.000	-0.56	41.25	40.69	68.30	-27.61	AVG	
3		5725.000	10.07	41.27	51.34	78.30	-26.96	peak	
4		5725.000	-0.14	41.27	41.13	68.30	-27.17	AVG	
5	X	5742.600	52.31	41.29	93.60	78.30	15.30	peak	No Limit
6	*	5742.800	42.97	41.29	84.26	68.30	15.96	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	38.35	16.91	55.26	74.30	-19.04	peak	
2	*	17235.00	38.29	21.53	59.82	74.30	-14.48	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.66	17.60	59.26	74.30	-15.04	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	8.33	41.25	49.58	68.30	-18.72	peak	
2		5715.000	-0.52	41.25	40.73	68.30	-27.57	AVG	
3		5725.000	9.47	41.27	50.74	78.30	-27.56	peak	
4		5725.000	-0.22	41.27	41.05	68.30	-27.25	AVG	
5	*	5740.900	44.43	41.29	85.72	68.30	17.42	AVG	No Limit
6	X	5743.300	54.41	41.29	95.70	78.30	17.40	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	39.40	16.91	56.31	74.30	-17.99	peak	
2	*	17235.00	39.08	21.53	60.61	74.30	-13.69	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39919.00	41.16	17.40	58.56	74.30	-15.74	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5827.700	51.03	41.40	92.43	78.30	14.13	peak	No Limit
2	*	5830.000	41.72	41.41	83.13	68.30	14.83	AVG	No Limit
3		5850.000	6.71	41.44	48.15	78.30	-30.15	peak	
4		5850.000	-0.48	41.44	40.96	68.30	-27.34	AVG	
5		5860.000	8.04	41.45	49.49	68.30	-18.81	peak	
6		5860.000	-0.49	41.45	40.96	68.30	-27.34	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	40.33	17.17	57.50	74.30	-16.80	peak	
2	*	17475.00	37.41	22.29	59.70	74.30	-14.60	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	40.79	17.60	58.39	74.30	-15.91	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5820.700	42.89	41.39	84.28	68.30	15.98	AVG	No Limit
2	X	5823.000	52.17	41.40	93.57	78.30	15.27	peak	No Limit
3		5850.000	7.83	41.44	49.27	78.30	-29.03	peak	
4		5850.000	-0.44	41.44	41.00	68.30	-27.30	AVG	
5		5860.000	7.04	41.45	48.49	68.30	-19.81	peak	
6		5860.000	-0.44	41.45	41.01	68.30	-27.29	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	39.61	17.17	56.78	74.30	-17.52	peak	
2	*	17475.00	39.25	22.29	61.54	74.30	-12.76	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39946.00	41.19	17.47	58.66	74.30	-15.64	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	7.43	41.25	48.68	68.30	-19.62	peak	
2		5715.000	-0.34	41.25	40.91	68.30	-27.39	AVG	
3		5725.000	9.48	41.27	50.75	78.30	-27.55	peak	
4		5725.000	-0.30	41.27	40.97	68.30	-27.33	AVG	
5	X	5759.200	38.02	41.31	79.33	68.30	11.03	AVG	No Limit
6	*	5763.000	49.32	41.32	90.64	78.30	12.34	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11510.00	39.07	16.96	56.03	74.30	-18.27	peak	
2	*	17265.00	40.95	21.62	62.57	74.30	-11.73	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39959.50	40.67	17.50	58.17	74.30	-16.13	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	7.87	41.25	49.12	68.30	-19.18	peak	
2		5715.000	-0.36	41.25	40.89	68.30	-27.41	AVG	
3		5725.000	9.85	41.27	51.12	78.30	-27.18	peak	
4		5725.000	-0.28	41.27	40.99	68.30	-27.31	AVG	
5	X	5741.800	38.96	41.29	80.25	68.30	11.95	AVG	No Limit
6	*	5745.600	50.48	41.29	91.77	78.30	13.47	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11510.00	39.44	16.96	56.40	74.30	-17.90	peak	
2	*	17265.00	39.65	21.62	61.27	74.30	-13.03	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.85	17.60	59.45	74.30	-14.85	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


**Vertical**




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5801.600	37.86	41.37	79.23	68.30	10.93	AVG	No Limit
2	*	5805.600	49.53	41.38	90.91	78.30	12.61	peak	No Limit
3		5850.000	7.92	41.44	49.36	78.30	-28.94	peak	
4		5850.000	-0.57	41.44	40.87	68.30	-27.43	AVG	
5		5860.000	7.82	41.45	49.27	68.30	-19.03	peak	
6		5860.000	-0.55	41.45	40.90	68.30	-27.40	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11590.00	39.74	17.08	56.82	74.30	-17.48	peak	
2	*	17385.00	39.01	22.00	61.01	74.30	-13.29	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39946.00	41.16	17.47	58.63	74.30	-15.67	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5785.800	50.00	41.35	91.35	78.30	13.05	peak	No Limit
2	X	5786.800	38.17	41.35	79.52	68.30	11.22	AVG	No Limit
3		5850.000	8.55	41.44	49.99	78.30	-28.31	peak	
4		5850.000	-0.56	41.44	40.88	68.30	-27.42	AVG	
5		5860.000	8.04	41.45	49.49	68.30	-18.81	peak	
6		5860.000	-0.55	41.45	40.90	68.30	-27.40	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11590.00	39.25	17.08	56.33	74.30	-17.97	peak	
2	*	17385.00	38.74	22.00	60.74	74.30	-13.56	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	40.93	17.60	58.53	74.30	-15.77	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5745MHz


### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	6.41	41.25	47.66	68.30	-20.64	peak	
2		5715.000	-0.57	41.25	40.68	68.30	-27.62	AVG	
3		5725.000	7.75	41.27	49.02	78.30	-29.28	peak	
4		5725.000	-0.26	41.27	41.01	68.30	-27.29	AVG	
5	*	5740.400	43.26	41.28	84.54	68.30	16.24	AVG	No Limit
6	X	5743.100	52.90	41.29	94.19	78.30	15.89	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5745MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	39.71	16.91	56.62	74.30	-17.68	peak	
2	*	17235.00	38.82	21.53	60.35	74.30	-13.95	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5745MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39932.50	41.02	17.43	58.45	74.30	-15.85	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5745MHz


### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5715.000	8.95	41.25	50.20	68.30	-18.10	peak	
2		5715.000	-0.51	41.25	40.74	68.30	-27.56	AVG	
3		5725.000	8.17	41.27	49.44	78.30	-28.86	peak	
4		5725.000	-0.08	41.27	41.19	68.30	-27.11	AVG	
5	X	5741.000	53.31	41.29	94.60	78.30	16.30	peak	No Limit
6	*	5743.400	44.42	41.29	85.71	68.30	17.41	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5745MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	39.34	16.91	56.25	74.30	-18.05	peak	
2	*	17235.00	38.67	21.53	60.20	74.30	-14.10	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5745MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	40.85	17.60	58.45	74.30	-15.85	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5825MHz


### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5820.200	42.08	41.39	83.47	68.30	15.17	AVG	No Limit
2	X	5822.400	51.78	41.40	93.18	78.30	14.88	peak	No Limit
3		5850.000	7.58	41.44	49.02	78.30	-29.28	peak	
4		5850.000	-0.45	41.44	40.99	68.30	-27.31	AVG	
5		5860.000	8.18	41.45	49.63	68.30	-18.67	peak	
6		5860.000	-0.46	41.45	40.99	68.30	-27.31	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5825MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	38.95	17.17	56.12	74.30	-18.18	peak	
2	*	17475.00	38.98	22.29	61.27	74.30	-13.03	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5825MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39932.50	40.61	17.43	58.04	74.30	-16.26	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5825MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5820.800	43.17	41.39	84.56	68.30	16.26	AVG	No Limit
2	X	5833.100	51.70	41.41	93.11	78.30	14.81	peak	No Limit
3		5850.000	9.21	41.44	50.65	78.30	-27.65	peak	
4		5850.000	-0.38	41.44	41.06	68.30	-27.24	AVG	
5		5860.000	8.84	41.45	50.29	68.30	-18.01	peak	
6		5860.000	-0.43	41.45	41.02	68.30	-27.28	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5825MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	40.15	17.17	57.32	74.30	-16.98	peak	
2	*	17475.00	38.62	22.29	60.91	74.30	-13.39	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT20) Mode 5825MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39959.50	41.38	17.50	58.88	74.30	-15.42	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5755MHz


### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	9.25	41.25	50.50	68.30	-17.80	peak	
2		5715.000	-0.36	41.25	40.89	68.30	-27.41	AVG	
3		5725.000	9.78	41.27	51.05	78.30	-27.25	peak	
4		5725.000	-0.28	41.27	40.99	68.30	-27.31	AVG	
5	X	5759.000	38.85	41.31	80.16	68.30	11.86	AVG	No Limit
6	*	5760.400	49.90	41.32	91.22	78.30	12.92	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5755MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11150.00	37.92	16.96	54.88	74.30	-19.42	peak	
2	*	17265.00	38.63	21.62	60.25	74.30	-14.05	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5755MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	40.91	17.60	58.51	74.30	-15.79	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5755MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	8.37	41.25	49.62	68.30	-18.68	peak	
2		5715.000	-0.20	41.25	41.05	68.30	-27.25	AVG	
3		5725.000	9.23	41.27	50.50	78.30	-27.80	peak	
4		5725.000	-0.16	41.27	41.11	68.30	-27.19	AVG	
5	X	5742.400	39.46	41.29	80.75	68.30	12.45	AVG	No Limit
6	*	5758.400	50.41	41.31	91.72	78.30	13.42	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5755MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11510.00	38.99	16.96	55.95	74.30	-18.35	peak	
2	*	17265.00	39.31	21.62	60.93	74.30	-13.37	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5755MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	40.77	17.60	58.37	74.30	-15.93	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5795MHz


### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5805.600	49.14	41.38	90.52	78.30	12.22	peak	No Limit
2	X	5809.000	38.51	41.38	79.89	68.30	11.59	AVG	No Limit
3		5850.000	8.97	41.44	50.41	78.30	-27.89	peak	
4		5850.000	-0.56	41.44	40.88	68.30	-27.42	AVG	
5		5860.000	7.75	41.45	49.20	68.30	-19.10	peak	
6		5860.000	-0.53	41.45	40.92	68.30	-27.38	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5795MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11590.00	38.78	17.08	55.86	74.30	-18.44	peak	
2	*	17385.00	37.56	22.00	59.56	74.30	-14.74	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5795MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39959.50	41.17	17.50	58.67	74.30	-15.63	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5795MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5783.800	50.78	41.34	92.12	78.30	13.82	peak	No Limit
2	X	5787.400	39.10	41.35	80.45	68.30	12.15	AVG	No Limit
3		5850.000	7.56	41.44	49.00	78.30	-29.30	peak	
4		5850.000	-0.54	41.44	40.90	68.30	-27.40	AVG	
5		5860.000	9.58	41.45	51.03	68.30	-17.27	peak	
6		5860.000	-0.53	41.45	40.92	68.30	-27.38	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5795MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11590.00	39.47	17.08	56.55	74.30	-17.75	peak	
2	*	17385.00	38.76	22.00	60.76	74.30	-13.54	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT40) Mode 5795MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39932.50	41.44	17.43	58.87	74.30	-15.43	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT80) Mode 5775MHz


### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	9.17	41.25	50.42	68.30	-17.88	peak	
2		5715.000	-0.44	41.25	40.81	68.30	-27.49	AVG	
3		5725.000	7.83	41.27	49.10	78.30	-29.20	peak	
4		5725.000	-0.48	41.27	40.79	68.30	-27.51	AVG	
5	*	5760.600	46.70	41.32	88.02	78.30	9.72	peak	No Limit
6	X	5763.000	35.20	41.32	76.52	68.30	8.22	AVG	No Limit
7		5850.000	9.11	41.44	50.55	78.30	-27.75	peak	
8		5850.000	-0.15	41.44	41.29	68.30	-27.01	AVG	
9		5860.000	8.09	41.45	49.54	68.30	-18.76	peak	
10		5860.000	-0.17	41.45	41.28	68.30	-27.02	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT80) Mode 5775MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11550.00	39.39	17.02	56.41	74.30	-17.89	peak	
2	*	17325.00	39.05	21.81	60.86	74.30	-13.44	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT80) Mode 5775MHz

**Vertical**




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.06	17.60	58.66	74.30	-15.64	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT80) Mode 5775MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	9.07	41.25	50.32	68.30	-17.98	peak	
2		5715.000	-0.47	41.25	40.78	68.30	-27.52	AVG	
3		5725.000	8.86	41.27	50.13	78.30	-28.17	peak	
4		5725.000	-0.44	41.27	40.83	68.30	-27.47	AVG	
5	X	5765.800	37.13	41.33	78.46	68.30	10.16	AVG	No Limit
6	*	5771.400	48.09	41.32	89.41	78.30	11.11	peak	No Limit
7		5850.000	9.35	41.44	50.79	78.30	-27.51	peak	
8		5850.000	-0.24	41.44	41.20	68.30	-27.10	AVG	
9		5860.000	9.49	41.45	50.94	68.30	-17.36	peak	
10		5860.000	-0.29	41.45	41.16	68.30	-27.14	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT80) Mode 5775MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11550.00	39.51	17.02	56.53	74.30	-17.77	peak	
2	*	17325.00	39.57	21.81	61.38	74.30	-12.92	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC(VHT80) Mode 5775MHz

### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	40000.00	41.33	17.60	58.93	74.30	-15.37	peak	



### TX N20 Mode\_DUTY CYCLE



Date: 14.MAR.2016 13:42:46

Duty cycle: TX DUTYMHZ

$$\text{Duty cycle} = T_{\text{ON}} / T_{\text{Total}}$$

$T_{\text{ON}}$ : 0.975 msec

$T_{\text{Total}}$ : 1.090msec

Duty cycle: 89.45%

$$\text{Duty Factor} = 10 \log(1/\text{Duty cycle})$$


Duty Factor = 0.48

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is less than 98 %, so, the output power and power density should be cacluated as

Output Power = Measured power + Ducus factor

Power Spectral Density = Measured density + Duty factor

### TX N40 Mode\_DUTY CYCLE



Date: 14.MAR.2016 13:45:29

Duty cycle: TX DUTYMHZ

$$\text{Duty cycle} = T_{\text{ON}} / T_{\text{Total}}$$

$T_{\text{ON}}$ : 0.465 msec

$T_{\text{Total}}$ : 0.600 msec

Duty cycle: 77.5%

$$\text{Duty Factor} = 10 \log(1/\text{Duty cycle})$$

Duty Factor = 1.11


Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is less than 98 %, so, the output power and power density should be calculated as

Output Power = Measured power + Duty factor

Power Spectral Density = Measured density + Duty factor



### TX AC(VHT40) Mode\_DUTY CYCLE



Date: 14.MAR.2016 13:56:37

Duty cycle: TX DUTYMHZ

$$\text{Duty cycle} = T_{\text{ON}} / T_{\text{Total}}$$

$T_{\text{ON}}$ : 0.47 msec

$T_{\text{Total}}$ : 0.545 msec

Duty cycle: 86.24%

$$\text{Duty Factor} = 10 \log(1/\text{Duty cycle})$$


Duty Factor =0.64

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is less than 98 %, so, the output power and power density should be cacluated as

Output Power = Measured power + Ducus factor

Power Spectral Density = Measured density + Duty factor

### TX AC(VHT80) Mode\_DUTY CYCLE



Date: 14.MAR.2016 13:54:47

Duty cycle: TX DUTYMHZ

$$\text{Duty cycle} = T_{\text{ON}} / T_{\text{Total}}$$

$T_{\text{ON}}$ : 0.224 msec

$T_{\text{Total}}$ : 0.228 msec

Duty cycle: 77.78%

$$\text{Duty Factor} = 10 \log(1/\text{Duty cycle})$$

Duty Factor = 1.09

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is less than 98 %, so, the output power and power density should be calculated as

Output Power = Measured power + Duty factor


Power Spectral Density = Measured density + Duty factor

## ATTACHMENT E - BANDWIDTH

**Test Mode: UNII-1/TX A Mode\_CH36/CH40/CH48**


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	21.95	17.40
CH40	5200	21.95	17.40
CH48	5240	18.89	16.70

**TX CH36**




Date: 23.MAR.2016 09:05:29

**TX CH40**



Date: 23.MAR.2016 09:11:01

**TX CH48**




Date: 23.MAR.2016 09:11:57

**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48**


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	21.89	18.10
CH40	5200	22.10	18.10
CH48	5240	19.25	17.50

**TX CH36**




Date: 23.MAR.2016 11:06:53

**TX CH40**



Date: 23.MAR.2016 11:08:55

**TX CH48**




Date: 23.MAR.2016 11:10:36

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46**


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	39.61	36.40
CH46	5230	39.70	36.40

### TX CH38



Date: 23.MAR.2016 11:15:51


### TX CH46



Date: 23.MAR.2016 11:17:26


**Test Mode: UNII-2A/TX A Mode\_CH52/CH60/CH64**

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	18.90	16.80
CH60	5300	21.79	17.30
CH64	5320	21.95	17.40

**TX CH52**



Date: 23.MAR.2016 09:15:44

### TX CH60



Date: 23.MAR.2016 09:20:32

### TX CH64




Date: 23.MAR.2016 09:21:47

**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64**


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	19.20	17.60
CH60	5300	22.00	18.20
CH64	5320	22.09	18.20

**TX CH52**




Date: 23.MAR.2016 09:48:40

### TX CH60



Date: 23.MAR.2016 09:50:09

### TX CH64




Date: 23.MAR.2016 09:51:27

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62**


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	39.80	36.40
CH62	5310	39.80	36.40

### TX CH54



Date: 23.MAR.2016 10:30:48

### TX CH62




Date: 23.MAR.2016 10:32:39

**Test Mode: UNII-2C/TX A Mode\_CH100/CH116/CH140**


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	21.81	17.30
CH116	5580	19.00	16.70
CH140	5700	21.95	17.40

**TX CH100**




Date: 23.MAR.2016 09:23:19

**TX CH116**



Date: 23.MAR.2016 09:29:59

**TX CH140**




Date: 23.MAR.2016 09:31:22

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140**


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	21.85	18.10
CH116	5580	19.30	17.50
CH140	5700	21.85	18.10

**TX CH100**




Date: 23.MAR.2016 09:52:53

### TX CH116



Date: 23.MAR.2016 09:54:18

### TX CH140




Date: 23.MAR.2016 09:55:20

**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134**


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH102	5510	39.79	36.20
CH110	5550	40.00	36.40
CH134	5670	39.70	36.40

**TX CH102**




Date: 23.MAR.2016 10:34:11

### TX CH110



Date: 23.MAR.2016 10:36:20

### TX CH134




Date: 23.MAR.2016 10:37:42

**Test Mode: UNII-3/ TX A Mode\_CH149/CH157/CH165**


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	16.45	16.40	>=500
CH157	5785	16.49	16.60	>=500
CH165	5825	16.45	16.60	>=500

**TX CH 149**




Date: 23.MAR.2016 09:32:59

### TX CH 157



Date: 23.MAR.2016 09:39:10

### TX CH 165




Date: 23.MAR.2016 09:40:28

**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165**


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.15	17.40	>=500
CH157	5785	17.65	17.80	>=500
CH165	5825	17.65	17.80	>=500

**TX CH 149**




Date: 23.MAR.2016 09:56:36

### TX CH 157



Date: 23.MAR.2016 09:57:52

### TX CH 165




Date: 23.MAR.2016 09:58:57

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159**


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.50	36.40	>=500
CH159	5795	36.50	36.40	>=500

### TX CH 151



Date: 23.MAR.2016 10:42:43

### TX CH 159




Date: 23.MAR.2016 10:44:03

**Test Mode: UNII-1/TX AC(VHT20) Mode\_CH36/CH40/CH48**


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	21.95	18.20
CH40	5200	22.30	18.20
CH48	5240	19.35	17.60

**TX CH36**




Date: 23.MAR.2016 11:12:01

### TX CH40



Date: 23.MAR.2016 11:13:09

### TX CH48



Date: 23.MAR.2016 11:14:22

**Test Mode: UNII-1/TX AC(VHT40) Mode\_CH38/CH46**


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	39.59	36.40
CH46	5230	39.79	36.40



**Test Mode: UNII-1/TX AC(VHT80) Mode\_CH42**

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	81.00	76.00

**TX CH42**




Date: 17.MAR.2016 11:10:01

**Test Mode: UNII-2A/TX AC(VHT20) Mode\_CH52/CH60/CH64**


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	19.31	17.60
CH60	5300	22.00	18.10
CH64	5320	22.15	18.10

**TX CH52**




Date: 23.MAR.2016 10:18:07

### TX CH60



Date: 23.MAR.2016 10:19:26

### TX CH64




Date: 23.MAR.2016 10:20:51

**Test Mode: UNII-2A/TX AC(VHT40) Mode\_CH54/CH62**


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	39.60	36.40
CH62	5310	40.00	36.40

### TX CH54



Date: 23.MAR.2016 10:45:33

### TX CH62




Date: 23.MAR.2016 10:47:24

**Test Mode: UNII-2A/TX AC(VHT80) Mode\_CH58**

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH58	5290	80.81	76.00


**TX CH58**



Date: 23.MAR.2016 11:04:02




### TX CH116



Date: 23.MAR.2016 10:24:00

### TX CH140



Date: 23.MAR.2016 10:25:50






**Test Mode: UNII-2C/TX AC(VHT80) Mode\_CH106/CH122**


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH106	5530	81.40	76.00
CH122	5610	80.60	76.00

### TX CH106



Date: 23.MAR.2016 10:56:53


### TX CH122



Date: 23.MAR.2016 11:00:06


**Test Mode: UNII-3/ TX AC(VHT20) Mode\_CH149/CH157/CH165**

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.15	17.40	>=500
CH157	5785	17.65	17.80	>=500
CH165	5825	17.65	17.80	>=500

**TX CH 149**



Date: 23.MAR.2016 10:27:08

### TX CH 157



Date: 23.MAR.2016 10:28:19

### TX CH 165




Date: 23.MAR.2016 10:29:18

**Test Mode: UNII-3/ TX AC(VHT40) Mode\_CH151/CH159**


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.50	36.40	>=500
CH159	5795	36.50	36.40	>=500

### TX CH 151



Date: 23.MAR.2016 10:52:47


### TX CH 159



Date: 23.MAR.2016 10:53:57

**Test Mode: UNII-3/ TX AC(VHT80) Mode\_CH155**

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	76.60	76.00	>=500



Date: 23.MAR.2016 11:01:33

## ATTACHMENT F - MAXIMUM OUTPUT POWER

**Test Mode: UNII-1/TX A Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	11.63	0.26	11.89	30.00	1.00
CH40	5200	11.76	0.26	12.02	30.00	1.00
CH48	5240	11.68	0.26	11.94	30.00	1.00

**Test Mode: UNII-1/TX N20 Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	6.08	0.48	6.56	30.00	1.00
CH40	5200	6.34	0.48	6.82	30.00	1.00
CH48	5240	6.84	0.48	7.32	30.00	1.00

**Test Mode: UNII-1/TX N20 Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	10.01	0.48	10.49	30.00	1.00
CH40	5200	9.85	0.48	10.33	30.00	1.00
CH48	5240	9.81	0.48	10.29	30.00	1.00

**Test Mode: UNII-1/TX N20 Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	11.97	30.00	1.00
CH40	5200	11.93	30.00	1.00
CH48	5240	12.07	30.00	1.00

**Test Mode: UNII-1/TX N40 Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	4.88	1.11	5.99	30.00	1.00
CH46	5230	5.61	1.11	6.72	30.00	1.00

**Test Mode: UNII-1/TX N40 Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	9.57	1.11	10.68	30.00	1.00
CH46	5230	9.32	1.11	10.43	30.00	1.00

**Test Mode: UNII-1/TX N40 Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	11.95	30.00	1.00
CH46	5230	11.97	30.00	1.00

**Test Mode: UNII-2A/TX A Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	11.64	0.26	11.90	24.00	0.25
CH60	5300	11.73	0.26	11.99	24.00	0.25
CH64	5320	11.62	0.26	11.88	24.00	0.25

**Test Mode: UNII-2A/TX N20 Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	8.51	0.48	8.99	24.00	0.25
CH60	5300	8.53	0.48	9.01	24.00	0.25
CH64	5320	9.37	0.48	9.85	24.00	0.25

**Test Mode: UNII-2A/TX N20 Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	8.24	0.48	8.72	24.00	0.25
CH60	5300	7.63	0.48	8.11	24.00	0.25
CH64	5320	8.03	0.48	8.51	24.00	0.25

**Test Mode: UNII-2A/TX N20 Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	11.87	24.00	0.25
CH60	5300	11.60	24.00	0.25
CH64	5320	12.25	24.00	0.25

**Test Mode: UNII-2A/TX N40 Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	8.09	1.11	9.20	24.00	0.25
CH62	5310	8.21	1.11	9.32	24.00	0.25

**Test Mode: UNII-2A/TX N40 Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	7.44	1.11	8.55	24.00	0.25
CH62	5310	7.31	1.11	8.42	24.00	0.25

**Test Mode: UNII-2A/TX N40 Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	11.89	24.00	0.25
CH62	5310	11.90	24.00	0.25

**Test Mode: UNII-2C/TX A Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	9.72	0.26	9.98	24.00	0.25
CH116	5580	9.71	0.26	9.97	24.00	0.25
CH140	5700	9.67	0.26	9.93	24.00	0.25

**Test Mode: UNII-2C/TX N20 Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	6.74	0.48	7.22	24.00	0.25
CH116	5580	6.89	0.48	7.37	24.00	0.25
CH140	5700	6.61	0.48	7.09	24.00	0.25

**Test Mode: UNII-2C/TX N20 Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	6.17	0.48	6.65	24.00	0.25
CH116	5580	6.21	0.48	6.69	24.00	0.25
CH140	5700	6.37	0.48	6.85	24.00	0.25

**Test Mode: UNII-2C/TX N20 Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	9.96	24.00	0.25
CH116	5580	10.06	24.00	0.25
CH140	5700	9.99	24.00	0.25

**Test Mode: UNII-2C/TX N40 Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	5.76	1.11	6.87	24.00	0.25
CH110	5550	5.82	1.11	6.93	24.00	0.25
CH134	5670	5.78	1.11	6.89	24.00	0.25

**Test Mode: UNII-2C/TX N40 Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	5.78	1.11	6.89	24.00	0.25
CH110	5550	5.79	1.11	6.90	24.00	0.25
CH134	5670	5.83	1.11	6.94	24.00	0.25

**Test Mode: UNII-2C/TX N40 Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	9.89	24.00	0.25
CH110	5550	9.92	24.00	0.25
CH134	5670	9.92	24.00	0.25

**Test Mode: UNII-3/ TX A Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	9.66	0.26	9.92	30.00	1.00
CH157	5785	9.62	0.26	9.88	30.00	1.00
CH165	5825	9.73	0.26	9.99	30.00	1.00

**Test Mode: UNII-3/TX N20 Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	6.41	0.48	6.89	30.00	1.00
CH157	5785	6.12	0.48	6.60	30.00	1.00
CH165	5825	6.61	0.48	7.09	30.00	1.00

**Test Mode: UNII-3/TX N20 Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	6.36	0.48	6.84	30.00	1.00
CH157	5785	6.27	0.48	6.75	30.00	1.00
CH165	5825	6.32	0.48	6.80	30.00	1.00

**Test Mode: UNII-3/TX N20 Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	9.88	30.00	1.00
CH157	5785	9.69	30.00	1.00
CH165	5825	9.96	30.00	1.00

**Test Mode: UNII-3/ TX N40 Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	5.63	1.11	6.74	30.00	1.00
CH159	5795	5.71	1.11	6.82	30.00	1.00

**Test Mode: UNII-3/ TX N40 Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	5.77	1.11	6.88	30.00	1.00
CH159	5795	5.82	1.11	6.93	30.00	1.00

**Test Mode: UNII-3/ TX N40 Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	9.82	30.00	1.00
CH159	5795	9.88	30.00	1.00

**Test Mode: UNII-1/TX AC(VHT20) Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	5.88	0.20	6.08	30.00	1.00
CH40	5200	6.27	0.20	6.47	30.00	1.00
CH48	5240	6.79	0.20	6.99	30.00	1.00

**Test Mode: UNII-1/TX AC(VHT20) Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	10.08	0.20	10.28	30.00	1.00
CH40	5200	9.85	0.20	10.05	30.00	1.00
CH48	5240	9.81	0.20	10.01	30.00	1.00

**Test Mode: UNII-1/TX AC(VHT20) Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	11.68	30.00	1.00
CH40	5200	11.63	30.00	1.00
CH48	5240	11.76	30.00	1.00

**Test Mode: UNII-1/TX AC(VHT40) Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	4.97	0.64	5.61	30.00	1.00
CH46	5230	5.57	0.64	6.21	30.00	1.00

**Test Mode: UNII-1/TX AC(VHT40) Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	9.62	0.64	10.26	30.00	1.00
CH46	5230	9.35	0.64	9.99	30.00	1.00

**Test Mode: UNII-1/TX AC(VHT40) Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	11.54	30.00	1.00
CH46	5230	11.51	30.00	1.00

**Test Mode: UNII-1/TX AC(VHT80) Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	5.61	1.09	6.70	30.00	1.00

**Test Mode: UNII-1/TX AC(VHT80) Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	9.35	1.09	10.44	30.00	1.00

**Test Mode: UNII-1/TX AC(VHT80) Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	11.97	30.00	1.00

**Test Mode: UNII-2A/TX AC(VHT20) Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	8.54	0.20	8.74	24.00	0.25
CH60	5300	8.53	0.20	8.73	24.00	0.25
CH64	5320	9.37	0.20	9.57	24.00	0.25

**Test Mode: UNII-2A/TX AC(VHT20) Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	8.25	0.20	8.45	24.00	0.25
CH60	5300	7.63	0.20	7.83	24.00	0.25
CH64	5320	8.03	0.20	8.23	24.00	0.25

**Test Mode: UNII-2A/TX AC(VHT20) Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	11.60	24.00	0.25
CH60	5300	11.31	24.00	0.25
CH64	5320	11.96	24.00	0.25

**Test Mode: UNII-2A/TX AC(VHT40) Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	8.14	0.64	8.78	24.00	0.25
CH62	5310	8.19	0.64	8.83	24.00	0.25

**Test Mode: UNII-2A/TX AC(VHT40) Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	7.53	0.64	8.17	24.00	0.25
CH62	5310	7.25	0.64	7.89	24.00	0.25

**Test Mode: UNII-2A/TX AC(VHT40) Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	11.50	24.00	0.25
CH62	5310	11.40	24.00	0.25

**Test Mode: UNII-2A/TX AC(VHT80) Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	7.85	1.09	8.94	24.00	0.25

**Test Mode: UNII-2A/TX AC(VHT80) Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	7.33	1.09	8.42	24.00	0.25

**Test Mode: UNII-2A/TX AC(VHT80) Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	11.70	24.00	0.25

**Test Mode: UNII-2C/TX AC(VHT20) Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	6.74	0.20	6.94	24.00	0.25
CH116	5580	6.87	0.20	7.07	24.00	0.25
CH140	5700	6.61	0.20	6.81	24.00	0.25

**Test Mode: UNII-2C/TX AC(VHT20) Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	6.17	0.20	6.37	24.00	0.25
CH116	5580	6.18	0.20	6.38	24.00	0.25
CH140	5700	6.37	0.20	6.57	24.00	0.25

**Test Mode: UNII-2C/TX AC(VHT20) Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	9.67	24.00	0.25
CH116	5580	9.74	24.00	0.25
CH140	5700	9.70	24.00	0.25

**Test Mode: UNII-2C/TX AC(VHT40) Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	5.88	0.64	6.52	24.00	0.25
CH110	5550	5.72	0.64	6.36	24.00	0.25
CH134	5670	5.82	0.64	6.46	24.00	0.25

**Test Mode: UNII-2C/TX AC(VHT40) Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	5.82	0.64	6.46	24.00	0.25
CH110	5550	5.69	0.64	6.33	24.00	0.25
CH134	5670	5.89	0.64	6.53	24.00	0.25

**Test Mode: UNII-2C/TX AC(VHT40) Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	9.50	24.00	0.25
CH110	5550	9.36	24.00	0.25
CH134	5670	9.51	24.00	0.25

**Test Mode: UNII-2C/TX AC(VHT80) Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	5.77	1.09	6.86	24.00	0.25
CH122	5610	5.58	1.09	6.67	24.00	0.25

**Test Mode: UNII-2C/TX AC(VHT80) Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	5.89	1.09	6.98	24.00	0.25
CH122	5610	5.71	1.09	6.80	24.00	0.25

**Test Mode: UNII-2C/TX AC(VHT80) Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	9.93	24.00	0.25
CH122	5610	9.75	24.00	0.25

**Test Mode: UNII-3/TX AC(VHT20) Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	6.41	0.20	6.61	30.00	1.00
CH157	5785	6.12	0.20	6.32	30.00	1.00
CH165	5825	6.61	0.20	6.81	30.00	1.00

**Test Mode: UNII-3/TX AC(VHT20) Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	6.32	0.20	6.52	30.00	1.00
CH157	5785	6.22	0.20	6.42	30.00	1.00
CH165	5825	6.31	0.20	6.51	30.00	1.00

**Test Mode: UNII-3/TX AC(VHT20) Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	9.57	30.00	1.00
CH157	5785	9.38	30.00	1.00
CH165	5825	9.67	30.00	1.00

**Test Mode: UNII-3/TX AC(VHT40) Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	5.67	0.64	6.31	30.00	1.00
CH159	5795	5.79	0.64	6.43	30.00	1.00

**Test Mode: UNII-3/TX AC(VHT40) Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	5.73	0.64	6.37	30.00	1.00
CH159	5795	5.84	0.64	6.48	30.00	1.00

**Test Mode: UNII-3/TX AC(VHT40) Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	9.35	30.00	1.00
CH159	5795	9.47	30.00	1.00

**Test Mode: UNII-3/TX AC(VHT80) Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	5.73	1.09	6.82	30.00	1.00

**Test Mode: UNII-3/TX AC(VHT80) Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	5.82	1.09	6.91	30.00	1.00


**Test Mode: UNII-3/TX AC(VHT80) Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	9.88	30.00	1.00

## **ATTACHMENT G - ANTENNA CONDUCTED SPURIOUS EMISSION**


**Test Mode:** UNII-1/TX A Mode

### TX mode CH36



Date: 23.MAR.2016 09:05:46


### TX mode CH48



Date: 23.MAR.2016 09:12:15


Test Mode: UNII-1/TX N20 Mode\_ANT 1

### TX mode CH36



Date: 23.MAR.2016 11:07:11

### TX mode CH48




Date: 23.MAR.2016 11:10:54




Test Mode: UNII-1/TX N40 Mode\_ANT 1

### TX mode CH38



Date: 23.MAR.2016 11:16:09

### TX mode CH46




Date: 23.MAR.2016 11:17:43




**Test Mode: UNII-2A/TX A Mode**

**TX mode CH52**



Date: 23.MAR.2016 09:16:01


**TX mode CH64**



Date: 23.MAR.2016 09:22:05


Test Mode: UNII-2A/TX N20 Mode\_ANT 1

### TX mode CH52



Date: 23.MAR.2016 09:48:57


### TX mode CH64



Date: 23.MAR.2016 09:51:44


Test Mode: UNII-2A/TX N20 Mode\_ANT 2

### TX mode CH52



Date: 23.MAR.2016 13:36:19


### TX mode CH64



Date: 23.MAR.2016 13:40:13


Test Mode: UNII-2A/TX N40 Mode\_ANT 1

### TX mode CH54



Date: 23.MAR.2016 10:31:06


### TX mode CH62



Date: 23.MAR.2016 10:32:56


Test Mode: UNII-2A/TX N40 Mode\_ANT 2

### TX mode CH54



Date: 23.MAR.2016 14:07:32


### TX mode CH62



Date: 23.MAR.2016 14:08:39


Test Mode: UNII-2C/TX A Mode

### TX mode CH100



Date: 23.MAR.2016 09:23:36


### TX mode CH140



Date: 23.MAR.2016 09:31:38


Test Mode: UNII-2C/TX N20 Mode\_ANT 1

**TX mode CH100**



Date: 23.MAR.2016 09:53:10


**TX mode CH140**



Date: 23.MAR.2016 09:55:37


Test Mode: UNII-2C/TX N20 Mode\_ANT 2

### TX mode CH100



Date: 23.MAR.2016 13:42:47


### TX mode CH140



Date: 23.MAR.2016 13:45:45


**Test Mode:** UNII-2C/TX N40 Mode\_ANT 1

### TX mode CH102



Date: 23.MAR.2016 10:34:28


### TX mode CH134



Date: 23.MAR.2016 10:37:59


Test Mode: UNII-2C/TX N40 Mode\_ANT 2

### TX mode CH102



Date: 23.MAR.2016 14:12:11

### TX mode CH134




Date: 23.MAR.2016 14:16:45




Test Mode: UNII-3/TX N20 Mode\_ANT 1

### TX HT20 mode CH149



Date: 23.MAR.2016 09:56:54


### TX HT20 mode CH165



Date: 23.MAR.2016 09:59:15


Test Mode: UNII-3/TX N20 Mode\_ANT 2

### TX HT20 mode CH149



Date: 23.MAR.2016 13:47:06


### TX HT20 mode CH165



Date: 23.MAR.2016 13:49:24


Test Mode: UNII-3/TX N40 Mode\_ANT 1

### TX HT40 mode CH151



Date: 23.MAR.2016 10:43:01


### HT40 mode CH159



Date: 23.MAR.2016 10:44:20


Test Mode: UNII-3/TX N40 Mode\_ANT 2

### TX HT40 mode CH151



Date: 23.MAR.2016 14:18:09


### HT40 mode CH159



Date: 23.MAR.2016 14:19:37


**Test Mode:** UNII-1/TX AC(VHT20) Mode\_ANT 1

**TX mode CH36**



Date: 23.MAR.2016 11:12:17


**TX mode CH48**



Date: 23.MAR.2016 11:14:39


**Test Mode:** UNII-1/TX AC(VHT20) Mode\_ANT 2

**TX mode CH36**



Date: 23.MAR.2016 13:22:54


**TX mode CH48**



Date: 23.MAR.2016 13:24:45


**Test Mode:** UNII-1/TX AC(VHT40) Mode\_ANT 1

**TX mode CH38**



Date: 23.MAR.2016 11:19:14


**TX mode CH46**



Date: 23.MAR.2016 11:20:22


**Test Mode:** UNII-1/TX AC(VHT40) Mode\_ANT 2

**TX mode CH38**



Date: 23.MAR.2016 13:29:34


**TX mode CH46**



Date: 23.MAR.2016 13:30:32


**Test Mode: UNII-1/TX AC(VHT80) Mode\_ANT 1**

**TX mode CH42**



Date: 23.MAR.2016 11:20:56


**TX mode CH42**



Date: 23.MAR.2016 11:21:04


**Test Mode:** UNII-1/TX AC(VHT80) Mode\_ANT 2

**TX mode CH42**



Date: 23.MAR.2016 13:31:45


**TX mode CH42**



Date: 23.MAR.2016 13:31:52


**Test Mode: UNII-2A/TX AC(VHT20) Mode\_ANT 1**

**TX mode CH52**



Date: 23.MAR.2016 10:18:24


**TX mode CH64**



Date: 23.MAR.2016 10:21:08


**Test Mode:** UNII-2A/TX AC(VHT20) Mode\_ANT 2

**TX mode CH52**



Date: 23.MAR.2016 13:51:12


**TX mode CH64**



Date: 23.MAR.2016 13:54:25


**Test Mode:** UNII-2A/TX AC(VHT40) Mode\_ANT 1

**TX mode CH54**



Date: 23.MAR.2016 10:45:51


**TX mode CH62**



Date: 23.MAR.2016 10:47:41


**Test Mode:** UNII-2A/TX AC(VHT40) Mode\_ANT 2

### TX mode CH54



Date: 23.MAR.2016 14:21:56


### TX mode CH62



Date: 23.MAR.2016 14:24:15


Test Mode: UNII-2A/TX AC(VHT80) Mode\_ANT 1

### TX mode CH58



Date: 23.MAR.2016 10:55:52


### TX mode CH58



Date: 23.MAR.2016 10:56:00


**Test Mode:** UNII-2A/TX AC(VHT80) Mode\_ANT 2

**TX mode CH58**



Date: 23.MAR.2016 14:35:56


**TX mode CH58**



Date: 23.MAR.2016 14:36:04


Test Mode: UNII-2C/TX AC(VHT20) Mode\_ANT 1

### TX mode CH100



Date: 23.MAR.2016 10:22:20


### TX mode CH140



Date: 23.MAR.2016 10:26:08


**Test Mode:** UNII-2C/TX AC(VHT20) Mode\_ANT 2

**TX mode CH100**



Date: 23.MAR.2016 13:55:40


**TX mode CH140**



Date: 23.MAR.2016 13:57:41


Test Mode: UNII-2C/TX AC(VHT40) Mode\_ANT 1

### TX mode CH102



Date: 23.MAR.2016 10:48:53


### TX mode CH134



Date: 23.MAR.2016 10:51:51


**Test Mode:** UNII-2C/TX AC(VHT40) Mode\_ANT 2

**TX mode CH102**



Date: 23.MAR.2016 14:25:31


**TX mode CH134**



Date: 23.MAR.2016 14:31:12


**Test Mode:** UNII-2C/TX AC(VHT80) Mode\_ANT 1

**TX mode CH106**



Date: 23.MAR.2016 10:57:14


**TX mode CH122**



Date: 23.MAR.2016 11:00:27


**Test Mode:** UNII-2C/TX AC(VHT80) Mode\_ANT 2

**TX mode CH106**



Date: 23.MAR.2016 14:37:41


**TX mode CH122**



Date: 23.MAR.2016 14:40:07


**Test Mode: UNII-3/TX AC(VHT20) Mode\_ANT 1**

**TX AC HT20 mode CH149**



Date: 23.MAR.2016 10:27:26


**TX AC HT20 mode CH165**



Date: 23.MAR.2016 10:29:35


**Test Mode:** UNII-3/TX AC(VHT20) Mode\_ANT 2

**TX AC HT20 mode CH149**



Date: 23.MAR.2016 13:59:03


**TX AC HT20 mode CH165**



Date: 23.MAR.2016 14:03:07


**Test Mode:** UNII-3/TX AC(VHT40) Mode\_ANT 1

**TX AC HT40 mode CH151**



Date: 23.MAR.2016 10:53:05


**TX AC HT40 mode CH159**



Date: 23.MAR.2016 10:54:15


**Test Mode:** UNII-3/TX AC(VHT40) Mode\_ANT 2

**TX AC HT40 mode CH151**



Date: 23.MAR.2016 14:32:41


**TX AC HT40 mode CH159**



Date: 23.MAR.2016 14:33:57


**Test Mode:** UNII-3/TX AC(VHT80) Mode\_ANT 1

**TX AC HT80 mode CH155**



Date: 23.MAR.2016 11:01:54


**TX AC HT80 mode CH155**



Date: 23.MAR.2016 11:02:01


Test Mode: UNII-3/TX AC(VHT80) Mode\_ANT 2

**TX AC HT80 mode CH155**



Date: 23.MAR.2016 14:41:38

**TX AC HT80 mode CH155**




Date: 23.MAR.2016 14:41:45

## ATTACHMENT H - POWER SPECTRAL DENSITY


**Test Mode: UNII-1/ TX A Mode\_CH36/CH40/CH48**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.52	0.26	1.78	17.00
CH40	5200	1.45	0.26	1.71	17.00
CH48	5240	1.36	0.26	1.62	17.00




Date: 23.MAR.2016 09:05:39

### CH40



Date: 23.MAR.2016 09:11:10


### CH48



Date: 23.MAR.2016 09:12:07


**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.14	0.48	0.62	17.00
CH40	5200	0.45	0.48	0.93	17.00
CH48	5240	-0.08	0.48	0.40	17.00




Date: 23.MAR.2016 11:07:03

### CH40



Date: 23.MAR.2016 11:09:04


### CH48



Date: 23.MAR.2016 11:10:46


**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-4.11	0.48	-3.63	17.00
CH40	5200	-3.92	0.48	-3.44	17.00
CH48	5240	-3.71	0.48	-3.23	17.00




Date: 23.MAR.2016 13:19:11

### CH40



Date: 23.MAR.2016 13:20:17

### CH48



Date: 23.MAR.2016 13:21:20


**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.01	17.00
CH40	5200	2.29	17.00
CH48	5240	1.97	17.00

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.26	1.11	-2.15	17.00
CH46	5230	-3.03	1.11	-1.92	17.00

### CH38



Date: 23.MAR.2016 11:16:01

### CH46




Date: 23.MAR.2016 11:17:36

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-8.44	1.11	-7.33	17.00
CH46	5230	-8.11	1.11	-7.00	17.00

### CH38



Date: 23.MAR.2016 13:26:23

### CH46




Date: 23.MAR.2016 13:27:59

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.00	17.00
CH46	5230	-0.75	17.00




### CH60



Date: 23.MAR.2016 09:20:42


### CH64



Date: 23.MAR.2016 09:21:57


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-3.51	0.48	-3.03	11.00
CH60	5300	-3.76	0.48	-3.28	11.00
CH64	5320	-3.38	0.48	-2.90	11.00




Date: 23.MAR.2016 09:48:49

### CH60



Date: 23.MAR.2016 09:50:18


### CH64



Date: 23.MAR.2016 09:51:37


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-2.92	0.48	-2.44	11.00
CH60	5300	-3.17	0.48	-2.69	11.00
CH64	5320	-3.11	0.48	-2.63	11.00




Date: 23.MAR.2016 13:36:12

### CH60



Date: 23.MAR.2016 13:37:55

### CH64



Date: 23.MAR.2016 13:40:05


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.29	11.00
CH60	5300	0.04	11.00
CH64	5320	0.25	11.00

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-6.08	1.11	-4.97	11.00
CH62	5310	-6.74	1.11	-5.63	11.00

### CH54



Date: 23.MAR.2016 10:30:58

### CH62




Date: 23.MAR.2016 10:32:48

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-6.18	1.11	-5.07	11.00
CH62	5310	-6.86	1.11	-5.75	11.00

### CH54



Date: 23.MAR.2016 14:07:24

### CH62




Date: 23.MAR.2016 14:08:31

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.01	11.00
CH62	5310	-2.68	11.00




### CH116



Date: 23.MAR.2016 09:30:08

### CH140




Date: 23.MAR.2016 09:31:31

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-3.55	0.48	-3.07	11.00
CH116	5580	-2.03	0.48	-1.55	11.00
CH140	5700	-2.66	0.48	-2.18	11.00

**CH100**



Date: 23.MAR.2016 09:53:02