



CH116



Date: 23.MAR.2016 09:54:27

CH140




Date: 23.MAR.2016 09:55:30

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-3.78	0.48	-3.30	11.00
CH116	5580	-2.76	0.48	-2.28	11.00
CH140	5700	-2.24	0.48	-1.76	11.00

CH100




Date: 23.MAR.2016 13:42:39

CH116



Date: 23.MAR.2016 13:44:26

CH140




Date: 23.MAR.2016 13:45:38

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.17	11.00
CH116	5580	1.11	11.00
CH140	5700	1.05	11.00


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-7.04	1.11	-5.93	11.00
CH110	5550	-6.57	1.11	-5.46	11.00
CH134	5670	-6.01	1.11	-4.90	11.00




Date: 23.MAR.2016 10:34:20

CH110




Date: 23.MAR.2016 10:36:29


CH134



Date: 23.MAR.2016 10:37:52

CH110


Date: 23.MAR.2016 14:15:16

CH134


Date: 23.MAR.2016 14:16:38

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.05	11.00
CH110	5550	-2.45	11.00
CH134	5670	-2.05	11.00


TX CH157

Date: 23.MAR.2016 09:39:20

TX CH165


Date: 23.MAR.2016 09:40:37

TX CH157




Date: 23.MAR.2016 09:58:02

TX CH165




Date: 23.MAR.2016 09:59:07

TX CH157



Date: 23.MAR.2016 13:48:08

TX CH165



Date: 23.MAR.2016 13:49:17


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-2.17	30.00
CH157	5785	-2.57	30.00
CH165	5825	-2.91	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-8.64	1.11	-7.53	30.00
CH159	5795	-9.19	1.11	-8.08	30.00

TX CH151



Date: 23.MAR.2016 10:42:53


TX CH159




Date: 23.MAR.2016 10:44:13

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-9.93	1.11	-8.82	30.00
CH159	5795	-10.22	1.11	-9.11	30.00

TX CH151

Date: 23.MAR.2016 14:18:01


TX CH159

Date: 23.MAR.2016 14:19:29

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-5.12	30.00
CH159	5795	-5.56	30.00

CH40



Date: 23.MAR.2016 11:13:18


CH48



Date: 23.MAR.2016 11:14:32


Test Mode: UNII-1/TX AC(VHT20) Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-4.20	0.20	-4.00	17.00
CH40	5200	-4.02	0.20	-3.82	17.00
CH48	5240	-3.93	0.20	-3.73	17.00




Date: 23.MAR.2016 13:22:46

CH40



Date: 23.MAR.2016 13:23:45

CH48



Date: 23.MAR.2016 13:24:38


Test Mode: UNII-1/TX AC(VHT20) Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.79	17.00
CH40	5200	1.70	17.00
CH48	5240	1.66	17.00

Test Mode: UNII-1/TX AC(VHT40) Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.18	0.64	-2.54	17.00
CH46	5230	-3.37	0.64	-2.73	17.00

CH38



Date: 23.MAR.2016 11:19:06

CH46




Date: 23.MAR.2016 11:20:14

Test Mode: UNII-1/TX AC(VHT40) Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-8.24	0.64	-7.60	17.00
CH46	5230	-8.01	0.64	-7.37	17.00

CH38



Date: 23.MAR.2016 13:29:27

CH46




Date: 23.MAR.2016 13:30:25

Test Mode: UNII-1/TX AC(VHT40) Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.36	17.00
CH46	5230	-1.44	17.00

Test Mode: UNII-1/TX AC(VHT80) Mode_CH42_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-10.22	1.09	-9.13	17.00




Date: 16.MAR.2016 22:02:18

Test Mode: UNII-1/TX AC(VHT80) Mode_CH42_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-6.03	17.00

CH60



Date: 23.MAR.2016 10:19:35


CH64




Date: 23.MAR.2016 10:21:00

Test Mode: UNII-2A/TX AC(VHT20) Mode_CH52/CH60/CH64_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-3.27	0.20	-3.07	11.00
CH60	5300	-3.96	0.20	-3.76	11.00
CH64	5320	-3.61	0.20	-3.41	11.00



Date: 23.MAR.2016 13:51:05

CH60

Date: 23.MAR.2016 13:52:25

CH64


Date: 23.MAR.2016 13:54:18

Test Mode: UNII-2A/TX AC(VHT20) Mode_CH52/CH60/CH64_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.21	11.00
CH60	5300	-0.52	11.00
CH64	5320	-0.37	11.00

Test Mode: UNII-2A/TX AC(VHT40) Mode_CH54/CH62_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-6.12	0.64	-5.48	11.00
CH62	5310	-6.45	0.64	-5.81	11.00

CH54

Date: 23.MAR.2016 10:45:43


CH62

Date: 23.MAR.2016 10:47:34

Test Mode: UNII-2A/TX AC(VHT40) Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-6.08	0.64	-5.44	11.00
CH62	5310	-7.42	0.64	-6.78	11.00

CH54



Date: 23.MAR.2016 14:21:48

CH62




Date: 23.MAR.2016 14:24:08

Test Mode: UNII-2A/TX AC(VHT40) Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.45	11.00
CH62	5310	-3.25	11.00

Test Mode: UNII-2A/TX AC(VHT80) Mode_CH58_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-8.66	1.09	-7.57	11.00



Date: 23.MAR.2016 10:55:44

Test Mode: UNII-2A/TX AC(VHT80) Mode_CH58_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-9.10	1.09	-8.01	11.00




Date: 23.MAR.2016 14:35:48

Test Mode: UNII-2A/TX AC(VHT80) Mode_CH58_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-4.77	11.00

CH116



Date: 23.MAR.2016 10:24:10


CH140



Date: 23.MAR.2016 10:26:00


Test Mode: UNII-2C/TX AC(VHT20) Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-4.14	0.20	-3.94	11.00
CH116	5580	-3.13	0.20	-2.93	11.00
CH140	5700	-2.27	0.20	-2.07	11.00




Date: 23.MAR.2016 13:55:32

CH116



Date: 23.MAR.2016 13:56:42

CH140




Date: 23.MAR.2016 13:57:34

Test Mode: UNII-2C/TX AC(VHT20) Mode_CH100/CH116/CH140_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.70	11.00
CH116	5580	0.31	11.00
CH140	5700	0.73	11.00

CH110



Date: 23.MAR.2016 10:50:40


CH134



Date: 23.MAR.2016 10:51:43


Test Mode: UNII-2C/TX AC(VHT40) Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-6.79	0.64	-6.15	11.00
CH110	5550	-6.31	0.64	-5.67	11.00
CH134	5670	-6.33	0.64	-5.69	11.00




Date: 23.MAR.2016 14:25:23

CH110



Date: 23.MAR.2016 14:27:30

CH134



Date: 23.MAR.2016 14:31:04


Test Mode: UNII-2C/TX AC(VHT40) Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.42	11.00
CH110	5550	-2.81	11.00
CH134	5670	-2.45	11.00

Test Mode: UNII-2C/TX AC(VHT80) Mode_CH106/CH122_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-9.37	1.09	-8.28	11.00
CH122	5610	-9.33	1.09	-8.24	11.00

CH106



Date: 23.MAR.2016 10:57:06

CH122




Date: 23.MAR.2016 11:00:19

Test Mode: UNII-2C/TX AC(VHT80) Mode_CH106/CH122_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-9.87	1.09	-8.78	11.00
CH122	5610	-9.74	1.09	-8.65	11.00

CH106



Date: 23.MAR.2016 14:37:33

CH122




Date: 23.MAR.2016 14:39:59

Test Mode: UNII-2C/TX AC(VHT80) Mode_CH106/CH122_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-5.51	11.00
CH122	5610	-5.43	11.00

TX CH157



Date: 23.MAR.2016 10:28:28

TX CH165




Date: 23.MAR.2016 10:29:27

Test Mode: UNII-3/ TX AC(VHT20) Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-6.35	0.20	-6.15	30.00
CH157	5785	-7.41	0.20	-7.21	30.00
CH165	5825	-7.84	0.20	-7.64	30.00

TX CH149




Date: 23.MAR.2016 13:58:55

TX CH157



Date: 23.MAR.2016 14:00:06

TX CH165



Date: 23.MAR.2016 14:02:59


Test Mode: UNII-3/ TX AC(VHT20) Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-2.83	30.00
CH157	5785	-3.46	30.00
CH165	5825	-3.84	30.00

Test Mode: UNII-3/ TX AC(VHT40) Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-8.89	1.09	-8.25	30.00
CH159	5795	-9.17	1.09	-8.53	30.00

TX CH151



Date: 23.MAR.2016 10:52:57

TX CH159




Date: 23.MAR.2016 10:54:07

Test Mode: UNII-3/ TX AC(VHT40) Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-9.72	1.09	-9.08	30.00
CH159	5795	-9.80	1.09	-9.16	30.00

TX CH151



Date: 23.MAR.2016 14:32:33

TX CH159



Date: 23.MAR.2016 14:33:49

Test Mode: UNII-3/ TX AC(VHT40) Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-5.63	30.00
CH159	5795	-5.82	30.00

Test Mode: UNII-3/ TX AC(VHT80) Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-8.47	30.00

ATTACHMENT I - FREQUENCY STABILITY

Test Mode:	UNII-1
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9799
120	5180.0000
108	5180.0000
Max. Deviation (MHz)	0.0201
Max. Deviation (ppm)	3.8842

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5180.0000
0	5179.9800
5	5179.9800
15	5180.0000
25	5179.9800
35	5179.9951
Max. Deviation (MHz)	0.0200
Max. Deviation (ppm)	3.8668

Test Mode:	UNII-2A
-------------------	----------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5260.0000
120	5260.0000
108	5259.9999
Max. Deviation (MHz)	0.0001
Max. Deviation (ppm)	0.0228

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5260.0000
0	5260.0150
5	5260.0000
15	5259.9999
25	5260.0000
35	5259.9950
Max. Deviation (MHz)	0.0201
Max. Deviation (ppm)	3.8251

Test Mode:	UNII-2C
-------------------	----------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5499.9800
120	5499.9800
108	5499.9599
Max. Deviation (MHz)	0.0401
Max. Deviation (ppm)	7.2964

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5500.0000
0	5499.9800
5	5499.9750
15	5500.0000
25	5499.9800
35	5500.0000
Max. Deviation (MHz)	0.0250
Max. Deviation (ppm)	4.5455

Test Mode:	UNII-3
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9599
120	5744.9597
108	5744.9799
Max. Deviation (MHz)	0.0403
Max. Deviation (ppm)	7.0200

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5745.0000
0	5744.9800
5	5744.9800
15	5744.9951
25	5744.9800
35	5744.9599
Max. Deviation (MHz)	0.0401
Max. Deviation (ppm)	6.9835