


ANNEX H: The EUT Appearances and Test Configuration



Picture 5: Constituents of the EUT



Picture 6: Test position 1



Picture 7: Test position 2

ANNEX I: Differences between K3806 and K3805

K3806 and K3805 are HSPA/WCDMA/EDGE/GPRS/GSM USB Stick. The GSM supports four bands. The HSPA/WCDMA supports W2100M and W900M.

The differences between K3806 and K3805 are as follows:

- 1, Appearance is different;
2. The diversity antenna of K3806 and K3805 is different , only the shape is different, both of them support W2100 and W900 . The diversity antenna is only used to receive 3G signal and enhance the receiving performance, don't transmit signal;
- 3, K3805's PCB is the same PCB of K3806 , and the components are all the same;

The followed table is show the different between K3806 and K3805:

	K3806	K3805
GSM four band	The same (support)	The same (support)
WCDMA 2100M	The same (support)	The same (support)
WCDMA 900M	The same (support)	The same (support)
Main antenna	The same	The same
Diversity antenna	Different	Different
Appearance	Different	Different
PCB	The same	The same
FLASH	The same	The same
MicroSD Receptacle	The same	The same
DC-DC	The same	The same

Size of K3806: 83.7 (length) × 26.5 (width) × 14 (height)

Size of K3805: 85.5 (length) × 27 (width) × 12.8 (height)


ID of K3806



ID of K3805



Diversity antenna of K3806



Diversity antenna of K3805

