



Appendix for test report



1 Appendix_A: Effective (Isotropic) Radiated Power Output Data

Part I - Test Results

Test Band	Test Mode	Test Channel	Conducted Power [dBm]	ERP [dBm]	Limit [dBm]	Verdict
GSM850	GSM/TM1	LCH	32.35	27.2	38.5	PASS
		MCH	32.59	27.44	38.5	PASS
		HCH	32.71	27.56	38.5	PASS
	GSM/TM2	LCH	26.78	21.63	38.5	PASS
		MCH	26.96	21.81	38.5	PASS
		HCH	26.89	21.74	38.5	PASS

Test Band	Test Mode	Test Channel	Conducted Power [dBm]	EIRP [dBm]	Limit [dBm]	Verdict
GSM1900	GSM/TM1	LCH	29.8	30.3	33	PASS
		MCH	29.55	30.05	33	PASS
		HCH	29.4	29.9	33	PASS
	GSM/TM2	LCH	25.25	25.75	33	PASS
		MCH	25.23	25.73	33	PASS
		HCH	25.19	25.69	33	PASS



Note1:

a, For getting the ERP (Efficient Radiated Power) or EIRP (Efficient Isotropic Radiated Power) in substitution method, the following formula should be taken to calculate it,

$$\text{ERP [dBm]} = \text{SGP [dBm]} - \text{Cable Loss [dB]} + \text{Gain [dBd]}$$

$$\text{EIRP [dBm]} = \text{SGP [dBm]} - \text{Cable Loss [dB]} + \text{Gain [dBi]}$$

b, SGP=Signal Generator Level

Note2:

$$\text{SET Span} = 1.5 * \text{OBW}$$

$$\text{SET RBW} = 1\% \text{ of the OBW, not to exceed 1MHz}$$

$$\text{SET VBW} \geq 3 * \text{RBW}$$

SET Sweep time=auto-couple.

Detector:RMS

2Appendix_B: Peak-to-Average Ratio

Part I - Test Results

Test Band	Test Mode	Test Channel	Measured[dB]	Limit [dB]	Verdict
GSM850	GSM/TM1	LCH	0.31	13	PASS
		MCH	0.22	13	PASS
		HCH	0.26	13	PASS
	GSM/TM2	LCH	3.07	13	PASS
		MCH	3.09	13	PASS
		HCH	3.14	13	PASS
GSM1900	GSM/TM1	LCH	0.37	13	PASS
		MCH	0.31	13	PASS
		HCH	0.27	13	PASS
	GSM/TM2	LCH	2.72	13	PASS
		MCH	2.68	13	PASS
		HCH	2.71	13	PASS

3Appendix_C: Modulation Characteristics


Part I - Test Plots

3.1 For GSM

3.1.1 Test Band = GSM850


3.1.1.1 Test Mode = GSM/TM1

3.1.1.1.1 Test Channel = MCH



3.1.1.2 Test Mode = GSM/TM2


3.1.1.2.1 Test Channel = MCH



3.1.2 Test Band = GSM1900


3.1.2.1 Test Mode = GSM/TM1

3.1.2.1.1 Test Channel = MCH



3.1.2.2 Test Mode = GSM/TM2

3.1.2.2.1 Test Channel = MCH





4Appendix_D: Bandwidth

Part I - Test Results

Test Band	Test Mode	Test Channel	Occupied Bandwidth [kHz]	Emission Bandwidth [kHz]	Verdict
GSM850	GSM/TM1	LCH	243.30	313.09	Pass
		MCH	242.54	310.62	Pass
		HCH	245.47	313.17	Pass
	GSM/TM2	LCH	239.96	308.93	Pass
		MCH	239.92	302.51	Pass
		HCH	244.06	300.32	Pass
GSM1900	GSM/TM1	LCH	243.42	307.94	Pass
		MCH	244.77	319.33	Pass
		HCH	244.23	317.79	Pass
	GSM/TM2	LCH	246.43	305.50	Pass
		MCH	250.99	313.52	Pass
		HCH	249.74	315.09	Pass




Part II - Test Plots

4.1 For GSM

4.1.1 Test Band = GSM850

4.1.1.1 Test Mode = GSM/TM1

4.1.1.1.1 Test Channel = LCH





4.1.1.1.2 Test Channel = MCH





4.1.1.1.3 Test Channel = HCH






4.1.1.2 Test Mode = GSM/TM2

4.1.1.2.1 Test Channel = LCH






4.1.1.2.2 Test Channel = MCH





4.1.1.2.3 Test Channel = HCH



4.1.2 Test Band = GSM1900

4.1.2.1 Test Mode = GSM/TM1

4.1.2.1.1 Test Channel = LCH






4.1.2.1.2 Test Channel = MCH





4.1.2.1.3 Test Channel = HCH






4.1.2.2 Test Mode = GSM/TM2

4.1.2.2.1 Test Channel = LCH






4.1.2.2.2 Test Channel = MCH





4.1.2.2.3 Test Channel = HCH





5Appendix_E: Band Edges Compliance


Part I - Test Plots

5.1 For GSM

5.1.1 Test Band = GSM850


5.1.1.1 Test Mode = GSM/TM1

5.1.1.1.1 Test Channel = LCH






5.1.1.1.2 Test Channel = HCH




5.1.1.2 Test Mode = GSM/TM2

5.1.1.2.1 Test Channel = LCH



5.1.1.2.2 Test Channel = HCH






5.1.2 Test Band = GSM1900


5.1.2.1 Test Mode = GSM/TM1

5.1.2.1.1 Test Channel = LCH






5.1.2.1.2 Test Channel = HCH






5.1.2.2 Test Mode = GSM/TM2

5.1.2.2.1 Test Channel = LCH



5.1.2.2.2 Test Channel = HCH





6Appendix_F: Spurious Emission at Antenna Terminal

NOTE: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of $< RBW/2$ so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = $k * (Span / RBW)$ " with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.


Part I - Test Plots


6.1 For GSM


6.1.1 Test Band = GSM850


6.1.1.1 Test Mode = GSM/TM1

6.1.1.1.1 Test Channel = LCH















6.1.1.1.2 Test Channel = MCH












6.1.1.1.3 Test Channel = HCH












6.1.1.2 Test Mode = GSM/TM2

6.1.1.2.1 Test Channel = LCH













6.1.1.2.2 Test Channel = MCH














6.1.1.2.3 Test Channel = HCH











6.1.2 Test Band = GSM1900

6.1.2.1 Test Mode = GSM/TM1

6.1.2.1.1 Test Channel = LCH












6.1.2.1.2 Test Channel = MCH











6.1.2.1.3 Test Channel = HCH












6.1.2.2 Test Mode = GSM/TM2


6.1.2.2.1 Test Channel = LCH









6.1.2.2.2 Test Channel = MCH











6.1.2.2.3 Test Channel = HCH







7Appendix_G: Field Strength of Spurious Radiation

Note: We tested all modes, but the data presented below is the worst case.

9kHz~150kHz, VBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, VBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK


Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK

Part I - Test Plots


7.1 For GSM

7.1.1 Test Band = GSM850


7.1.1.1 Test Mode = GSM_Ant1




Copy of FCC PART22 GSM850_L




Copy of FCC PART22 GSM850_H




7.1.1.2 Test Mode = GSM_Ant2



Copy of FCC PART22 GSM850_L




Copy of FCC PART22 GSM850_H




7.1.2 Test Band = GSM1900



7.1.2.1 Test Mode = GSM_Ant1




Copy of FCC PART24 GSM1900_L




Copy of FCC PART24 GSM1900_H





7.1.2.2 Test Mode = GSM_Ant2



Copy of FCC PART 24 GSM1900_L



Copy of FCC PART24 GSM1900_H



8Appendix_H: Frequency Stability

8.1 For GSM

8.1.1 Frequency Error vs. Voltage:

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
GSM850	GSM/TM1	LCH	TN	VL	-20.66	-0.02507	PASS
				VN	-24.09	-0.02923	PASS
				VH	-25.51	-0.03095	PASS
		MCH	TN	VL	-22.15	-0.02648	PASS
				VN	-19.95	-0.02385	PASS
				VH	-22.86	-0.02732	PASS
		HCH	TN	VL	-12.53	-0.01476	PASS
				VN	-16.66	-0.01963	PASS
				VH	-18.47	-0.02176	PASS
	GSM/TM2	LCH	TN	VL	-11.24	-0.01364	PASS
				VN	-11.40	-0.01383	PASS
				VH	-9.17	-0.01113	PASS
		MCH	TN	VL	-18.24	-0.0218	PASS
				VN	-14.69	-0.01756	PASS
				VH	-18.08	-0.02161	PASS
		HCH	TN	VL	-19.21	-0.02263	PASS
				VN	-23.47	-0.02765	PASS
				VH	-12.79	-0.01507	PASS
GSM1900	GSM/TM1	LCH	TN	VL	20.86	0.01127	PASS
				VN	27.83	0.01504	PASS
				VH	21.89	0.01183	PASS
		MCH	TN	VL	32.67	0.01738	PASS
				VN	37.32	0.01985	PASS
				VH	31.19	0.01659	PASS
		HCH	TN	VL	44.68	0.0234	PASS
				VN	39.97	0.02093	PASS
				VH	32.41	0.01697	PASS
	GSM/TM2	LCH	TN	VL	-1.03	-0.00056	PASS
				VN	1.29	0.0007	PASS
				VH	20.70	0.01119	PASS
		MCH	TN	VL	21.99	0.0117	PASS
				VN	25.25	0.01343	PASS
				VH			

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
				VH	14.95	0.00795	PASS
		HCH	TN	VL	16.24	0.0085	PASS
				VN	37.10	0.01943	PASS
				VH	24.50	0.01283	PASS

8.1.2 Frequency Error vs. Temperature:

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
GSM850	GSM/TM1	LCH	VN	-30	-16.53	-0.02006	PASS
				-20	-19.50	-0.02366	PASS
				-10	-18.27	-0.02217	PASS
				0	-20.86	-0.02531	PASS
				10	-16.01	-0.01942	PASS
				20	-20.28	-0.02461	PASS
				30	-20.47	-0.02484	PASS
				40	-18.85	-0.02287	PASS
		50	-19.24	-0.02334	PASS		
		MCH	VN	-30	-21.37	-0.02554	PASS
				-20	-23.05	-0.02755	PASS
				-10	-20.28	-0.02424	PASS
				0	-18.60	-0.02223	PASS
				10	-15.82	-0.01891	PASS
				20	-19.76	-0.02362	PASS
				30	-20.02	-0.02393	PASS
				40	-21.70	-0.02594	PASS
		50	-21.37	-0.02554	PASS		
		HCH	VN	-30	-22.34	-0.02632	PASS
				-20	-18.34	-0.02161	PASS
				-10	-16.40	-0.01932	PASS
				0	-21.63	-0.02548	PASS
				10	-18.21	-0.02145	PASS
				20	-20.08	-0.02366	PASS
	30			-15.50	-0.01826	PASS	
	40			-18.98	-0.02236	PASS	
	50	-26.15	-0.03081	PASS			
	GSM/TM2	LCH	VN	-30	-14.56	-0.01767	PASS
				-20	-18.79	-0.0228	PASS
				-10	-17.98	-0.02182	PASS
				0	-12.98	-0.01575	PASS

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict						
				10	-19.08	-0.02315	PASS						
				20	-24.50	-0.02973	PASS						
				30	-18.63	-0.0226	PASS						
				40	-22.70	-0.02754	PASS						
				50	-18.85	-0.02287	PASS						
		MCH	VN			-30	-15.56	-0.0186	PASS				
						-20	-16.79	-0.02007	PASS				
						-10	-16.18	-0.01934	PASS				
						0	-18.44	-0.02204	PASS				
						10	-18.21	-0.02177	PASS				
						20	-17.43	-0.02083	PASS				
						30	-19.31	-0.02308	PASS				
						40	-26.15	-0.03126	PASS				
						50	-11.07	-0.01323	PASS				
						HCH	VN			-30	-19.44	-0.0229	PASS
		-20	-13.92	-0.0164	PASS								
		-10	-21.60	-0.02545	PASS								
		0	-16.27	-0.01917	PASS								
		10	-16.85	-0.01985	PASS								
		20	-17.18	-0.02024	PASS								
		30	-18.02	-0.02123	PASS								
		40	-18.53	-0.02183	PASS								
		50	-15.92	-0.01876	PASS								
		GSM1900	GSM/TM1	LCH	VN					-30	12.14	0.00656	PASS
										-20	10.59	0.00572	PASS
										-10	14.08	0.00761	PASS
										0	14.79	0.00799	PASS
10	12.72									0.00687	PASS		
20	19.50									0.01054	PASS		
30	14.85									0.00803	PASS		
40	18.60									0.01005	PASS		
50	8.98									0.00485	PASS		
MCH	VN									-30	41.39	0.02202	PASS
										-20	39.78	0.02116	PASS
										-10	31.19	0.01659	PASS
										0	31.83	0.01693	PASS
										10	27.06	0.01439	PASS
										20	13.17	0.00701	PASS
										30	32.93	0.01752	PASS
										40	31.64	0.01683	PASS



Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
		HCH	VN	50	21.50	0.01144	PASS
				-30	38.61	0.02022	PASS
				-20	41.00	0.02147	PASS
				-10	31.64	0.01657	PASS
				0	24.80	0.01299	PASS
				10	41.71	0.02184	PASS
				20	35.26	0.01846	PASS
				30	37.26	0.01951	PASS
				40	42.17	0.02208	PASS
				50	39.07	0.02046	PASS
	GSM/TM2	LCH	VN	-30	4.97	0.00269	PASS
				-20	3.16	0.00171	PASS
				-10	10.59	0.00572	PASS
				0	13.79	0.00745	PASS
				10	3.10	0.00168	PASS
				20	6.65	0.00359	PASS
				30	11.69	0.00632	PASS
				40	12.01	0.00649	PASS
				50	6.94	0.00375	PASS
				MCH	VN	-30	10.11
		-20	15.24			0.00811	PASS
		-10	33.48			0.01781	PASS
		0	30.54			0.01624	PASS
		10	23.73			0.01262	PASS
		20	22.47			0.01195	PASS
		30	27.12			0.01443	PASS
		40	9.10			0.00484	PASS
		50	18.18			0.00967	PASS
		HCH	VN			-30	29.41
				-20	12.46	0.00652	PASS
				-10	28.38	0.01486	PASS
				0	13.88	0.00727	PASS
				10	21.60	0.01131	PASS
				20	25.99	0.01361	PASS
				30	26.73	0.014	PASS
				40	49.62	0.02598	PASS
				50	22.44	0.01175	PASS

END