





5.1.1.2.3.1.2 Test RB = RB1#24






5.1.1.2.3.1.3 Test RB = RB12#6






5.1.1.2.3.1.4 Test RB = RB25#0






5.1.1.2.3.2 Test Channel = HCH

5.1.1.2.3.2.1 Test RB = RB1#0






5.1.1.2.3.2.2 Test RB = RB1#24





5.1.1.2.3.2.3 Test RB = RB12#6





5.1.1.2.3.2.4 Test RB = RB25#0






5.1.1.2.4 Test Bandwidth = 10

5.1.1.2.4.1 Test Channel = LCH

5.1.1.2.4.1.1 Test RB = RB1#0






5.1.1.2.4.1.2 Test RB = RB1#49





5.1.1.2.4.1.3 Test RB = RB25#13






5.1.1.2.4.1.4 Test RB = RB50#0






5.1.1.2.4.2 Test Channel = HCH

5.1.1.2.4.2.1 Test RB = RB1#0






5.1.1.2.4.2.2 Test RB = RB1#49






5.1.1.2.4.2.3 Test RB = RB25#13





5.1.1.2.4.2.4 Test RB = RB50#0





5.1.1.2.5 Test Bandwidth = 15

5.1.1.2.5.1 Test Channel = LCH

5.1.1.2.5.1.1 Test RB = RB1#0






5.1.1.2.5.1.2 Test RB = RB1#74





5.1.1.2.5.1.3 Test RB = RB38#19






5.1.1.2.5.1.4 Test RB = RB75#0





5.1.1.2.5.2 Test Channel = HCH

5.1.1.2.5.2.1 Test RB = RB1#0






5.1.1.2.5.2.2 Test RB = RB1#74






5.1.1.2.5.2.3 Test RB = RB38#19





5.1.1.2.5.2.4 Test RB = RB75#0





6Appendix_F: Spurious Emission at Antenna Terminal

NOTE: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of $< RBW/2$ so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = $k * (Span / RBW)$ " with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.

Part I - Test Plots

6.1 For LTE


6.1.1 Test Band = BAND26


6.1.1.1 Test Mode = LTE/TM2


6.1.1.1.1 Test Bandwidth = 1.4


6.1.1.1.1.1 Test Channel = LCH

6.1.1.1.1.1.1 Test RB = RB1#0















6.1.1.1.1.2 Test Channel = MCH

6.1.1.1.1.2.1 Test RB = RB1#0














6.1.1.1.1.3 Test Channel = HCH

6.1.1.1.1.3.1 Test RB = RB1#0














6.1.1.1.2 Test Bandwidth = 3


6.1.1.1.2.1 Test Channel = LCH

6.1.1.1.2.1.1 Test RB = RB1#0














6.1.1.1.2.2 Test Channel = MCH


6.1.1.1.2.2.1 Test RB = RB1#0






















6.1.1.1.3 Test Bandwidth = 5


6.1.1.1.3.1 Test Channel = LCH

6.1.1.1.3.1.1 Test RB = RB1#0















6.1.1.1.3.2 Test Channel = MCH

6.1.1.1.3.2.1 Test RB = RB1#0















6.1.1.1.3.3 Test Channel = HCH

6.1.1.1.3.3.1 Test RB = RB1#0














6.1.1.1.4 Test Bandwidth = 10


6.1.1.1.4.1 Test Channel = LCH

6.1.1.1.4.1.1 Test RB = RB1#0















6.1.1.1.4.2 Test Channel = MCH

6.1.1.1.4.2.1 Test RB = RB1#0













6.1.1.1.4.3 Test Channel = HCH

6.1.1.1.4.3.1 Test RB = RB1#0












6.1.1.1.5 Test Bandwidth = 15


6.1.1.1.5.1 Test Channel = LCH


6.1.1.1.5.1.1 Test RB = RB1#0




















6.1.1.1.5.3 Test Channel = HCH

6.1.1.1.5.3.1 Test RB = RB1#0









7Appendix_G: Field Strength of Spurious Radiation

Note: We tested all modes, but the data presented below is the worst case.

9kHz~150kHz, VBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, VBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK

Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK


Part I - Test Plots

7.1 For LTE


7.1.1 Test Band = BAND26

7.1.1 Test Band = BAND26_ANT1


7.1.1.1 Test Bandwidth = 1.4




RSE-TX-DIRECTOR BELOW 1G_L




RSE-TX-DIRECTOR BELOW 1G_H




7.1.1.2 Test Bandwidth = 15



Copy of RSE-TX-DIRECTOR BELOW 1G_L




Copy of RSE-TX-DIRECTOR BELOW 1G_H




7.1.2 Test Band = BAND26_ANT2


7.1.2.1 Test Bandwidth = 1.4




Copy of RSE-TX-DIRECTOR BELOW 1G_L




Copy of RSE-TX-DIRECTOR BELOW 1G_H




7.1.2.2 Test Bandwidth = 15



Copy of RSE-TX-DIRECTOR BELOW 1G_L



Copy of RSE-TX-DIRECTOR BELOW 1G_H



8Appendix_H: Frequency Stability

8.1 For LTE

8.1.1 Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND26	LTE/TM1	1.4	LCH	TN	VL	8.31	0.01008	PASS
					VN	10.04	0.01217	PASS
					VH	5.82	0.00706	PASS
			MCH	TN	VL	2.99	0.00357	PASS
					VN	0.72	0.00086	PASS
					VH	-3.71	-0.00444	PASS
			HCH	TN	VL	-111.68	-0.13165	PASS
					VN	3.42	0.00403	PASS
					VH	0.34	0.0004	PASS
		3	LCH	TN	VL	4.63	0.00561	PASS
					VN	1.72	0.00208	PASS
					VH	-1.32	-0.0016	PASS
			MCH	TN	VL	-2.70	-0.00323	PASS
					VN	-7.65	-0.00915	PASS
					VH	7.05	0.00843	PASS
			HCH	TN	VL	-2.07	-0.00244	PASS
					VN	-0.97	-0.00114	PASS
					VH	0.04	0.00005	PASS
		5	LCH	TN	VL	1.96	0.00237	PASS
					VN	1.92	0.00232	PASS
					VH	4.12	0.00498	PASS
			MCH	TN	VL	-0.14	-0.00017	PASS
					VN	-8.07	-0.00965	PASS
					VH	2.88	0.00344	PASS
			HCH	TN	VL	0.06	0.00007	PASS
					VN	-55.68	-0.06578	PASS
					VH	3.13	0.0037	PASS
		10	LCH	TN	VL	3.76	0.00454	PASS
					VN	-4.16	-0.00502	PASS
					VH	5.88	0.00709	PASS
			MCH	TN	VL	11.00	0.01315	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict	
					VN	16.09	0.01923	PASS	
					VH	15.13	0.01809	PASS	
					VL	7.85	0.0093	PASS	
			HCH	TN	VN	8.53	0.01011	PASS	
					VH	4.16	0.00493	PASS	
					VL	1.44	0.00173	PASS	
		15	LCH	TN	VN	6.84	0.00823	PASS	
					VH	1.62	0.00195	PASS	
					VL	4.46	0.00533	PASS	
			MCH	TN	VN	10.80	0.01291	PASS	
					VH	10.59	0.01266	PASS	
					VL	1.19	0.00141	PASS	
		HCH	TN	VN	-1.10	-0.00131	PASS		
				VH	0.00	0	PASS		
				VL	17.47	0.02118	PASS		
		LTE/TM2	1.4	LCH	TN	VN	-4.28	-0.00519	PASS
						VH	-6.49	-0.00787	PASS
						VL	-5.35	-0.0064	PASS
	MCH			TN	VN	-0.13	-0.00016	PASS	
					VH	7.78	0.0093	PASS	
					VL	-12.20	-0.01438	PASS	
	HCH			TN	VN	-1.26	-0.00149	PASS	
					VH	-6.87	-0.0081	PASS	
					VL	3.08	0.00373	PASS	
	3			LCH	TN	VN	-3.55	-0.0043	PASS
						VH	11.92	0.01444	PASS
						VL	0.69	0.00082	PASS
			MCH	TN	VN	-8.41	-0.01005	PASS	
					VH	-6.15	-0.00735	PASS	
					VL	2.37	0.0028	PASS	
	HCH		TN	VN	2.56	0.00302	PASS		
				VH	-2.90	-0.00342	PASS		
				VL	5.15	0.00623	PASS		
	5	LCH	TN	VN	-3.22	-0.0039	PASS		
				VH	-2.23	-0.0027	PASS		
				VL	11.92	0.01425	PASS		
		MCH	TN	VN	0.89	0.00106	PASS		
				VH	1.39	0.00166	PASS		
				VL	1.80	0.00213	PASS		
	HCH	TN	VN	16.09	0.01923	PASS			
			VH	15.13	0.01809	PASS			
			VL	7.85	0.0093	PASS			

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
		10			VN	-0.10	-0.00012	PASS
					VH	6.02	0.00711	PASS
			LCH	TN	VL	-1.40	-0.00169	PASS
					VN	0.21	0.00025	PASS
					VH	-7.85	-0.00947	PASS
					VL	10.06	0.01203	PASS
		MCH	TN	VN	17.97	0.02148	PASS	
				VH	2.70	0.00323	PASS	
				VL	-1.16	-0.00137	PASS	
				VN	-4.92	-0.00583	PASS	
		15	LCH	TN	VH	-1.30	-0.00154	PASS
					VL	9.18	0.01104	PASS
			MCH	TN	VN	-0.19	-0.00023	PASS
					VH	-2.83	-0.0034	PASS
					VL	8.47	0.01013	PASS
					VN	13.00	0.01554	PASS
		HCH	TN	VH	2.19	0.00262	PASS	
				VL	36.65	0.04355	PASS	
				VN	13.06	0.01552	PASS	
				VH	5.69	0.00676	PASS	

8.1.2 Frequency Error vs. Temperature:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND26	LTE/TM1	1.4	LCH	VN	-30	5.01	0.00607	PASS
					-20	7.32	0.00888	PASS
					-10	4.81	0.00583	PASS
					0	-11.13	-0.0135	PASS
					10	-48.29	-0.05855	PASS
					20	-1.90	-0.0023	PASS
					30	0.07	0.00008	PASS
					40	11.14	0.01351	PASS
			MCH	VN	50	6.92	0.00839	PASS
					-30	-0.82	-0.00098	PASS
					-20	-12.10	-0.01447	PASS
					-10	-7.90	-0.00944	PASS
					0	-17.01	-0.02033	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict							
					10	1.24	0.00148	PASS							
					20	6.31	0.00754	PASS							
					30	-8.25	-0.00986	PASS							
					40	12.16	0.01454	PASS							
					50	16.35	0.01955	PASS							
			HCH	VN				-30	3.00	0.00354	PASS				
								-20	-16.34	-0.01926	PASS				
								-10	1.16	0.00137	PASS				
								0	-4.81	-0.00567	PASS				
								10	-13.63	-0.01607	PASS				
						LCH	VN				20	3.49	0.00411	PASS	
											30	-9.34	-0.01101	PASS	
											40	70.10	0.08264	PASS	
											50	7.02	0.00828	PASS	
											-30	7.67	0.00929	PASS	
			MCH	VN						-20	9.48	0.01148	PASS		
										-10	2.80	0.00339	PASS		
										0	-1.09	-0.00132	PASS		
										10	0.99	0.0012	PASS		
										20	1.66	0.00201	PASS		
		HCH					VN					30	1.14	0.00138	PASS
												40	5.94	0.0072	PASS
												50	3.79	0.00459	PASS
												-30	-2.05	-0.00245	PASS
												-20	1.66	0.00198	PASS
				3						-10	-4.01	-0.00479	PASS		
										0	3.08	0.00368	PASS		
										10	-4.61	-0.00551	PASS		
										20	-9.23	-0.01103	PASS		
										30	2.42	0.00289	PASS		
												40	-7.98	-0.00954	PASS
												50	-4.41	-0.00527	PASS
												-30	5.05	0.00596	PASS
												-20	5.94	0.00701	PASS
												-10	2.35	0.00277	PASS
										0	4.35	0.00513	PASS		
										10	4.82	0.00569	PASS		
										20	1.17	0.00138	PASS		
										30	1.36	0.0016	PASS		

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	3.43	0.00405	PASS
					50	2.17	0.00256	PASS
		5	LCH	VN	-30	6.55	0.00792	PASS
					-20	5.84	0.00707	PASS
					-10	3.20	0.00387	PASS
					0	2.35	0.00284	PASS
					10	2.66	0.00322	PASS
					20	0.77	0.00093	PASS
					30	3.78	0.00457	PASS
					40	0.64	0.00077	PASS
					50	-0.87	-0.00105	PASS
					MCH	VN	-30	1.29
			-20	4.02			0.00481	PASS
			-10	1.52			0.00182	PASS
			0	9.33			0.01115	PASS
			10	6.45			0.00771	PASS
			20	-0.99			-0.00118	PASS
			30	-1.00			-0.0012	PASS
			40	5.88			0.00703	PASS
			HCH	VN	50	5.02	0.006	PASS
		-30			8.75	0.01034	PASS	
		-20			1.23	0.00145	PASS	
		-10			1.32	0.00156	PASS	
		0			4.28	0.00506	PASS	
		10			-4.75	-0.00561	PASS	
		20			-0.43	-0.00051	PASS	
		30			0.49	0.00058	PASS	
		40	2.96	0.0035	PASS			
		50	-1.79	-0.00211	PASS			
		10	LCH	VN	-30	2.12	0.00256	PASS
					-20	4.18	0.00504	PASS
					-10	7.01	0.00846	PASS
					0	-0.86	-0.00104	PASS
					10	5.87	0.00708	PASS
					20	9.91	0.01195	PASS
					30	9.63	0.01162	PASS
					40	6.14	0.00741	PASS
					50	11.79	0.01422	PASS
					MCH	VN	-30	27.44

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict		
					-20	-3.06	-0.00366	PASS		
					-10	-11.74	-0.01403	PASS		
					0	6.37	0.00762	PASS		
					10	-7.11	-0.0085	PASS		
					20	12.39	0.01481	PASS		
					30	6.11	0.0073	PASS		
					40	3.39	0.00405	PASS		
					50	-10.97	-0.01311	PASS		
			HCH	VN	-30	-1.89	-0.00224	PASS		
					-20	-1.34	-0.00159	PASS		
					-10	6.17	0.00731	PASS		
					0	-5.31	-0.00629	PASS		
					10	-1.19	-0.00141	PASS		
					20	0.40	0.00047	PASS		
					30	0.97	0.00115	PASS		
					40	0.89	0.00105	PASS		
			LCH	VN	-30	-2.15	-0.00259	PASS		
					-20	1.04	0.00125	PASS		
					-10	0.73	0.00088	PASS		
					0	-7.38	-0.00888	PASS		
		10			2.95	0.00355	PASS			
		20			-9.30	-0.01118	PASS			
		30			14.53	0.01747	PASS			
		40			13.09	0.01574	PASS			
		MCH	VN	-30	1.83	0.00219	PASS			
				-20	0.30	0.00036	PASS			
				-10	1.39	0.00166	PASS			
				0	-9.08	-0.01085	PASS			
				10	-0.89	-0.00106	PASS			
				20	5.36	0.00641	PASS			
				30	7.07	0.00845	PASS			
				40	-2.56	-0.00306	PASS			
		HCH	VN	-30	6.08	0.00723	PASS			
				-20	1.96	0.00233	PASS			
				-10	-0.31	-0.00037	PASS			
				0	-2.13	-0.00253	PASS			
		15					-30	-2.15	-0.00259	PASS
							-20	1.04	0.00125	PASS
							-10	0.73	0.00088	PASS
							0	-7.38	-0.00888	PASS
10	2.95						0.00355	PASS		
20	-9.30						-0.01118	PASS		
30	14.53						0.01747	PASS		
40	13.09						0.01574	PASS		
50	1.26						0.00152	PASS		
-30	1.83						0.00219	PASS		
-20	0.30						0.00036	PASS		
-10	1.39						0.00166	PASS		



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict				
					10	-1.65	-0.00196	PASS				
					20	1.46	0.00173	PASS				
					30	0.84	0.001	PASS				
					40	-0.43	-0.00051	PASS				
					50	-1.02	-0.00121	PASS				
					LTE/TM2	1.4	LCH	VN	-30	12.09	0.01466	PASS
									-20	-2.92	-0.00354	PASS
									-10	0.33	0.0004	PASS
									0	4.18	0.00507	PASS
									10	28.57	0.03464	PASS
									20	-8.07	-0.00979	PASS
									30	-6.31	-0.00765	PASS
									40	8.48	0.01028	PASS
									50	-6.18	-0.00749	PASS
							MCH	VN	-30	12.92	0.01545	PASS
	-20	-15.18	-0.01815	PASS								
	-10	15.18	0.01815	PASS								
	0	-3.79	-0.00453	PASS								
	10	4.33	0.00518	PASS								
	20	-3.81	-0.00455	PASS								
	30	0.90	0.00108	PASS								
	40	15.59	0.01864	PASS								
	50	8.84	0.01057	PASS								
	HCH	VN	-30	-12.39	-0.01461	PASS						
			-20	-0.90	-0.00106	PASS						
			-10	8.21	0.00968	PASS						
			0	-3.85	-0.00454	PASS						
			10	25.88	0.03051	PASS						
			20	4.05	0.00477	PASS						
			30	-3.16	-0.00373	PASS						
			40	1.12	0.00132	PASS						
			50	-9.64	-0.01136	PASS						
	3	LCH	VN	-30	-1.72	-0.00208	PASS					
-20				10.19	0.01234	PASS						
-10				8.25	0.00999	PASS						
0				6.15	0.00745	PASS						
10				-1.26	-0.00153	PASS						
20				-5.19	-0.00629	PASS						
30				8.71	0.01055	PASS						



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	-4.32	-0.00523	PASS
					50	-3.62	-0.00439	PASS
			MCH	VN	-30	-0.56	-0.00067	PASS
					-20	5.44	0.0065	PASS
					-10	8.74	0.01045	PASS
					0	0.26	0.00031	PASS
					10	6.29	0.00752	PASS
					20	-3.93	-0.0047	PASS
					30	4.45	0.00532	PASS
					40	-7.11	-0.0085	PASS
					50	-0.92	-0.0011	PASS
					HCH	VN	-30	1.70
			-20	1.65			0.00195	PASS
			-10	-1.47			-0.00173	PASS
			0	2.57			0.00303	PASS
			10	-0.74			-0.00087	PASS
			20	-0.69			-0.00081	PASS
			30	-4.03			-0.00476	PASS
			40	0.57			0.00067	PASS
			5	LCH	VN	-30	-1.07	-0.00129
		-20				-2.15	-0.0026	PASS
		-10				3.55	0.0043	PASS
		0				0.03	0.00004	PASS
		10				6.75	0.00817	PASS
		20				6.21	0.00751	PASS
		30				2.20	0.00266	PASS
		40				5.55	0.00672	PASS
		50				-1.70	-0.00206	PASS
		MCH				VN	-30	-2.09
				-20	-9.38		-0.01121	PASS
				-10	2.45		0.00293	PASS
				0	3.39		0.00405	PASS
				10	-0.07		-0.00008	PASS
				20	-0.41		-0.00049	PASS
				30	0.79		0.00094	PASS
				40	-1.12		-0.00134	PASS
		HCH		VN	-30	3.09	0.00365	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict		
					-20	2.32	0.00274	PASS		
					-10	-2.70	-0.00319	PASS		
					0	2.95	0.00348	PASS		
					10	-0.59	-0.0007	PASS		
					20	-8.04	-0.0095	PASS		
					30	0.44	0.00052	PASS		
					40	0.89	0.00105	PASS		
					50	-1.44	-0.0017	PASS		
		10	LCH	VN	-30	1.80	0.00217	PASS		
					-20	5.91	0.00713	PASS		
					-10	2.86	0.00345	PASS		
					0	-1.09	-0.00131	PASS		
					10	3.99	0.00481	PASS		
					20	0.83	0.001	PASS		
					30	10.79	0.01302	PASS		
					40	2.45	0.00296	PASS		
					50	-7.95	-0.00959	PASS		
					MCH	VN	-30	4.56	0.00545	PASS
							-20	6.01	0.00718	PASS
							-10	-9.31	-0.01113	PASS
			0	0.17			0.0002	PASS		
			10	2.06			0.00246	PASS		
			20	-3.81			-0.00455	PASS		
			30	1.17			0.0014	PASS		
			40	0.09			0.00011	PASS		
			50	6.24			0.00746	PASS		
			HCH	VN			-30	-3.99	-0.00473	PASS
							-20	1.44	0.00171	PASS
							-10	-0.16	-0.00019	PASS
					0	-0.56	-0.00066	PASS		
					10	-0.83	-0.00098	PASS		
					20	-2.25	-0.00267	PASS		
		30			-2.16	-0.00256	PASS			
		40			-3.08	-0.00365	PASS			
		50	-2.03	-0.00241	PASS					
		15	LCH	VN	-30	1.96	0.00236	PASS		
					-20	1.02	0.00123	PASS		
					-10	-3.20	-0.00385	PASS		
					0	0.44	0.00053	PASS		

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-0.29	-0.00035	PASS
					20	1.52	0.00183	PASS
					30	-5.04	-0.00606	PASS
					40	-0.66	-0.00079	PASS
					50	3.76	0.00452	PASS
			MCH	VN	-30	-4.88	-0.00583	PASS
					-20	-1.72	-0.00206	PASS
					-10	3.19	0.00381	PASS
					0	1.60	0.00191	PASS
					10	1.09	0.0013	PASS
					20	0.40	0.00048	PASS
					30	-7.15	-0.00855	PASS
					40	0.94	0.00112	PASS
			HCH	VN	50	-4.32	-0.00516	PASS
					-30	2.76	0.00328	PASS
					-20	-0.39	-0.00046	PASS
					-10	0.87	0.00103	PASS
					0	2.57	0.00305	PASS
					10	1.75	0.00208	PASS
					20	-0.03	-0.00004	PASS
					30	1.90	0.00226	PASS
			40	-1.06	-0.00126	PASS		
			50	1.85	0.0022	PASS		

END