



**Test Mode: UNII-2A/TX AC80 Mode**

**TX mode CH58**




Date: 5.MAY.2015 16:35:15



Date: 5.MAY.2015 16:35:33


**Test Mode:** UNII-2C/TX AC20 Mode

**TX mode CH100**



Date: 5.MAY.2015 16:54:29

**TX mode CH140**




Date: 5.MAY.2015 16:56:31




**Test Mode:** UNII-2C/TX AC80 Mode

### TX mode CH106



Date: 5.MAY.2015 17:04:53


### TX mode CH122



Date: 5.MAY.2015 17:06:05


Test Mode: UNII-3/TX AC20 Mode

### TX AC HT20 mode CH149



Date: 5.MAY.2015 17:20:24


### TX AC HT20 mode CH165



Date: 5.MAY.2015 17:21:54


Test Mode: UNII-3/TX AC40 Mode

### TX AC HT40 mode CH151



Date: 5.MAY.2015 17:25:02


### TX AC HT40 mode CH159




Date: 5.MAY.2015 17:25:57

Test Mode: UNII-3/TX AC80 Mode

### TX AC HT80 mode CH155



Date: 5.MAY.2015 17:27:05




Date: 5.MAY.2015 17:27:13

## ATTACHMENTH - POWER SPECTRAL DENSITY


**Test Mode: UNII-1/ TX A Mode\_CH36/CH40/CH48**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-1.02	0.08	-0.94	11.00
CH40	5200	-1.26	0.08	-1.18	11.00
CH48	5240	-1.15	0.08	-1.07	11.00




Date: 5.MAY.2015 15:58:41

**CH40**



Date: 5.MAY.2015 16:01:13


**CH48**



Date: 5.MAY.2015 16:02:31


**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-1.45	0.07	-1.38	11.00
CH40	5200	-1.53	0.07	-1.46	11.00
CH48	5240	-1.39	0.07	-1.32	11.00




Date: 5.MAY.2015 16:04:25

**CH40**



Date: 5.MAY.2015 16:05:57

**CH48**




Date: 5.MAY.2015 16:07:03

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-5.08	0.30	-4.78	11.00
CH46	5230	-5.21	0.30	-4.91	11.00

### CH38



Date: 5.MAY.2015 16:11:21


### CH46



Date: 5.MAY.2015 16:12:42


**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-0.85	0.08	-0.77	11.00
CH60	5300	-1.27	0.08	-1.19	11.00
CH64	5320	-1.22	0.08	-1.14	11.00




Date: 5.MAY.2015 16:18:44

### CH60



Date: 5.MAY.2015 16:20:39


### CH64



Date: 5.MAY.2015 16:21:39




**CH60**



Date: 5.MAY.2015 16:24:17

**CH64**




Date: 5.MAY.2015 16:25:14

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-4.30	0.30	-4.00	11.00
CH62	5310	-4.30	0.30	-4.00	11.00

### CH54



Date: 5.MAY.2015 16:29:53


### CH62



Date: 5.MAY.2015 16:30:55




**CH116**



Date: 5.MAY.2015 16:48:32

**CH140**




Date: 5.MAY.2015 16:49:32

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-1.27	0.07	-1.20	11.00
CH116	5580	-1.98	0.07	-1.91	11.00
CH140	5700	-2.24	0.07	-2.17	11.00

**CH100**




Date: 5.MAY.2015 16:50:43



**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.92	0.30	-4.62	11.00
CH110	5550	-5.38	0.30	-5.08	11.00
CH134	5670	-6.23	0.30	-5.93	11.00

**CH102**




Date: 5.MAY.2015 16:57:23



**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-3.31	0.08	-3.23	30.00
CH157	5785	-4.38	0.08	-4.30	30.00
CH165	5825	-5.23	0.08	-5.15	30.00

**TX CH149**




Date: 5.MAY.2015 17:10:00






### TX CH157



Date: 5.MAY.2015 17:16:48

### TX CH165




Date: 5.MAY.2015 17:17:30

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-6.44	0.30	-6.14	30.00
CH159	5795	-6.74	0.30	-6.44	30.00

**TX CH151**



Date: 5.MAY.2015 17:22:36


**TX CH159**



Date: 5.MAY.2015 17:23:44

**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-1.60	0.11	-1.49	11.00
CH40	5200	-1.36	0.11	-1.25	11.00
CH48	5240	-1.52	0.11	-1.41	11.00




Date: 5.MAY.2015 16:08:06



**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-5.17	0.29	-4.88	11.00
CH46	5230	-5.06	0.29	-4.77	11.00

### CH38



Date: 5.MAY.2015 16:13:38

### CH46




Date: 5.MAY.2015 16:14:47



**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-1.41	0.11	-1.30	11.00
CH60	5300	-1.26	0.11	-1.15	11.00
CH64	5320	-1.01	0.11	-0.90	11.00




Date: 5.MAY.2015 16:26:08



**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-4.20	0.29	-3.91	11.00
CH62	5310	-4.45	0.29	-4.16	11.00

### CH54



Date: 5.MAY.2015 16:31:48

### CH62




Date: 5.MAY.2015 16:32:54



**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-1.20	0.11	-1.09	11.00
CH116	5580	-2.06	0.11	-1.95	11.00
CH140	5700	-2.13	0.11	-2.02	11.00

**CH100**




Date: 5.MAY.2015 16:53:55



**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.97	0.29	-4.68	11.00
CH110	5550	-5.01	0.29	-4.72	11.00
CH134	5670	-6.30	0.29	-6.01	11.00

**CH102**




Date: 5.MAY.2015 17:01:37



**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-6.66	0.66	-6.00	11.00
CH122	5610	-7.78	0.66	-7.12	11.00

### CH106



Date: 5.MAY.2015 17:04:45


### CH122



Date: 5.MAY.2015 17:05:57




**TX CH157**



Date: 5.MAY.2015 17:21:05

**TX CH165**



Date: 5.MAY.2015 17:21:46

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-6.52	0.29	-6.23	30.00
CH159	5795	-7.03	0.29	-6.74	30.00





## ATTACHMENTI-FREQUENCY STABILITY

<b>Test Mode:</b>	<b>UNII-1</b>
-------------------	---------------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5180.0000
120	5180.0000
108	5180.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0000

### Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
-10	5180.0000
5	5180.0000
15	5180.0000
25	5180.0000
35	5180.0000
45	5180.0000
55	5180.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0000

<b>Test Mode:</b>	<b>UNII-2A</b>
-------------------	----------------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5260.0000
120	5260.0000
108	5260.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0000

### Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
-10	5260.0000
5	5260.0000
15	5260.0000
25	5260.0000
35	5260.0000
45	5260.0000
55	5260.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0000

<b>Test Mode:</b>	<b>UNII-2C</b>
-------------------	----------------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5500.0000
120	5500.0000
108	5500.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0000

### Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
-10	5500.0000
5	5500.0000
15	5500.0000
25	5500.0000
35	5500.0000
45	5500.0000
55	5500.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0000

<b>Test Mode:</b>	<b>UNII-3</b>
-------------------	---------------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5745.0000
120	5745.0000
108	5745.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0000

### Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
-10	5745.0000
5	5745.0000
15	5745.0000
25	5745.0000
35	5745.0000
45	5745.0000
55	5745.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0000