





6.1.2.2 Test Mode = CDMA/1X/TM3

6.1.2.2.1 Test Channel = LCH











6.1.2.2.2 Test Channel = MCH













6.2 For CDMA/EV-DO


6.2.1 Test Band = BC0


6.2.1.1 Test Mode = CDMA/EV-DO/Subtype0


6.2.1.1.1 Test Modulation = HPSK

6.2.1.1.1.1 Test Channel = LCH














6.2.1.1.1.2 Test Channel = MCH














6.2.1.1.1.3 Test Channel = HCH














6.2.1.2 Test Mode = CDMA/EV-DO/Subtype2


6.2.1.2.1 Test Modulation = BPSK (256 bits)

6.2.1.2.1.1 Test Channel = LCH














6.2.1.2.1.2 Test Channel = MCH















6.2.1.2.1.3 Test Channel = HCH













6.2.1.2.2 Test Modulation = QPSK (4096 bits)

6.2.1.2.2.1 Test Channel = LCH















6.2.1.2.2.2 Test Channel = MCH













6.2.1.2.2.3 Test Channel = HCH














6.2.1.2.3 Test Modulation = 8-PSK (12288 bits)

6.2.1.2.3.1 Test Channel = LCH












6.2.1.2.3.2 Test Channel = MCH














6.2.1.2.3.3 Test Channel = HCH










6.2.2 Test Band = BC1


6.2.2.1 Test Mode = CDMA/EV-DO/Subtype0

6.2.2.1.1 Test Modulation = HPSK

6.2.2.1.1.1 Test Channel = LCH











6.2.2.1.1.2 Test Channel = MCH










6.2.2.1.1.3 Test Channel = HCH









6.2.2.2 Test Mode = CDMA/EV-DO/Subtype2

6.2.2.2.1 Test Modulation = BPSK (256 bits)

6.2.2.2.1.1 Test Channel = LCH










6.2.2.2.1.2 Test Channel = MCH











6.2.2.2.1.3 Test Channel = HCH












6.2.2.2.2 Test Modulation = QPSK (4096 bits)

6.2.2.2.2.1 Test Channel = LCH









6.2.2.2.2 Test Channel = MCH










6.2.2.2.3 Test Channel = HCH










6.2.2.2.3 Test Modulation = 8-PSK (12288 bits)

6.2.2.2.3.1 Test Channel = LCH











6.2.2.2.3.2 Test Channel = MCH











6.2.2.2.3.3 Test Channel = HCH












7Appendix_G: Field Strength of Spurious Radiation

Part I - Test Plots


7.1 For CDMA/1X

7.1.1 Test Band = BC0








7.1.2 Test Band = BC1



Copy of FCC PART24 CDMA1900_L




Copy of FCC PART24 CDMA1900_H




7.2 For CDMA/EV-DO/Subtype0


7.2.1 Test Band = BC0




Copy of FCC PART22 CDMA800_L




Copy of FCC PART22 CDMA800_H





7.2.2 Test Band = BC1



Copy of FCC PART24 CDMA1900_L




Copy of FCC PART24 CDMA1900_H




7.3 For CDMA/EV-DO/Subtype2


7.3.1 Test Band = BC0




Copy of FCC PART22 CDMA800_L




Copy of FCC PART22 CDMA800_H





7.3.2 Test Band = BC1



Copy of FCC PART24 CDMA1900_L



Copy of FCC PART24 CDMA1900_H



8Appendix_H: Frequency Stability

8.1 For CDMA/1X

8.1.1 Frequency Error vs. Voltage:

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Limit [ppm]	Verdict
BC0	CDMA/1X/TM1	LCH	TN	VL	1.8311	0.00222	±2.5	PASS
				VN	0.4395	0.00053	±2.5	PASS
				VH	1.6846	0.00204	±2.5	PASS
		MCH	TN	VL	2.7100	0.00324	±2.5	PASS
				VN	1.3916	0.00166	±2.5	PASS
				VH	0.7324	0.00088	±2.5	PASS
		HCH	TN	VL	2.5635	0.00302	±2.5	PASS
				VN	1.1719	0.00138	±2.5	PASS
				VH	1.5381	0.00181	±2.5	PASS
	CDMA/1X/TM3	LCH	TN	VL	1.0254	0.00124	±2.5	PASS
				VN	0.4395	0.00053	±2.5	PASS
				VH	0.8789	0.00107	±2.5	PASS
		MCH	TN	VL	0.7324	0.00088	±2.5	PASS
				VN	0.2197	0.00026	±2.5	PASS
				VH	0.1465	0.00018	±2.5	PASS
		HCH	TN	VL	0.0000	0	±2.5	PASS
				VN	0.7324	0.00086	±2.5	PASS
				VH	0.5127	0.0006	±2.5	PASS
BC1	CDMA/1X/TM1	LCH	TN	VL	4.3945	0.00237	±2.5	PASS
				VN	-1.3184	-0.00071	±2.5	PASS
				VH	0.2930	0.00016	±2.5	PASS
		MCH	TN	VL	0.0732	0.00004	±2.5	PASS
				VN	0.3662	0.00019	±2.5	PASS
				VH	0.2197	0.00012	±2.5	PASS
		HCH	TN	VL	1.7578	0.00092	±2.5	PASS
				VN	0.3662	0.00019	±2.5	PASS
				VH	0.8057	0.00042	±2.5	PASS
	CDMA/1X/TM3	LCH	TN	VL	3.0029	0.00162	±2.5	PASS
				VN	0.0000	0	±2.5	PASS
				VH	1.3184	0.00071	±2.5	PASS
		MCH	TN	VL	-0.2197	-0.00012	±2.5	PASS
				VN	1.0254	0.00055	±2.5	PASS
				VH				

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Limit [ppm]	Verdict
				VH	1.0986	0.00058	±2.5	PASS
		HCH	TN	VL	1.2451	0.00065	±2.5	PASS
				VN	1.0986	0.00058	±2.5	PASS
				VH	0.6592	0.00035	±2.5	PASS

8.1.2 Frequency Error vs. Temperature:

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Limit [ppm]	Verdict
BC0	CDMA/1X/TM1	LCH	VN	-30	1.5381	0.00187	±2.5	PASS
				-20	0.5859	0.00071	±2.5	PASS
				-10	1.7578	0.00213	±2.5	PASS
				0	1.4648	0.00178	±2.5	PASS
				10	1.7578	0.00213	±2.5	PASS
				20	1.3184	0.0016	±2.5	PASS
				30	1.6113	0.00195	±2.5	PASS
				40	1.4648	0.00178	±2.5	PASS
		50	1.3916	0.00169	±2.5	PASS		
		MCH	VN	-30	2.6367	0.00315	±2.5	PASS
				-20	1.3916	0.00166	±2.5	PASS
				-10	0.8789	0.00105	±2.5	PASS
				0	1.6846	0.00201	±2.5	PASS
				10	1.3916	0.00166	±2.5	PASS
				20	0.7324	0.00088	±2.5	PASS
				30	1.7578	0.0021	±2.5	PASS
				40	1.0986	0.00131	±2.5	PASS
		50	1.6846	0.00201	±2.5	PASS		
		HCH	VN	-30	0.2197	0.00026	±2.5	PASS
				-20	1.6113	0.0019	±2.5	PASS
				-10	2.8564	0.00337	±2.5	PASS
				0	2.4170	0.00285	±2.5	PASS
				10	2.0508	0.00242	±2.5	PASS
				20	2.4902	0.00294	±2.5	PASS
	30			2.0508	0.00242	±2.5	PASS	
	40			2.1973	0.00259	±2.5	PASS	
	50	1.3916	0.00164	±2.5	PASS			
	CDMA/1X/TM3	LCH	VN	-30	1.0986	0.00133	±2.5	PASS
				-20	0.0732	0.00009	±2.5	PASS
				-10	0.4395	0.00053	±2.5	PASS
				0	0.2930	0.00036	±2.5	PASS



Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Limit [ppm]	Verdict		
				10	0.0000	0	±2.5	PASS		
				20	0.2930	0.00036	±2.5	PASS		
				30	-0.2930	-0.00036	±2.5	PASS		
				40	-0.0732	-0.00009	±2.5	PASS		
				50	0.0000	0	±2.5	PASS		
		MCH	VN			-30	0.3662	0.00044	±2.5	PASS
						-20	0.0000	0	±2.5	PASS
						-10	0.0000	0	±2.5	PASS
						0	-0.0732	-0.00009	±2.5	PASS
						10	0.2930	0.00035	±2.5	PASS
						20	0.1465	0.00018	±2.5	PASS
						30	0.1465	0.00018	±2.5	PASS
						40	0.1465	0.00018	±2.5	PASS
						50	0.2930	0.00035	±2.5	PASS
						HCH	VN			-30
		-20	0.2930	0.00035	±2.5					PASS
		-10	0.1465	0.00017	±2.5					PASS
		0	0.3662	0.00043	±2.5					PASS
		10	0.5127	0.0006	±2.5					PASS
		20	0.0000	0	±2.5					PASS
		30	0.0732	0.00009	±2.5					PASS
		40	0.2197	0.00026	±2.5					PASS
		50	0.2930	0.00035	±2.5					PASS
		BC1	CDMA/1X/TM1	LCH	VN					-30
						-20	-2.1240	-0.00115	±2.5	PASS
						-10	0.1465	0.00008	±2.5	PASS
						0	0.2930	0.00016	±2.5	PASS
						10	1.0986	0.00059	±2.5	PASS
20	0.6592					0.00036	±2.5	PASS		
30	0.5127					0.00028	±2.5	PASS		
40	1.7578					0.00095	±2.5	PASS		
50	0.6592					0.00036	±2.5	PASS		
MCH	VN							-30	-0.2930	-0.00016
				-20	0.5127			0.00027	±2.5	PASS
				-10	-0.2197			-0.00012	±2.5	PASS
				0	0.1465			0.00008	±2.5	PASS
				10	-0.1465			-0.00008	±2.5	PASS
				20	-0.2197			-0.00012	±2.5	PASS
				30	0.8789			0.00047	±2.5	PASS
				40	-0.2197			-0.00012	±2.5	PASS



Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Limit [ppm]	Verdict
		HCH	VN	50	-0.1465	-0.00008	±2.5	PASS
				-30	1.9775	0.00104	±2.5	PASS
				-20	1.0254	0.00054	±2.5	PASS
				-10	0.6592	0.00035	±2.5	PASS
				0	0.8789	0.00046	±2.5	PASS
				10	1.1719	0.00061	±2.5	PASS
				20	0.8789	0.00046	±2.5	PASS
				30	0.7324	0.00038	±2.5	PASS
				40	1.0254	0.00054	±2.5	PASS
				50	1.0986	0.00058	±2.5	PASS
	CDMA/1X/TM3	LCH	VN	-30	2.9297	0.00158	±2.5	PASS
				-20	0.1465	0.00008	±2.5	PASS
				-10	1.3184	0.00071	±2.5	PASS
				0	1.3184	0.00071	±2.5	PASS
				10	1.0254	0.00055	±2.5	PASS
				20	0.7324	0.0004	±2.5	PASS
				30	0.9521	0.00051	±2.5	PASS
				40	1.0254	0.00055	±2.5	PASS
				50	0.9521	0.00051	±2.5	PASS
				MCH	VN	-30	-0.3662	-0.00019
		-20	0.6592			0.00035	±2.5	PASS
		-10	0.2197			0.00012	±2.5	PASS
		0	0.6592			0.00035	±2.5	PASS
		10	0.9521			0.00051	±2.5	PASS
		20	0.4395			0.00023	±2.5	PASS
		30	0.2930			0.00016	±2.5	PASS
		40	0.4395			0.00023	±2.5	PASS
		50	0.2930			0.00016	±2.5	PASS
		HCH	VN			-30	0.5859	0.00031
				-20	1.0986	0.00058	±2.5	PASS
				-10	1.2451	0.00065	±2.5	PASS
				0	1.5381	0.00081	±2.5	PASS
				10	1.0254	0.00054	±2.5	PASS
				20	1.0986	0.00058	±2.5	PASS
				30	0.5127	0.00027	±2.5	PASS
				40	0.6592	0.00035	±2.5	PASS
				50	1.1719	0.00061	±2.5	PASS



8.2 For CDMA/EV-DO

8.2.1 Frequency Error vs. Voltage:

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Limit [ppm]	Verdict
BC0	CDMA/EV-DO/Subtype0	LCH	TN	VL	-3.22	-0.0039	±2.5	PASS
				VN	-2.20	-0.00267	±2.5	PASS
				VH	-2.27	-0.00275	±2.5	PASS
		MCH	TN	VL	1.46	0.00175	±2.5	PASS
				VN	0.73	0.00087	±2.5	PASS
				VH	2.86	0.00342	±2.5	PASS
		HCH	TN	VL	1.46	0.00172	±2.5	PASS
				VN	2.42	0.00285	±2.5	PASS
				VH	3.59	0.00423	±2.5	PASS
	CDMA/EV-DO/Subtype2	LCH	TN	VL	-9.59	-0.01163	±2.5	PASS
				VN	9.38	0.01137	±2.5	PASS
				VH	11.28	0.01368	±2.5	PASS
		MCH	TN	VL	18.82	0.0225	±2.5	PASS
				VN	9.52	0.01138	±2.5	PASS
				VH	8.94	0.01069	±2.5	PASS
HCH		TN	VL	6.37	0.00751	±2.5	PASS	
			VN	15.23	0.01795	±2.5	PASS	
			VH	10.84	0.01278	±2.5	PASS	
BC1	CDMA/EV-DO/Subtype0	LCH	TN	VL	-1.61	-0.00087	±2.5	PASS
				VN	16.70	0.00902	±2.5	PASS
				VH	7.91	0.00427	±2.5	PASS
		MCH	TN	VL	-1.17	-0.00062	±2.5	PASS
				VN	8.64	0.0046	±2.5	PASS
				VH	5.71	0.00304	±2.5	PASS
		HCH	TN	VL	-4.32	-0.00226	±2.5	PASS
				VN	6.08	0.00319	±2.5	PASS
				VH	4.91	0.00257	±2.5	PASS
	CDMA/EV-DO/Subtype2	LCH	TN	VL	10.91	0.00589	±2.5	PASS
				VN	-8.06	-0.00435	±2.5	PASS
				VH	-6.30	-0.0034	±2.5	PASS
		MCH	TN	VL	12.01	0.00639	±2.5	PASS
				VN	14.36	0.00764	±2.5	PASS
				VH	-3.08	-0.00164	±2.5	PASS
HCH	TN	VL	18.53	0.00971	±2.5	PASS		



Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Limit [ppm]	Verdict
				VN	17.94	0.0094	±2.5	PASS
				VH	-6.30	-0.0033	±2.5	PASS

8.2.2 Frequency Error vs. Temperature:

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Limit [ppm]	Verdict
BC0	CDMA/EV-DO/Subtype0	LCH	VN	-30	6.45	0.00782	±2.5	PASS
				-20	3.96	0.0048	±2.5	PASS
				-10	3.88	0.0047	±2.5	PASS
				0	1.98	0.0024	±2.5	PASS
				10	4.17	0.00506	±2.5	PASS
				20	2.56	0.0031	±2.5	PASS
				30	2.78	0.00337	±2.5	PASS
				40	2.71	0.00329	±2.5	PASS
				50	1.39	0.00169	±2.5	PASS
		MCH	VN	-30	-0.29	-0.00035	±2.5	PASS
				-20	6.08	0.00727	±2.5	PASS
				-10	-1.90	-0.00227	±2.5	PASS
				0	-0.37	-0.00044	±2.5	PASS
				10	-1.98	-0.00237	±2.5	PASS
				20	6.08	0.00727	±2.5	PASS
				30	6.30	0.00753	±2.5	PASS
				40	-5.71	-0.00683	±2.5	PASS
				50	1.90	0.00227	±2.5	PASS
		HCH	VN	-30	6.74	0.00795	±2.5	PASS
				-20	3.74	0.00441	±2.5	PASS
				-10	3.44	0.00406	±2.5	PASS
				0	1.76	0.00207	±2.5	PASS
				10	1.98	0.00233	±2.5	PASS
				20	1.61	0.0019	±2.5	PASS
	30			1.83	0.00216	±2.5	PASS	
	40			0.37	0.00044	±2.5	PASS	
	50			1.17	0.00138	±2.5	PASS	
	CDMA/EV-DO/Subtype2	LCH	VN	-30	-14.50	-0.01758	±2.5	PASS
				-20	-3.30	-0.004	±2.5	PASS
				-10	3.96	0.0048	±2.5	PASS
				0	-9.74	-0.01181	±2.5	PASS
				10	16.33	0.0198	±2.5	PASS
20				6.30	0.00764	±2.5	PASS	
30				15.38	0.01865	±2.5	PASS	
40				0.22	0.00027	±2.5	PASS	



Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Limit [ppm]	Verdict
		MCH	VN	50	2.71	0.00329	±2.5	PASS
				-30	22.63	0.02705	±2.5	PASS
				-20	-10.33	-0.01235	±2.5	PASS
				-10	-6.96	-0.00832	±2.5	PASS
				0	19.41	0.0232	±2.5	PASS
				10	19.48	0.02329	±2.5	PASS
				20	7.40	0.00885	±2.5	PASS
				30	8.57	0.01024	±2.5	PASS
				40	9.74	0.01164	±2.5	PASS
		50	2.27	0.00271	±2.5	PASS		
		HCH	VN	-30	-9.89	-0.01166	±2.5	PASS
				-20	-0.37	-0.00044	±2.5	PASS
				-10	-19.12	-0.02254	±2.5	PASS
				0	-1.32	-0.00156	±2.5	PASS
				10	17.50	0.02063	±2.5	PASS
				20	4.76	0.00561	±2.5	PASS
				30	10.62	0.01252	±2.5	PASS
				40	6.88	0.00811	±2.5	PASS
50	13.40			0.0158	±2.5	PASS		
BC1	CDMA/EV-DO/Subtype0	LCH	VN	-30	18.16	0.00981	±2.5	PASS
				-20	-3.00	-0.00162	±2.5	PASS
				-10	3.59	0.00194	±2.5	PASS
				0	-6.01	-0.00325	±2.5	PASS
				10	11.57	0.00625	±2.5	PASS
				20	5.27	0.00285	±2.5	PASS
				30	-13.62	-0.00736	±2.5	PASS
				40	11.13	0.00601	±2.5	PASS
				50	4.76	0.00257	±2.5	PASS
		MCH	VN	-30	-15.82	-0.00841	±2.5	PASS
				-20	10.69	0.00569	±2.5	PASS
				-10	3.37	0.00179	±2.5	PASS
				0	-14.28	-0.0076	±2.5	PASS
				10	4.83	0.00257	±2.5	PASS
				20	6.37	0.00339	±2.5	PASS
				30	-10.33	-0.00549	±2.5	PASS
				40	-11.87	-0.00631	±2.5	PASS
		50	8.50	0.00452	±2.5	PASS		
HCH	VN	-30	12.89	0.00675	±2.5	PASS		
		-20	-3.08	-0.00161	±2.5	PASS		



Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Limit [ppm]	Verdict		
				-10	13.99	0.00733	±2.5	PASS		
				0	-4.32	-0.00226	±2.5	PASS		
				10	10.11	0.0053	±2.5	PASS		
				20	4.98	0.00261	±2.5	PASS		
				30	-10.99	-0.00576	±2.5	PASS		
				40	10.47	0.00549	±2.5	PASS		
				50	4.25	0.00223	±2.5	PASS		
	CDMA/EV-DO/Subtype2	LCH	VN	-30	2.49	0.00135	±2.5	PASS		
				-20	-1.46	-0.00079	±2.5	PASS		
				-10	5.20	0.00281	±2.5	PASS		
				0	14.14	0.00764	±2.5	PASS		
				10	4.03	0.00218	±2.5	PASS		
				20	18.53	0.01001	±2.5	PASS		
				30	18.60	0.01005	±2.5	PASS		
				40	-5.35	-0.00289	±2.5	PASS		
				50	-11.87	-0.00641	±2.5	PASS		
				MCH	VN	-30	15.53	0.00826	±2.5	PASS
						-20	9.30	0.00495	±2.5	PASS
						-10	6.23	0.00331	±2.5	PASS
						0	-7.47	-0.00397	±2.5	PASS
						10	-6.67	-0.00355	±2.5	PASS
		20	7.47			0.00397	±2.5	PASS		
		30	10.33			0.00549	±2.5	PASS		
		40	-0.44			-0.00023	±2.5	PASS		
		HCH	VN	50	-18.90	-0.01005	±2.5	PASS		
				-30	15.97	0.00837	±2.5	PASS		
				-20	2.93	0.00154	±2.5	PASS		
				-10	-29.30	-0.01535	±2.5	PASS		
				0	-4.54	-0.00238	±2.5	PASS		
				10	11.87	0.00622	±2.5	PASS		
				20	13.04	0.00683	±2.5	PASS		
				30	6.67	0.00349	±2.5	PASS		
40		-14.21	-0.00744	±2.5	PASS					
				50	-4.98	-0.00261	±2.5	PASS		

END