

Band66_1.4MHz_16QAM_131979_6RB#0



Band66_1.4MHz_16QAM_132665_1RB#5



Band66_1.4MHz_16QAM_132665_6RB#0



Band66_3MHz_QPSK_131987_1RB#0



Band66_3MHz_QPSK_131987_15RB#0



Band66_3MHz_QPSK_132657_1RB#14



Band66_3MHz_QPSK_132657_15RB#0



Band66_3MHz_64QAM_131987_1RB#0



Band66_3MHz_64QAM_131987_15RB#0



Band66_3MHz_64QAM_132657_1RB#14



Band66_3MHz_64QAM_132657_15RB#0



Band66_3MHz_16QAM_131987_1RB#0



Band66_3MHz_16QAM_131987_15RB#0



Band66_3MHz_16QAM_132657_1RB#14



Band66_3MHz_16QAM_132657_15RB#0



Band66_5MHz_QPSK_131997_1RB#0



Band66_5MHz_QPSK_131997_25RB#0



Band66_5MHz_QPSK_132647_1RB#24



Band66_5MHz_QPSK_132647_25RB#0



Band66_5MHz_64QAM_131997_1RB#0



Band66_5MHz_64QAM_131997_25RB#0



Band66_5MHz_64QAM_132647_1RB#24



Band66_5MHz_64QAM_132647_25RB#0



Band66_5MHz_16QAM_131997_1RB#0



Band66_5MHz_16QAM_131997_25RB#0



Band66_5MHz_16QAM_132647_1RB#24



Band66_5MHz_16QAM_132647_25RB#0



Band66_10MHz_QPSK_132022_1RB#0



Band66_10MHz_QPSK_132022_50RB#0



Band66_10MHz_QPSK_132622_1RB#49



Band66_10MHz_QPSK_132622_50RB#0



Band66_10MHz_64QAM_132022_1RB#0



Band66_10MHz_64QAM_132022_50RB#0



Band66_10MHz_64QAM_132622_1RB#49



Band66_10MHz_64QAM_132622_50RB#0



Band66_10MHz_16QAM_132022_1RB#0



Band66_10MHz_16QAM_132022_50RB#0



Band66_10MHz_16QAM_132622_1RB#49



Band66_10MHz_16QAM_132622_50RB#0



Band66_15MHz_QPSK_132047_1RB#0



Band66_15MHz_QPSK_132047_75RB#0



Band66_15MHz_QPSK_132597_1RB#74



Band66_15MHz_QPSK_132597_75RB#0



Band66_15MHz_64QAM_132047_1RB#0



Band66_15MHz_64QAM_132047_75RB#0



Band66_15MHz_64QAM_132597_1RB#74



Band66_15MHz_64QAM_132597_75RB#0



Band66_15MHz_16QAM_132047_1RB#0



Band66_15MHz_16QAM_132047_75RB#0



Band66_15MHz_16QAM_132597_1RB#74



Band66_15MHz_16QAM_132597_75RB#0



Band66_20MHz_QPSK_132072_1RB#0



Band66_20MHz_QPSK_132072_100RB#0



Band66_20MHz_QPSK_132572_1RB#99



Band66_20MHz_QPSK_132572_100RB#0



Band66_20MHz_64QAM_132072_1RB#0



Band66_20MHz_64QAM_132072_100RB#0



Band66_20MHz_64QAM_132572_1RB#99



Band66_20MHz_64QAM_132572_100RB#0



Band66_20MHz_16QAM_132072_1RB#0



Band66_20MHz_16QAM_132072_100RB#0



Band66_20MHz_16QAM_132572_1RB#99



Band66_20MHz_16QAM_132572_100RB#0



6. Spurious Emission at Antenna Terminal

Remark1: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of < RBW/2 so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = k * (Span / RBW)" with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.

Remark2: only the worst case data displayed in this report.

6.1. Test Plots

Band66_20MHz_QPSK_132072_1RB#0



Band66_20MHz_QPSK_132072_1RB#0



Band66_20MHz_QPSK_132322_1RB#0



Band66_20MHz_QPSK_132322_1RB#0



Band66_20MHz_64QAM_132072_1RB#0



Band66_20MHz_64QAM_132072_1RB#0



Band66_20MHz_64QAM_132322_1RB#0



Band66_20MHz_64QAM_132322_1RB#0



Band66_20MHz_64QAM_132572_1RB#0



Band66_20MHz_64QAM_132572_1RB#0



Band66_20MHz_16QAM_132072_1RB#0



Band66_20MHz_16QAM_132072_1RB#0



Band66_20MHz_16QAM_132322_1RB#0



Band66_20MHz_16QAM_132322_1RB#0



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

7. Field Strength of Spurious Radiation

7.1. Main Antenna

7.1.1. Test BAND = LTE BAND 66

7.1.1.1. Test Mode =LTE/TM1

7.1.1.1.1. LCH-Vertical

Full Spectrum



Critical_Freqs

Frequency (MHz)	Average (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
56.350000	-83.12	-13.00	70.12	---	---	200.0	V	123.0	-101.3
104.300000	-83.42	-13.00	70.42	---	---	200.0	V	123.0	-106.8
353.250000	-86.63	-13.00	73.63	---	---	200.0	V	169.0	-101.4
3422.175000	-63.40	-13.00	50.40	---	---	200.0	V	212.0	-105.5
6022.500000	-66.19	-13.00	53.19	---	---	200.0	V	212.0	-100.0
9249.750000	-64.18	-13.00	51.18	---	---	200.0	V	0.0	-97.0

7.1.1.1.2. LCH-Horizontal

Full Spectrum



Critical_Freqs

Frequency (MHz)	Average (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
63.100000	-78.04	-13.00	65.04	---	---	200.0	H	100.0	-95.8
104.300000	-85.77	-13.00	72.77	---	---	200.0	H	359.0	-109.6
270.400000	-87.70	-13.00	74.70	---	---	200.0	H	170.0	-102.3
4271.075000	-67.96	-13.00	54.96	---	---	200.0	H	0.0	-102.7
7838.275000	-65.10	-13.00	52.10	---	---	200.0	H	2.0	-97.9
10266.675000	-64.41	-13.00	51.41	---	---	200.0	H	2.0	-96.6

7.1.1.1.3. MCH-Vertical

Full Spectrum



Critical_Freqs

Frequency (MHz)	Average (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
65.300000	-82.68	-13.00	69.68	---	---	200.0	V	8.0	-99.7
104.250000	-84.56	-13.00	71.56	---	---	200.0	V	77.0	-106.8
356.950000	-87.00	-13.00	74.00	---	---	200.0	V	124.0	-101.3
3471.900000	-66.71	-13.00	53.71	---	---	200.0	V	213.0	-105.4
6050.125000	-65.92	-13.00	52.92	---	---	200.0	V	213.0	-99.8
9255.275000	-64.18	-13.00	51.18	---	---	200.0	V	1.0	-97.0

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

7.1.1.1.4. MCH-Horizontal

Full Spectrum



Critical_Freqs

Frequency (MHz)	Average (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
62.850000	-78.34	-13.00	65.34	---	---	200.0	H	0.0	-95.5
104.300000	-85.77	-13.00	72.77	---	---	200.0	H	264.0	-109.6
366.050000	-87.00	-13.00	74.00	---	---	200.0	H	358.0	-103.4
3631.150000	-69.78	-13.00	56.78	---	---	200.0	H	2.0	-104.8
6051.100000	-66.00	-13.00	53.00	---	---	200.0	H	0.0	-99.9
9246.500000	-64.21	-13.00	51.21	---	---	200.0	H	213.0	-96.9

7.1.1.1.5. HCH-Vertical

Full Spectrum



Critical_Freqs

Frequency (MHz)	Average (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
63.550000	-82.76	-13.00	69.76	---	---	200.0	V	309.0	-100.1
104.250000	-83.76	-13.00	70.76	---	---	200.0	V	0.0	-106.8
353.500000	-86.61	-13.00	73.61	---	---	200.0	V	52.0	-101.4
3521.950000	-69.02	-13.00	56.02	---	---	200.0	V	211.0	-105.3
6052.400000	-66.00	-13.00	53.00	---	---	200.0	V	0.0	-99.8
10647.900000	-63.99	-13.00	50.99	---	---	200.0	V	0.0	-96.2

7.1.1.1.6. HCH-Horizontal

Full Spectrum



Critical_Freqs

Frequency (MHz)	Average (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
62.950000	-77.92	-13.00	64.92	---	---	200.0	H	358.0	-95.6
104.300000	-84.84	-13.00	71.84	---	---	200.0	H	0.0	-109.6
443.550000	-86.54	-13.00	73.54	---	---	200.0	H	55.0	-100.8
3642.525000	-69.55	-13.00	56.55	---	---	200.0	H	0.0	-104.7
6503.175000	-66.17	-13.00	53.17	---	---	200.0	H	1.0	-99.3
9248.775000	-64.24	-13.00	51.24	---	---	200.0	H	1.0	-96.9

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

7.2. Secondary Antenna

7.2.1. Test BAND = LTE BAND 66

7.2.1.1. Test Mode =LTE/TM1

7.2.1.1.1. LCH-Vertical

Full Spectrum



Critical_Freqs

Frequency (MHz)	Average (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
64.750000	-82.43	-13.00	69.43	---	---	200.0	V	310.0	-99.8
104.250000	-84.78	-13.00	71.78	---	---	200.0	V	359.0	-106.8
561.604167	-77.94	-13.00	64.94	---	---	200.0	V	115.0	-100.3
3421.850000	-66.84	-13.00	53.84	---	---	200.0	V	212.0	-105.5
6048.500000	-65.64	-13.00	52.64	---	---	200.0	V	212.0	-99.8
10613.450000	-63.93	-13.00	50.93	---	---	200.0	V	0.0	-96.3

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

7.2.1.1.2. LCH-Horizontal

Full Spectrum



Critical_Freqs

Frequency (MHz)	Average (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
62.550000	-78.35	-13.00	65.35	---	---	200.0	H	0.0	-95.2
104.300000	-84.66	-13.00	71.66	---	---	200.0	H	309.0	-109.6
561.558333	-71.71	-13.00	58.71	---	---	200.0	H	339.0	-100.8
3422.175000	-66.32	-13.00	53.32	---	---	200.0	H	213.0	-105.7
6486.600000	-66.00	-13.00	53.00	---	---	200.0	H	0.0	-99.4
10266.350000	-64.04	-13.00	51.04	---	---	200.0	H	2.0	-96.6

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

7.2.1.1.3. MCH-Vertical

Full Spectrum



Critical_Freqs

Frequency (MHz)	Average (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
63.800000	-82.67	-13.00	69.67	---	---	200.0	V	286.0	-100.1
104.250000	-83.88	-13.00	70.88	---	---	200.0	V	76.0	-106.8
561.558333	-79.07	-13.00	66.07	---	---	200.0	V	113.0	-100.3
3471.900000	-66.32	-13.00	53.32	---	---	200.0	V	212.0	-105.4
6059.550000	-65.51	-13.00	52.51	---	---	200.0	V	1.0	-99.7
10416.500000	-64.59	-13.00	51.59	---	---	200.0	V	1.0	-96.4

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

7.2.1.1.4. MCH-Horizontal

Full Spectrum



Critical_Freqs

Frequency (MHz)	Average (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
62.500000	-78.08	-13.00	65.08	---	---	200.0	H	53.0	-95.1
104.300000	-84.00	-13.00	71.00	---	---	200.0	H	310.0	-109.6
561.604167	-71.14	-13.00	58.14	---	---	200.0	H	337.0	-100.8
3472.225000	-66.00	-13.00	53.00	---	---	200.0	H	1.0	-105.5
6052.725000	-65.43	-13.00	52.43	---	---	200.0	H	0.0	-99.9
10416.500000	-63.86	-13.00	50.86	---	---	200.0	H	1.0	-96.4

7.2.1.1.5. HCH-Vertical

Full Spectrum



Critical_Freqs

Frequency (MHz)	Average (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
64.550000	-82.58	-13.00	69.58	---	---	200.0	V	148.0	-99.9
104.250000	-84.72	-13.00	71.72	---	---	200.0	V	8.0	-106.8
561.604167	-79.26	-13.00	66.26	---	---	200.0	V	115.0	-100.3
3521.950000	-68.21	-13.00	55.21	---	---	200.0	V	213.0	-105.3
6051.425000	-65.85	-13.00	52.85	---	---	200.0	V	213.0	-99.8
10631.975000	-64.11	-13.00	51.11	---	---	200.0	V	2.0	-96.3

7.2.1.1.6. HCH-Horizontal

Full Spectrum



Critical_Freqs

Frequency (MHz)	Average (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
62.650000	-78.58	-13.00	65.58	---	---	200.0	H	8.0	-95.3
104.300000	-84.51	-13.00	71.51	---	---	200.0	H	358.0	-109.6
561.604167	-70.91	-13.00	57.91	---	---	200.0	H	0.0	-100.8
3521.950000	-67.62	-13.00	54.62	---	---	200.0	H	212.0	-105.2
6051.100000	-65.81	-13.00	52.81	---	---	200.0	H	1.0	-99.9
10566.975000	-63.57	-13.00	50.57	---	---	200.0	H	1.0	-96.5

Remark:

1) The disturbance above 12.75GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the worst case data had been displayed.
2) We have tested all modulation and all Bandwidth , but only the worst case data presented in this report.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

8. Frequency Stability

8.1. Frequency Vs Voltage

Voltage										
BAND	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band66	20MHz	QPSK	132072	100RB#0	VL	NT	0.10	0.000058	±2.5	PASS
Band66	20MHz	QPSK	132072	100RB#0	VN	NT	-0.20	-0.000116	±2.5	PASS
Band66	20MHz	QPSK	132072	100RB#0	VH	NT	0.00	0.000000	±2.5	PASS
Band66	20MHz	QPSK	132322	100RB#0	VL	NT	2.30	0.001318	±2.5	PASS
Band66	20MHz	QPSK	132322	100RB#0	VN	NT	2.00	0.001146	±2.5	PASS
Band66	20MHz	QPSK	132322	100RB#0	VH	NT	1.80	0.001032	±2.5	PASS
Band66	20MHz	QPSK	132572	100RB#0	VL	NT	1.90	0.001073	±2.5	PASS
Band66	20MHz	QPSK	132572	100RB#0	VN	NT	1.90	0.001073	±2.5	PASS
Band66	20MHz	QPSK	132572	100RB#0	VH	NT	1.90	0.001073	±2.5	PASS
Band66	20MHz	64QAM	132072	100RB#0	VL	NT	0.20	0.000116	±2.5	PASS
Band66	20MHz	64QAM	132072	100RB#0	VN	NT	0.00	0.000000	±2.5	PASS
Band66	20MHz	64QAM	132072	100RB#0	VH	NT	0.10	0.000058	±2.5	PASS
Band66	20MHz	64QAM	132322	100RB#0	VL	NT	2.30	0.001318	±2.5	PASS
Band66	20MHz	64QAM	132322	100RB#0	VN	NT	1.90	0.001089	±2.5	PASS
Band66	20MHz	64QAM	132322	100RB#0	VH	NT	1.80	0.001032	±2.5	PASS
Band66	20MHz	64QAM	132572	100RB#0	VL	NT	2.00	0.001130	±2.5	PASS
Band66	20MHz	64QAM	132572	100RB#0	VN	NT	2.00	0.001130	±2.5	PASS
Band66	20MHz	64QAM	132572	100RB#0	VH	NT	1.80	0.001017	±2.5	PASS
Band66	20MHz	16QAM	132072	100RB#0	VL	NT	0.20	0.000116	±2.5	PASS
Band66	20MHz	16QAM	132072	100RB#0	VN	NT	0.20	0.000116	±2.5	PASS
Band66	20MHz	16QAM	132072	100RB#0	VH	NT	0.20	0.000116	±2.5	PASS
Band66	20MHz	16QAM	132322	100RB#0	VL	NT	2.10	0.001203	±2.5	PASS
Band66	20MHz	16QAM	132322	100RB#0	VN	NT	2.00	0.001146	±2.5	PASS
Band66	20MHz	16QAM	132322	100RB#0	VH	NT	2.00	0.001146	±2.5	PASS
Band66	20MHz	16QAM	132572	100RB#0	VL	NT	2.10	0.001186	±2.5	PASS
Band66	20MHz	16QAM	132572	100RB#0	VN	NT	2.70	0.001525	±2.5	PASS
Band66	20MHz	16QAM	132572	100RB#0	VH	NT	2.40	0.001356	±2.5	PASS

8.2. Frequency Vs Temperature

Temperature										
BAND	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band66	20MHz	QPSK	132072	100RB#0	NV	-30	0.30	0.000174	±2.5	PASS
Band66	20MHz	QPSK	132072	100RB#0	NV	-20	0.20	0.000116	±2.5	PASS
Band66	20MHz	QPSK	132072	100RB#0	NV	0	0.30	0.000174	±2.5	PASS
Band66	20MHz	QPSK	132072	100RB#0	NV	10	0.20	0.000116	±2.5	PASS
Band66	20MHz	QPSK	132072	100RB#0	NV	20	0.00	0.000000	±2.5	PASS
Band66	20MHz	QPSK	132322	100RB#0	NV	-30	1.90	0.001089	±2.5	PASS

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Band66	20MHz	QPSK	132322	100RB#0	NV	-20	2.30	0.001318	±2.5	PASS
Band66	20MHz	QPSK	132322	100RB#0	NV	0	2.10	0.001203	±2.5	PASS
Band66	20MHz	QPSK	132322	100RB#0	NV	10	2.00	0.001146	±2.5	PASS
Band66	20MHz	QPSK	132322	100RB#0	NV	20	1.90	0.001089	±2.5	PASS
Band66	20MHz	QPSK	132572	100RB#0	NV	-30	1.70	0.000960	±2.5	PASS
Band66	20MHz	QPSK	132572	100RB#0	NV	-20	1.80	0.001017	±2.5	PASS
Band66	20MHz	QPSK	132572	100RB#0	NV	0	2.00	0.001130	±2.5	PASS
Band66	20MHz	QPSK	132572	100RB#0	NV	10	1.50	0.000847	±2.5	PASS
Band66	20MHz	QPSK	132572	100RB#0	NV	20	2.00	0.001130	±2.5	PASS
Band66	20MHz	64QAM	132072	100RB#0	NV	-30	0.30	0.000174	±2.5	PASS
Band66	20MHz	64QAM	132072	100RB#0	NV	-20	0.00	0.000000	±2.5	PASS
Band66	20MHz	64QAM	132072	100RB#0	NV	0	-0.10	-0.000058	±2.5	PASS
Band66	20MHz	64QAM	132072	100RB#0	NV	10	-0.20	-0.000116	±2.5	PASS
Band66	20MHz	64QAM	132072	100RB#0	NV	20	-0.30	-0.000174	±2.5	PASS
Band66	20MHz	64QAM	132322	100RB#0	NV	-30	2.20	0.001261	±2.5	PASS
Band66	20MHz	64QAM	132322	100RB#0	NV	-20	2.00	0.001146	±2.5	PASS
Band66	20MHz	64QAM	132322	100RB#0	NV	0	2.20	0.001261	±2.5	PASS
Band66	20MHz	64QAM	132322	100RB#0	NV	10	2.30	0.001318	±2.5	PASS
Band66	20MHz	64QAM	132322	100RB#0	NV	20	2.00	0.001146	±2.5	PASS
Band66	20MHz	64QAM	132572	100RB#0	NV	-30	2.00	0.001130	±2.5	PASS
Band66	20MHz	64QAM	132572	100RB#0	NV	-20	1.90	0.001073	±2.5	PASS
Band66	20MHz	64QAM	132572	100RB#0	NV	0	2.10	0.001186	±2.5	PASS
Band66	20MHz	64QAM	132572	100RB#0	NV	10	2.00	0.001130	±2.5	PASS
Band66	20MHz	64QAM	132572	100RB#0	NV	20	2.20	0.001243	±2.5	PASS
Band66	20MHz	16QAM	132072	100RB#0	NV	-30	0.50	0.000291	±2.5	PASS
Band66	20MHz	16QAM	132072	100RB#0	NV	-20	0.10	0.000058	±2.5	PASS
Band66	20MHz	16QAM	132072	100RB#0	NV	0	0.40	0.000233	±2.5	PASS
Band66	20MHz	16QAM	132072	100RB#0	NV	10	0.10	0.000058	±2.5	PASS
Band66	20MHz	16QAM	132072	100RB#0	NV	20	0.20	0.000116	±2.5	PASS
Band66	20MHz	16QAM	132322	100RB#0	NV	-30	2.00	0.001146	±2.5	PASS
Band66	20MHz	16QAM	132322	100RB#0	NV	-20	2.20	0.001261	±2.5	PASS
Band66	20MHz	16QAM	132322	100RB#0	NV	0	1.70	0.000974	±2.5	PASS
Band66	20MHz	16QAM	132322	100RB#0	NV	10	2.00	0.001146	±2.5	PASS
Band66	20MHz	16QAM	132322	100RB#0	NV	20	2.10	0.001203	±2.5	PASS
Band66	20MHz	16QAM	132572	100RB#0	NV	-30	2.30	0.001299	±2.5	PASS
Band66	20MHz	16QAM	132572	100RB#0	NV	-20	2.00	0.001130	±2.5	PASS
Band66	20MHz	16QAM	132572	100RB#0	NV	0	2.10	0.001186	±2.5	PASS
Band66	20MHz	16QAM	132572	100RB#0	NV	10	2.30	0.001299	±2.5	PASS
Band66	20MHz	16QAM	132572	100RB#0	NV	20	2.30	0.001299	±2.5	PASS

The End

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com