





Date: 28 JAN 2019 22:39:40


Band12_10MHz_64QAM_23130_50RB#0



Date: 28 JAN 2019 22:40:26


Band12_10MHz_16QAM_23060_1RB#0





Date: 26 JAN 2019 17:55:08

Band12_10MHz_16QAM_23060_50RB#0




Date: 26 JAN 2019 17:56:35

Band12_10MHz_16QAM_23130_1RB#49




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Date: 26 JAN 2019 17:58:10

Band12_10MHz_16QAM_23130_50RB#0



Date: 26 JAN 2019 17:59:38




6. Spurious Emission at Antenna Terminal

Remark1: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of $< RBW/2$ so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = $k * (\text{Span} / RBW)$ " with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.


Remark2: only the worst case data displayed in this report.

6.1. Test Plots

Band12_10MHz_QPSK_23060_1RB#0




Band12_10MHz_QPSK_23060_1RB#0




Band12_10MHz_QPSK_23095_1RB#0





Date: 26 JAN 2019 18:02:40


Band12_10MHz_QPSK_23095_1RB#0




Date: 26 JAN 2019 18:03:56

Band12_10MHz_QPSK_23130_1RB#0






Band12_10MHz_QPSK_23130_1RB#0




Band12_10MHz_64QAM_23060_1RB#0






Band12_10MHz_64QAM_23060_1RB#0




Band12_10MHz_64QAM_23095_1RB#0





Date: 28 JAN 2019 22:42:17

Band12	10MHz	64QAM	23095	1RB#0
--------	-------	-------	-------	-------



Date: 28 JAN 2019 22:43:25

Band12	10MHz	64QAM	23130	1RB#0
--------	-------	-------	-------	-------




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Center EEC Laboratory.


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed on the back, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's responsibility is to its Client and the document does not exonerate parties to a contract from their respective rights and obligations under the contract. The Company's responsibility is limited to the amount stated except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To ensure the integrity of testing / inspection reports and certificates, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doechek@sgs.com.

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




Band12_10MHz_64QAM_23130_1RB#0




Band12_10MHz_16QAM_23060_1RB#0





Date: 26 JAN 2019 18:01:22


Band12_10MHz_16QAM_23060_1RB#0



Date: 26 JAN 2019 18:02:29


Band12_10MHz_16QAM_23095_1RB#0





Date: 26 JAN 2019 18:04:13


Band12_10MHz_16QAM_23095_1RB#0



Date: 26 JAN 2019 18:05:20


Band12_10MHz_16QAM_23130_1RB#0





Date: 26 JAN 2019 18:07:04

Band12_10MHz_16QAM_23130_1RB#0



Date: 26 JAN 2019 18:08:11



7. Field Strength of Spurious Radiation


7.1. Main Antenna

7.1.1. Test BAND = LTE BAND 12

7.1.1.1. Test Mode =LTE/TM1

7.1.1.1.1. LCH-Vertical

Full Spectrum



Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
64.813333	-72.04	-13.00	59.04	---	---	200.0	V	193.0	-99.8
339.353333	-75.15	-13.00	62.15	---	---	200.0	V	8.0	-101.8
1398.500000	-50.87	-13.00	37.87	---	---	200.0	V	284.0	-89.6
2434.000000	-46.47	-13.00	33.47	---	---	200.0	V	68.0	-81.0
4729.650000	-54.54	-13.00	41.54	---	---	200.0	V	0.0	-102.4
9179.550000	-51.36	-13.00	38.36	---	---	200.0	V	212.0	-97.0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing Center) FCC Laboratory


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057
中国·深圳·科技园中区M-10栋一号厂房

t (86-755) 26012053 f (86-755) 26710594
邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

www.sgsgroup.com.cn
sgs.china@sgs.com

7.1.1.1.2. LCH-Horizontal

Full Spectrum




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
63.740000	-68.18	-13.00	55.18	---	---	200.0	H	265.0	-96.4
181.386667	-77.56	-13.00	64.56	---	---	200.0	H	10.0	-107.1
1399.000000	-52.17	-13.00	39.17	---	---	200.0	H	284.0	-89.5
2251.500000	-46.41	-13.00	33.41	---	---	200.0	H	33.0	-81.5
4321.775000	-54.64	-13.00	41.64	---	---	200.0	H	0.0	-102.5
7891.250000	-51.17	-13.00	38.17	---	---	200.0	H	0.0	-97.9



7.1.1.1.3. MCH-Vertical

Full Spectrum




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
64.486667	-72.02	-13.00	59.02	---	---	200.0	V	310.0	-99.9
126.180000	-78.98	-13.00	65.98	---	---	200.0	V	167.0	-104.3
1406.000000	-49.44	-13.00	36.44	---	---	200.0	V	142.0	-89.7
2581.500000	-45.52	-13.00	32.52	---	---	200.0	V	70.0	-80.1
4313.000000	-54.86	-13.00	41.86	---	---	200.0	V	212.0	-102.7
8022.225000	-51.78	-13.00	38.78	---	---	200.0	V	0.0	-98.4



7.1.1.1.4. MCH-Horizontal

Full Spectrum




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
62.480000	-68.47	-13.00	55.47	---	---	200.0	H	359.0	-95.1
183.720000	-77.41	-13.00	64.41	---	---	200.0	H	31.0	-106.9
1406.000000	-52.41	-13.00	39.41	---	---	200.0	H	283.0	-89.5
2370.000000	-46.67	-13.00	33.67	---	---	200.0	H	69.0	-81.3
4317.550000	-54.81	-13.00	41.81	---	---	200.0	H	0.0	-102.5
9110.975000	-50.80	-13.00	37.80	---	---	200.0	H	0.0	-97.0



7.1.1.1.5. HCH-Vertical

Full Spectrum




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
64.160000	-71.84	-13.00	58.84	---	---	200.0	V	8.0	-100.0
310.700000	-76.36	-13.00	63.36	---	---	200.0	V	31.0	-102.1
1413.000000	-48.61	-13.00	35.61	---	---	200.0	V	142.0	-89.6
2341.000000	-46.95	-13.00	33.95	---	---	200.0	V	0.0	-81.7
4274.975000	-55.21	-13.00	42.21	---	---	200.0	V	0.0	-102.8
9215.300000	-51.83	-13.00	38.83	---	---	200.0	V	0.0	-97.0



7.1.1.1.6. HCH-Horizontal

Full Spectrum



Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
64.160000	-68.98	-13.00	55.98	---	---	200.0	H	334.0	-96.9
272.946667	-76.76	-13.00	63.76	---	---	200.0	H	33.0	-102.4
1413.500000	-52.30	-13.00	39.30	---	---	200.0	H	284.0	-89.4
2633.000000	-45.35	-13.00	32.35	---	---	200.0	H	285.0	-80.1
4363.050000	-54.62	-13.00	41.62	---	---	200.0	H	212.0	-102.8
9283.875000	-51.75	-13.00	38.75	---	---	200.0	H	0.0	-96.8




7.2. Secondary Antenna

7.2.1. Test BAND = LTE BAND 12

7.2.1.1. Test Mode =LTE/TM1

7.2.1.1.1. LCH-Vertical

Full Spectrum



Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
76.900000	-67.17	-13.00	54.17	---	---	200.0	V	310.0	-108.0
157.960000	-71.69	-13.00	58.69	---	---	200.0	V	76.0	-108.8
1635.500000	-51.88	-13.00	38.88	---	---	200.0	V	0.0	-87.5
2656.500000	-44.59	-13.00	31.59	---	---	200.0	V	323.0	-79.1
4825.200000	-53.54	-13.00	40.54	---	---	200.0	V	0.0	-102.0
9287.287500	-51.13	-13.00	38.13	---	---	200.0	V	1.0	-96.9



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (FCC Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057
中国·深圳·科技园中区M-10栋一号厂房

t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

7.2.1.1.2. LCH-Horizontal

Full Spectrum




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
63.553333	-67.28	-13.00	54.28	---	---	200.0	H	0.0	-96.2
164.260000	-73.26	-13.00	60.26	---	---	200.0	H	219.0	-107.6
1743.000000	-51.12	-13.00	38.12	---	---	200.0	H	0.0	-86.7
2700.500000	-44.37	-13.00	31.37	---	---	200.0	H	68.0	-78.9
4313.812500	-55.36	-13.00	42.36	---	---	200.0	H	1.0	-102.5
9273.150000	-51.36	-13.00	38.36	---	---	200.0	H	0.0	-96.9



7.2.1.1.3. MCH-Vertical

Full Spectrum




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
76.573333	-67.01	-13.00	54.01	---	---	200.0	V	312.0	-107.7
154.506667	-71.69	-13.00	58.69	---	---	200.0	V	99.0	-108.9
1726.500000	-51.68	-13.00	38.68	---	---	200.0	V	1.0	-86.7
2646.000000	-45.23	-13.00	32.23	---	---	200.0	V	359.0	-79.3
5121.112500	-53.73	-13.00	40.73	---	---	200.0	V	0.0	-101.6
9242.925000	-50.86	-13.00	37.86	---	---	200.0	V	210.0	-97.0



7.2.1.1.4. MCH-Horizontal

Full Spectrum




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
63.880000	-67.07	-13.00	54.07	---	---	200.0	H	122.0	-96.6
164.866667	-73.03	-13.00	60.03	---	---	200.0	H	216.0	-107.5
1591.500000	-52.99	-13.00	39.99	---	---	200.0	H	354.0	-88.0
2799.000000	-44.89	-13.00	31.89	---	---	200.0	H	142.0	-78.6
4993.387500	-53.72	-13.00	40.72	---	---	200.0	H	1.0	-101.4
8909.475000	-51.69	-13.00	38.69	---	---	200.0	H	1.0	-97.0



7.2.1.1.5. HCH-Vertical

Full Spectrum




Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
76.853333	-67.24	-13.00	54.24	---	---	200.0	V	335.0	-107.9
154.693333	-71.22	-13.00	58.22	---	---	200.0	V	101.0	-108.9
1720.500000	-51.70	-13.00	38.70	---	---	200.0	V	354.0	-86.7
2432.500000	-46.85	-13.00	33.85	---	---	200.0	V	286.0	-81.0
4493.700000	-55.22	-13.00	42.22	---	---	200.0	V	0.0	-103.0
6607.987500	-51.74	-13.00	38.74	---	---	200.0	V	0.0	-99.1



7.2.1.1.6. HCH-Horizontal

Full Spectrum



Critical_Freqs

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
63.273333	-66.45	-13.00	53.45	---	---	200.0	H	145.0	-96.0
165.053333	-73.61	-13.00	60.61	---	---	200.0	H	192.0	-107.5
1542.500000	-53.08	-13.00	40.08	---	---	200.0	H	0.0	-88.3
2378.000000	-45.86	-13.00	32.86	---	---	200.0	H	323.0	-81.2
4278.712500	-54.44	-13.00	41.44	---	---	200.0	H	0.0	-102.7
9310.200000	-51.13	-13.00	38.13	---	---	200.0	H	2.0	-96.9

Remark:

- 1) The disturbance below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the worst case data had been displayed.
- 2) We have tested all modulation and all Bandwidth , but only the worst case data presented in this report.





8. Frequency Stability

8.1. Frequency Vs Voltage

Voltage										
BAND	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band12	10MHz	QPSK	23060	50RB#0	VL	NT	-0.40	-0.000568	±2.5	PASS
Band12	10MHz	QPSK	23060	50RB#0	VN	NT	0.60	0.000852	±2.5	PASS
Band12	10MHz	QPSK	23060	50RB#0	VH	NT	-0.30	-0.000426	±2.5	PASS
Band12	10MHz	QPSK	23095	50RB#0	VL	NT	-0.10	-0.000141	±2.5	PASS
Band12	10MHz	QPSK	23095	50RB#0	VN	NT	-0.30	-0.000424	±2.5	PASS
Band12	10MHz	QPSK	23095	50RB#0	VH	NT	0.20	0.000283	±2.5	PASS
Band12	10MHz	QPSK	23130	50RB#0	VL	NT	0.60	0.000844	±2.5	PASS
Band12	10MHz	QPSK	23130	50RB#0	VN	NT	-0.70	-0.000985	±2.5	PASS
Band12	10MHz	QPSK	23130	50RB#0	VH	NT	-0.10	-0.000141	±2.5	PASS
Band12	10MHz	64QAM	23060	50RB#0	VL	NT	0.00	0.000000	±2.5	PASS
Band12	10MHz	64QAM	23060	50RB#0	VN	NT	-0.40	-0.000568	±2.5	PASS
Band12	10MHz	64QAM	23060	50RB#0	VH	NT	-0.10	-0.000142	±2.5	PASS
Band12	10MHz	64QAM	23095	50RB#0	VL	NT	-0.20	-0.000283	±2.5	PASS
Band12	10MHz	64QAM	23095	50RB#0	VN	NT	0.10	0.000141	±2.5	PASS
Band12	10MHz	64QAM	23095	50RB#0	VH	NT	-0.70	-0.000989	±2.5	PASS
Band12	10MHz	64QAM	23130	50RB#0	VL	NT	-0.30	-0.000422	±2.5	PASS
Band12	10MHz	64QAM	23130	50RB#0	VN	NT	-0.70	-0.000985	±2.5	PASS
Band12	10MHz	64QAM	23130	50RB#0	VH	NT	-0.50	-0.000703	±2.5	PASS
Band12	10MHz	16QAM	23060	50RB#0	VL	NT	-0.20	-0.000284	±2.5	PASS
Band12	10MHz	16QAM	23060	50RB#0	VN	NT	0.00	0.000000	±2.5	PASS
Band12	10MHz	16QAM	23060	50RB#0	VH	NT	-0.40	-0.000568	±2.5	PASS
Band12	10MHz	16QAM	23095	50RB#0	VL	NT	-0.40	-0.000565	±2.5	PASS
Band12	10MHz	16QAM	23095	50RB#0	VN	NT	-0.60	-0.000848	±2.5	PASS
Band12	10MHz	16QAM	23095	50RB#0	VH	NT	-0.60	-0.000848	±2.5	PASS
Band12	10MHz	16QAM	23130	50RB#0	VL	NT	-1.00	-0.001406	±2.5	PASS
Band12	10MHz	16QAM	23130	50RB#0	VN	NT	-0.20	-0.000281	±2.5	PASS
Band12	10MHz	16QAM	23130	50RB#0	VH	NT	-0.10	-0.000141	±2.5	PASS

8.2. Frequency Vs Temperature

Temperature										
BAND	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band12	10MHz	QPSK	23060	50RB#0	NV	-30	-0.40	-0.000568	±2.5	PASS
Band12	10MHz	QPSK	23060	50RB#0	NV	-20	-0.10	-0.000142	±2.5	PASS
Band12	10MHz	QPSK	23060	50RB#0	NV	0	-0.50	-0.000710	±2.5	PASS
Band12	10MHz	QPSK	23060	50RB#0	NV	10	-0.30	-0.000426	±2.5	PASS
Band12	10MHz	QPSK	23060	50RB#0	NV	20	0.00	0.000000	±2.5	PASS
Band12	10MHz	QPSK	23060	50RB#0	NV	30	0.30	0.000426	±2.5	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Band12	10MHz	QPSK	23060	50RB#0	NV	40	-0.10	-0.000142	±2.5	PASS
Band12	10MHz	QPSK	23060	50RB#0	NV	50	-0.40	-0.000568	±2.5	PASS
Band12	10MHz	QPSK	23095	50RB#0	NV	-30	-0.30	-0.000424	±2.5	PASS
Band12	10MHz	QPSK	23095	50RB#0	NV	-20	-0.50	-0.000707	±2.5	PASS
Band12	10MHz	QPSK	23095	50RB#0	NV	0	-0.10	-0.000141	±2.5	PASS
Band12	10MHz	QPSK	23095	50RB#0	NV	10	-0.30	-0.000424	±2.5	PASS
Band12	10MHz	QPSK	23095	50RB#0	NV	20	-0.30	-0.000424	±2.5	PASS
Band12	10MHz	QPSK	23095	50RB#0	NV	30	0.10	0.000141	±2.5	PASS
Band12	10MHz	QPSK	23095	50RB#0	NV	40	0.40	0.000565	±2.5	PASS
Band12	10MHz	QPSK	23095	50RB#0	NV	50	-0.70	-0.000989	±2.5	PASS
Band12	10MHz	QPSK	23130	50RB#0	NV	-30	-0.40	-0.000563	±2.5	PASS
Band12	10MHz	QPSK	23130	50RB#0	NV	-20	0.00	0.000000	±2.5	PASS
Band12	10MHz	QPSK	23130	50RB#0	NV	0	0.10	0.000141	±2.5	PASS
Band12	10MHz	QPSK	23130	50RB#0	NV	10	0.00	0.000000	±2.5	PASS
Band12	10MHz	QPSK	23130	50RB#0	NV	20	-0.30	-0.000422	±2.5	PASS
Band12	10MHz	QPSK	23130	50RB#0	NV	30	-0.70	-0.000985	±2.5	PASS
Band12	10MHz	QPSK	23130	50RB#0	NV	40	0.50	0.000703	±2.5	PASS
Band12	10MHz	QPSK	23130	50RB#0	NV	50	0.30	0.000422	±2.5	PASS
Band12	10MHz	64QAM	23060	50RB#0	NV	-30	0.00	0.000000	±2.5	PASS
Band12	10MHz	64QAM	23060	50RB#0	NV	-20	0.00	0.000000	±2.5	PASS
Band12	10MHz	64QAM	23060	50RB#0	NV	0	0.00	0.000000	±2.5	PASS
Band12	10MHz	64QAM	23060	50RB#0	NV	10	0.10	0.000142	±2.5	PASS
Band12	10MHz	64QAM	23060	50RB#0	NV	20	-0.80	-0.001136	±2.5	PASS
Band12	10MHz	64QAM	23060	50RB#0	NV	30	-0.50	-0.000710	±2.5	PASS
Band12	10MHz	64QAM	23060	50RB#0	NV	40	-0.30	-0.000426	±2.5	PASS
Band12	10MHz	64QAM	23060	50RB#0	NV	50	-0.30	-0.000426	±2.5	PASS
Band12	10MHz	64QAM	23095	50RB#0	NV	-30	-0.50	-0.000707	±2.5	PASS
Band12	10MHz	64QAM	23095	50RB#0	NV	-20	-1.10	-0.001555	±2.5	PASS
Band12	10MHz	64QAM	23095	50RB#0	NV	0	-0.50	-0.000707	±2.5	PASS
Band12	10MHz	64QAM	23095	50RB#0	NV	10	-0.50	-0.000707	±2.5	PASS
Band12	10MHz	64QAM	23095	50RB#0	NV	20	-0.30	-0.000424	±2.5	PASS
Band12	10MHz	64QAM	23095	50RB#0	NV	30	0.20	0.000283	±2.5	PASS
Band12	10MHz	64QAM	23095	50RB#0	NV	40	-0.30	-0.000424	±2.5	PASS
Band12	10MHz	64QAM	23095	50RB#0	NV	50	-0.70	-0.000989	±2.5	PASS
Band12	10MHz	64QAM	23130	50RB#0	NV	-30	-0.40	-0.000563	±2.5	PASS
Band12	10MHz	64QAM	23130	50RB#0	NV	-20	-0.20	-0.000281	±2.5	PASS
Band12	10MHz	64QAM	23130	50RB#0	NV	0	0.30	0.000422	±2.5	PASS
Band12	10MHz	64QAM	23130	50RB#0	NV	10	-0.10	-0.000141	±2.5	PASS
Band12	10MHz	64QAM	23130	50RB#0	NV	20	0.20	0.000281	±2.5	PASS
Band12	10MHz	64QAM	23130	50RB#0	NV	30	-0.20	-0.000281	±2.5	PASS
Band12	10MHz	64QAM	23130	50RB#0	NV	40	0.10	0.000141	±2.5	PASS
Band12	10MHz	64QAM	23130	50RB#0	NV	50	0.50	0.000703	±2.5	PASS
Band12	10MHz	16QAM	23060	50RB#0	NV	-30	-0.20	-0.000284	±2.5	PASS
Band12	10MHz	16QAM	23060	50RB#0	NV	-20	-0.40	-0.000568	±2.5	PASS
Band12	10MHz	16QAM	23060	50RB#0	NV	0	-0.50	-0.000710	±2.5	PASS
Band12	10MHz	16QAM	23060	50RB#0	NV	10	-0.30	-0.000426	±2.5	PASS
Band12	10MHz	16QAM	23060	50RB#0	NV	20	0.10	0.000142	±2.5	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Band12	10MHz	16QAM	23060	50RB#0	NV	30	-0.70	-0.000994	±2.5	PASS
Band12	10MHz	16QAM	23060	50RB#0	NV	40	0.10	0.000142	±2.5	PASS
Band12	10MHz	16QAM	23060	50RB#0	NV	50	-0.40	-0.000568	±2.5	PASS
Band12	10MHz	16QAM	23095	50RB#0	NV	-30	-0.20	-0.000283	±2.5	PASS
Band12	10MHz	16QAM	23095	50RB#0	NV	-20	-0.50	-0.000707	±2.5	PASS
Band12	10MHz	16QAM	23095	50RB#0	NV	0	-0.50	-0.000707	±2.5	PASS
Band12	10MHz	16QAM	23095	50RB#0	NV	10	-0.30	-0.000424	±2.5	PASS
Band12	10MHz	16QAM	23095	50RB#0	NV	20	-0.10	-0.000141	±2.5	PASS
Band12	10MHz	16QAM	23095	50RB#0	NV	30	-0.40	-0.000565	±2.5	PASS
Band12	10MHz	16QAM	23095	50RB#0	NV	40	0.10	0.000141	±2.5	PASS
Band12	10MHz	16QAM	23095	50RB#0	NV	50	0.00	0.000000	±2.5	PASS
Band12	10MHz	16QAM	23130	50RB#0	NV	-30	0.30	0.000422	±2.5	PASS
Band12	10MHz	16QAM	23130	50RB#0	NV	-20	0.50	0.000703	±2.5	PASS
Band12	10MHz	16QAM	23130	50RB#0	NV	0	0.30	0.000422	±2.5	PASS
Band12	10MHz	16QAM	23130	50RB#0	NV	10	-0.20	-0.000281	±2.5	PASS
Band12	10MHz	16QAM	23130	50RB#0	NV	20	0.10	0.000141	±2.5	PASS
Band12	10MHz	16QAM	23130	50RB#0	NV	30	-0.20	-0.000281	±2.5	PASS
Band12	10MHz	16QAM	23130	50RB#0	NV	40	-0.30	-0.000422	±2.5	PASS
Band12	10MHz	16QAM	23130	50RB#0	NV	50	-0.70	-0.000985	±2.5	PASS

The End



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (CCC Laboratory)

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com