



Appendix for test report



1Appendix_A: Effective (Isotropic) Radiated Power Output Data

Void

2Appendix_B: Peak-to-Average Ratio

Void

3Appendix_C: Modulation Characteristics

Void

4Appendix_D: Bandwidth

Void

5Appendix_E: Band Edges Compliance

Void

6Appendix_F: Spurious Emission at Antenna Terminal

Void

7Appendix_G: Field Strength of Spurious Radiation

Note:

9kHz~150kHz, VBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, VBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK

Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK


We tested all modes, but the data presented below is the worst case.

Part I - Test Plots


7.1 For LTE

7.1.1 Test Band = BAND4


7.1.1.1 Test Bandwidth = 1.4




Copy of FCC PART27 LTE Band 4_L




Copy of FCC PART27 LTE Band 4_H








7.1.1.2 Test Bandwidth = 3




Copy of FCC PART27 LTE Band 4_L




Copy of FCC PART27 LTE Band 4_H





7.1.1.3 Test Bandwidth = 5




Copy of FCC PART27 LTE Band 4_L




Copy of FCC PART27 LTE Band 4_H





7.1.1.4 Test Bandwidth = 20



Copy of RSE-TX-DIRECTOR ABOVE 1.5G_L




Copy of RSE-TX-DIRECTOR ABOVE 1.5G_H




7.1.2 Test Band = BAND13


7.1.2.1 Test Bandwidth = 5




Copy of RSE-TX-DIRECTOR BELOW 1G_L




Copy of RSE-TX-DIRECTOR BELOW 1G_H




7.1.2.2 Test Bandwidth = 10



Copy of RSE-TX-DIRECTOR BELOW 1G_L



Copy of RSE-TX-DIRECTOR BELOW 1G_H





8Appendix_H: Frequency Stability

Void

END